

Hedvig Nordeng

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/651322/hedvig-nordeng-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

162
papers

3,819
citations

35
h-index

55
g-index

190
ext. papers

4,778
ext. citations

4
avg, IF

5.76
L-index

#	Paper	IF	Citations
162	Self-Reported Medication Use among Pregnant and Breastfeeding Women during the COVID-19 Pandemic: A Cross-Sectional Study in Five European Countries.. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19,	4.6	6
161	Self-Reported Medication Use among Pregnant and Postpartum Women during the Third Wave of the COVID-19 Pandemic: A European Multinational Cross-Sectional Study.. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19,	4.6	1
160	Comment to "Pregnancy and COVID-19, focus on vaccine and pharmacological treatment".. <i>Journal of Reproductive Immunology</i> , 2022 , 152, 103639	4.2	
159	Does Intrapartum Epidural Analgesia Increase the Risk of Autism Spectrum Disorder in Offspring? Most Likely Not. <i>JAMA Network Open</i> , 2022 , 5, e2214279	10.4	
158	Association of Maternal Use of Triptans During Pregnancy With Risk of Attention-Deficit/Hyperactivity Disorder in Offspring. <i>JAMA Network Open</i> , 2022 , 5, e2215333	10.4	
157	From Inception to ConcePTION: Genesis of a Network to Support Better Monitoring and Communication of Medication Safety During Pregnancy and Breastfeeding. <i>Clinical Pharmacology and Therapeutics</i> , 2021 , 111, 321	6.1	1
156	Vaccine Willingness and Impact of the COVID-19 Pandemic on Women's Perinatal Experiences and Practices-A Multinational, Cross-Sectional Study Covering the First Wave of the Pandemic. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	30
155	Antithyroid drug use during pregnancy and the risk of birth defects in offspring: systematic review and meta-analysis of observational studies with methodological considerations. <i>British Journal of Clinical Pharmacology</i> , 2021 , 87, 3890-3900	3.8	4
154	Transfer of triptans into human breast milk and estimation of infant drug exposure through breastfeeding. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2021 , 128, 795-804	3.1	1
153	Prenatal medication exposure and epigenetic outcomes: a systematic literature review and recommendations for prenatal pharmacoepigenetic studies. <i>Epigenetics</i> , 2021 , 1-24	5.7	1
152	A comprehensive review on non-clinical methods to study transfer of medication into breast milk - A contribution from the ConcePTION project. <i>Biomedicine and Pharmacotherapy</i> , 2021 , 136, 111038	7.5	7
151	Genetic Susceptibility to Drug Teratogenicity: A Systematic Literature Review. <i>Frontiers in Genetics</i> , 2021 , 12, 645555	4.5	2
150	Management of cluster headache and other trigeminal autonomic cephalalgias in pregnancy and breastfeeding. <i>European Journal of Neurology</i> , 2021 , 28, 2443-2455	6	0
149	Prenatal exposure to non-steroidal anti-inflammatory drugs and risk of attention-deficit/hyperactivity disorder: A follow-up study in the Norwegian mother, father and child cohort. <i>Pharmacoepidemiology and Drug Safety</i> , 2021 , 30, 1380-1390	2.6	0
148	SARS-CoV-2 Vaccine Willingness among Pregnant and Breastfeeding Women during the First Pandemic Wave: A Cross-Sectional Study in Switzerland. <i>Viruses</i> , 2021 , 13,	6.2	18
147	Acetaminophen use during pregnancy and offspring attention deficit hyperactivity disorder - a longitudinal sibling control study. <i>JCPP Advances</i> , 2021 , 1, e12020		2
146	Attention-deficit/hyperactivity disorder in children following prenatal exposure to antidepressants: results from the Norwegian mother, father and child cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021 , 128, 1917-1927	3.7	0

145	Longitudinal Methods for Modeling Exposures in Pharmacoepidemiologic Studies in Pregnancy. <i>Epidemiologic Reviews</i> , 2021 ,	4.1	1
144	Thyroid hormone replacement therapy in pregnancy and motor function, communication skills, and behavior of preschool children: The Norwegian Mother, Father, and Child Cohort Study. <i>Pharmacoepidemiology and Drug Safety</i> , 2021 , 30, 716-726	2.6	1
143	Mental health status of pregnant and breastfeeding women during the COVID-19 pandemic-A multinational cross-sectional study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021 , 100, 1219-1229	3.8	38
142	Antiemetic Prescription Fills in Pregnancy: A Drug Utilization Study Among 762,437 Pregnancies in Norway. <i>Clinical Epidemiology</i> , 2021 , 13, 161-174	5.9	1
141	Personality and its relation to the use of alcohol and cigarettes during pregnancy: A multinational study. <i>Journal of Health Psychology</i> , 2021 , 26, 1293-1306	3.1	1
140	Medicinal plants used among pregnant women in a tertiary teaching hospital in Jimma, Ethiopia: a cross-sectional study. <i>BMJ Open</i> , 2021 , 11, e046495	3	0
139	Perinatal use of triptans and other drugs for migraine-A nationwide drug utilization study. <i>PLoS ONE</i> , 2021 , 16, e0256214	3.7	1
138	Association of Timing and Duration of Prenatal Analgesic Opioid Exposure With Attention-Deficit/Hyperactivity Disorder in Children. <i>JAMA Network Open</i> , 2021 , 4, e2124324	10.4	1
137	Use of interrupted time-series analysis to characterise antibiotic prescription fills across pregnancy: a Norwegian nationwide cohort study. <i>BMJ Open</i> , 2021 , 11, e050569	3	0
136	The effect of a pharmacist consultation on pregnant women's quality of life with a special focus on nausea and vomiting: an intervention study. <i>BMC Pregnancy and Childbirth</i> , 2020 , 20, 766	3.2	1
135	Associations of Maternal Use of Benzodiazepines or Benzodiazepine-like Hypnotics During Pregnancy With Immediate Pregnancy Outcomes in Norway. <i>JAMA Network Open</i> , 2020 , 3, e205860	10.4	7
134	Differences in medication beliefs between pregnant women using medication, or not, for chronic diseases: a cross-sectional, multinational, web-based study. <i>BMJ Open</i> , 2020 , 10, e034529	3	5
133	Use and Intentional Avoidance of Prescribed Medications in Pregnancy: A Cross-Sectional, Web-Based Study among 926 Women in Italy. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	2
132	Extending balance assessment for the generalized propensity score under multiple imputation. <i>Epidemiologic Methods</i> , 2020 , 9,	2.2	1
131	Use of Decision Support Tools to Empower Pregnant Women: Systematic Review. <i>Journal of Medical Internet Research</i> , 2020 , 22, e19436	7.6	5
130	Thyroid hormone replacement therapy patterns in pregnant women and perinatal outcomes in the offspring. <i>Pharmacoepidemiology and Drug Safety</i> , 2020 , 29, 111-121	2.6	2
129	Response to: Modelling paternal exposure as a negative control. <i>International Journal of Epidemiology</i> , 2020 , 49, 1054-1055	7.8	
128	Fertility treatment and oral contraceptive discontinuation for identification of pregnancy planning in routinely collected health data - an application to analgesic and antibiotic utilisation. <i>BMC Pregnancy and Childbirth</i> , 2020 , 20, 731	3.2	0

127	Medication-related problems among hospitalized pregnant women in a tertiary teaching hospital in Ethiopia: a prospective observational study. <i>BMC Pregnancy and Childbirth</i> , 2020 , 20, 737	3.2	1
126	Modeling exposures of medications used episodically during pregnancy: Triptans as a motivating example. <i>Pharmacoepidemiology and Drug Safety</i> , 2020 , 29, 1111-1119	2.6	2
125	Prenatal paracetamol exposure and neurodevelopmental outcomes in preschool-aged children. <i>Paediatric and Perinatal Epidemiology</i> , 2020 , 34, 247-256	2.7	7
124	Maternal Thyroid Hormone Replacement Therapy Exposure and Language and Communication Skills of Offspring at 8 Years of Age. <i>JAMA Network Open</i> , 2019 , 2, e1912424	10.4	2
123	Impact of prenatal exposure to benzodiazepines and z-hypnotics on behavioral problems at 5 years of age: A study from the Norwegian Mother and Child Cohort Study. <i>PLoS ONE</i> , 2019 , 14, e0217830	3.7	9
122	Perceived sensitivity to medicines: a study among chronic medicine users in Norway. <i>International Journal of Clinical Pharmacy</i> , 2019 , 41, 804-812	2.3	3
121	Risk perception, beliefs about medicines and medical adherence among pregnant and breastfeeding women with migraine: findings from a cross-sectional study in Norway. <i>BMJ Open</i> , 2019 , 9, e026690	3	8
120	Women's perspectives on the management and consequences of hyperemesis gravidarum - a descriptive interview study. <i>Scandinavian Journal of Primary Health Care</i> , 2019 , 37, 30-40	2.7	17
119	Association of Maternal Use of Benzodiazepines and Z-Hypnotics During Pregnancy With Motor and Communication Skills and Attention-Deficit/Hyperactivity Disorder Symptoms in Preschoolers. <i>JAMA Network Open</i> , 2019 , 2, e191435	10.4	26
118	Knowledge of antibiotics and antibiotic resistance among Norwegian pharmacy customers - a cross-sectional study. <i>BMC Public Health</i> , 2019 , 19, 66	4.1	22
117	Register-based study showed that the age when children were prescribed antibiotic tablets and capsules instead of liquids increased from 2004 to 2016. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2019 , 108, 699-706	3.1	
116	Social media monitoring on the perceived safety of medication use during pregnancy: A case study from the Netherlands. <i>British Journal of Clinical Pharmacology</i> , 2019 , 85, 2580-2590	3.8	7
115	Paternal antidepressant use as a negative control for maternal use: assessing familial confounding on gestational length and anxiety traits in offspring. <i>International Journal of Epidemiology</i> , 2019 , 48, 1665-1672	7.8	7
114	Community pharmacist counseling in early pregnancy-Results from the SafeStart feasibility study. <i>PLoS ONE</i> , 2019 , 14, e0219424	3.7	5
113	Use and validity of child neurodevelopment outcome measures in studies on prenatal exposure to psychotropic and analgesic medications - A systematic review. <i>PLoS ONE</i> , 2019 , 14, e0219778	3.7	11
112	Women's Beliefs About Medicines and Adherence to Pharmacotherapy in Pregnancy: Opportunities for Community Pharmacists. <i>Current Pharmaceutical Design</i> , 2019 , 25, 469-482	3.3	15
111	Analyzing Missing Data in Perinatal Pharmacoepidemiology Research: Methodological Considerations to Limit the Risk of Bias. <i>Clinical Therapeutics</i> , 2019 , 41, 2477-2487	3.5	2
110	Medicinal Plants and Concomitant Use with Pharmaceutical Drugs Among Pregnant Women. <i>Journal of Alternative and Complementary Medicine</i> , 2019 , 25, 427-434	2.4	8

109	Risk factors for discontinuation of thyroid hormone replacement therapy in early pregnancy: a study from the Norwegian Mother and Child Cohort Study and the Medical Birth Registry of Norway. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2018 , 97, 852-860	3.8	1
108	Agreement between paternal self-reported medication use and records from a national prescription database. <i>Pharmacoepidemiology and Drug Safety</i> , 2018 , 27, 413-421	2.6	12
107	Prenatal triptan exposure and neurodevelopmental outcomes in 5-year-old children: Follow-up from the Norwegian Mother and Child Cohort Study. <i>Paediatric and Perinatal Epidemiology</i> , 2018 , 32, 247-255	2.7	8
106	Reported time to onset of neurological adverse drug reactions among different age and gender groups using metoclopramide: an analysis of the global database Vigibase. <i>European Journal of Clinical Pharmacology</i> , 2018 , 74, 627-636	2.8	5
105	Effect of Time-Dependent Selective Serotonin Reuptake Inhibitor Antidepressants During Pregnancy on Behavioral, Emotional, and Social Development in Preschool-Aged Children. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2018 , 57, 200-208	7.2	33
104	Making fair comparisons in pregnancy medication safety studies: An overview of advanced methods for confounding control. <i>Pharmacoepidemiology and Drug Safety</i> , 2018 , 27, 140-147	2.6	23
103	Self-reported perinatal depressive symptoms and postnatal symptom severity after treatment with antidepressants in pregnancy: a cross-sectional study across 12 European countries using the Edinburgh Postnatal Depression Scale. <i>Clinical Epidemiology</i> , 2018 , 10, 655-669	5.9	11
102	Requests for new oral antibiotic prescriptions in children within 2 days: a Norwegian population-based study. <i>Family Practice</i> , 2018 , 35, 690-697	1.9	3
101	The Impact of Nondifferential Exposure Misclassification on the Performance of Propensity Scores for Continuous and Binary Outcomes: A Simulation Study. <i>Medical Care</i> , 2018 , 56, e46-e53	3.1	4
100	Maternal use of thyroid hormone replacement therapy before, during, and after pregnancy: agreement between self-report and prescription records and group-based trajectory modeling of prescription patterns. <i>Clinical Epidemiology</i> , 2018 , 10, 1801-1816	5.9	13
99	Dr. Lupattelli et al. Reply. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2018 , 57, 699-700	7.2	
98	The use of medicinal plants by pregnant women in Africa: A systematic review. <i>Journal of Ethnopharmacology</i> , 2018 , 224, 297-313	5	26
97	Learning the effects of psychotropic drugs during pregnancy using real-world safety data: a paradigm shift toward modern pharmacovigilance. <i>International Journal of Clinical Pharmacy</i> , 2018 , 40, 783-786	2.3	2
96	History of depression and risk of hyperemesis gravidarum: a population-based cohort study. <i>Archives of Women's Mental Health</i> , 2017 , 20, 397-404	5	19
95	Consumption of alcohol during pregnancy-A multinational European study. <i>Women and Birth</i> , 2017 , 30, e207-e213	3.3	51
94	The burden of nausea and vomiting during pregnancy: severe impacts on quality of life, daily life functioning and willingness to become pregnant again - results from a cross-sectional study. <i>BMC Pregnancy and Childbirth</i> , 2017 , 17, 75	3.2	41
93	Safety profile of medication used during pregnancy: results of a multinational European study. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 802-811	2.6	20
92	Prenatal Exposure to Acetaminophen and Risk of ADHD. <i>Pediatrics</i> , 2017 , 140,	7.4	82

91	Complex patterns of concomitant medication use: A study among Norwegian women using paracetamol during pregnancy. <i>PLoS ONE</i> , 2017 , 12, e0190101	3.7	3
90	Long-term prenatal exposure to paracetamol is associated with DNA methylation differences in children diagnosed with ADHD. <i>Clinical Epigenetics</i> , 2017 , 9, 77	7.7	32
89	Hypnotics use in children 0-18 months: moderate agreement between mother-reported survey data and prescription registry data. <i>Journal of Pharmaceutical Policy and Practice</i> , 2017 , 10, 28	3.2	1
88	SafeStart [An intervention study to promote healthier pregnancies. <i>Reproductive Toxicology</i> , 2017 , 72, 213-214	3.4	
87	Patterns and predictors of analgesic use in pregnancy: a longitudinal drug utilization study with special focus on women with migraine. <i>BMC Pregnancy and Childbirth</i> , 2017 , 17, 224	3.2	19
86	Risk of preeclampsia after gestational exposure to selective serotonin reuptake inhibitors and other antidepressants: A study from The Norwegian Mother and Child Cohort Study. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 1266-1276	2.6	19
85	Sick leave and medication use in pregnancy: a European web-based study. <i>BMJ Open</i> , 2017 , 7, e014934	3	10
84	Counselling pregnant women at the crossroads of Europe and Asia: effect of Teratology Information Service in Turkey. <i>International Journal of Clinical Pharmacy</i> , 2017 , 39, 783-790	2.3	7
83	Administrative Claims Data Versus Augmented Pregnancy Data for the Study of Pharmaceutical Treatments in Pregnancy. <i>Current Epidemiology Reports</i> , 2017 , 4, 106-116	2.9	17
82	Association of prenatal exposure to benzodiazepines and child internalizing problems: A sibling-controlled cohort study. <i>PLoS ONE</i> , 2017 , 12, e0181042	3.7	22
81	Does progestin-only contraceptive use after pregnancy affect recovery from pelvic girdle pain? A prospective population study. <i>PLoS ONE</i> , 2017 , 12, e0184071	3.7	1
80	Cell type specific DNA methylation in cord blood: A 450K-reference data set and cell count-based validation of estimated cell type composition. <i>Epigenetics</i> , 2016 , 11, 690-698	5.7	51
79	Use of antimigraine medications and information needs during pregnancy and breastfeeding: a cross-sectional study among 401 Norwegian women. <i>European Journal of Clinical Pharmacology</i> , 2016 , 72, 1525-1535	2.8	14
78	Drug utilization in pregnant women 2016 , 240-247		3
77	Safety classification of herbal medicines used in pregnancy in a multinational study. <i>BMC Complementary and Alternative Medicine</i> , 2016 , 16, 102	4.7	47
76	Pharmacists counselling of pregnant women: Web-based, comparative study between Serbia and Norway. <i>Midwifery</i> , 2016 , 40, 79-86	2.8	11
75	Treatment of nausea and vomiting during pregnancy—a cross-sectional study among 712 Norwegian women. <i>European Journal of Clinical Pharmacology</i> , 2016 , 72, 593-604	2.8	15
74	Pregnancy outcomes after prenatal exposure to echinacea: the Norwegian Mother and Child Cohort Study. <i>European Journal of Clinical Pharmacology</i> , 2016 , 72, 623-30	2.8	13

73	Safety of Psychotropic Drugs in Pregnancy and Breastfeeding 2016 , 299-319		1
72	Association of Prenatal Ibuprofen Exposure with Birth Weight and Gestational Age: A Population-Based Sibling Study. <i>PLoS ONE</i> , 2016 , 11, e0166971	3.7	5
71	Prenatal triptan exposure and parent-reported early childhood neurodevelopmental outcomes: an application of propensity score calibration to adjust for unmeasured confounding by migraine severity. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25, 493-502	2.6	11
70	Prenatal Triptan Exposure and Internalising and Externalising Behaviour Problems in 3-Year-Old Children: Results from the Norwegian Mother and Child Cohort Study. <i>Paediatric and Perinatal Epidemiology</i> , 2016 , 30, 190-200	2.7	23
69	Women's beliefs about medication use during their pregnancy: a UK perspective. <i>International Journal of Clinical Pharmacy</i> , 2016 , 38, 968-76	2.3	32
68	Longitudinal changes in neurodevelopmental outcomes between 18 and 36 months in children with prenatal triptan exposure: findings from the Norwegian Mother and Child Cohort Study. <i>BMJ Open</i> , 2016 , 6, e011971	3	6
67	Medication use and drug-related problems among women at maternity wards-a cross-sectional study from two Norwegian hospitals. <i>European Journal of Clinical Pharmacology</i> , 2016 , 72, 849-57	2.8	17
66	Effect of prenatal selective serotonin reuptake inhibitor (SSRI) exposure on birthweight and gestational age: a sibling-controlled cohort study. <i>International Journal of Epidemiology</i> , 2016 , 45, 2018-2029	7.8	11
65	Medication adherence among pregnant women with hypothyroidism-missed opportunities to improve reproductive health? A cross-sectional, web-based study. <i>Patient Education and Counseling</i> , 2016 , 99, 1699-707	3.1	17
64	Neurodevelopmental problems at 18 months among children exposed to paracetamol in utero: a propensity score matched cohort study. <i>International Journal of Epidemiology</i> , 2016 , 45, 1998-2008	7.8	30
63	Patterns and factors associated with low adherence to psychotropic medications during pregnancy--a cross-sectional, multinational web-based study. <i>Depression and Anxiety</i> , 2015 , 32, 426-36	8.4	37
62	Annotations and reflections: response to "Pregnancy and paracetamol: methodological considerations on the study of associations between in utero exposure to drugs and childhood neurodevelopment". <i>Basic and Clinical Pharmacology and Toxicology</i> , 2015 , 116, 6-8	3.1	2
61	Translation and factor analysis of structural models of Edinburgh Postnatal Depression Scale in Serbian pregnant and postpartum women - Web-based study. <i>Women and Birth</i> , 2015 , 28, e31-5	3.3	15
60	Pharmacological treatment of migraine during pregnancy and breastfeeding. <i>Nature Reviews Neurology</i> , 2015 , 11, 209-19	15	43
59	Women's perception of risks of adverse fetal pregnancy outcomes: a large-scale multinational survey. <i>BMJ Open</i> , 2015 , 5, e007390	3	49
58	The relationship between maternal depression and smoking cessation during pregnancy--a cross-sectional study of pregnant women from 15 European countries. <i>Archives of Women's Mental Health</i> , 2015 , 18, 73-84	5	42
57	Use of macrolides during pregnancy and the risk of birth defects: a population-based study. <i>Pharmacoepidemiology and Drug Safety</i> , 2015 , 24, 1241-8	2.6	24
56	Treatment of nausea in pregnancy: a cross-sectional multinational web-based study of pregnant women and new mothers. <i>BMC Pregnancy and Childbirth</i> , 2015 , 15, 321	3.2	14

55	Attitudes and use of medicinal plants during pregnancy among women at health care centers in three regions of Mali, West-Africa. <i>Journal of Ethnobiology and Ethnomedicine</i> , 2015 , 11, 73	3.9	32
54	Behavioural effects of fetal antidepressant exposure in a Norwegian cohort of discordant siblings. <i>International Journal of Epidemiology</i> , 2015 , 44, 1397-407	7.8	45
53	Factors associated with the need for information about medicines among pregnant women - a multinational internet-based survey. <i>Research in Social and Administrative Pharmacy</i> , 2015 , 11, 297-302	2.9	13
52	Medication Use before, during, and after Pregnancy among Women with Eating Disorders: A Study from the Norwegian Mother and Child Cohort Study. <i>PLoS ONE</i> , 2015 , 10, e0133045	3.7	6
51	Short- and long-term mortality risk associated with the use of antipsychotics among 26,940 dementia outpatients: a population-based study. <i>American Journal of Geriatric Psychiatry</i> , 2014 , 22, 321-31	6.5	50
50	Health literacy and its association with perception of teratogenic risks and health behavior during pregnancy. <i>Patient Education and Counseling</i> , 2014 , 96, 171-8	3.1	46
49	Risk of vaginal bleeding and postpartum hemorrhage after use of antidepressants in pregnancy: a study from the Norwegian Mother and Child Cohort Study. <i>Journal of Clinical Psychopharmacology</i> , 2014 , 34, 143-8	1.7	28
48	Echinacea and elderberry-should they be used against upper respiratory tract infections during pregnancy?. <i>Frontiers in Pharmacology</i> , 2014 , 5, 31	5.6	9
47	Factors associated with alcohol consumption during pregnancy in a cross-sectional study in 15 European countries. <i>European Journal of Public Health</i> , 2014 , 24,	2.1	1
46	Medication use in pregnancy: a cross-sectional, multinational web-based study. <i>BMJ Open</i> , 2014 , 4, e004365	3.65	206
45	Authors' Response: More research on paracetamol is required. <i>International Journal of Epidemiology</i> , 2014 , 43, 975-6	7.8	3
44	Transfer of aripiprazole to breast milk: a case report. <i>Journal of Clinical Psychopharmacology</i> , 2014 , 34, 272-5	1.7	17
43	Adherence to medication for chronic disorders during pregnancy: results from a multinational study. <i>International Journal of Clinical Pharmacy</i> , 2014 , 36, 145-53	2.3	58
42	Multiple information sources and consequences of conflicting information about medicine use during pregnancy: a multinational Internet-based survey. <i>Journal of Medical Internet Research</i> , 2014 , 16, e60	7.6	57
41	Predictors of the use of medications before and during pregnancy. <i>International Journal of Clinical Pharmacy</i> , 2013 , 35, 408-16	2.3	14
40	Safety of ginger use in pregnancy: results from a large population-based cohort study. <i>European Journal of Clinical Pharmacology</i> , 2013 , 69, 269-77	2.8	53
39	Triptan safety during pregnancy: a Norwegian population registry study. <i>European Journal of Epidemiology</i> , 2013 , 28, 759-69	12.1	29
38	Prenatal paracetamol exposure and child neurodevelopment: a sibling-controlled cohort study. <i>International Journal of Epidemiology</i> , 2013 , 42, 1702-13	7.8	175

37	Traditional medicine practitioners' knowledge and views on treatment of pregnant women in three regions of Mali. <i>Journal of Ethnobiology and Ethnomedicine</i> , 2013 , 9, 67	3.9	21
36	Herbal medicine use in pregnancy: results of a multinational study. <i>BMC Complementary and Alternative Medicine</i> , 2013 , 13, 355	4.7	104
35	Pregnancy outcome after use of cranberry in pregnancy--the Norwegian Mother and Child Cohort Study. <i>BMC Complementary and Alternative Medicine</i> , 2013 , 13, 345	4.7	15
34	Effects of ibuprofen, diclofenac, naproxen, and piroxicam on the course of pregnancy and pregnancy outcome: a prospective cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013 , 120, 948-59	3.7	59
33	Medicines information needs during pregnancy: a multinational comparison. <i>BMJ Open</i> , 2013 , 3,	3	43
32	Neonatal outcomes after gestational exposure to nitrofurantoin. <i>Obstetrics and Gynecology</i> , 2013 , 121, 306-313	4.9	32
31	Pregnancy outcome after gestational exposure to erythromycin - a population-based register study from Norway. <i>British Journal of Clinical Pharmacology</i> , 2012 , 74, 1053-62	3.8	33
30	Antidepressant use during pregnancy: the benefit-risk ratio. <i>American Journal of Obstetrics and Gynecology</i> , 2012 , 207, 157-63	6.4	68
29	Effects of personality on use of medications, alcohol, and cigarettes during pregnancy. <i>European Journal of Clinical Pharmacology</i> , 2012 , 68, 845-51	2.8	26
28	Fear of childbirth, mental health, and medication use during pregnancy. <i>Archives of Women's Mental Health</i> , 2012 , 15, 203-9	5	34
27	Pregnancy outcome after exposure to antidepressants and the role of maternal depression: results from the Norwegian Mother and Child Cohort Study. <i>Journal of Clinical Psychopharmacology</i> , 2012 , 32, 186-94	1.7	99
26	Drug use and breastfeeding. <i>Tidsskrift for Den Norske Lægeforening</i> , 2012 , 132, 1089-93	3.5	15
25	Use of herbal drugs during pregnancy among 600 Norwegian women in relation to concurrent use of conventional drugs and pregnancy outcome. <i>Complementary Therapies in Clinical Practice</i> , 2011 , 17, 147-51	3.5	77
24	Safety and efficacy of herbal remedies in obstetrics--review and clinical implications. <i>Midwifery</i> , 2011 , 27, 80-6	2.8	54
23	Concomitant use of anti-dementia drugs with psychotropic drugs in Norway--a population-based study. <i>Pharmacoepidemiology and Drug Safety</i> , 2011 , 20, 1319-26	2.6	6
22	Exposure to non-steroidal anti-inflammatory drugs during pregnancy and the risk of selected birth defects: a prospective cohort study. <i>PLoS ONE</i> , 2011 , 6, e22174	3.7	48
21	Pregnant women's beliefs about medications--a study among 866 Norwegian women. <i>Annals of Pharmacotherapy</i> , 2010 , 44, 1478-84	2.9	52
20	Perception of risk regarding the use of medications and other exposures during pregnancy. <i>European Journal of Clinical Pharmacology</i> , 2010 , 66, 207-14	2.8	150

19	Post natal use of analgesics: comparisons between conventional postnatal wards and a maternity hotel. <i>International Journal of Clinical Pharmacy</i> , 2010 , 32, 206-11		
18	Cardiovascular co-medication among users of antiobesity drugs: a population-based study. <i>International Journal of Clinical Pharmacy</i> , 2010 , 32, 752-8		5
17	Use of psychotropic drugs and analgesics among users of antiobesity drugs--a population based study. <i>Pharmacoepidemiology and Drug Safety</i> , 2010 , 19, 273-9	2.6	2
16	Triptan exposure during pregnancy and the risk of major congenital malformations and adverse pregnancy outcomes: results from the Norwegian Mother and Child Cohort Study. <i>Headache</i> , 2010 , 50, 563-75	4.2	70
15	Safety of triptans for migraine headaches during pregnancy and breastfeeding. <i>Canadian Family Physician</i> , 2010 , 56, 537-9	0.9	16
14	Maternal characteristics and migraine pharmacotherapy during pregnancy: cross-sectional analysis of data from a large cohort study. <i>Cephalalgia</i> , 2009 , 29, 1267-76	6.1	28
13	The use and the user of herbal remedies during pregnancy. <i>Journal of Alternative and Complementary Medicine</i> , 2009 , 15, 787-92	2.4	98
12	Use of herbal preparations during pregnancy: focus group discussion among expectant mothers attending a hospital antenatal clinic in Norwich, UK. <i>Complementary Therapies in Clinical Practice</i> , 2009 , 15, 225-9	3.5	54
11	Raspberry leaf--should it be recommended to pregnant women?. <i>Complementary Therapies in Clinical Practice</i> , 2009 , 15, 204-8	3.5	34
10	Use of herbal drugs during early pregnancy in relation to maternal characteristics and pregnancy outcome. <i>Pharmacoepidemiology and Drug Safety</i> , 2008 , 17, 151-9	2.6	56
9	Neonatal withdrawal syndrome after in utero exposure to selective serotonin reuptake inhibitors. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2007 , 90, 288-291	3.1	5
8	Treatment with selective serotonin reuptake inhibitors in the third trimester of pregnancy: effects on the infant. <i>Drug Safety</i> , 2005 , 28, 565-81	5.1	46
7	Impact of socio-demographic factors, knowledge and attitude on the use of herbal drugs in pregnancy. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2005 , 84, 26-33	3.8	55
6	Impact of socio-demographic factors, knowledge and attitude on the use of herbal drugs in pregnancy 2005 , 84, 26		15
5	Use of herbal drugs in pregnancy: a survey among 400 Norwegian women. <i>Pharmacoepidemiology and Drug Safety</i> , 2004 , 13, 371-80	2.6	167
4	Drug use during early pregnancy. The impact of maternal illness, outcome of prior pregnancies and socio-demographic factors. <i>European Journal of Clinical Pharmacology</i> , 2001 , 57, 259-63	2.8	18
3	Transfer of carisoprodol to breast milk. <i>Therapeutic Drug Monitoring</i> , 2001 , 23, 298-300	3.2	7
2	Neonatal withdrawal syndrome after in utero exposure to selective serotonin reuptake inhibitors. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2001 , 90, 288-91	3.1	33

- 1 Antidepressant and mental health care utilization in pregnant women with depression and/or anxiety: an interrupted time-series analysis

1