

Xiao-Na Guo

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6513495/xiao-na-guo-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

70
papers

1,175
citations

19
h-index

32
g-index

73
ext. papers

1,744
ext. citations

6.4
avg, IF

5.19
L-index

#	Paper	IF	Citations
70	Effect of acidity regulators on the shelf life, quality, and physicochemical characteristics of fresh wet noodles. <i>Journal of Cereal Science</i> , 2022 , 103, 103409	3.8	1
69	Metabolomics analysis of freeze-thaw tolerance enhancement mechanism of Epoly-L-lysine on industrial yeast.. <i>Food Chemistry</i> , 2022 , 382, 132315	8.5	0
68	Impact of laccase-induced protein cross-linking on the in vitro starch digestion of black highland barley noodles. <i>Food Hydrocolloids</i> , 2022 , 124, 107298	10.6	2
67	Egg white protein addition induces protein aggregation and fibrous structure formation of textured wheat gluten. <i>Food Chemistry</i> , 2022 , 371, 131102	8.5	3
66	Effect of superheated steam treatment and extrusion on lipid stability of black soybean noodles during storage. <i>Food Control</i> , 2022 , 132, 108388	6.2	2
65	Effects of freeze-thaw cycles on the quality of frozen raw noodles.. <i>Food Chemistry</i> , 2022 , 387, 132940	8.5	0
64	Effect of phosphate salts on the shelf-life and quality characteristics of semi-dried noodles.. <i>Food Chemistry</i> , 2022 , 384, 132481	8.5	1
63	Effect of freeze-thaw cycles on the physicochemical properties and frying performance of frozen Youtiao dough.. <i>Food Chemistry</i> , 2022 , 386, 132854	8.5	0
62	Effect of rehydration on textural properties, oral behavior, kinetics and water state of textured wheat gluten.. <i>Food Chemistry</i> , 2021 , 376, 131934	8.5	2
61	Influence of protein type, content and polymerization on in vitro starch digestibility of sorghum noodles. <i>Food Research International</i> , 2021 , 142, 110199	7	3
60	Combined effect of NaCl and resting on dough rheology of Chinese traditional hand-stretched dried noodles and the underlying mechanism. <i>Cereal Chemistry</i> , 2021 , 98, 774-783	2.4	2
59	Effect of Humidity-Controlled Dehydration on Microbial Growth and Quality Characteristics of Fresh Wet Noodles. <i>Foods</i> , 2021 , 10,	4.9	3
58	Inhibition of L-Cysteine on the Browning of Fresh Wet Noodles. <i>Foods</i> , 2021 , 10,	4.9	3
57	Effects of ultrasound-assisted resting on the qualities of whole wheat dough sheets and noodles. <i>International Journal of Food Science and Technology</i> , 2021 , 56, 5609	3.8	0
56	Effect of Superheated Steam Treatment on the Lipid Stability of Dried Whole Wheat Noodles during Storage. <i>Foods</i> , 2021 , 10,	4.9	2
55	Inhibition of hexose oxidase on the dark spots in fresh wet noodle sheets: A feasible prevention of dark spots. <i>Food Chemistry</i> , 2021 , 339, 128021	8.5	3
54	Effect of sodium bicarbonate on quality of machine-made Kongxin noodles. <i>LWT - Food Science and Technology</i> , 2021 , 138, 110670	5.4	2

53	Influence of E-poly-L-lysine treated yeast on gluten polymerization and freeze-thaw tolerance of frozen dough. <i>Food Chemistry</i> , 2021 , 343, 128440	8.5	7
52	The addition of alpha amylase improves the quality of Chinese dried noodles. <i>Journal of Food Science</i> , 2021 , 86, 860-866	3.4	4
51	Insight into the Relationship Between Quality Characteristics and Major Chemical Components of Chinese Traditional Hand-Stretched Dried Noodles: a Comparative Study. <i>Food and Bioprocess Technology</i> , 2021 , 14, 945-955	5.1	0
50	Changes of lipids in noodle dough and dried noodles during industrial processing. <i>Journal of Food Science</i> , 2021 , 86, 3517-3528	3.4	1
49	Effect of pre-treated wheat bran on semi-dried whole wheat noodles for extending shelf-life and improving quality characteristics. <i>LWT - Food Science and Technology</i> , 2021 , 146, 111503	5.4	0
48	Influence of extrusion on storage quality of dried oat noodles: Lipid degradation and off-flavours. <i>Journal of Cereal Science</i> , 2021 , 101, 103316	3.8	3
47	The effects of extruded endogenous starch on the processing properties of gluten-free Tartary buckwheat noodles. <i>Carbohydrate Polymers</i> , 2021 , 267, 118170	10.3	2
46	Thermal-aggregation behavior of gluten in frozen dough induced by E-poly-L-lysine treated yeast. <i>Food Chemistry</i> , 2021 , 359, 129985	8.5	2
45	Effect of NaHCO and freeze-thaw cycles on frozen dough: From water state, gluten polymerization and microstructure. <i>Food Chemistry</i> , 2021 , 358, 129869	8.5	5
44	Impact of gluten quality on textural stability of cooked noodles and the underlying mechanism. <i>Food Hydrocolloids</i> , 2021 , 119, 106842	10.6	11
43	Effect of superheated steam treatment on the lipid stability of whole wheat flour. <i>Food Chemistry</i> , 2021 , 363, 130333	8.5	0
42	Effects of insoluble dietary fiber and ferulic acid on the quality of steamed bread and gluten aggregation properties. <i>Food Chemistry</i> , 2021 , 364, 130444	8.5	6
41	Polyphenol oxidase browning in the formation of dark spots on fresh wet noodle sheets: How dark spots formed. <i>Food Chemistry</i> , 2020 , 329, 126800	8.5	13
40	Effect of fresh egg white addition on the quality characteristics and protein aggregation of oat noodles. <i>Food Chemistry</i> , 2020 , 330, 127319	8.5	9
39	Effect of thermal treatments on in vitro starch digestibility of sorghum dried noodles. <i>Food and Function</i> , 2020 , 11, 3420-3431	6.1	11
38	Water Cooking Stability of Dried Noodles Enriched with Different Particle Size and Concentration Green Tea Powders. <i>Foods</i> , 2020 , 9,	4.9	5
37	Revealing the effect mechanism of NaCl on the rheological properties of dough of Chinese traditional hand-stretched dried noodles. <i>Food Chemistry</i> , 2020 , 320, 126606	8.5	9
36	Effect of ozonated water on physicochemical, microbiological, and textural properties of semi-dried noodles. <i>Journal of Food Processing and Preservation</i> , 2020 , 44, e14404	2.1	6

35	Effect of superheated steam treatment on quality characteristics of whole wheat flour and storage stability of semi-dried whole wheat noodle. <i>Food Chemistry</i> , 2020 , 322, 126738	8.5	34
34	Effects of tempering with steam on the water distribution of wheat grains and quality properties of wheat flour. <i>Food Chemistry</i> , 2020 , 323, 126842	8.5	8
33	Influences of alkali on the quality and protein polymerization of buckwheat Chinese steamed bread. <i>Food Chemistry</i> , 2019 , 283, 52-58	8.5	15
32	Effects of frozen storage on the quality characteristics of frozen cooked noodles. <i>Food Chemistry</i> , 2019 , 283, 522-529	8.5	44
31	Effect of different mixing and kneading process on the quality characteristics of frozen cooked noodle. <i>LWT - Food Science and Technology</i> , 2019 , 101, 583-589	5.4	19
30	Increasing the physicochemical stability of stored green tea noodles: Analysis of the quality and chemical components. <i>Food Chemistry</i> , 2019 , 278, 333-341	8.5	13
29	Effect of barley β glucan on water redistribution and thermal properties of dough. <i>International Journal of Food Science and Technology</i> , 2019 , 54, 2329-2337	3.8	6
28	Impact of arabinoxylan with different molecular weight on the thermo-mechanical, rheological, water mobility and microstructural characteristics of wheat dough. <i>International Journal of Food Science and Technology</i> , 2018 , 53, 2150-2158	3.8	8
27	Effects of alkali on protein polymerization and textural characteristics of textured wheat protein. <i>Food Chemistry</i> , 2018 , 239, 579-587	8.5	37
26	The enhanced inhibition of water extract of black tea under baking treatment on α amylase and β glucosidase. <i>International Journal of Biological Macromolecules</i> , 2018 , 107, 129-136	7.9	16
25	Artificial neural network - Genetic algorithm to optimize wheat germ fermentation condition: Application to the production of two anti-tumor benzoquinones. <i>Food Chemistry</i> , 2017 , 227, 264-270	8.5	22
24	Effect of Barley β Glucan on the Gluten Polymerization Process in Dough during Heat Treatment. <i>Journal of Agricultural and Food Chemistry</i> , 2017 , 65, 6063-6069	5.7	18
23	Impact of Characteristics of Different Wheat Flours on the Quality of Frozen Cooked Noodles. <i>Cereal Chemistry</i> , 2017 , 94, 881-886	2.4	18
22	The impact of protein cross-linking induced by alkali on the quality of buckwheat noodles. <i>Food Chemistry</i> , 2017 , 221, 1178-1185	8.5	56
21	Critical conditions accelerating the deterioration of fresh noodles: A study on temperature, pH, water content, and water activity. <i>Journal of Food Processing and Preservation</i> , 2017 , 41, e13173	2.1	11
20	Impact of solid state fermentation on nutritional, physical and flavor properties of wheat bran. <i>Food Chemistry</i> , 2017 , 217, 28-36	8.5	78
19	Delineating the physico-chemical, structural, and water characteristic changes during the deterioration of fresh noodles: Understanding the deterioration mechanisms of fresh noodles. <i>Food Chemistry</i> , 2017 , 216, 374-81	8.5	49
18	Effect of deamidation-induced modification on umami and bitter taste of wheat gluten hydrolysates. <i>Journal of the Science of Food and Agriculture</i> , 2017 , 97, 3181-3188	4.3	25

17	Quality characteristics, structural changes, and storage stability of semi-dried noodles induced by moderate dehydration: understanding the quality changes in semi-dried noodles. <i>Food Chemistry</i> , 2016 , 194, 797-804	8.5	30
16	Changes in the enzyme-induced release of bitter peptides from wheat gluten hydrolysates. <i>RSC Advances</i> , 2016 , 6, 102249-102257	3.7	7
15	Effect of sequential hydrolysis with endo- and exo-peptidase on bitterness properties of wheat gluten hydrolysates. <i>RSC Advances</i> , 2016 , 6, 27659-27668	3.7	24
14	Polymerization of wheat gluten and the changes of glutenin macropolymer (GMP) during the production of Chinese steamed bread. <i>Food Chemistry</i> , 2016 , 201, 275-83	8.5	76
13	Heat-induced interaction between egg white protein and wheat gluten. <i>Food Chemistry</i> , 2016 , 197, 699-708	8.5	50
12	Effect of steaming on the quality characteristics of frozen cooked noodles. <i>LWT - Food Science and Technology</i> , 2015 , 62, 1134-1140	5.4	41
11	Effect of Steam Flash Explosion Pretreatment on Phytate Degradation of Wheat Bran. <i>Food and Bioprocess Technology</i> , 2015 , 8, 1552-1560	5.1	11
10	The Effect of Active Packaging on Microbial Stability and Quality of Chinese Steamed Bread. <i>Packaging Technology and Science</i> , 2015 , 28, 775-787	2.3	16
9	Macroporous adsorbent resin-based wheat bran polyphenol extracts inhibition effects on H2O2-induced oxidative damage in HEK293 cells. <i>RSC Advances</i> , 2015 , 5, 20931-20938	3.7	4
8	Resistance investigation of wheat bran polyphenols extracts on HEK293 cells against oxidative damage. <i>RSC Advances</i> , 2015 , 5, 16116-16124	3.7	7
7	Activation of Endogenous Phytase and Degradation of Phytate in Wheat Bran. <i>Journal of Agricultural and Food Chemistry</i> , 2015 , 63, 1082-1087	5.7	18
6	Delineating the protein changes in Asian noodles induced by vacuum mixing. <i>Food Chemistry</i> , 2014 , 143, 9-16	8.5	41
5	Natural Additives in Wheat-Based Pasta and Noodle Products: Opportunities for Enhanced Nutritional and Functional Properties. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2014 , 13, 347-357	16.4	71
4	Delineating the microbial and physical-chemical changes during storage of ozone treated wheat flour. <i>Innovative Food Science and Emerging Technologies</i> , 2013 , 20, 223-229	6.8	35
3	Functional properties of chitosan-xylose Maillard reaction products and their application to semi-dried noodle. <i>Carbohydrate Polymers</i> , 2013 , 92, 1972-7	10.3	43
2	Effect of vacuum mixing on the quality characteristics of fresh noodles. <i>Journal of Food Engineering</i> , 2012 , 110, 525-531	6	75
1	Influence of ultrasound during wheat gluten hydrolysis on the antioxidant activities of the resulting hydrolysate. <i>International Journal of Food Science and Technology</i> , 2011 , 46, 1053-1059	3.8	23