

# Alejandro Varez

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6514124/publications.pdf>

Version: 2024-02-01

134  
papers

3,237  
citations

159358

30  
h-index

197535

49  
g-index

139  
all docs

139  
docs citations

139  
times ranked

2834  
citing authors

#	ARTICLE	IF	CITATIONS
1	Layer Shape LiFePO <sub>4</sub> Obtained by Powder Extrusion Molding as Solid Boosters for Ferro/Ferricyanide Catholyte in Semisolid Redox Flow Battery: Effect of Porosity and Shape. Batteries and Supercaps, 2022, 5, .	2.4	2
2	Effect of Relaxations on the Conductivity of La <sub>1/2+1/2</sub> xLi <sub>1/2</sub> Ti <sub>1-x</sub> Al <sub>x</sub> Fast Ion Conductors. Chemistry of Materials, 2022, 34, 5484-5499.	2.0	36
3	Tape casting manufacturing of thick Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> ceramic electrodes with high areal capacity for lithium-ion batteries. Journal of the European Ceramic Society, 2021, 41, 1025-1032.	2.8	8
4	Synthesis and Characterization of Novel Anion Exchange Membranes Based on Semi-Interpenetrating Networks of Functionalized Polysulfone: Effect of Ionic Crosslinking. Polymers, 2021, 13, 958.	2.0	9
5	New amphiphilic semi-interpenetrating networks based on polysulfone for anion-exchange membrane fuel cells with improved alkaline and mechanical stabilities. Polymer, 2021, 226, 123824.	1.8	16
6	Sulfonated Polysulfone/TiO <sub>2</sub> (B) Nanowires Composite Membranes as Polymer Electrolytes in Fuel Cells. Polymers, 2021, 13, 2030.	2.0	9
7	Interplay between Conductivity, Matrix Relaxations and Composition of Ca-Polyoxyethylene Polymer Electrolytes. ChemElectroChem, 2021, 8, 2459-2466.	1.7	5
8	Ion-Exchanged UPG-1 as Potential Electrolyte for Fuel Cells. Inorganic Chemistry, 2021, 60, 11803-11812.	1.9	5
9	Development of sodium hybrid quasi-solid electrolytes based on porous NASICON and ionic liquids. Journal of the European Ceramic Society, 2021, 41, 7723-7733.	2.8	21
10	Non-woven polyaramid porous membranes as separators for Li-ion batteries?. Electrochimica Acta, 2021, 390, 138835.	2.6	6
11	Reduction of Grain Boundary Resistance of La <sub>0.5</sub> Li <sub>0.5</sub> TiO <sub>3</sub> by the Addition of Organic Polymers. Nanomaterials, 2021, 11, 61.	1.9	4
12	Proton Conductive Zr-Phosphonate UPG-1 Aminoacid Insertion as Proton Carrier Stabilizer. Molecules, 2020, 25, 3519.	1.7	7
13	Engineering the electrical and optical properties of graphene oxide via simultaneous alkali metal doping and thermal annealing. Journal of Materials Research and Technology, 2020, 9, 15824-15837.	2.6	10
14	Opening the door to liquid-free polymer electrolytes for calcium batteries. Electrochimica Acta, 2020, 353, 136525.	2.6	17
15	High mass loading additive-free LiFePO <sub>4</sub> cathodes with 500 μm thickness for high areal capacity Li-ion batteries. Journal of Power Sources, 2020, 458, 228033.	4.0	41
16	Trade-off analysis of C12A7:e <sup>+</sup> deposition techniques applied to Low Work Function Tethers. Acta Astronautica, 2020, 177, 806-812.	1.7	3
17	Ultra-thick battery electrodes for high gravimetric and volumetric energy density Li-ion batteries. Journal of Power Sources, 2019, 437, 226923.	4.0	57
18	Multiblock copolymers of sulfonated PSU/PPSU Poly(ether sulfone)s as solid electrolytes for proton exchange membrane fuel cells. Electrochimica Acta, 2019, 302, 428-440.	2.6	24

#	ARTICLE	IF	CITATIONS
19	A new proton-conducting Bi-carboxylate framework. Dalton Transactions, 2019, 48, 11181-11185.	1.6	20
20	Interplay between humidity, temperature and electrical response of a conductivity sensor based on a $\text{La}_{2-x}\text{LiNbO}_6$ double perovskite. Journal of Materials Chemistry A, 2018, 6, 5430-5442.	5.2	7
21	$\text{Na}_3\text{Si}_2\text{Y}_0.16\text{Zr}_{1.84}\text{PO}_{12}$ -ionic liquid hybrid electrolytes: An approach for realizing solid-state sodium-ion batteries?. Journal of Power Sources, 2018, 383, 157-163.	4.0	23
22	Additive-free $\text{Li}_4\text{Ti}_5\text{O}_{12}$ thick electrodes for Li-ion batteries with high electrochemical performance. Journal of Materials Chemistry A, 2018, 6, 5952-5961.	5.2	33
23	Structural, morphology and luminescence study of Er <sup>3+</sup> -doped garnet-type $\text{Li}_5\text{La}_3\text{Nb}_2\text{O}_{12}$ electrolytes as a potential new phosphor. Ceramics International, 2018, 44, 18969-18977.	2.3	11
24	Spectroscopy and Judd-Ofelt analysis of Er <sup>3+</sup> ions in $\text{Li}_5\text{La}_3\text{Nb}_2\text{O}_{12}$ garnet-type ceramic powder. Journal of Luminescence, 2018, 202, 232-238.	1.5	5
25	Aqueous and non-aqueous Li <sup>+</sup> /H <sup>+</sup> ion exchange in $\text{Li}_{0.44}\text{La}_{0.52}\text{TiO}_3$ perovskite. Advanced Powder Technology, 2017, 28, 514-520.	2.0	9
26	Synthesis and characterization of sulfonated PEEK-WC-PES copolymers for fuel cell proton exchange membrane application. European Polymer Journal, 2017, 93, 390-402.	2.6	22
27	Sodium polymer electrolytes composed of sulfonated polysulfone and macromolecular/molecular solvents for Na-batteries. Electrochimica Acta, 2017, 245, 807-813.	2.6	6
28	Study of the $\text{La}_{1/2+1/2x}\text{Li}_{1/2-1/2x}\text{Ti}_{1-x}\text{Al}_x\text{O}_3$ ( $0 \leq x \leq 1$ ) solid solution. A new example of percolative system in fast ion conductors. Journal of Alloys and Compounds, 2017, 720, 460-465.	2.8	6
29	Electrical and Magnetic Properties of NiZn Ferrite Prepared by Conventional and Solar Sintering. Journal of the American Ceramic Society, 2016, 99, 2327-2333.	1.9	10
30	Porous Ni-YSZ planar anodes by powder extrusion moulding employing PMMA as pore former. Powder Metallurgy, 2016, 59, 281-287.	0.9	1
31	Evaluation of polyolefin-based macroporous separators for high temperature Li-ion batteries. Electrochimica Acta, 2016, 216, 68-78.	2.6	57
32	Unravelling the complex nanostructure of $\text{La}_{0.5-x}\text{Li}_{0.5-x}\text{Sr}_{2x}\text{TiO}_3$ Li ionic conductors. Dalton Transactions, 2016, 45, 7148-7157.	1.6	10
33	Development of sodium-conducting polymer electrolytes: comparison between film-casting and films obtained via green processes. Electrochimica Acta, 2016, 192, 456-466.	2.6	29
34	High-performance Ni <sup>2+</sup> -YSZ thin-walled microtubes for anode-supported solid oxide fuel cells obtained by powder extrusion moulding. RSC Advances, 2016, 6, 19007-19015.	1.7	19
35	Synthesis and characterization of benzimidazolium-functionalized polysulfones as anion-exchange membranes. Journal of Polymer Science Part A, 2015, 53, 2363-2373.	2.5	13
36	Study of the densification, mechanical and magnetic properties of Ni <sup>2+</sup> -Zn ferrites sintered in a solar furnace. Ceramics International, 2015, 41, 6534-6541.	2.3	9

#	ARTICLE	IF	CITATIONS
37	Synthesis and characterization of novel hybrid polysulfone/silica membranes doped with phosphomolybdic acid for fuel cell applications. <i>Journal of Membrane Science</i> , 2015, 492, 371-379.	4.1	35
38	Electrochemical and structural characterization of sulfonated polysulfone. <i>Polymer Testing</i> , 2015, 45, 185-193.	2.3	34
39	Preparation and characterization of ammonium-functionalized polysulfone/Al <sub>2</sub> O <sub>3</sub> composite membranes. <i>Journal of Materials Science</i> , 2015, 50, 5893-5903.	1.7	14
40	Synthesis and characterization of new membranes based on sulfonated polysulfone/Zn,Al-heptamolibdate LDH. <i>Materials Letters</i> , 2015, 152, 125-127.	1.3	9
41	Thermal and mechanical characterization of injection moulded high density polyethylene/paraffin wax blends as phase change materials. <i>Renewable Energy</i> , 2014, 68, 140-145.	4.3	48
42	Synthesis and characterization of polysulfone/layered double hydroxides nanocomposite membranes for fuel cell application. <i>International Journal of Hydrogen Energy</i> , 2014, 39, 4016-4022.	3.8	35
43	Near constant loss regime in fast ionic conductors analyzed by impedance and NMR spectroscopies. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 15346-15354.	1.3	17
44	Design of industrially scalable microtubular solid oxide fuel cells based on an extruded support. <i>International Journal of Hydrogen Energy</i> , 2014, 39, 5470-5476.	3.8	49
45	Microstructural study of duplex stainless steels obtained by powder injection molding. <i>Journal of Alloys and Compounds</i> , 2014, 589, 314-321.	2.8	15
46	Structural characterisation and Li conductivity of Li <sub>1/2</sub> xSr <sub>2x</sub> La <sub>1/2</sub> xTiO <sub>3</sub> (0<math>x</math><math>\leq 0.5</math>) perovskites. <i>Ceramics International</i> , 2013, 39, 9619-9626.	2.3	17
47	Characterization of 430L porous supports obtained by powder extrusion moulding for their application in solid oxide fuel cells. <i>Materials Characterization</i> , 2013, 86, 108-115.	1.9	16
48	The log( <i>I</i> <sub>f</sub> ) vs. log( <i>I</i> <sub>%</sub> ) derivative plot used to analyze the ac conductivity. Application to fast Li <sup>+</sup> ion conductors with perovskite structure. <i>Solid State Ionics</i> , 2012, 227, 113-118.	1.3	26
49	On the Influence of the Vacancy Distribution on the Structure and Ionic Conductivity of A-Site-Deficient Sr <sub>x</sub> La <sub>2/3</sub> €“TiO <sub>3</sub> Perovskites. <i>Inorganic Chemistry</i> , 2012, 51, 5831-5838.	1.9	19
50	The role of Ce reduction in the segregation of metastable phases in the ZrO <sub>2</sub> €“CeO <sub>2</sub> system. <i>Journal of the European Ceramic Society</i> , 2012, 32, 689-696.	2.8	17
51	Polymorphism, structural characterisation and electrical properties of Na <sub>2</sub> Nb <sub>4</sub> O <sub>11</sub> . <i>Journal of Materials Chemistry</i> , 2011, 21, 12096.	6.7	21
52	Structural characterisation of ferroelectric Ag <sub>2</sub> Nb <sub>4</sub> O <sub>11</sub> and dielectric Ag <sub>2</sub> Ta <sub>4</sub> O <sub>11</sub> . <i>Journal of Materials Chemistry</i> , 2011, 21, 2715.	6.7	30
53	Production of Alumina Microparts by Powder Injection Molding. <i>International Journal of Applied Ceramic Technology</i> , 2011, 8, 617-626.	1.1	14
54	Powder injection moulding of premixed ferritic and austenitic stainless steel powders. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011, 528, 3480-3488.	2.6	28

#	ARTICLE	IF	CITATIONS
55	Humidity Related Low Temperature Conductivity Hysteresis of $\text{Ce}_{1-x}\text{Zr}_x\text{O}_{2-x}$ ( $0 \leq x \leq 1$ ). Ceramic Structural Disorder Relationship. Fuel Cells, 2011, 11, 642-653.		
56	Microstructure, magnetic and mechanical properties of $\text{Ni-Zn}$ ferrites prepared by powder injection moulding. Powder Technology, 2011, 210, 29-35.	2.1	24
57	Li motion mechanisms in $(\text{Li},\text{Na})_3\text{La}_{2/3-x}\text{TiO}_3$ ( $x = 0.067$ and $0.167$ ) series followed by ND, NMR and Impedance spectroscopy.. Materials Research Society Symposia Proceedings, 2011, 1313, 70401.	0.1	1
58	Powder extrusion moulding of 430L stainless steel thin tubes for porous metal supported SOFCs. Powder Metallurgy, 2011, 54, 103-107.	0.9	4
59	Influence of powder particle size distribution on rheological properties of 316L powder injection moulding feedstocks. Powder Technology, 2010, 200, 30-36.	2.1	108
60	Li mobility in $\text{Li}_{0.5-x}\text{Na}_x\text{La}_{0.5}\text{TiO}_3$ perovskites ( $0 \leq x \leq 0.5$ ) Influence of structural and compositional parameters. Solid State Ionics, 2009, 180, 1362-1371.	1.3	32
61	Fabrication of 8-YSZ thin-wall tubes by powder extrusion moulding for SOFC electrolytes. Ceramics International, 2009, 35, 2329-2335.	2.3	21
62	Multiphase Transformations Controlled by Ostwald's Rule in Nanostructured $\text{Ce}_{0.5}\text{Zr}_{0.5}\text{O}_{2-x}$ Powders Prepared by a Modified Pechini Route. Inorganic Chemistry, 2009, 48, 9693-9699.	1.9	13
63	Production of alumina parts by powder injection molding with a binder system based on high density polyethylene. Journal of the European Ceramic Society, 2008, 28, 763-771.	2.8	131
64	Influence of octahedral tilting and composition on electrical properties of the $\text{Li}_{0.2-x}\text{Na}_x\text{La}_{0.6}\text{TiO}_3$ ( $0 \leq x \leq 0.2$ ) series. Solid State Ionics, 2008, 179, 495-502.	1.3	12
65	Optimization of the Processing of 8-YSZ Powder by Powder Injection Molding for SOFC Electrolytes. International Journal of Applied Ceramic Technology, 2008, 5, 574-581.	1.1	31
66	Caracterización estructural y espectroscópica de fibras cristalinas de $\text{Ce}_{0.4}\text{Zr}_{0.6}\text{O}_{2-x}$ crecidas mediante el método de fusión zonal asistida por láser. Boletín De La Sociedad Española De Cerámica Y Vidrio, 2008, 47, 165-170.	0.9	2
67	Metal injection moulding of bronze using thermoplastic binder based on HDPE. Powder Metallurgy, 2007, 50, 184-188.	0.9	6
68	Influence of Binders on the Structure and Properties of High Speed-Steel HS6-5-2 Type Fabricated Using Pressureless Forming and PIM Methods. Materials Science Forum, 2007, 534-536, 693-696.	0.3	2
69	Effect of Residual Carbon on the Microstructure Evolution during the Sintering of M2 HSS Parts Shaping by Metal Injection Moulding Process. Materials Science Forum, 2007, 534-536, 353-356.	0.3	6
70	Structural characterization of $\text{Ce}_{1-x}\text{Zr}_x\text{O}_2$ ( $0 \leq x \leq 1$ ) samples prepared at $1650^\circ\text{C}$ by solid state reaction. Journal of the European Ceramic Society, 2007, 27, 3677-3682.	2.8	40
71	Cation miscibility in $\text{CeO}_2\text{-ZrO}_2$ oxides with fluorite structure. A combined TEM, SAED and XRD Rietveld analysis. Journal of Materials Chemistry, 2006, 16, 4249-4256.	6.7	47
72	Metal injection moulding of HS12-1-5-5 high-speed steel using a PW-HDPE based binder. Journal of Materials Processing Technology, 2006, 175, 173-178.	3.1	20

#	ARTICLE	IF	CITATIONS
73	Comparison of structure and properties of the HS12-1-5-5 type high-speed steel fabricated using the pressureless forming and PIM methods. Journal of Materials Processing Technology, 2005, 162-163, 230-235.	3.1	9
74	Structure of Fast Ion Conductors $\text{Li}_3\text{xLa}_{2/3-\text{x}}\text{TiO}_3$ Deduced from Powder Neutron Diffraction Experiments.. ChemInform, 2005, 36, no.	0.1	1
75	Influence of Percolation Effects on Lithium Intercalation into $\text{Li}_{0.5\text{x}}\text{Na}_{\text{x}}\text{La}_{0.5}\text{TiO}_3$ (0.5) Perovskites. Journal of the Electrochemical Society, 2005, 152, A2285.	1.3	3
76	Development of new feedstock formulation based on high density polyethylene for MIM of M2 high speed steels. Powder Metallurgy, 2005, 48, 134-138.	0.9	40
77	Processing of Mn-Zn ferrites using mould casting with acrylic thermosetting binder. Powder Metallurgy, 2005, 48, 249-253.	0.9	6
78	Structure of Fast Ion Conductors $\text{Li}_3\text{xLa}_{2/3-\text{x}}\text{TiO}_3$ Deduced from Powder Neutron Diffraction Experiments. Chemistry of Materials, 2005, 17, 2404-2412.	3.2	42
79	Influence of Vacancy Ordering on the Percolative Behavior of $(\text{Li}_{1-\text{x}}\text{Na}_{\text{x}})_3\text{La}_{2/3-\text{y}}\text{TiO}_3$ Perovskites. Journal of Physical Chemistry B, 2005, 109, 3262-3268.	1.2	20
80	Rhombohedral-cubic transition in $\text{Li}_{0.2}\text{Na}_{0.3}\text{La}_{0.5}\text{TiO}_3$ perovskite. Journal of Solid State Chemistry, 2004, 177, 4665-4671.	1.4	9
81	Sintering in different atmospheres of T15 and M2 high speed steels produced by a modified metal injection moulding process. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2004, 366, 318-324.	2.6	32
82	Effect of quenching on structure and antiferroelectric instability of $\text{La}_{2\text{x}}/3\text{Li}_{\text{x}}\text{TiO}_3$ compounds: a Raman study. Journal of the European Ceramic Society, 2004, 24, 1135-1139.	2.8	6
83	Structure and mechanical properties of HSS HS6-5-2- and HS12-1-5-5-type steel produced by modified powder injection moulding process. Journal of Materials Processing Technology, 2004, 157-158, 658-668.	3.1	15
84	Fabrication methods and heat treatment conditions effect on tribological properties of high speed steels. Journal of Materials Processing Technology, 2004, 157-158, 324-330.	3.1	14
85	Structural changes produced during heating of the fast ion conductor $\text{Li}_{0.18}\text{La}_{0.61}\text{TiO}_3$ . A neutron diffraction study. Journal of Solid State Chemistry, 2004, 177, 1157-1164.	1.4	37
86	Mechanical properties and pitting corrosion behaviour of 316L stainless steel parts obtained by a modified metal injection moulding process. Journal of Materials Processing Technology, 2003, 143-144, 397-402.	3.1	24
87	Magnetic properties of Mg-ferrite after milling process. Journal of Materials Processing Technology, 2003, 143-144, 470-474.	3.1	41
88	Influence of Quenching Treatments on Structure and Conductivity of the $\text{Li}_3\text{xLa}_{2/3-\text{x}}\text{TiO}_3$ Series. Chemistry of Materials, 2003, 15, 225-232.	3.2	50
89	Structural Modifications Induced by High-Temperature Quenching Treatments in the Fast Ion Conductor $\text{Li}_{0.18}\text{La}_{0.61}\text{TiO}_3$ : A Neutron Diffraction Study. Chemistry of Materials, 2003, 15, 4637-4641.	3.2	40
90	Mechanical grinding of $\text{Si}_3\text{N}_4$ to be used as an electrode in lithium batteries. Materials Letters, 2003, 57, 3063-3069.	1.3	30

#	ARTICLE	IF	CITATIONS
91	Optimization of the Synthesis of Soft Magnetic Materials by Mechanochemical Process at Room Temperature. <i>Materials Science Forum</i> , 2003, 426-432, 4349-4354.	0.3	9
92	Metal Injection Moulding (MIM) of M2 High Speed Steel Using a Polyethylene Based Binder. <i>Materials Science Forum</i> , 2003, 426-432, 4361-4366.	0.3	9
93	Structure and Properties of the Heat-Treated High-Speed Steel HS6-5-2 and HS12-1-5-5 Produced by Powder Injection Molding Process. <i>Materials Science Forum</i> , 2003, 437-438, 133-136.	0.3	0
94	Nanocrystalline functional materials and nanocomposites synthesis through aerosol routes. <i>Hemijaska Industrija</i> , 2003, 57, 262-268.	0.3	0
95	Lithium dynamics and disorder effects in the Raman spectrum of $\text{La}_{(2-x)}\text{Li}_x\text{TiO}_3$ . <i>Physical Review B</i> , 2002, 66, .	1.1	26
96	Li mobility in $(\text{Li},\text{Na})\text{La}_{0.66-y}\text{TiO}_3$ perovskites ( $0.09 < y < 0.5$ ). A model system for the percolation theory.. <i>Materials Research Society Symposia Proceedings</i> , 2002, 756, 1.	0.1	1
97	Percolation-Limited Ionic Diffusion in $\text{Li}_{0.5-x}\text{Na}_x\text{La}_{0.5}\text{TiO}_3$ Perovskites ( $0 < x < 0.5$ ). <i>Chemistry of Materials</i> , 2002, 14, 5148-5152.	3.2	63
98	Octahedral tilting and ordering of vacancies in the fast ion conductor $\text{Li}_{0.12}\text{La}_{0.63}\text{TiO}_3$ perovskite: a neutron diffraction study. <i>Dalton Transactions RSC</i> , 2002, , 1406-1408.	2.3	31
99	Crossover of near-constant loss to ion hopping relaxation in ionically conducting materials: experimental evidences and theoretical interpretation. <i>Journal of Non-Crystalline Solids</i> , 2002, 305, 88-95.	1.5	16
100	$\text{Li}_3\text{La}_{(2/3-x)}\text{TiO}_3$ fast ionic conductors.. <i>Journal of Non-Crystalline Solids</i> , 2002, 307-310, 992-998.	1.5	34
101	Effect of residual carbon on the sintering process of M2 high speed steel parts obtained by a modified metal injection molding process. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2002, 33, 1843-1851.	1.1	33
102	Electrode characteristics of $\text{Li}_2\text{Ti}_3\text{O}_7$ -ramsdellite processed by mechanical grinding. <i>Journal of Materials Science</i> , 2002, 37, 3981-3986.	1.7	10
103	Low temperature ac conductivity in the fast ionic conductor $\text{Li}_{0.18}\text{La}_{0.61}\text{TiO}_3$ . <i>Journal of Alloys and Compounds</i> , 2001, 323-324, 545-548.	2.8	2
104	Microstructural development of the $\text{La}_{0.5}\text{Li}_{0.5}\text{TiO}_3$ lithium ion conductor processed by the laser floating zone (LFZ) method. <i>Journal of Materials Chemistry</i> , 2001, 11, 125-130.	6.7	17
105	Origin of Constant Loss in Ionic Conductors. <i>Physical Review Letters</i> , 2001, 86, 1279-1282.	2.9	208
106	Processing of P/M M2 high speed steels by mould casting using thermosetting binders. <i>Journal of Materials Processing Technology</i> , 2001, 119, 1-6.	3.1	10
107	Processing of P/M T15 high speed steels by mould casting using thermosetting binders. <i>Materials Chemistry and Physics</i> , 2001, 67, 43-48.	2.0	22
108	On the Location of $\text{Li}^+$ Cations in the Fast Li-Cation Conductor $\text{La}_{0.5}\text{Li}_{0.5}\text{TiO}_3$ Perovskite. <i>Angewandte Chemie - International Edition</i> , 2000, 39, 619-621.	7.2	126

#	ARTICLE	IF	CITATIONS
109	Structural Study of Electrochemically Obtained $\text{Li}_{2+x}\text{Ti}_3\text{O}_7$ . Journal of Solid State Chemistry, 2000, 153, 132-139.	1.4	31
110	Influence of composition on the structure and conductivity of the fast ionic conductors $\text{La}_{2/3}\hat{x}\text{Li}_3\text{TiO}_3$ (0.03 $\hat{x}$ 0.167). Solid State Ionics, 2000, 134, 219-228.	1.3	162
111	Modified metal injection moulding process of 316L stainless steel powders using thermosetting binder. Powder Metallurgy, 2000, 43, 233-237.	0.9	17
112	Li Mobility in the Orthorhombic $\text{Li}_{0.18}\text{La}_{0.61}\text{TiO}_3$ Perovskite Studied by NMR and Impedance Spectroscopies. Chemistry of Materials, 2000, 12, 1694-1701.	3.2	80
113	Tratamiento mecanoquímico de la ferrita $\text{MgFe}_{2-x}\text{O}_{4-x}$ . Boletín De La Sociedad Española De Cerámica Y Vidrio, 2000, 39, 277-280.	0.9	2
114	Structure and reaction with lithium of tetragonal pyrochlore-like compound $\text{Sm}_2\text{Ti}_2\text{O}_7$ . Journal of Materials Processing Technology, 1999, 92-93, 529-533.	3.1	15
115	New electrode materials for lithium rechargeable batteries. Journal of Power Sources, 1999, 81-82, 85-89.	4.0	25
116	Non-Debye conductivity relaxation in the non-Arrhenius $\text{Li}_{0.5}\text{La}_{0.5}\text{TiO}_3$ fast ionic conductor. A nuclear magnetic resonance and complex impedance study. Journal of Non-Crystalline Solids, 1998, 235-237, 753-760.	1.5	35
117	Electrochemical lithium intercalation in $\text{Li}_2\text{Ti}_3\text{O}_7$ -ramsdellite structure. Materials Research Bulletin, 1997, 32, 993-1001.	2.7	58
118	Electrical conductivity relaxation and nuclear magnetic resonance of Li conducting $\text{Li}_{0.5}\text{La}_{0.5}\text{TiO}_3$ . Physical Review B, 1996, 54, 184-189.	1.1	93
119	Structural details and lithium intercalation in the perovskite $\text{La}_{0.5}\text{Li}_{0.5}\text{TiO}_3$ . Phase Transitions, 1996, 58, 111-120.	0.6	7
120	Microstructural Study of $\text{La}_{0.5}\text{Li}_{0.5}\text{TiO}_3$ . Journal of Solid State Chemistry, 1995, 118, 78-83.	1.4	79
121	Misinterpreting Aquinas. Nature, 1995, 373, 652-652.	13.7	2
122	Ionic conductivity of chemically lithiated $\text{YBa}_2\text{Cu}_3\text{O}_7$ : NMR and impedance spectroscopic studies. Journal of Physics Condensed Matter, 1995, 7, 5477-5489.	0.7	1
123	Microstructural Changes in the Reduction of Pr-123 with Lithium. Journal of Solid State Chemistry, 1994, 111, 89-95.	1.4	2
124	On the electrochemical reduction of $\text{YBa}_2\text{Cu}_3\text{O}_7$ with lithium. Physica C: Superconductivity and Its Applications, 1994, 235-240, 387-388.	0.6	0
125	On the motion of lithium in $\text{YBa}_2\text{Cu}_3\text{O}_7$ lithiated materials. Solid State Ionics, 1993, 63-65, 518-522.	1.3	4
126	Room temperature lithium reduction of $\text{La}_2\text{MO}_4\hat{x}$ (M=Cu, Ni). Solid State Ionics, 1993, 63-65, 907-914.	1.3	6



#	ARTICLE	IF	CITATIONS
127	A new Li-conductor based on HTSC $Pb_{2-x}Sr_{2x}Y_{1-x}Ca_xCu_3O_{8+y}$ . Solid State Ionics, 1993, 66, 225-230.	1.3	0
128	MIXED CONDUCTORS OBTAINED BY CHEMICAL LITHIATION OF HTSC AND RELATED MATERIALS: AN OVERVIEW. , 1992, , 507-513.		0
129	A novel $\delta$ -phase of the family of $Y_2Ba_4Cu_6+nO_{14+n}$ high-temperature superconducting materials. Physica C: Superconductivity and Its Applications, 1991, 172, 477-480.	0.6	26
130	The structural consequences of the chemical reaction of $YBa_2Cu_3O_{7-y}$ with n-butyl lithium. Journal of Solid State Chemistry, 1991, 95, 388-396.	1.4	12
131	Lithium Insertion in $La_2NiO_{4+y}$ . Materials Research Society Symposia Proceedings, 1990, 210, 467.	0.1	0
132	Ionic conductivity of lithium inserted $Ba_2YCu_3O_{7-y}$ . Solid State Communications, 1990, 76, 917-920.	0.9	17
133	Lithium insertion in $Ba_2YCu_3O_{7-y}$ . Solid State Ionics, 1990, 44, 73-80.	1.3	20
134	Magnetic Properties of Ni-Ferrite Produced by High Energy Milling. Ceramic Transactions, 0, , 219-227.	0.1	0