

# Igor Levchenko

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/6514163/igor-levchenko-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

152  
papers

4,097  
citations

40  
h-index

56  
g-index

166  
ext. papers

4,741  
ext. citations

6.3  
avg, IF

5.74  
L-index

#	Paper	IF	Citations
152	Multifunctional oil-produced reduced graphene oxide - Silver oxide composites with photocatalytic, antioxidant, and antibacterial activities. <i>Journal of Colloid and Interface Science</i> , <b>2022</b> , 608, 294-305	9.3	6
151	Mars Colonization: Beyond Getting There <b>2021</b> , 73-98		2
150	Functional nanomaterials, synergisms, and biomimicry for environmentally benign marine antifouling technology. <i>Materials Horizons</i> , <b>2021</b> , 8, 3201-3238	14.4	4
149	Growth of rGO nanostructures via facile wick and oil flame synthesis for environmental remediation. <i>Carbon Letters</i> , <b>2021</b> , 31, 763	2.3	5
148	Plasma and Polymers: Recent Progress and Trends. <i>Molecules</i> , <b>2021</b> , 26,	4.8	11
147	Comparative study of photocatalysis and gas sensing of ZnO/Ag nanocomposites synthesized by one- and two-step polymer-network gel processes. <i>Journal of Alloys and Compounds</i> , <b>2021</b> , 868, 158723	5.7	39
146	Facile synthesis of Ag/Zn <sub>1-x</sub> Cu <sub>x</sub> O nanoparticle compound photocatalyst for high-efficiency photocatalytic degradation: Insights into the synergies and antagonisms between Cu and Ag. <i>Ceramics International</i> , <b>2021</b> , 47, 48-56	5.1	9
145	Miniaturized rotating magnetic field-driven plasma system: proof-of-concept experiments. <i>Plasma Sources Science and Technology</i> , <b>2021</b> , 30, 065003	3.5	3
144	Focusing plasma jets to achieve high current density: Feasibility and opportunities for applications in debris removal and space exploration. <i>Aerospace Science and Technology</i> , <b>2021</b> , 108, 106343	4.9	9
143	Plasma meets metamaterials: Three ways to advance space micropropulsion systems. <i>Advances in Physics: X</i> , <b>2021</b> , 6, 1834452	5.1	5
142	NiFe <sub>2</sub> O <sub>4</sub> / rGO nanocomposites produced by soft bubble assembly for energy storage and environmental remediation. <i>Renewable Energy</i> , <b>2021</b> , 181, 1386-1386	8.1	4
141	Hydrophilicity and Hydrophobicity Control of Plasma-Treated Surfaces via Fractal Parameters. <i>Advanced Materials Interfaces</i> , <b>2021</b> , 8, 2100724	4.6	3
140	Biowaste valorization by conversion to nanokeratin-urea composite fertilizers for sustainable and controllable nutrient release. <i>Carbon Trends</i> , <b>2021</b> , 5, 100083	0	3
139	Advanced Concepts and Architectures for Plasma-Enabled Material Processing <b>2020</b> , 5, 1-90		
138	Fabrication of Nano-Onion-Structured Graphene Films from Extract and Their Wetting and Sensing Characteristics. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2020</b> , 12, 29594-29604	9.5	6
137	Hierarchical Doped Gelatin-Derived Carbon Aerogels: Three Levels of Porosity for Advanced Supercapacitors. <i>Nanomaterials</i> , <b>2020</b> , 10,	5.4	7
136	Perspectives, frontiers, and new horizons for plasma-based space electric propulsion. <i>Physics of Plasmas</i> , <b>2020</b> , 27, 020601	2.1	80

135	Effect of titanium surface topography on plasma deposition of antibacterial polymer coatings. <i>Applied Surface Science</i> , <b>2020</b> , 521, 146375	6.7	14
134	Tuning and fine morphology control of natural resource-derived vertical graphene. <i>Carbon</i> , <b>2020</b> , 159, 668-685	10.4	16
133	Graphene oxide Based supercapacitors from agricultural wastes: A step to mass production of highly efficient electrodes for electrical transportation systems. <i>Renewable Energy</i> , <b>2020</b> , 151, 731-739	8.1	35
132	Interfacial modification of titanium dioxide to enhance photocatalytic efficiency towards H <sub>2</sub> production. <i>Journal of Colloid and Interface Science</i> , <b>2019</b> , 556, 376-385	9.3	44
131	MoS <sub>2</sub> -based nanostructures: synthesis and applications in medicine. <i>Journal Physics D: Applied Physics</i> , <b>2019</b> , 52, 183001	3	30
130	Direct current arc plasma thrusters for space applications: basic physics, design and perspectives. <i>Reviews of Modern Plasma Physics</i> , <b>2019</b> , 3, 1	5.6	14
129	Superhydrophobic fluorine-modified cerium-doped mesoporous carbon as an efficient catalytic platform for photo-degradation of organic pollutants. <i>Carbon</i> , <b>2019</b> , 147, 323-333	10.4	21
128	Wearable, Flexible, Disposable Plasma-Reduced Graphene Oxide Stress Sensors for Monitoring Activities in Austere Environments. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2019</b> , 11, 15122-15132	9.5	32
127	Plasmonic platform based on nanoporous alumina membranes: order control via self-assembly. <i>Journal of Materials Chemistry A</i> , <b>2019</b> , 7, 9565-9577	13	9
126	3D-Printed Multilayered Reinforced Material System for Gas Supply in CubeSats and Small Satellites. <i>Advanced Engineering Materials</i> , <b>2019</b> , 21, 1900401	3.5	10
125	Plasma parameters and discharge characteristics of lab-based krypton-propelled miniaturized Hall thruster. <i>Plasma Sources Science and Technology</i> , <b>2019</b> , 28, 064003	3.5	16
124	Optimization, Test and Diagnostics of Miniaturized Hall Thrusters. <i>Journal of Visualized Experiments</i> , <b>2019</b> ,	1.6	4
123	3D-Printed Multilayered Reinforced Material System for Gas Supply in CubeSats and Small Satellites. <i>Advanced Engineering Materials</i> , <b>2019</b> , 21, 1970036	3.5	
122	Mars Colonization: Beyond Getting There. <i>Global Challenges</i> , <b>2019</b> , 3, 1800062	4.3	29
121	Recent progress and perspectives of space electric propulsion systems based on smart nanomaterials. <i>Nature Communications</i> , <b>2018</b> , 9, 879	17.4	121
120	Space micropropulsion systems for Cubesats and small satellites: From proximate targets to furthestmost frontiers. <i>Applied Physics Reviews</i> , <b>2018</b> , 5, 011104	17.3	160
119	Towards universal plasma-enabled platform for the advanced nanofabrication: plasma physics level approach. <i>Reviews of Modern Plasma Physics</i> , <b>2018</b> , 2, 1	5.6	24
118	High-Efficiency Inductively Coupled Plasma Source With Dual Antenna Hybrid Scheme. <i>IEEE Transactions on Plasma Science</i> , <b>2018</b> , 46, 954-961	1.3	2

117	Hall Thrusters With Permanent Magnets: Current Solutions and Perspectives. <i>IEEE Transactions on Plasma Science</i> , <b>2018</b> , 46, 239-251	1.3	6
116	Precise Calibration of Propellant Flow and Forces in Specialized Electric Propulsion Test System. <i>IEEE Transactions on Plasma Science</i> , <b>2018</b> , 46, 338-344	1.3	5
115	Miniaturized Plasma Sources: Can Technological Solutions Help Electric Micropropulsion?. <i>IEEE Transactions on Plasma Science</i> , <b>2018</b> , 46, 230-238	1.3	10
114	Guest Editorial Special Issue on Micropropulsion and Cubesats. <i>IEEE Transactions on Plasma Science</i> , <b>2018</b> , 46, 210-213	1.3	0
113	Automated Integrated Robotic Systems for Diagnostics and Test of Electric and Micropropulsion Thrusters. <i>IEEE Transactions on Plasma Science</i> , <b>2018</b> , 46, 345-353	1.3	8
112	Metamaterials: Hierarchical Multicomponent Inorganic Metamaterials: Intrinsically Driven Self-Assembly at the Nanoscale (Adv. Mater. 2/2018). <i>Advanced Materials</i> , <b>2018</b> , 30, 1870009	24	
111	Morphological transformations of BNCO nanomaterials: Role of intermediates. <i>Applied Surface Science</i> , <b>2018</b> , 442, 682-692	6.7	4
110	Approach to a simplified numerical optimization of low-power Hall thrusters. <i>Vacuum</i> , <b>2018</b> , 152, 173-183	3.7	5
109	Development and Calibration of a Variable Range Stand for Testing Space Micropropulsion Thrusters. <i>IEEE Transactions on Plasma Science</i> , <b>2018</b> , 46, 289-295	1.3	3
108	Inductively and capacitively coupled plasmas at interface: A comparative study towards highly efficient amorphous-crystalline Si solar cells. <i>Applied Surface Science</i> , <b>2018</b> , 427, 486-493	6.7	4
107	Ultra-low reflective black silicon photovoltaics by high density inductively coupled plasmas. <i>Solar Energy</i> , <b>2018</b> , 171, 841-850	6.8	8
106	Formation of vertically oriented graphenes: what are the key drivers of growth?. <i>2D Materials</i> , <b>2018</b> , 5, 044002	5.9	25
105	Low-Temperature Synthesis of Graphene by ICP-Assisted Amorphous Carbon Sputtering. <i>ChemistrySelect</i> , <b>2018</b> , 3, 8779-8785	1.8	3
104	From nanometre to millimetre: a range of capabilities for plasma-enabled surface functionalization and nanostructuring. <i>Materials Horizons</i> , <b>2018</b> , 5, 765-798	14.4	37
103	Hierarchical Multicomponent Inorganic Metamaterials: Intrinsically Driven Self-Assembly at the Nanoscale. <i>Advanced Materials</i> , <b>2018</b> , 30, 1702226	24	77
102	Materials for Space Technology: Advanced Materials for Next-Generation Spacecraft (Adv. Mater. 50/2018). <i>Advanced Materials</i> , <b>2018</b> , 30, 1870386	24	
101	Advanced Materials for Next-Generation Spacecraft. <i>Advanced Materials</i> , <b>2018</b> , 30, e1802201	24	62
100	Prospects and physical mechanisms for photonic space propulsion. <i>Nature Photonics</i> , <b>2018</b> , 12, 649-657	33.9	54

99	Oxygen plasmas: a sharp chisel and handy trowel for nanofabrication. <i>Nanoscale</i> , <b>2018</b> , 10, 17494-17511	7.7	33
98	Lightning under water: Diverse reactive environments and evidence of synergistic effects for material treatment and activation. <i>Applied Physics Reviews</i> , <b>2018</b> , 5, 021103	17.3	41
97	Plasma-assisted ALD to functionalize PET: towards new generation flexible gadgets. <i>Flexible and Printed Electronics</i> , <b>2017</b> , 2, 022001	3.1	12
96	Catalyst-free growth and tailoring morphology of zinc oxide nanostructures by plasma-enhanced deposition at low temperature. <i>Journal of Nanoparticle Research</i> , <b>2017</b> , 19, 1	2.3	3
95	Plasma-deposited hydrogenated amorphous silicon films: multiscale modelling reveals key processes. <i>RSC Advances</i> , <b>2017</b> , 7, 19189-19196	3.7	9
94	Highly tunable electronic properties in plasma-synthesized B-doped microcrystalline-to-amorphous silicon nanostructure for solar cell applications. <i>Journal of Applied Physics</i> , <b>2017</b> , 122, 133112	2.5	1
93	Plasma-potentiated small molecules possible alternative to antibiotics?. <i>Nano Futures</i> , <b>2017</b> , 1, 025002	3.6	16
92	In vitro Demonstration of Cancer Inhibiting Properties from Stratified Self-Organized Plasma-Liquid Interface. <i>Scientific Reports</i> , <b>2017</b> , 7, 12163	4.9	31
91	Carbon nanoflake-nanoparticle interface: A comparative study on structure and photoluminescent properties of carbon nanoflakes synthesized on nanostructured gold and carbon by hot filament CVD. <i>Carbon</i> , <b>2017</b> , 124, 391-402	10.4	10
90	Plasma under control: Advanced solutions and perspectives for plasma flux management in material treatment and nanosynthesis. <i>Applied Physics Reviews</i> , <b>2017</b> , 4, 041302	17.3	60
89	Novel biomaterials: plasma-enabled nanostructures and functions. <i>Journal Physics D: Applied Physics</i> , <b>2016</b> , 49, 273001	3	10
88	Nanoscaled Metamaterial as an Advanced Heat Pump and Cooling Media. <i>Advanced Materials Technologies</i> , <b>2016</b> , 1, 1600008	6.8	24
87	Scalable graphene production: perspectives and challenges of plasma applications. <i>Nanoscale</i> , <b>2016</b> , 8, 10511-27	7.7	77
86	Morphological Characterization of Graphene Flake Networks Using Minkowski Functionals. <i>Graphene</i> , <b>2016</b> , 05, 25-34	1.5	7
85	Impact of Silicon Nanocrystal Oxidation on the Nonmetallic Growth of Carbon Nanotubes. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2016</b> , 8, 19012-23	9.5	3
84	Ultra-small photoluminescent silicon-carbide nanocrystals by atmospheric-pressure plasmas. <i>Nanoscale</i> , <b>2016</b> , 8, 17141-17149	7.7	30
83	Plasma-chemical synthesis, structure and photoluminescence properties of hybrid graphene nanoflake/BNCO nanowall systems. <i>Journal of Materials Chemistry C</i> , <b>2016</b> , 4, 9788-9797	7.1	14
82	Self-organized graphene-like boron nitride containing nanoflakes on copper by low-temperature N <sub>2</sub> + H <sub>2</sub> plasma. <i>RSC Advances</i> , <b>2016</b> , 6, 87607-87615	3.7	11

81	Plasma treatment for next-generation nanobiointerfaces. <i>Biointerphases</i> , <b>2015</b> , 10, 029405	1.8	7
80	Hierarchical bi-dimensional alumina/palladium nanowire nano-architectures for hydrogen detection, storage and controlled release. <i>International Journal of Hydrogen Energy</i> , <b>2015</b> , 40, 6165-6172	6.7	17
79	The effects of plasma treatment on bacterial biofilm formation on vertically-aligned carbon nanotube arrays. <i>RSC Advances</i> , <b>2015</b> , 5, 5142-5148	3.7	28
78	Plasmonic Metamaterial Sensor with Ultra-High Sensitivity in the Visible Spectral Range. <i>Advanced Optical Materials</i> , <b>2015</b> , 3, 750-755	8.1	20
77	Atmospheric Plasma Jet-Enhanced Anodization and Nanoparticle Synthesis. <i>IEEE Transactions on Plasma Science</i> , <b>2015</b> , 43, 765-769	1.3	5
76	Sensors: Plasmonic Metamaterial Sensor with Ultra-High Sensitivity in the Visible Spectral Range (Advanced Optical Materials 6/2015). <i>Advanced Optical Materials</i> , <b>2015</b> , 3, 716-716	8.1	1
75	Protein retention on plasma-treated hierarchical nanoscale gold-silver platform. <i>Scientific Reports</i> , <b>2015</b> , 5, 13379	4.9	10
74	Hybrid Carbon-Based Nanostructured Platforms for the Advanced Bioreactors. <i>Journal of Nanoscience and Nanotechnology</i> , <b>2015</b> , 15, 10074-90	1.3	2
73	Multipurpose nanoporous alumina/carbon nanowall bi-dimensional nano-hybrid platform via catalyzed and catalyst-free plasma CVD. <i>Carbon</i> , <b>2014</b> , 78, 627-632	10.4	23
72	Long, Vertically Aligned Single-Walled Carbon Nanotubes from Plasmas: Morpho-Kinetic and Alignment Controls. <i>Plasma Processes and Polymers</i> , <b>2014</b> , 11, 798-808	3.4	5
71	Carbon nanotubes on nanoporous alumina: from surface mats to conformal pore filling. <i>Nanoscale Research Letters</i> , <b>2014</b> , 9, 390	5	6
70	Free-standing alumina nanobottles and nanotubes pre-integrated into nanoporous alumina membranes. <i>Science and Technology of Advanced Materials</i> , <b>2014</b> , 15, 045004	7.1	8
69	Vertically-aligned graphene flakes on nanoporous templates: morphology, thickness, and defect level control by pre-treatment. <i>Science and Technology of Advanced Materials</i> , <b>2014</b> , 15, 055009	7.1	17
68	Crystalline Si nanoparticles below crystallization threshold: Effects of collisional heating in non-thermal atmospheric-pressure microplasmas. <i>Applied Physics Letters</i> , <b>2014</b> , 104, 163103	3.4	58
67	Nanoherding: Plasma-Chemical Synthesis and Electric-Charge-Driven Self Organization of SiO <sub>2</sub> Nanodots. <i>Journal of Physical Chemistry Letters</i> , <b>2013</b> , 4, 681-6	6.4	10
66	Hybrid graphite film/carbon nanotube platform for enzyme immobilization and protection. <i>Carbon</i> , <b>2013</b> , 65, 287-295	10.4	25
65	Low-temperature plasmas in carbon nanostructure synthesis. <i>Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics</i> , <b>2013</b> , 31, 050801	1.3	60
64	Tuning of magnetization in vertical graphenes by plasma-enabled chemical conversion of organic precursors with different oxygen content. <i>Chemical Communications</i> , <b>2013</b> , 49, 11635-7	5.8	12

63	Sonochemical nanoplungers: crystalline gold nanowires by cavitation extrusion through nanoporous alumina. <i>Journal of Materials Chemistry C</i> , <b>2013</b> , 1, 1727-1731	7.1	10
62	Energy efficiency in nanoscale synthesis using nanosecond plasmas. <i>Scientific Reports</i> , <b>2013</b> , 3, 1221	4.9	56
61	Large networks of vertical multi-layer graphenes with morphology-tunable magnetoresistance. <i>Nanoscale</i> , <b>2013</b> , 5, 9283-8	7.7	34
60	Carbon nanostructures for hard tissue engineering. <i>RSC Advances</i> , <b>2013</b> , 3, 11058	3.7	55
59	Current Control in the Magnetron Systems for Nanofabrication: A Comparison. <i>IEEE Transactions on Plasma Science</i> , <b>2012</b> , 40, 1094-1097	1.3	4
58	Sub-oxide-to-metallic, uniformly-nanoporous crystalline nanowires by plasma oxidation and electron reduction. <i>Chemical Communications</i> , <b>2012</b> , 48, 11070-2	5.8	12
57	Plasma-Enabled Growth of Single-Crystalline SiC/AlSiC Core/Shell Nanowires on Porous Alumina Templates. <i>Crystal Growth and Design</i> , <b>2012</b> , 12, 2917-2922	3.5	42
56	Plasma control of morpho-dimensional selectivity of hematite nanostructures. <i>Applied Physics Letters</i> , <b>2012</b> , 100, 243103	3.4	7
55	Plasma-enabled, catalyst-free growth of carbon nanotubes on mechanically-written Si features with arbitrary shape. <i>Carbon</i> , <b>2012</b> , 50, 325-329	10.4	41
54	Plasma enables edge-to-center-oriented graphene nanoarrays on Si nanoglass. <i>Applied Physics Letters</i> , <b>2012</b> , 100, 053115	3.4	15
53	3-Orders-of-magnitude density control of single-walled carbon nanotube networks by maximizing catalyst activation and dosing carbon supply. <i>Nanoscale</i> , <b>2011</b> , 3, 4848-53	7.7	16
52	Plasma nanofabrication and nanomaterials safety. <i>Journal Physics D: Applied Physics</i> , <b>2011</b> , 44, 174019	3	19
51	Self-organization in arrays of surface-grown nanoparticles: characterization, control, driving forces. <i>Journal Physics D: Applied Physics</i> , <b>2011</b> , 44, 174020	3	12
50	Different Nanostructures From Different Plasmas: Nanoflowers and Nanotrees on Silicon. <i>IEEE Transactions on Plasma Science</i> , <b>2011</b> , 39, 2796-2797	1.3	4
49	Highly Efficient Silicon Nanoarray Solar Cells by a Single-Step Plasma-Based Process. <i>Advanced Energy Materials</i> , <b>2011</b> , 1, 373-376	21.8	51
48	Controlled synthesis of a large fraction of metallic single-walled carbon nanotube and semiconducting carbon nanowire networks. <i>Nanoscale</i> , <b>2011</b> , 3, 3214-20	7.7	43
47	Gold nanoresistors with near-constant resistivity in the cryogenic-to-room temperature range. <i>Journal of Applied Physics</i> , <b>2011</b> , 110, 023303	2.5	12
46	Real-time monitoring of nucleation-growth cycle of carbon nanoparticles in acetylene plasmas. <i>Journal of Applied Physics</i> , <b>2011</b> , 109, 123305	2.5	43



45	Hierarchical multilevel arrays of self-assembled gold nanoparticles: Control of resistivity-temperature dependence. <i>Applied Physics Letters</i> , <b>2010</b> , 97, 163109	3-4	11
44	Hydrogen in plasma-nanofabrication: Selective control of nanostructure heating and passivation. <i>Applied Physics Letters</i> , <b>2010</b> , 96, 133105	3-4	41
43	Silicon on silicon: self-organized nanotip arrays formed in reactive Ar+H <sub>2</sub> plasmas. <i>Nanotechnology</i> , <b>2010</b> , 21, 025605	3-4	44
42	Single-step synthesis and magnetic separation of graphene and carbon nanotubes in arc discharge plasmas. <i>Nanoscale</i> , <b>2010</b> , 2, 2281-5	7-7	106
41	Plasma-enabled growth of separated, vertically aligned copper-capped carbon nanocones on silicon. <i>Applied Physics Letters</i> , <b>2010</b> , 97, 151503	3-4	17
40	Increased size selectivity of Si quantum dots on SiC at low substrate temperatures: An ion-assisted self-organization approach. <i>Journal of Applied Physics</i> , <b>2010</b> , 107, 024313	2-5	8
39	Disentangling fluxes of energy and matter in plasma-surface interactions: Effect of process parameters. <i>Journal of Applied Physics</i> , <b>2010</b> , 108, 053302	2-5	7
38	From nucleation to nanowires: a single-step process in reactive plasmas. <i>Nanoscale</i> , <b>2010</b> , 2, 2012-27	7-7	105
37	The large-scale production of graphene flakes using magnetically-enhanced arc discharge between carbon electrodes. <i>Carbon</i> , <b>2010</b> , 48, 4570-4574	10-4	86
36	Control of morphology and nucleation density of iron oxide nanostructures by electric conditions on iron surfaces exposed to reactive oxygen plasmas. <i>Applied Physics Letters</i> , <b>2009</b> , 94, 211502	3-4	39
35	Kinetics of the initial stage of silicon surface oxidation: DealGrove or surface nucleation?. <i>Applied Physics Letters</i> , <b>2009</b> , 95, 021502	3-4	23
34	Thermodynamical and plasma-driven kinetic growth of high-aspect-ratio nanostructures: effect of hydrogen termination. <i>Journal Physics D: Applied Physics</i> , <b>2009</b> , 42, 125207	3	10
33	Electron transport across magnetic field in low-temperature plasmas: An alternative approach for obtaining evidence of Bohm mechanism. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , <b>2009</b> , 373, 1140-1143	2-3	7
32	The production of self-organized carbon connections between Ag nanoparticles using atmospheric microplasma synthesis. <i>Carbon</i> , <b>2009</b> , 47, 344-347	10-4	75
31	Self-organized carbon connections between catalyst particles on a silicon surface exposed to atmospheric-pressure Ar + CH <sub>4</sub> microplasmas. <i>Carbon</i> , <b>2009</b> , 47, 2379-2390	10-4	45
30	Self-organized quantum dot arrays: Kinetic mapping of adatom capture. <i>Applied Physics Letters</i> , <b>2009</b> , 95, 243102	3-4	11
29	Increasing the length of single-wall carbon nanotubes in a magnetically enhanced arc discharge. <i>Applied Physics Letters</i> , <b>2008</b> , 92, 043129	3-4	119
28	Magnetic-field-enhanced synthesis of single-wall carbon nanotubes in arc discharge. <i>Journal of Applied Physics</i> , <b>2008</b> , 103, 094318	2-5	44



27	Plasma/ion-controlled metal catalyst saturation: Enabling simultaneous growth of carbon nanotube/nanocone arrays. <i>Applied Physics Letters</i> , <b>2008</b> , 92, 063108	3-4	42
26	Simulation and Visualization of Self-Assembled Nanodevice Networks Synthesized via PlasmaSurface Interaction. <i>IEEE Transactions on Plasma Science</i> , <b>2008</b> , 36, 866-867	1-3	
25	Carbon saturation of arrays of Ni catalyst nanoparticles of different size and pattern uniformity on a silicon substrate. <i>Nanotechnology</i> , <b>2008</b> , 19, 335703	3-4	29
24	Plasma-driven self-organization of Ni nanodot arrays on Si(100). <i>Applied Physics Letters</i> , <b>2008</b> , 93, 183102	3-4	46
23	Plasma-controlled metal catalyst saturation and the initial stage of carbon nanostructure array growth. <i>Journal of Applied Physics</i> , <b>2008</b> , 104, 073308	2-5	13
22	Growth of carbon nanocone arrays on a metal catalyst: The effect of carbon flux ionization. <i>Physics of Plasmas</i> , <b>2008</b> , 15, 103501	2-1	16
21	Self-organized nanoarrays: Plasma-related controls. <i>Pure and Applied Chemistry</i> , <b>2008</b> , 80, 1909-1918	2-1	46
20	Plasma-assembled carbon nanotubes: electric field-related effects. <i>Journal of Nanoscience and Nanotechnology</i> , <b>2008</b> , 8, 6112-22	1-3	6
19	Size-selected Ni catalyst islands for single-walled carbon nanotube arrays. <i>Journal of Nanoparticle Research</i> , <b>2008</b> , 10, 249-254	2-3	8
18	Plasma-deposited Ge nanoisland films on Si: is StranskiKrastanow fragmentation unavoidable?. <i>Journal Physics D: Applied Physics</i> , <b>2008</b> , 41, 092001	3	36
17	Plasma-assisted self-organized growth of uniform carbon nanocone arrays. <i>Carbon</i> , <b>2007</b> , 45, 2022-2030	10-4	123
16	Ge/Si Quantum Dot Formation From Non-Uniform Cluster Fluxes. <i>Plasma Processes and Polymers</i> , <b>2007</b> , 4, 638-647	3-4	12
15	Templated i-PVD of Metallic Nanodot Arrays. <i>Plasma Processes and Polymers</i> , <b>2007</b> , 4, 612-620	3-4	11
14	Surface fluxes of Si and C adatoms at initial growth stages of SiC quantum dots. <i>Journal of Applied Physics</i> , <b>2007</b> , 101, 044306	2-5	39
13	Angular distribution of carbon ion flux in a nanotube array during the plasma process by the Monte Carlo technique. <i>Physics of Plasmas</i> , <b>2007</b> , 14, 113504	2-1	8
12	Growth kinetics of carbon nanowall-like structures in low-temperature plasmas. <i>Physics of Plasmas</i> , <b>2007</b> , 14, 063502	2-1	42
11	Control of core-shell structure and elemental composition of binary quantum dots. <i>Applied Physics Letters</i> , <b>2007</b> , 90, 193110	3-4	66
10	Nanostructures of various dimensionalities from plasma and neutral fluxes. <i>Journal Physics D: Applied Physics</i> , <b>2007</b> , 40, 2308-2319	3	97

9	SIMULATION OF ION FLUX DISTRIBUTION IN CONDUCTIVE AND NONCONDUCTIVE NANOTIP PATTERNS. <i>International Journal of Nanoscience</i> , <b>2006</b> , 05, 621-626	0.6	0
8	Microscopic ion fluxes in plasma-aided nanofabrication of ordered carbon nanotip structures. <i>Journal of Applied Physics</i> , <b>2005</b> , 98, 064304	2.5	62
7	Visualization of ion flux neutralization effect on electrical field and atom density distribution in Hall thruster channel. <i>IEEE Transactions on Plasma Science</i> , <b>2005</b> , 33, 526-527	1.3	6
6	Ion current distribution on a substrate during nanostructure formation. <i>Journal Physics D: Applied Physics</i> , <b>2004</b> , 37, 1690-1695	3	39
5	Current-voltage characteristics of a substrate in a crossed EB field system exposed to plasma flux from vacuum arc plasma sources. <i>Surface and Coatings Technology</i> , <b>2004</b> , 184, 356-360	4.4	10
4	Plasma jet interaction with a spherical target in magnetic field. <i>IEEE Transactions on Plasma Science</i> , <b>2004</b> , 32, 2139-2143	1.3	5
3	Stable plasma configurations in a cylindrical magnetron discharge. <i>Applied Physics Letters</i> , <b>2004</b> , 85, 2202-2204	3.4	40
2	Ion deposition in a crossed EB field system with vacuum arc plasma sources. <i>Vacuum</i> , <b>2003</b> , 72, 335-344	3.7	19
1	Investigation of a steady-state cylindrical magnetron discharge for plasma immersion treatment. <i>Journal of Applied Physics</i> , <b>2003</b> , 94, 1408-1413	2.5	42