

# Liang-Chi Zhang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6514353/publications.pdf>

Version: 2024-02-01

75  
papers

2,174  
citations

304743

22  
h-index

243625

44  
g-index

75  
all docs

75  
docs citations

75  
times ranked

1085  
citing authors

#	ARTICLE	IF	CITATIONS
1	Influence of Tool and Workpiece Properties on the Wear of the Counterparts in Contact Sliding. <i>Journal of Tribology</i> , 2022, 144, .	1.9	7
2	HD-lubricated high-speed small reduction rolling of hard steel strips with elastically deformable work rolls. <i>Tribology International</i> , 2022, 165, 107295.	5.9	8
3	A new discrete element model for rock-like materials. <i>Computers and Structures</i> , 2022, 261-262, 106730.	4.4	7
4	Debris effect on the surface wear and damage evolution of counterpart materials subjected to contact sliding. <i>Advances in Manufacturing</i> , 2022, 10, 72-86.	6.1	8
5	Effect of repeated nanoindentations on the deformation of potassium dihydrogen phosphate crystals. <i>Ceramics International</i> , 2022, 48, 9595-9601.	4.8	2
6	Effects of grain size and protrusion height on the surface integrity generation in the nanogrinding of 6H-SiC. <i>Tribology International</i> , 2022, 171, 107563.	5.9	14
7	A multiscale soft-contact modelling method for rough surfaces in contact with coupled slipping/sliding and rolling. <i>Tribology International</i> , 2022, 173, 107627.	5.9	7
8	On the numerical modelling of composite machining. <i>Composites Part B: Engineering</i> , 2022, 241, 110023.	12.0	10
9	Fracture mechanisms of intact rock-like materials under compression. <i>Computers and Geotechnics</i> , 2022, 148, 104845.	4.7	5
10	Numerical insights into the effect of ITZ and aggregate strength on concrete properties. <i>Theoretical and Applied Fracture Mechanics</i> , 2022, 120, 103415.	4.7	18
11	Tribological performance of silicone oil based Al <sub>2</sub> O <sub>3</sub> nano lubricant for an Mg alloy subjected to sliding at elevated temperatures. <i>Tribology International</i> , 2022, 175, 107779.	5.9	9
12	Interaction potential function for the deformation analysis of potassium dihydrogen phosphate using molecular dynamics simulation. <i>Computational Materials Science</i> , 2021, 187, 110122.	3.0	23
13	Predicting the evolution of sheet metal surface scratching by the technique of artificial intelligence. <i>International Journal of Advanced Manufacturing Technology</i> , 2021, 112, 853-865.	3.0	20
14	An Investigation into the Texture Transfer in the Process of Lubricated Skin Pass Rolling. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2021, 143, .	2.2	7
15	Ultrasonic vibration-assisted incremental sheet metal forming. <i>International Journal of Advanced Manufacturing Technology</i> , 2021, 114, 3311-3323.	3.0	14
16	Kinematic modeling of surface topography ground by an electroplated diamond wheel. <i>International Journal of Advanced Manufacturing Technology</i> , 2021, 114, 2753-2765.	3.0	2
17	Effect of the elastic deformation of rolls on the surface texture transfer in skin-pass rolling. <i>International Journal of Mechanical Sciences</i> , 2021, 198, 106358.	6.7	15
18	Material removal mechanisms and characteristics of potassium dihydrogen phosphate crystals under nanoscratching. <i>Advances in Manufacturing</i> , 2021, 9, 558.	6.1	3

#	ARTICLE	IF	CITATIONS
19	Characterization of mechanical properties and failure of potassium dihydrogen phosphate under mechanical stressing. <i>Ceramics International</i> , 2021, 47, 15875-15882.	4.8	11
20	Characterization and criteria of phase transformations and lattice slipping in potassium dihydrogen phosphate crystals. <i>Journal of the American Ceramic Society</i> , 2021, 104, 5955-5965.	3.8	9
21	An investigation on the friction, wear and deformation of potassium dihydrogen phosphate. <i>Wear</i> , 2021, 476, 203624.	3.1	1
22	An investigation on the nano-abrasion wear mechanisms of KDP crystals. <i>Wear</i> , 2021, 476, 203692.	3.1	16
23	Surface texture transfer in skin-pass rolling with the effect of roll surface wear. <i>Wear</i> , 2021, 476, 203764.	3.1	15
24	Effect of Anisotropy of Potassium Dihydrogen Phosphate Crystals on Its Deformation Mechanisms Subjected to Nanoindentation. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 41351-41360.	8.0	18
25	A note on the applicability of a constitutive model with Acoustoplasticity to high strain rate deformation induced by high frequency impacts. <i>International Journal of Impact Engineering</i> , 2021, 157, 103977.	5.0	4
26	Mechanical properties and deformation mechanisms of surface-modified 6H-silicon carbide. <i>Journal of Materials Science and Technology</i> , 2021, 90, 58-65.	10.7	17
27	Effect of abrasive grain position patterns on the deformation of 6H-silicon carbide subjected to nano-grinding. <i>International Journal of Mechanical Sciences</i> , 2021, 211, 106779.	6.7	19
28	Multiscale Interface Stress Characterisation in Cold Rolling. <i>Metals and Materials International</i> , 2021, 27, 1997-2013.	3.4	4
29	Amorphization and dislocation evolution mechanisms of single crystalline 6H-SiC. <i>Acta Materialia</i> , 2020, 182, 60-67.	7.9	73
30	Elastic modulus evolution of rocks under heating&quot;cooling cycles. <i>Scientific Reports</i> , 2020, 10, 13835.	3.3	7
31	Elastic-plastic-brittle transitions of potassium dihydrogen phosphate crystals: characterization by nanoindentation. <i>Advances in Manufacturing</i> , 2020, 8, 447-456.	6.1	6
32	Fuzzy modelling of surface scratching in contact sliding. <i>IOP Conference Series: Materials Science and Engineering</i> , 2020, 967, 012022.	0.6	5
33	Theoretical modelling of brittle-to-ductile transition load of KDP crystals on (001) plane during nanoindentation and nanoscratch tests. <i>Journal of Materials Research and Technology</i> , 2020, 9, 14142-14157.	5.8	15
34	Microstructure-based three-dimensional characterization of chip formation and surface generation in the machining of particulate-reinforced metal matrix composites. <i>International Journal of Extreme Manufacturing</i> , 2020, 2, 045103.	12.7	14
35	Effect of ultra-precision fly-cutting on the surface integrity of potassium dihydrogen phosphate crystals. <i>Optical Materials Express</i> , 2020, 10, 971.	3.0	6
36	Machining of particulate-reinforced metal matrix composites: An investigation into the chip formation and subsurface damage. <i>Journal of Materials Processing Technology</i> , 2019, 274, 116315.	6.3	57

#	ARTICLE	IF	CITATIONS
37	Understanding the formation mechanism of subsurface damage in potassium dihydrogen phosphate crystals during ultra-precision fly cutting. <i>Advances in Manufacturing</i> , 2019, 7, 270-277.	6.1	13
38	On the Constitutive Models for Ultra-High Strain Rate Deformation of Metals. <i>International Journal of Automotive Technology</i> , 2019, 20, 31-37.	1.4	6
39	A new method for predicting the three-dimensional surface texture transfer in the skin pass rolling of metal strips. <i>Wear</i> , 2019, 426-427, 1246-1264.	3.1	20
40	Effect of structural anisotropy on the dislocation nucleation and evolution in 6H SiC under nanoindentation. <i>Ceramics International</i> , 2019, 45, 14229-14237.	4.8	24
41	On the Ultra-Precision Fabrication of Damage-Free Optical KDP Components: Mechanisms and Problems. <i>Critical Reviews in Solid State and Materials Sciences</i> , 2019, 44, 283-297.	12.3	16
42	Ultrasonic vibration-assisted metal forming: Constitutive modelling of acoustoplasticity and applications. <i>Journal of Materials Processing Technology</i> , 2019, 265, 122-129.	6.3	55
43	A micromechanics analysis of the material removal mechanisms in the cutting of ceramic particle reinforced metal matrix composites. <i>Machining Science and Technology</i> , 2018, 22, 638-651.	2.5	21
44	Critical loading conditions of amorphization, phase transformation, and dilation cracking in 6H-silicon carbide. <i>Journal of the American Ceramic Society</i> , 2018, 101, 3585-3596.	3.8	15
45	A simple approach for analysing the surface texture transfer in cold rolling of metal strips. <i>International Journal of Advanced Manufacturing Technology</i> , 2018, 95, 597-608.	3.0	19
46	Effects of sliding speed and lubrication on the tribological behaviour of stainless steel. <i>International Journal of Advanced Manufacturing Technology</i> , 2018, 94, 341-350.	3.0	5
47	Mechanisms of the Complex Thermo-Mechanical Behavior of Polymer Glass Across a Wide Range of Temperature Variations. <i>Polymers</i> , 2018, 10, 1153.	4.5	8
48	Investigation into the room temperature creep-deformation of potassium dihydrogen phosphate crystals using nanoindentation. <i>Advances in Manufacturing</i> , 2018, 6, 376-383.	6.1	11
49	A multi-field analysis of hydrodynamic lubrication in high speed rolling of metal strips. <i>International Journal of Mechanical Sciences</i> , 2018, 142-143, 468-479.	6.7	17
50	Three-dimensional characterization and modeling of diamond electroplated grinding wheels. <i>International Journal of Mechanical Sciences</i> , 2018, 144, 553-563.	6.7	22
51	Characterization of interface stresses and lubrication of rough elastic surfaces under ball-on-disc rolling. <i>Proceedings of the Institution of Mechanical Engineers, Part J: Journal of Engineering Tribology</i> , 2017, 231, 1552-1573.	1.8	6
52	Revealing the deformation mechanisms of 6H-silicon carbide under nano-cutting. <i>Computational Materials Science</i> , 2017, 137, 282-288.	3.0	52
53	A numerical and experimental study on the interface friction of ball-on-disc test under high temperature. <i>Wear</i> , 2017, 376-377, 433-442.	3.1	16
54	Investigation into nanoscratching mechanical response of AlCrCuFeNi high-entropy alloys using atomic simulations. <i>Applied Surface Science</i> , 2017, 416, 470-481.	6.1	81

#	ARTICLE	IF	CITATIONS
55	Nano-machining of materials: understanding the process through molecular dynamics simulation. <i>Advances in Manufacturing</i> , 2017, 5, 20-34.	6.1	37
56	Effect of tool vibration on chip formation and cutting forces in the machining of fiber-reinforced polymer composites. <i>Machining Science and Technology</i> , 2016, 20, 312-329.	2.5	32
57	Assessing microstructure changes in potassium dihydrogen phosphate crystals induced by mechanical stresses. <i>Scripta Materialia</i> , 2016, 113, 48-50.	5.2	32
58	Mechanics of fibre deformation and fracture in vibration-assisted cutting of unidirectional fibre-reinforced polymer composites. <i>International Journal of Machine Tools and Manufacture</i> , 2016, 103, 40-52.	13.4	86
59	Study of nanoindentation mechanical response of nanocrystalline structures using molecular dynamics simulations. <i>Applied Surface Science</i> , 2016, 364, 190-200.	6.1	94
60	A unified method for characterizing multiple lubrication regimes involving plastic deformation of surface asperities. <i>Tribology International</i> , 2016, 100, 70-83.	5.9	29
61	The role of material model in the finite element simulation of high-speed machining of Ti6Al4V. <i>Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science</i> , 2016, 230, 2959-2967.	2.1	7
62	Understanding the friction and wear of KDP crystals by nanoscratching. <i>Wear</i> , 2015, 332-333, 900-906.	3.1	37
63	Ultrasonic vibration-assisted machining: principle, design and application. <i>Advances in Manufacturing</i> , 2015, 3, 173-192.	6.1	124
64	Stress-induced phase and structural changes in KDP crystals. <i>Computational Materials Science</i> , 2015, 109, 359-366.	3.0	11
65	Revealing Structural Relaxation of Optical Glass Through the Temperature Dependence of Young's Modulus. <i>Journal of the American Ceramic Society</i> , 2014, 97, 3475-3482.	3.8	21
66	A novel multi-scale statistical characterization of interface pressure and friction in metal strip rolling. <i>International Journal of Mechanical Sciences</i> , 2014, 89, 391-402.	6.7	31
67	A methodology for fuzzy modeling of engineering systems. <i>Fuzzy Sets and Systems</i> , 2001, 118, 181-197.	2.7	23
68	A finite element model for the orthogonal cutting of fiber-reinforced composite materials. <i>Journal of Materials Processing Technology</i> , 2001, 113, 373-377.	6.3	101
69	An adaptive three-dimensional finite element algorithm for the orthogonal cutting of composite materials. <i>Journal of Materials Processing Technology</i> , 2001, 113, 368-372.	6.3	35
70	Effect of repeated nano-indentations on the deformation in monocrystalline silicon. <i>Journal of Materials Science Letters</i> , 2000, 19, 439-442.	0.5	34
71	On the Mechanics and Physics in the Nano-Indentation of Silicon Monocrystals.. <i>JSME International Journal Series A-Solid Mechanics and Material Engineering</i> , 1999, 42, 546-559.	0.4	120
72	Atomic scale deformation in silicon monocrystals induced by two-body and three-body contact sliding. <i>Tribology International</i> , 1998, 31, 425-433.	5.9	197

#	ARTICLE	IF	CITATIONS
73	Towards a deeper understanding of wear and friction on the atomic scale—a molecular dynamics analysis. <i>Wear</i> , 1997, 211, 44-53.	3.1	237
74	Evaluation of critical wear transition loads of MMCs by rule based fuzzy modelling. <i>Tribology Letters</i> , 1996, 2, 89.	2.6	3
75	Rapid forming of nanowire array on PVDF polymer surfaces at room temperature by ultrasonic loading. <i>Advanced Engineering Materials</i> , 0, , .	3.5	0