

# Anita Riecher-Ressler

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/651591/anita-riecher-rossler-publications-by-citations.pdf>

**Version:** 2023-09-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

306  
papers

15,595  
citations

65  
h-index

118  
g-index

377  
ext. papers

18,193  
ext. citations

4.5  
avg, IF

6.43  
L-index

#	Paper	IF	Citations
306	The psychosis high-risk state: a comprehensive state-of-the-art review. <i>JAMA Psychiatry</i> , <b>2013</b> , 70, 107-20	14.5	965
305	Effectiveness of antipsychotic drugs in first-episode schizophrenia and schizophreniform disorder: an open randomised clinical trial. <i>Lancet, The</i> , <b>2008</b> , 371, 1085-97	40	823
304	The influence of age and sex on the onset and early course of schizophrenia. <i>British Journal of Psychiatry</i> , <b>1993</b> , 162, 80-6	5.4	510
303	IRAOS: an instrument for the assessment of onset and early course of schizophrenia. <i>Schizophrenia Research</i> , <b>1992</b> , 6, 209-23	3.6	454
302	Size of burden of schizophrenia and psychotic disorders. <i>European Neuropsychopharmacology</i> , <b>2005</b> , 15, 399-409	1.2	406
301	Cortical Brain Abnormalities in 4474 Individuals With Schizophrenia and 5098 Control Subjects via the Enhancing Neuro Imaging Genetics Through Meta Analysis (ENIGMA) Consortium. <i>Biological Psychiatry</i> , <b>2018</b> , 84, 644-654	7.9	325
300	Heterogeneity of Psychosis Risk Within Individuals at Clinical High Risk: A Meta-analytical Stratification. <i>JAMA Psychiatry</i> , <b>2016</b> , 73, 113-20	14.5	270
299	Regional gray matter volume abnormalities in the at risk mental state. <i>Biological Psychiatry</i> , <b>2007</b> , 61, 1148-56	7.9	258
298	Cognitive effects of antipsychotic drugs in first-episode schizophrenia and schizophreniform disorder: a randomized, open-label clinical trial (EUFEST). <i>American Journal of Psychiatry</i> , <b>2009</b> , 166, 675-82	11.9	249
297	Neuroimaging predictors of transition to psychosis--a systematic review and meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , <b>2010</b> , 34, 1207-22	9	249
296	Causes and consequences of the gender difference in age at onset of schizophrenia. <i>Schizophrenia Bulletin</i> , <b>1998</b> , 24, 99-113	1.3	238
295	EPA guidance on the early detection of clinical high risk states of psychoses. <i>European Psychiatry</i> , <b>2015</b> , 30, 405-16	6	235
294	Accelerated brain aging in schizophrenia and beyond: a neuroanatomical marker of psychiatric disorders. <i>Schizophrenia Bulletin</i> , <b>2014</b> , 40, 1140-53	1.3	235
293	EPA guidance on the early intervention in clinical high risk states of psychoses. <i>European Psychiatry</i> , <b>2015</b> , 30, 388-404	6	233
292	Can estradiol modulate schizophrenic symptomatology?. <i>Schizophrenia Bulletin</i> , <b>1994</b> , 20, 203-14	1.3	230
291	Psychotic experiences in the general population: a twenty-year prospective community study. <i>Schizophrenia Research</i> , <b>2007</b> , 92, 1-14	3.6	226
290	Generating and testing a causal explanation of the gender difference in age at first onset of schizophrenia. <i>Psychological Medicine</i> , <b>1993</b> , 23, 925-40	6.9	226

289	Intervention in individuals at ultra-high risk for psychosis: a review and future directions. <i>Journal of Clinical Psychiatry</i> , <b>2009</b> , 70, 1206-12	4.6	219
288	Efficacy of using cognitive status in predicting psychosis: a 7-year follow-up. <i>Biological Psychiatry</i> , <b>2009</b> , 66, 1023-30	7.9	204
287	How does gender influence age at first hospitalization for schizophrenia? A transnational case register study. <i>Psychological Medicine</i> , <b>1989</b> , 19, 903-18	6.9	197
286	Neuroanatomical abnormalities that predate the onset of psychosis: a multicenter study. <i>Archives of General Psychiatry</i> , <b>2011</b> , 68, 489-95		196
285	Identifying gene-environment interactions in schizophrenia: contemporary challenges for integrated, large-scale investigations. <i>Schizophrenia Bulletin</i> , <b>2014</b> , 40, 729-36	1.3	186
284	Reductions in frontal, temporal and parietal volume associated with the onset of psychosis. <i>Schizophrenia Research</i> , <b>2008</b> , 106, 108-14	3.6	186
283	The effects of antipsychotics on the brain: what have we learnt from structural imaging of schizophrenia?--a systematic review. <i>Current Pharmaceutical Design</i> , <b>2009</b> , 15, 2535-49	3.3	182
282	At risk or not at risk? A meta-analysis of the prognostic accuracy of psychometric interviews for psychosis prediction. <i>World Psychiatry</i> , <b>2015</b> , 14, 322-32	14.4	172
281	Effect of $\Omega$ Polyunsaturated Fatty Acids in Young People at Ultrahigh Risk for Psychotic Disorders: The NEURAPRO Randomized Clinical Trial. <i>JAMA Psychiatry</i> , <b>2017</b> , 74, 19-27	14.5	162
280	Sex and gender differences in mental disorders. <i>Lancet Psychiatry</i> , <b>2017</b> , 4, 8-9	23.3	157
279	Prediction Models of Functional Outcomes for Individuals in the Clinical High-Risk State for Psychosis or With Recent-Onset Depression: A Multimodal, Multisite Machine Learning Analysis. <i>JAMA Psychiatry</i> , <b>2018</b> , 75, 1156-1172	14.5	156
278	The ABC Schizophrenia Study: a preliminary overview of the results. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>1998</b> , 33, 380-6	4.5	151
277	A randomized, double-blind, placebo-controlled study of light therapy for antepartum depression. <i>Journal of Clinical Psychiatry</i> , <b>2011</b> , 72, 986-93	4.6	150
276	The Dark Side of the Moon: Meta-analytical Impact of Recruitment Strategies on Risk Enrichment in the Clinical High Risk State for Psychosis. <i>Schizophrenia Bulletin</i> , <b>2016</b> , 42, 732-43	1.3	144
275	First onset and early symptomatology of schizophrenia. A chapter of epidemiological and neurobiological research into age and sex differences. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>1992</b> , 242, 109-18	5.1	142
274	The Basel early-detection-of-psychosis (FEPSY)-study--design and preliminary results. <i>Acta Psychiatrica Scandinavica</i> , <b>2007</b> , 115, 114-25	6.5	140
273	The Epidemiology of Early Schizophrenia: Influence of Age and Gender on Onset and Early Course. <i>British Journal of Psychiatry</i> , <b>1994</b> , 164, 29-38	5.4	138
272	Gender aspects in schizophrenia: bridging the border between social and biological psychiatry. <i>Acta Psychiatrica Scandinavica</i> , <b>2000</b> , 102, 58-62	6.5	137

271	Is schizophrenia a disorder of all ages? A comparison of first episodes and early course across the life-cycle. <i>Psychological Medicine</i> , <b>1998</b> , 28, 351-65	6.9	114
270	Disease prediction in the at-risk mental state for psychosis using neuroanatomical biomarkers: results from the FePsy study. <i>Schizophrenia Bulletin</i> , <b>2012</b> , 38, 1234-46	1.3	111
269	Schizophrenia and oestrogens--is there an association?. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>1993</b> , 242, 323-8	5.1	111
268	Compulsory admission of psychiatric patients--an international comparison. <i>Acta Psychiatrica Scandinavica</i> , <b>1993</b> , 87, 231-6	6.5	106
267	Detecting the psychosis prodrome across high-risk populations using neuroanatomical biomarkers. <i>Schizophrenia Bulletin</i> , <b>2015</b> , 41, 471-82	1.3	105
266	Structural brain abnormalities in individuals with an at-risk mental state who later develop psychosis. <i>British Journal of Psychiatry</i> , <b>2007</b> , 51, s69-75	5.4	105
265	Individualized differential diagnosis of schizophrenia and mood disorders using neuroanatomical biomarkers. <i>Brain</i> , <b>2015</b> , 138, 2059-73	11.2	99
264	Persistent negative symptoms in first episode patients with schizophrenia: results from the European First Episode Schizophrenia Trial. <i>European Neuropsychopharmacology</i> , <b>2013</b> , 23, 196-204	1.2	99
263	Moving beyond transition outcomes: meta-analysis of remission rates in individuals at high clinical risk for psychosis. <i>Psychiatry Research</i> , <b>2013</b> , 209, 266-72	9.9	96
262	Influence of the menstrual cycle phase on the therapeutic response in schizophrenia. <i>Biological Psychiatry</i> , <b>1994</b> , 36, 137-9	7.9	94
261	Acute effects of heroin on negative emotional processing: relation of amygdala activity and stress-related responses. <i>Biological Psychiatry</i> , <b>2014</b> , 76, 289-96	7.9	93
260	Further evidence for a specific role of estradiol in schizophrenia?. <i>Biological Psychiatry</i> , <b>1994</b> , 36, 492-4	7.9	83
259	Neuropsychological deficits in individuals with an at risk mental state for psychosis - working memory as a potential trait marker. <i>Schizophrenia Research</i> , <b>2007</b> , 97, 14-24	3.6	80
258	Validation of Danish case register diagnosis for schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , <b>1994</b> , 90, 196-203	6.5	80
257	Sex and gender differences in schizophrenic psychoses-a critical review. <i>Archives of Women's Mental Health</i> , <b>2018</b> , 21, 627-648	5	80
256	O6.5. INVESTIGATING VARIABLES FROM THE NAPLS RISK CALCULATOR FOR PSYCHOSIS IN THE EU-GEI HIGH RISK STUDY. <i>Schizophrenia Bulletin</i> , <b>2019</b> , 45, S177-S178	1.3	78
255	S175. CLINICAL OUTCOMES IN PEOPLE AT HIGH RISK FOR PSYCHOSIS RELATED TO INTERACTIONS BETWEEN POLYGENIC RISK SCORES AND CHILDHOOD ADVERSITY. <i>Schizophrenia Bulletin</i> , <b>2020</b> , 46, S104-S104	1.3	78
254	T21. DEVELOPMENT OF PROTEOMIC PREDICTION MODELS FOR OUTCOMES IN THE CLINICAL HIGH RISK STATE AND PSYCHOTIC EXPERIENCES IN ADOLESCENCE: MACHINE LEARNING ANALYSES IN TWO NESTED CASE-CONTROL STUDIES. <i>Schizophrenia Bulletin</i> , <b>2020</b> , 46, S238-S239	1.3	78

253	T34. THE IMPACT OF ANTIDEPRESSANT USE ON THE TRANSITION TO PSYCHOSIS RATE IN THE NEURAPRO TRIAL. <i>Schizophrenia Bulletin</i> , <b>2020</b> , 46, S244-S245	1.3	78
252	T212. THE INTRINSIC ORGANIZATION OF SYMPTOMS MARKS TRANSITION FROM HIGH-RISK STATE TO EARLY PSYCHOSIS: A PHENOMENOLOGICAL CONNECTIVITY STUDY. <i>Schizophrenia Bulletin</i> , <b>2018</b> , 44, S199-S199	1.3	78
251	The European First Episode Schizophrenia Trial (EUFEST): rationale and design of the trial. <i>Schizophrenia Research</i> , <b>2005</b> , 78, 147-56	3.6	77
250	Factors influencing compulsory admission of psychiatric patients. <i>Psychological Medicine</i> , <b>1991</b> , 21, 197-208	2.8	77
249	Hippocampus abnormalities in at risk mental states for psychosis? A cross-sectional high resolution region of interest magnetic resonance imaging study. <i>Journal of Psychiatric Research</i> , <b>2010</b> , 44, 447-53	5.2	75
248	Whither the attenuated psychosis syndrome?. <i>Schizophrenia Bulletin</i> , <b>2012</b> , 38, 1130-4	1.3	74
247	Brain connectivity abnormalities predating the onset of psychosis: correlation with the effect of medication. <i>JAMA Psychiatry</i> , <b>2013</b> , 70, 903-12	14.5	72
246	Oestrogens, prolactin, hypothalamic-pituitary-gonadal axis, and schizophrenic psychoses. <i>Lancet Psychiatry</i> , <b>2017</b> , 4, 63-72	23.3	71
245	Sexual dysfunction in first-episode schizophrenia patients: results from European First Episode Schizophrenia Trial. <i>Journal of Clinical Psychopharmacology</i> , <b>2011</b> , 31, 274-80	1.7	71
244	Hyperprolactinemia in antipsychotic-naive patients with first-episode psychosis. <i>Psychological Medicine</i> , <b>2013</b> , 43, 2571-82	6.9	68
243	Hyperprolactinaemia in early psychosis-not only due to antipsychotics. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2010</b> , 34, 1342-4	5.5	65
242	Does case management reduce the rehospitalization rate?. <i>Acta Psychiatrica Scandinavica</i> , <b>1992</b> , 86, 445-55	0.5	65
241	Metabolic risk factors in first-episode schizophrenia: baseline prevalence and course analysed from the European First-Episode Schizophrenia Trial. <i>International Journal of Neuropsychopharmacology</i> , <b>2013</b> , 16, 987-95	5.8	60
240	Prediction of transition to psychosis in patients with a clinical high risk for psychosis: a systematic review of methodology and reporting. <i>Psychological Medicine</i> , <b>2017</b> , 47, 1163-1178	6.9	59
239	Early detection and treatment of schizophrenia: how early?. <i>Acta Psychiatrica Scandinavica</i> , <b>2006</b> , 113, 73-80	6.5	58
238	Different duration of at-risk mental state associated with neurofunctional abnormalities. A multimodal imaging study. <i>Human Brain Mapping</i> , <b>2012</b> , 33, 2281-94	5.9	56
237	Distinguishing prodromal from first-episode psychosis using neuroanatomical single-subject pattern recognition. <i>Schizophrenia Bulletin</i> , <b>2013</b> , 39, 1105-14	1.3	54
236	Can cortical thickness asymmetry analysis contribute to detection of at-risk mental state and first-episode psychosis? A pilot study. <i>Radiology</i> , <b>2009</b> , 250, 212-21	20.5	54

235	Estrogens and gonadal function in schizophrenia and related psychoses. <i>Current Topics in Behavioral Neurosciences</i> , <b>2011</b> , 8, 155-71	3.4	53
234	Do subjects at clinical high risk for psychosis differ from those with a genetic high risk?--A systematic review of structural and functional brain abnormalities. <i>Current Medicinal Chemistry</i> , <b>2013</b> , 20, 467-81	4.3	51
233	Oestrogen effects in schizophrenia and their potential therapeutic implications--review. <i>Archives of Women's Mental Health</i> , <b>2002</b> , 5, 111-8	5	51
232	Aberrant Current Source-Density and Lagged Phase Synchronization of Neural Oscillations as Markers for Emerging Psychosis. <i>Schizophrenia Bulletin</i> , <b>2015</b> , 41, 919-29	1.3	50
231	Postpartum depression: do we still need this diagnostic term?. <i>Acta Psychiatrica Scandinavica</i> , <b>2003</b> , 108, 51-6	6.5	50
230	Help-seeking and pathways to care in the early stages of psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2013</b> , 48, 1033-43	4.5	48
229	What do we really know about late-onset schizophrenia?. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>1997</b> , 247, 195-208	5.1	48
228	Hippocampal volume in subjects at high risk of psychosis: a longitudinal MRI study. <i>Schizophrenia Research</i> , <b>2012</b> , 142, 217-22	3.6	47
227	Effects of cannabis use on human brain structure in psychosis: a systematic review combining in vivo structural neuroimaging and post mortem studies. <i>Current Pharmaceutical Design</i> , <b>2012</b> , 18, 5070-80	3.3	47
226	Neuropsychological and neurophysiological findings in individuals suspected to be at risk for schizophrenia: preliminary results from the Basel early detection of psychosis study - Früherkennung von Psychosen (FEPSY). <i>Acta Psychiatrica Scandinavica</i> , <b>2003</b> , 108, 152-5	6.5	47
225	Pituitary volume increase during emerging psychosis. <i>Schizophrenia Research</i> , <b>2011</b> , 125, 41-8	3.6	45
224	Clinical and functional long-term outcome of patients at clinical high risk (CHR) for psychosis without transition to psychosis: A systematic review. <i>Schizophrenia Research</i> , <b>2019</b> , 210, 39-47	3.6	45
223	Insular volume abnormalities associated with different transition probabilities to psychosis. <i>Psychological Medicine</i> , <b>2012</b> , 42, 1613-25	6.9	42
222	The course of schizophrenic psychoses: what do we really know? A selective review from an epidemiological perspective. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>1998</b> , 248, 189-202	5.1	42
221	NEURAPRO-E study protocol: a multicentre randomized controlled trial of omega-3 fatty acids and cognitive-behavioural case management for patients at ultra high risk of schizophrenia and other psychotic disorders. <i>Microbial Biotechnology</i> , <b>2017</b> , 11, 418-428	3.3	40
220	Inferior frontal cortex modulation with an acute dose of heroin during cognitive control. <i>Neuropsychopharmacology</i> , <b>2013</b> , 38, 2231-9	8.7	40
219	Prediction of conversion to psychosis in individuals with an at-risk mental state: a brief update on recent developments. <i>Current Opinion in Psychiatry</i> , <b>2017</b> , 30, 209-219	4.9	39
218	Modulation of motivational salience processing during the early stages of psychosis. <i>Schizophrenia Research</i> , <b>2015</b> , 166, 17-23	3.6	38

217	Disorganized Gyrfication Network Properties During the Transition to Psychosis. <i>JAMA Psychiatry</i> , <b>2018</b> , 75, 613-622	14.5	38
216	Fine motor function and neuropsychological deficits in individuals at risk for schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>2006</b> , 256, 201-6	5.1	38
215	Reduced parahippocampal cortical thickness in subjects at ultra-high risk for psychosis. <i>Psychological Medicine</i> , <b>2014</b> , 44, 489-98	6.9	37
214	Radiological findings in individuals at high risk of psychosis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , <b>2006</b> , 77, 229-33	5.5	37
213	Antidepressant medications and other treatments of depressive disorders: a CINP Task Force report based on a review of evidence. <i>International Journal of Neuropsychopharmacology</i> , <b>2007</b> , 10 Suppl 1, S1-207	5.8	37
212	Domestic violence against women: Definitions, epidemiology, risk factors and consequences. <i>Swiss Medical Weekly</i> , <b>2010</b> , 140, w13099	3.1	37
211	Comorbid substance abuse in first-episode schizophrenia: effects on cognition and psychopathology in the EUFEST study. <i>Schizophrenia Research</i> , <b>2013</b> , 147, 132-139	3.6	36
210	Prediction of psychosis using neural oscillations and machine learning in neuroleptic-naïve at-risk patients. <i>World Journal of Biological Psychiatry</i> , <b>2016</b> , 17, 285-95	3.8	34
209	Clinical trajectories in the ultra-high risk for psychosis population. <i>Schizophrenia Research</i> , <b>2018</b> , 197, 550-556	3.6	34
208	EEG spectral power and negative symptoms in at-risk individuals predict transition to psychosis. <i>Schizophrenia Research</i> , <b>2010</b> , 123, 208-16	3.6	34
207	Sex differences in cognitive functioning in at-risk mental state for psychosis, first episode psychosis and healthy control subjects. <i>European Psychiatry</i> , <b>2015</b> , 30, 242-50	6	33
206	Anterior cingulate pathology in the prodromal stage of schizophrenia. <i>NeuroImage</i> , <b>2008</b> , 39, 553-4	7.9	33
205	Increased functional connectivity in the resting-state basal ganglia network after acute heroin substitution. <i>Translational Psychiatry</i> , <b>2015</b> , 5, e533	8.6	32
204	Abnormal effective connectivity and psychopathological symptoms in the psychosis high-risk state. <i>Journal of Psychiatry and Neuroscience</i> , <b>2014</b> , 39, 239-48	4.5	32
203	Structural Network Disorganization in Subjects at Clinical High Risk for Psychosis. <i>Schizophrenia Bulletin</i> , <b>2017</b> , 43, 583-591	1.3	31
202	Multimodal Machine Learning Workflows for Prediction of Psychosis in Patients With Clinical High-Risk Syndromes and Recent-Onset Depression. <i>JAMA Psychiatry</i> , <b>2021</b> , 78, 195-209	14.5	31
201	Prospects for the classification of mental disorders in women. <i>European Psychiatry</i> , <b>2010</b> , 25, 189-96	6	30
200	Acute effects of intravenous heroin on the hypothalamic-pituitary-adrenal axis response: a controlled trial. <i>Journal of Clinical Psychopharmacology</i> , <b>2013</b> , 33, 193-8	1.7	29

199	Alterations in the hippocampus and thalamus in individuals at high risk for psychosis. <i>NPJ Schizophrenia</i> , <b>2016</b> , 2, 16033	5.5	29
198	NEURAPRO: a multi-centre RCT of omega-3 polyunsaturated fatty acids versus placebo in young people at ultra-high risk of psychotic disorders-medium-term follow-up and clinical course. <i>NPJ Schizophrenia</i> , <b>2018</b> , 4, 11	5.5	29
197	Acute effects of heroin on emotions in heroin-dependent patients. <i>American Journal on Addictions</i> , <b>2013</b> , 22, 598-604	3.7	28
196	Gonadal function and its influence on psychopathology. <i>Archives of Women's Mental Health</i> , <b>1998</b> , 1, 15-26	5	28
195	Sex differences in prolactin levels in emerging psychosis: Indication for enhanced stress reactivity in women. <i>Schizophrenia Research</i> , <b>2017</b> , 189, 111-116	3.6	27
194	Duration of untreated psychosis and cognitive functioning. <i>Schizophrenia Research</i> , <b>2013</b> , 145, 43-9	3.6	27
193	Does menopausal transition really influence mental health? Findings from the prospective long-term Zurich study. <i>World Psychiatry</i> , <b>2016</b> , 15, 146-54	14.4	27
192	Reduction in cerebral perfusion after heroin administration: a resting state arterial spin labeling study. <i>PLoS ONE</i> , <b>2013</b> , 8, e71461	3.7	26
191	Impact of polygenic schizophrenia-related risk and hippocampal volumes on the onset of psychosis. <i>Translational Psychiatry</i> , <b>2016</b> , 6, e868	8.6	25
190	Neurocognition as a predictor of transition to psychotic disorder and functional outcomes in ultra-high risk participants: Findings from the NEURAPRO randomized clinical trial. <i>Schizophrenia Research</i> , <b>2019</b> , 206, 67-74	3.6	25
189	Orbitofrontal response to drug-related stimuli after heroin administration. <i>Addiction Biology</i> , <b>2015</b> , 20, 570-9	4.6	24
188	The Self-screen-Prodrome as a short screening tool for pre-psychotic states. <i>Schizophrenia Research</i> , <b>2010</b> , 123, 217-24	3.6	24
187	The forthcoming role of treatment with oestrogens in mental health. <i>Swiss Medical Weekly</i> , <b>2007</b> , 137, 565-72	3.1	24
186	Estrogens and SERMS as adjunctive treatments for schizophrenia. <i>Frontiers in Neuroendocrinology</i> , <b>2019</b> , 53, 100743	8.9	23
185	Association of frontal gray matter volume and cerebral perfusion in heroin addiction: a multimodal neuroimaging study. <i>Frontiers in Psychiatry</i> , <b>2013</b> , 4, 135	5	23
184	Late-onset schizophrenia and late paraphrenia. <i>Schizophrenia Bulletin</i> , <b>1995</b> , 21, 345-54; discussion 355-61.3		23
183	Schizophrenia--a disease of young single males? Preliminary results from an investigation on a representative cohort admitted to hospital for the first time. <i>European Archives of Psychiatry and Neurological Sciences</i> , <b>1989</b> , 239, 210-2		23
182	Dysfunctional insular connectivity during reward prediction in patients with first-episode psychosis. <i>Journal of Psychiatry and Neuroscience</i> , <b>2016</b> , 41, 367-376	4.5	23

181	Cost of attempted suicide: a retrospective study of extent and associated factors. <i>Swiss Medical Weekly</i> , <b>2012</b> , 142, w13648	3.1	23
180	EEG: a helpful tool in the prediction of psychosis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>2009</b> , 259, 257-62	5.1	22
179	The NEURAPRO Biomarker Analysis: Long-Chain Omega-3 Fatty Acids Improve 6-Month and 12-Month Outcomes in Youths at Ultra-High Risk for Psychosis. <i>Biological Psychiatry</i> , <b>2020</b> , 87, 243-252	7.9	22
178	Plasma and serum brain-derived neurotrophic factor (BDNF) levels and their association with neurocognition in at-risk mental state, first episode psychosis and chronic schizophrenia patients. <i>World Journal of Biological Psychiatry</i> , <b>2019</b> , 20, 545-554	3.8	21
177	Cannabis use and brain structural alterations of the cingulate cortex in early psychosis. <i>Psychiatry Research - Neuroimaging</i> , <b>2013</b> , 214, 102-8	2.9	21
176	Unmet needs in patients with first-episode schizophrenia: a longitudinal perspective. <i>Psychological Medicine</i> , <b>2012</b> , 42, 1461-73	6.9	21
175	Brain Diffusion Changes in Emerging Psychosis and the Impact of State-Dependent Psychopathology. <i>NeuroSignals</i> , <b>2015</b> , 23, 71-83	1.9	20
174	Clinical and functional ultra-long-term outcome of patients with a clinical high risk (CHR) for psychosis. <i>European Psychiatry</i> , <b>2019</b> , 62, 30-37	6	19
173	Cannabis use and cognitive functions in at-risk mental state and first episode psychosis. <i>Psychopharmacology</i> , <b>2013</b> , 230, 299-308	4.7	19
172	Duration of untreated psychosis/illness and brain volume changes in early psychosis. <i>Psychiatry Research</i> , <b>2017</b> , 255, 332-337	9.9	19
171	Age-related brain structural alterations as an intermediate phenotype of psychosis. <i>Journal of Psychiatry and Neuroscience</i> , <b>2017</b> , 42, 307-319	4.5	19
170	Abnormal functional integration of thalamic low frequency oscillation in the BOLD signal after acute heroin treatment. <i>Human Brain Mapping</i> , <b>2015</b> , 36, 5287-300	5.9	19
169	Organic factors and the clinical features of late paranoid psychosis: a comparison with Alzheimer's disease and normal ageing. <i>Acta Psychiatrica Scandinavica</i> , <b>1994</b> , 89, 335-40	6.5	19
168	Development of Proteomic Prediction Models for Transition to Psychotic Disorder in the Clinical High-Risk State and Psychotic Experiences in Adolescence. <i>JAMA Psychiatry</i> , <b>2021</b> , 78, 77-90	14.5	19
167	Individualized Prediction of Transition to Psychosis in 1,676 Individuals at Clinical High Risk: Development and Validation of a Multivariable Prediction Model Based on Individual Patient Data Meta-Analysis. <i>Frontiers in Psychiatry</i> , <b>2019</b> , 10, 345	5	18
166	Screening for Adult Attention-Deficit/Hyperactivity Disorder in a Psychiatric Outpatient Population with Specific Focus on Sex Differences. <i>Frontiers in Psychiatry</i> , <b>2017</b> , 8, 115	5	18
165	Oestrogens and schizophrenia. <i>Current Opinion in Psychiatry</i> , <b>2003</b> , 16, 187-192	4.9	18
164	WFSBP and IAWMH Guidelines for the treatment of alcohol use disorders in pregnant women. <i>World Journal of Biological Psychiatry</i> , <b>2019</b> , 20, 17-50	3.8	18

163	Opening the Black Box of Cognitive-Behavioural Case Management in Clients with Ultra-High Risk for Psychosis. <i>Psychotherapy and Psychosomatics</i> , <b>2017</b> , 86, 292-299	9.4	17
162	Classifying individuals at high-risk for psychosis based on functional brain activity during working memory processing. <i>NeuroImage: Clinical</i> , <b>2015</b> , 9, 555-63	5.3	17
161	Normalizing effect of heroin maintenance treatment on stress-induced brain connectivity. <i>Brain</i> , <b>2015</b> , 138, 217-28	11.2	17
160	The impact of diacetylmorphine on hypothalamic-pituitary-adrenal axis activity and heroin craving in heroin dependence. <i>European Addiction Research</i> , <b>2012</b> , 18, 116-23	4.6	17
159	Negative symptoms in neuroleptic-naïve patients with first-episode psychosis correlate with QEEG parameters. <i>Schizophrenia Research</i> , <b>2009</b> , 115, 231-6	3.6	17
158	Estrogens and Schizophrenia <b>2005</b> , 31-52		17
157	Case management for schizophrenic patients at risk for rehospitalization: a case control study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>1995</b> , 246, 29-36	5.1	17
156	Cingulate volume abnormalities in emerging psychosis. <i>Current Pharmaceutical Design</i> , <b>2012</b> , 18, 495-504	3.3	17
155	Evidence for an agitated-aggressive syndrome predating the onset of psychosis. <i>Schizophrenia Research</i> , <b>2014</b> , 157, 26-32	3.6	16
154	Attempted suicide in immigrants from Turkey: a comparison with Swiss suicide attempters. <i>Psychopathology</i> , <b>2012</b> , 45, 366-73	3.4	16
153	Schizophrenic symptomatology varies with serum estradiol levels during menstrual cycle. <i>Schizophrenia Research</i> , <b>1992</b> , 6, 114-115	3.6	16
152	Is age of onset in schizophrenia influenced by marital status? Some remarks on the difficulties and pitfalls in the systematic testing of a "simple" question. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>1992</b> , 27, 122-8	4.5	16
151	EEG microstates as biomarker for psychosis in ultra-high-risk patients. <i>Translational Psychiatry</i> , <b>2020</b> , 10, 300	8.6	16
150	Gender differences of patients at-risk for psychosis regarding symptomatology, drug use, comorbidity and functioning - Results from the EU-GEI study. <i>European Psychiatry</i> , <b>2019</b> , 59, 52-59	6	15
149	Are neurological soft signs pre-existing markers in individuals with an at-risk mental state for psychosis?. <i>Psychiatry Research</i> , <b>2013</b> , 210, 427-31	9.9	15
148	Higher morbidity risk for schizophrenia in males: fact or fiction?. <i>Comprehensive Psychiatry</i> , <b>1994</b> , 35, 39-49	7.3	15
147	Oestrogens and schizophrenia--introduction. <i>Archives of Women's Mental Health</i> , <b>2002</b> , 5, 91-2	5	14
146	Association of Adverse Outcomes With Emotion Processing and Its Neural Substrate in Individuals at Clinical High Risk for Psychosis. <i>JAMA Psychiatry</i> , <b>2020</b> , 77, 190-200	14.5	14

145	Individualized prediction of psychosis in subjects with an at-risk mental state. <i>Schizophrenia Research</i> , <b>2019</b> , 214, 18-23	3.6	14
144	Gender differences in first self-perceived signs and symptoms in patients with an at-risk mental state and first-episode psychosis. <i>Microbial Biotechnology</i> , <b>2019</b> , 13, 582-588	3.3	14
143	Comparison of erythrocyte omega-3 index, fatty acids and molecular phospholipid species in people at ultra-high risk of developing psychosis and healthy people. <i>Schizophrenia Research</i> , <b>2020</b> , 226, 44-51	3.6	14
142	Dynamic prediction of transition to psychosis using joint modelling. <i>Schizophrenia Research</i> , <b>2018</b> , 202, 333-340	3.6	13
141	Relationship Between Polyunsaturated Fatty Acids and Psychopathology in the NEURAPRO Clinical Trial. <i>Frontiers in Psychiatry</i> , <b>2019</b> , 10, 393	5	13
140	Superior temporal gray and white matter changes in schizophrenia or antipsychotic related effects?. <i>Schizophrenia Research</i> , <b>2009</b> , 113, 109-10	3.6	13
139	The relationship between negative symptoms and cognitive functioning in patients at clinical high risk for psychosis. <i>Psychiatry Research</i> , <b>2018</b> , 268, 21-27	9.9	13
138	The effects of antipsychotics on brain structure: what have we learnt from structural imaging of schizophrenia?. <i>Psychological Medicine</i> , <b>2009</b> , 39, 1781-2	6.9	12
137	Suicide attempts in the county of Basel: results from the WHO/EURO Multicentre Study on Suicidal Behaviour. <i>Swiss Medical Weekly</i> , <b>2013</b> , 143, w13759	3.1	12
136	Late-onset schizophrenia versus paranoid psychoses: a valid diagnostic distinction?. <i>American Journal of Geriatric Psychiatry</i> , <b>2003</b> , 11, 595-604	6.5	12
135	Early detection of psychosis: helpful or stigmatizing experience? A qualitative study. <i>Microbial Biotechnology</i> , <b>2018</b> , 12, 66-73	3.3	11
134	Altered prefrontal connectivity after acute heroin administration during cognitive control. <i>International Journal of Neuropsychopharmacology</i> , <b>2014</b> , 17, 1375-85	5.8	11
133	Can cognitive deficits facilitate differential diagnosis between at-risk mental state for psychosis and depressive disorders?. <i>Microbial Biotechnology</i> , <b>2013</b> , 7, 381-90	3.3	11
132	Insight and hostility as predictors and correlates of nonadherence in the European First Episode Schizophrenia Trial. <i>Journal of Clinical Psychopharmacology</i> , <b>2013</b> , 33, 258-61	1.7	11
131	Neuroimaging and resilience factors--staging of the at-risk mental state?. <i>Current Pharmaceutical Design</i> , <b>2012</b> , 18, 416-21	3.3	11
130	Pituitary gland volume in at-risk mental state for psychosis: a longitudinal MRI analysis. <i>CNS Spectrums</i> , <b>2015</b> , 20, 122-9	1.8	10
129	Neurocognition and Motor Functioning in the Prediction of Psychosis. <i>Key Issues in Mental Health</i> , 116-132		10
128	Neural oscillations in antipsychotic-naïve patients with a first psychotic episode. <i>World Journal of Biological Psychiatry</i> , <b>2016</b> , 17, 296-307	3.8	10

127	Development and Validation of a Dynamic Risk Prediction Model to Forecast Psychosis Onset in Patients at Clinical High Risk. <i>Schizophrenia Bulletin</i> , <b>2020</b> , 46, 252-260	1.3	10
126	Prediction of caseness for mental pathology in Swiss conscripts: the Self-Screen Prodrome. <i>Military Medicine</i> , <b>2009</b> , 174, 1270-5	1.3	10
125	Community care in child psychiatry. An empirical approach using the concept of travel time. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>1991</b> , 26, 28-33	4.5	10
124	Altered Insular Function during Aberrant Salience Processing in Relation to the Severity of Psychotic Symptoms. <i>Frontiers in Psychiatry</i> , <b>2016</b> , 7, 189	5	10
123	Dysregulated Lipid Metabolism Precedes Onset of Psychosis. <i>Biological Psychiatry</i> , <b>2021</b> , 89, 288-297	7.9	10
122	Correlations between self-rating and observer-rating of psychopathology in at-risk mental state and first-episode psychosis patients: influence of disease stage and gender. <i>Microbial Biotechnology</i> , <b>2017</b> , 11, 461-470	3.3	9
121	Anatomical integrity within the inferior fronto-occipital fasciculus and semantic processing deficits in schizophrenia spectrum disorders. <i>Schizophrenia Research</i> , <b>2020</b> , 218, 267-275	3.6	9
120	Sexually dimorphic subcortical brain volumes in emerging psychosis. <i>Schizophrenia Research</i> , <b>2018</b> , 199, 257-265	3.6	9
119	Sex differences in cognitive functioning of patients at-risk for psychosis and healthy controls: Results from the European Gene-Environment Interactions study. <i>European Psychiatry</i> , <b>2020</b> , 63, e25	6	8
118	Basic symptoms in young people at ultra-high risk of psychosis: Association with clinical characteristics and outcomes. <i>Schizophrenia Research</i> , <b>2020</b> , 216, 255-261	3.6	8
117	Cannabis and risk of psychosis. <i>Swiss Medical Weekly</i> , <b>2004</b> , 134, 659-63	3.1	8
116	Hippocampal volume correlates with attenuated negative psychotic symptoms irrespective of antidepressant medication. <i>NeuroImage: Clinical</i> , <b>2015</b> , 8, 230-7	5.3	7
115	Emotion Recognition and Adverse Childhood Experiences in Individuals at Clinical High Risk of Psychosis. <i>Schizophrenia Bulletin</i> , <b>2020</b> , 46, 823-833	1.3	7
114	Survey of the European Psychiatric Association on the European status and perspectives in early detection and intervention in at-risk mental state and first-episode psychosis. <i>Microbial Biotechnology</i> , <b>2019</b> , 13, 853-858	3.3	7
113	Oestrogen-A Protective Factor in Schizophrenia?. <i>Current Psychiatry Reviews</i> , <b>2006</b> , 2, 339-352	0.9	7
112	Trajectories of symptom severity and functioning over a three-year period in a psychosis high-risk sample: A secondary analysis of the Neurapro trial. <i>Behaviour Research and Therapy</i> , <b>2020</b> , 124, 103527	5.2	7
111	Clinical, cognitive and neuroanatomical associations of serum NMDAR autoantibodies in people at clinical high risk for psychosis. <i>Molecular Psychiatry</i> , <b>2021</b> , 26, 2590-2604	15.1	7
110	Increased superior frontal gyrus activation during working memory processing in psychosis: Significant relation to cumulative antipsychotic medication and to negative symptoms. <i>Schizophrenia Research</i> , <b>2016</b> , 175, 20-26	3.6	7

109	Cognitive functioning throughout adulthood and illness stages in individuals with psychotic disorders and their unaffected siblings. <i>Molecular Psychiatry</i> , <b>2021</b> , 26, 4529-4543	15.1	7
108	Association of antidepressants with brain morphology in early stages of psychosis: an imaging genomics approach. <i>Scientific Reports</i> , <b>2019</b> , 9, 8516	4.9	6
107	Education and Reproductive Autonomy: The Case of Married Nigerian Women. <i>Narrative Inquiry in Bioethics</i> , <b>2017</b> , 7, 231-244	0.2	6
106	The Frankfurt Complaint Questionnaire for self-assessment of basic symptoms in the early detection of psychosis-Factor structure, reliability, and predictive validity. <i>International Journal of Methods in Psychiatric Research</i> , <b>2018</b> , 27, e1600	4.3	6
105	Can neuropsychological testing facilitate differential diagnosis between at-risk mental state (ARMS) for psychosis and adult attention-deficit/hyperactivity disorder (ADHD)?. <i>European Psychiatry</i> , <b>2018</b> , 52, 38-44	6	6
104	Impact on the Onset of Psychosis of a Polygenic Schizophrenia-Related Risk Score and Changes in White Matter Volume. <i>Cellular Physiology and Biochemistry</i> , <b>2018</b> , 48, 1201-1214	3.9	6
103	Exploring the predictive power of the unspecific risk category of the Basel Screening Instrument for Psychosis. <i>Microbial Biotechnology</i> , <b>2019</b> , 13, 969-976	3.3	6
102	Cavum septum pellucidum in patients with first episode psychosis and individuals at high risk of psychosis. <i>European Psychiatry</i> , <b>2007</b> , 22, 264	6	6
101	Symptom assessment in casenotes and the clinical diagnosis of schizophrenia. <i>Psychopathology</i> , <b>1995</b> , 28, 131-9	3.4	6
100	Predictors of study drop-out and service disengagement in patients at clinical high risk for psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2020</b> , 55, 539-548	4.5	6
99	Relation between self-perceived stress, psychopathological symptoms and the stress hormone prolactin in emerging psychosis. <i>Journal of Psychiatric Research</i> , <b>2021</b> , 136, 428-434	5.2	6
98	An overlapping pattern of cerebral cortical thinning is associated with both positive symptoms and aggression in schizophrenia via the ENIGMA consortium. <i>Psychological Medicine</i> , <b>2020</b> , 50, 2034-2045	6.9	6
97	The neuropsychology of emerging psychosis and the role of working memory in episodic memory encoding. <i>Psychology Research and Behavior Management</i> , <b>2018</b> , 11, 157-168	3.8	6
96	Changing patterns of mental health care in Germany. <i>International Journal of Law and Psychiatry</i> , <b>1996</b> , 19, 391-411	2.6	5
95	Wilhelm Griesinger and the concept of community care in 19th-century Germany. <i>Psychiatric Services</i> , <b>1994</b> , 45, 818-22	3.3	5
94	Perinatal mental health service provision in Switzerland and in the UK. <i>Swiss Medical Weekly</i> , <b>2015</b> , 145, w14011	3.1	5
93	Weibliche Rollen und psychische Gesundheit <b>2016</b> , 19-34		5
92	Pre-training inter-rater reliability of clinical instruments in an international psychosis research project. <i>Schizophrenia Research</i> , <b>2021</b> , 230, 104-107	3.6	5

91	High time for a paradigm shift in psychiatry. <i>World Psychiatry</i> , <b>2016</b> , 15, 131-3	14.4	5
90	Longitudinal determinants of client treatment satisfaction in an intensive first-episode psychosis treatment programme. <i>Microbial Biotechnology</i> , <b>2017</b> , 11, 354-362	3.3	4
89	Cognitive functioning in ultra-high risk for psychosis individuals with and without depression: Secondary analysis of findings from the NEURAPRO randomized clinical trial. <i>Schizophrenia Research</i> , <b>2020</b> , 218, 48-54	3.6	4
88	Early Detection and Intervention in Psychosis. <i>Key Issues in Mental Health</i> , 179-189		4
87	The attenuated psychosis syndrome in DSM-5. <i>Schizophrenia Research</i> , <b>2013</b> , 151, 295	3.6	4
86	Symptom Overlap and Screening for Symptoms of Attention-Deficit/Hyperactivity Disorder and Psychosis Risk in Help-Seeking Psychiatric Patients. <i>Frontiers in Psychiatry</i> , <b>2017</b> , 8, 206	5	4
85	Group treatment for depression in mothers of young children compared to standard individual therapy. <i>Psychopathology</i> , <b>2013</b> , 46, 94-101	3.4	4
84	Violence against Women and Mental Health. <i>Key Issues in Mental Health</i> , <b>2013</b> , 167-174		4
83	Symptom control, functioning and satisfaction among Swiss patients treated with risperidone long-acting injectable. <i>International Journal of Psychiatry in Clinical Practice</i> , <b>2006</b> , 10, 174-81	2.4	4
82	Machine Learning for Large-Scale Quality Control of 3D Shape Models in Neuroimaging. <i>Lecture Notes in Computer Science</i> , <b>2017</b> , 10541, 371-378	0.9	4
81	Orbitofrontal-Striatal Structural Alterations Linked to Negative Symptoms at Different Stages of the Schizophrenia Spectrum. <i>Schizophrenia Bulletin</i> , <b>2021</b> , 47, 849-863	1.3	4
80	Relationship between jumping to conclusions and clinical outcomes in people at clinical high-risk for psychosis. <i>Psychological Medicine</i> , <b>2020</b> , 1-9	6.9	4
79	The role of vulnerability factors in individuals with an at-risk mental state of psychosis. <i>Neuropsychiatrie</i> , <b>2016</b> , 30, 18-26	3.5	4
78	Sex and gender differences in schizophrenic psychoses. <i>European Psychiatry</i> , <b>2016</b> , 33, S46-S46	6	4
77	Reply to: New Meta- and Mega-analyses of Magnetic Resonance Imaging Findings in Schizophrenia: Do They Really Increase Our Knowledge About the Nature of the Disease Process?. <i>Biological Psychiatry</i> , <b>2019</b> , 85, e35-e39	7.9	4
76	Prediction of clinical outcomes beyond psychosis in the ultra-high risk for psychosis population. <i>Microbial Biotechnology</i> , <b>2021</b> , 15, 642-651	3.3	4
75	Effect of childhood physical abuse on social anxiety is mediated via reduced frontal lobe and amygdala-hippocampus complex volume in adult clinical high-risk subjects. <i>Schizophrenia Research</i> , <b>2021</b> , 227, 101-109	3.6	4
74	Autonomy and Reproductive Rights of Married Ikwerre Women in Rivers State, Nigeria. <i>Journal of Bioethical Inquiry</i> , <b>2017</b> , 14, 205-215	1.9	3

73	No associations between medial temporal lobe volumes and verbal learning/memory in emerging psychosis. <i>European Journal of Neuroscience</i> , <b>2019</b> , 50, 3060-3071	3.5	3
72	Implementation of early detection and intervention services for psychosis in Central and Eastern Europe: Current status. <i>Microbial Biotechnology</i> , <b>2019</b> , 13, 1283-1288	3.3	3
71	First self-perceived signs and symptoms in emerging psychosis compared with depression. <i>Microbial Biotechnology</i> , <b>2012</b> , 6, 455-9	3.3	3
70	Insular pathology in the at-risk mental state. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>2008</b> , 258, 254-5	5.1	3
69	Central Institute of Mental Health, Mannheim, West Germany. <i>Psychological Medicine</i> , <b>1985</b> , 15, 417-31	6.9	3
68	Menopause and Mental Health. <i>Mental Health and Illness Worldwide</i> , <b>2020</b> , 147-173	0.1	3
67	Patient-Identified Priorities Leading to Attempted Suicide. <i>Crisis</i> , <b>2018</b> , 39, 37-46	2.8	3
66	Omega-3 fatty acids and neurocognitive ability in young people at ultra-high risk for psychosis. <i>Microbial Biotechnology</i> , <b>2021</b> , 15, 874-881	3.3	3
65	EEG Microstate Differences in Medicated vs. Medication-Naïve First-Episode Psychosis Patients. <i>Frontiers in Psychiatry</i> , <b>2020</b> , 11, 600606	5	3
64	Multimodal prognosis of negative symptom severity in individuals at increased risk of developing psychosis. <i>Translational Psychiatry</i> , <b>2021</b> , 11, 312	8.6	3
63	T49. THE NEURAPRO STUDY: ADHERENCE TO STUDY MEDICATION. <i>Schizophrenia Bulletin</i> , <b>2018</b> , 44, S132-S133	1.3	3
62	Gender differences in the psychopathology of emerging psychosis. <i>Israel Journal of Psychiatry</i> , <b>2014</b> , 51, 85-92		3
61	Do schizotypal or borderline personality disorders predict onset of psychotic disorder or persistent attenuated psychotic symptoms in patients at high clinical risk?. <i>Schizophrenia Research</i> , <b>2020</b> , 220, 275-277	3.6	2
60	Outcome of individuals "not at risk of psychosis" and prognostic accuracy of the Basel Screening Instrument for Psychosis (BSIP). <i>Microbial Biotechnology</i> , <b>2018</b> , 12, 907-914	3.3	2
59	Evaluating verbal learning and memory in patients with an at-risk mental state or first episode psychosis using structural equation modelling. <i>PLoS ONE</i> , <b>2018</b> , 13, e0196936	3.7	2
58	Long-term rates of remission and late psychotic transition of individuals at risk for psychosis. <i>European Psychiatry</i> , <b>2017</b> , 41, S186-S186	6	2
57	Antipsychotika und Hyperprolaktinämie: Pathophysiologie, klinische Bedeutung, Abklärung und Therapie. <i>Gynakologische Endokrinologie</i> , <b>2009</b> , 7, 171-182	0.1	2
56	Aneurysms of pericallosal cerebral artery haemorrhage with consecutive psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , <b>2007</b> , 41, 554	2.6	2

55	Basic Symptoms Are Associated With Age in Patients With a Clinical High-Risk State for Psychosis: Results From the PRONIA Study. <i>Frontiers in Psychiatry</i> , <b>2020</b> , 11, 552175	5	2
54	Hippocampal volume reduction specific for later transition to psychosis or substance-associated effects?. <i>Journal of Psychiatry and Neuroscience</i> , <b>2010</b> , 35, 214-5; author reply 215	4.5	2
53	Therapist-client sex in psychotherapy: attitudes of professionals and students towards ethical arguments. <i>Swiss Medical Weekly</i> , <b>2015</b> , 145, w14099	3.1	2
52	From Speech Illusions to Onset of Psychotic Disorder: Applying Network Analysis to an Experimental Measure of Aberrant Experiences. <i>Schizophrenia Bulletin Open</i> , <b>2020</b> , 1,	2.2	2
51	Obsessive-Compulsive Symptoms and Other Symptoms of the At-risk Mental State for Psychosis: A Network Perspective. <i>Schizophrenia Bulletin</i> , <b>2021</b> , 47, 1018-1028	1.3	2
50	Impact of Comorbid Affective Disorders on Longitudinal Clinical Outcomes in Individuals at Ultra-high Risk for Psychosis. <i>Schizophrenia Bulletin</i> , <b>2021</b> ,	1.3	2
49	Abnormal brain connectivity during error-monitoring in the psychosis high-risk state. <i>Schizophrenia Research</i> , <b>2018</b> , 193, 261-262	3.6	1
48	Effects of an electronic reminder system on guideline-concordant treatment of psychotic disorders : Results from a pilot feasibility trial. <i>Neuropsychiatrie</i> , <b>2016</b> , 30, 191-197	3.5	1
47	Estradiol Production Suppressed by Prolactin in at-risk Mental State and First Episode Psychosis Female Patients? Preliminary Results. <i>European Psychiatry</i> , <b>2017</b> , 41, S267-S267	6	1
46	Comorbidities in Patients with an At-risk Mental State and First Episode Psychosis. <i>European Psychiatry</i> , <b>2017</b> , 41, S198-S198	6	1
45	Poster #54 PITUITARY GLAND VOLUME IN INDIVIDUALS WITH AN AT-RISK MENTAL STATE: A LONGITUDINAL MRI ANALYSIS. <i>Schizophrenia Research</i> , <b>2012</b> , 136, S300	3.6	1
44	Neural effects of heroin--relation to anxiety stress. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2010</b> , 34, 816-7	5.5	1
43	STRATEGIES FOR IMPROVING THE PREDICTION OF PSYCHOSIS. <i>Schizophrenia Research</i> , <b>2008</b> , 102, 155	3.6	1
42	Late-Onset Schizophrenia Versus Paranoid Psychoses. <i>American Journal of Geriatric Psychiatry</i> , <b>2003</b> , 11, 595-604	6.5	1
41	Östrogene und Schizophrenie - Patientinnen an der Schnittstelle zwischen Psychiatrie und Gynäkologie. <i>Geburtshilfe Und Frauenheilkunde</i> , <b>2002</b> , 62, 429-435	2	1
40	Psychotropic Drugs and the Perinatal Period <b>2016</b> , 79-92		1
39	Dysregulated lipid metabolism precedes onset of psychosis in people at clinical high risk		1
38	Bride price payment and women's autonomy: Findings from qualitative interviews from Nigeria. <i>Women and Health</i> , <b>2019</b> , 59, 775-788	1.7	1

37	T9. CROSS-SECTIONAL ASSOCIATION OF MEMBRANE FATTY ACID COMPOSITION AND PSYCHOPATHOLOGY IN THE NEURAPRO-E STUDY. <i>Schizophrenia Bulletin</i> , <b>2018</b> , 44, S116-S116	1.3	1
36	F25. NEURAPRO REVISITED: INCREASES IN LONG-CHAIN OMEGA-3 FATTY ACIDS IMPROVE FUNCTIONAL AND SYMPTOMATIC OUTCOMES IN ULTRAHIGH RISK PATIENTS. <i>Schizophrenia Bulletin</i> , <b>2018</b> , 44, S228-S228	1.3	1
35	S136. A NOVEL APPROACH FOR DEVELOPING PREDICTION MODEL OF TRANSITION TO PSYCHOSIS: DYNAMIC PREDICTION USING JOINT MODELLING. <i>Schizophrenia Bulletin</i> , <b>2018</b> , 44, S378-S379	1.3	1
34	Voxel-Based Morphometry Correlates of an Agitated-Aggressive Syndrome in the At-Risk Mental State for Psychosis and First Episode Psychosis. <i>Scientific Reports</i> , <b>2018</b> , 8, 16516	4.9	1
33	O8.8. NEUROCOGNITION IN ULTRA-HIGHRISK INDIVIDUALS AND RELATIONSHIP TO TRANSITION TO PSYCHOSIS, DEPRESSIVE DISORDER, AND FUNCTIONING: FINDINGS FROM THE NEURAPRO TRIAL. <i>Schizophrenia Bulletin</i> , <b>2018</b> , 44, S99-S99	1.3	1
32	Novel Gyrification Networks Reveal Links with Psychiatric Risk Factors in Early Illness. <i>Cerebral Cortex</i> , <b>2021</b> ,	5.1	1
31	Characterization and prediction of clinical pathways of vulnerability to psychosis through graph signal processing. <i>ELife</i> , <b>2021</b> , 10,	8.9	1
30	Association between tobacco use and symptomatology in individuals at ultra-high risk to develop a psychosis: A longitudinal study. <i>Schizophrenia Research</i> , <b>2021</b> , 236, 48-53	3.6	1
29	Verbal memory performance predicts remission and functional outcome in people at clinical high-risk for psychosis.. <i>Schizophrenia Research: Cognition</i> , <b>2022</b> , 28, 100222	2.8	0
28	The association of plasma inflammatory markers with omega-3 fatty acids and their mediating role in psychotic symptoms and functioning: An analysis of the NEURAPRO clinical trial. <i>Brain, Behavior, and Immunity</i> , <b>2022</b> , 99, 147-156	16.6	0
27	Supplementation with the omega-3 long chain polyunsaturated fatty acids: Changes in the concentrations of omega-3 index, fatty acids and molecular phospholipids of people at ultra high risk of developing psychosis. <i>Schizophrenia Research</i> , <b>2020</b> , 226, 52-60	3.6	0
26	The association between migrant status and transition in an ultra-high risk for psychosis population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2021</b> , 56, 943-952	4.5	0
25	Alpha oscillations underlie working memory abnormalities in the psychosis high-risk state. <i>Biological Psychology</i> , <b>2017</b> , 126, 12-18	3.2	
24	Depression in der Peripartalzeit [Diagnostik, Therapie und Prophylaxe. <i>PSYCH Up2date</i> , <b>2015</b> , 9, 149-160	0.1	
23	Early Detection of Psychosis - Helpful or Stigmatizing Experience for Those Concerned?. <i>Key Issues in Mental Health</i> , 69-82		
22	Vulnerability and Protective Factors for Mental Health: A Rereading in Gender Perspective <b>2019</b> , 25-36		
21	S.10.03 Hyperprolactinemia in drug-naïve first-episode patients: data from EUFEST. <i>European Neuropsychopharmacology</i> , <b>2013</b> , 23, S126	1.2	
20	P.6.d.001 Inhibition-specific prefrontal connectivity after an acute dose of heroin. <i>European Neuropsychopharmacology</i> , <b>2013</b> , 23, S573-S574	1.2	

19	P.1.i.025 Abnormal brain functioning during salience processing in patients with schizophrenic psychosis. <i>European Neuropsychopharmacology</i> , <b>2013</b> , 23, S277-S278	1.2
18	The Current European Status. <i>European Psychiatry</i> , <b>2017</b> , 41, S27-S27	6
17	The Relationship Between Negative Symptoms and Cognitive Functioning in Patients with an at Risk Mental State for Psychosis. <i>European Psychiatry</i> , <b>2017</b> , 41, S270-S271	6
16	Stigma in early detection of psychosis: Subjective experiences of those concerned. <i>European Psychiatry</i> , <b>2017</b> , 41, S387-S387	6
15	Verbal Learning and Memory in At-risk Mental State and First Episode Psychosis Patients and Their Correlates to Brain Structural Alterations. <i>European Psychiatry</i> , <b>2017</b> , 41, S103-S103	6
14	Depression in der Peripartalzeit (Diagnostik, Therapie und Prophylaxe. <i>Frauenheilkunde Up2date</i> , <b>2017</b> , 10, 531-545	0.1
13	Working Together for Early Detection of Psychosis. <i>European Psychiatry</i> , <b>2017</b> , 41, S6-S6	6
12	Poster #52 DURATION OF UNTREATED ILLNESS/PSYCHOSIS AND COGNITIVE FUNCTIONING. <i>Schizophrenia Research</i> , <b>2012</b> , 136, S110	3.6
11	Poster #56 INSULAR VOLUME ABNORMALITIES ASSOCIATED WITH DIFFERENT TRANSITION PROBABILITIES TO PSYCHOSIS [A VOXEL-BASED MORPHOMETRY STUDY. <i>Schizophrenia Research</i> , <b>2012</b> , 136, S111	3.6
10	Depression und Psychose in der Menopause - kann eine Hormontherapie hilfreich sein?. <i>Psychiatrie Und Psychotherapie</i> , <b>2011</b> , 7, 129-134	
9	P.3.019 A meta-analysis of neuroimaging predictors of transition to psychosis. <i>European Neuropsychopharmacology</i> , <b>2010</b> , 20, S78	1.2
8	Hormone replacement therapy in climacteric and aging brain. <i>Gynecological Endocrinology</i> , <b>2003</b> , 17, 363-78	2.4
7	Group Psychotherapy for Depression in Early Stages of Motherhood <b>2005</b> , 173, 167-181	
6	Menopause and Mental Health. <i>Mental Health and Illness Worldwide</i> , <b>2019</b> , 1-27	0.1
5	Traditional Methodology and Outcome Assessment in Studies on the Course of Schizophrenia <b>1999</b> , 249-258	
4	Früherkennung und Frühintervention bei beginnenden Psychosen. <i>Neurotransmitter</i> , <b>2015</b> , 26, 50-54	0.1
3	Appropriateness of Care and Joint Decision-Making Strategies <b>2016</b> , 207-209	
2	Early psychosis in young women. <i>European Psychiatry</i> , <b>2016</b> , 33, S7-S7	6

- 1 Latent state-trait structure of BPRS subscales in clinical high-risk state and first episode psychosis.. *Scientific Reports*, **2022**, 12, 6652 4.9