Anita Riecher-Rssler

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/651591/anita-riecher-rossler-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

65 118 306 15,595 h-index g-index citations papers 18,193 6.43 377 4.5 L-index avg, IF ext. citations ext. papers

| # | Paper | IF | Citations |
|-----|--|------|-----------|
| 306 | Verbal memory performance predicts remission and functional outcome in people at clinical high-risk for psychosis <i>Schizophrenia Research: Cognition</i> , 2022 , 28, 100222 | 2.8 | O |
| 305 | The association of plasma inflammatory markers with omega-3 fatty acids and their mediating role in psychotic symptoms and functioning: An analysis of the NEURAPRO clinical trial. <i>Brain, Behavior, and Immunity</i> , 2022 , 99, 147-156 | 16.6 | О |
| 304 | Latent state-trait structure of BPRS subscales in clinical high-risk state and first episode psychosis <i>Scientific Reports</i> , 2022 , 12, 6652 | 4.9 | |
| 303 | Orbitofrontal-Striatal Structural Alterations Linked to Negative Symptoms at Different Stages of the Schizophrenia Spectrum. <i>Schizophrenia Bulletin</i> , 2021 , 47, 849-863 | 1.3 | 4 |
| 302 | Clinical, cognitive and neuroanatomical associations of serum NMDAR autoantibodies in people at clinical high risk for psychosis. <i>Molecular Psychiatry</i> , 2021 , 26, 2590-2604 | 15.1 | 7 |
| 301 | Omega-3 fatty acids and neurocognitive ability in young people at ultra-high risk for psychosis. <i>Microbial Biotechnology</i> , 2021 , 15, 874-881 | 3.3 | 3 |
| 300 | Pre-training inter-rater reliability of clinical instruments in an international psychosis research project. <i>Schizophrenia Research</i> , 2021 , 230, 104-107 | 3.6 | 5 |
| 299 | Relation between self-perceived stress, psychopathological symptoms and the stress hormone prolactin in emerging psychosis. <i>Journal of Psychiatric Research</i> , 2021 , 136, 428-434 | 5.2 | 6 |
| 298 | Multimodal prognosis of negative symptom severity in individuals at increased risk of developing psychosis. <i>Translational Psychiatry</i> , 2021 , 11, 312 | 8.6 | 3 |
| 297 | Prediction of clinical outcomes beyond psychosis in the ultra-high risk for psychosis population. <i>Microbial Biotechnology</i> , 2021 , 15, 642-651 | 3.3 | 4 |
| 296 | Dysregulated Lipid Metabolism Precedes Onset of Psychosis. <i>Biological Psychiatry</i> , 2021 , 89, 288-297 | 7.9 | 10 |
| 295 | Development of Proteomic Prediction Models for Transition to Psychotic Disorder in the Clinical High-Risk State and Psychotic Experiences in Adolescence. <i>JAMA Psychiatry</i> , 2021 , 78, 77-90 | 14.5 | 19 |
| 294 | Effect of childhood physical abuse on social anxiety is mediated via reduced frontal lobe and amygdala-hippocampus complex volume in adult clinical high-risk subjects. <i>Schizophrenia Research</i> , 2021 , 227, 101-109 | 3.6 | 4 |
| 293 | Multimodal Machine Learning Workflows for Prediction of Psychosis in Patients With Clinical High-Risk Syndromes and Recent-Onset Depression. <i>JAMA Psychiatry</i> , 2021 , 78, 195-209 | 14.5 | 31 |
| 292 | Obsessive-Compulsive Symptoms and Other Symptoms of the At-risk Mental State for Psychosis: A Network Perspective. <i>Schizophrenia Bulletin</i> , 2021 , 47, 1018-1028 | 1.3 | 2 |
| 291 | Impact of Comorbid Affective Disorders on Longitudinal Clinical Outcomes in Individuals at Ultra-high Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2021 , | 1.3 | 2 |
| 290 | Novel Gyrification Networks Reveal Links with Psychiatric Risk Factors in Early Illness. <i>Cerebral Cortex</i> , 2021 , | 5.1 | 1 |

(2020-2021)

| 289 | Characterization and prediction of clinical pathways of vulnerability to psychosis through graph signal processing. <i>ELife</i> , 2021 , 10, | 8.9 | 1 |
|-----|--|--------|-----|
| 288 | Association between tobacco use and symptomatology in individuals at ultra-high risk to develop a psychosis: A longitudinal study. <i>Schizophrenia Research</i> , 2021 , 236, 48-53 | 3.6 | 1 |
| 287 | The association between migrant status and transition in an ultra-high risk for psychosis population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 56, 943-952 | 4.5 | О |
| 286 | Cognitive functioning throughout adulthood and illness stages in individuals with psychotic disorders and their unaffected siblings. <i>Molecular Psychiatry</i> , 2021 , 26, 4529-4543 | 15.1 | 7 |
| 285 | S175. CLINICAL OUTCOMES IN PEOPLE AT HIGH RISK FOR PSYCHOSIS RELATED TO INTERACTIONS BETWEEN POLYGENIC RISK SCORES AND CHILDHOOD ADVERSITY. <i>Schizophrenia Bulletin</i> , 2020 , 46, S10 | 04-310 | 478 |
| 284 | Do schizotypal or borderline personality disorders predict onset of psychotic disorder or persistent attenuated psychotic symptoms in patients at high clinical risk?. <i>Schizophrenia Research</i> , 2020 , 220, 275- | -217 | 2 |
| 283 | Cognitive functioning in ultra-high risk for psychosis individuals with and without depression: Secondary analysis of findings from the NEURAPRO randomized clinical trial. <i>Schizophrenia Research</i> , 2020 , 218, 48-54 | 3.6 | 4 |
| 282 | Sex differences in cognitive functioning of patients at-risk for psychosis and healthy controls: Results from the European Gene-Environment Interactions study. <i>European Psychiatry</i> , 2020 , 63, e25 | 6 | 8 |
| 281 | Emotion Recognition and Adverse Childhood Experiences in Individuals at Clinical High Risk of Psychosis. <i>Schizophrenia Bulletin</i> , 2020 , 46, 823-833 | 1.3 | 7 |
| 280 | Anatomical integrity within the inferior fronto-occipital fasciculus and semantic processing deficits in schizophrenia spectrum disorders. <i>Schizophrenia Research</i> , 2020 , 218, 267-275 | 3.6 | 9 |
| 279 | Development and Validation of a Dynamic Risk Prediction Model to Forecast Psychosis Onset in Patients at Clinical High Risk. <i>Schizophrenia Bulletin</i> , 2020 , 46, 252-260 | 1.3 | 10 |
| 278 | Basic Symptoms Are Associated With Age in Patients With a Clinical High-Risk State for Psychosis: Results From the PRONIA Study. <i>Frontiers in Psychiatry</i> , 2020 , 11, 552175 | 5 | 2 |
| 277 | Menopause and Mental Health. Mental Health and Illness Worldwide, 2020, 147-173 | 0.1 | 3 |
| 276 | Predictors of study drop-out and service disengagement in patients at clinical high risk for psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020 , 55, 539-548 | 4.5 | 6 |
| 275 | Association of Adverse Outcomes With Emotion Processing and Its Neural Substrate in Individuals at Clinical High Risk for Psychosis. <i>JAMA Psychiatry</i> , 2020 , 77, 190-200 | 14.5 | 14 |
| 274 | Basic symptoms in young people at ultra-high risk of psychosis: Association with clinical characteristics and outcomes. <i>Schizophrenia Research</i> , 2020 , 216, 255-261 | 3.6 | 8 |
| 273 | Trajectories of symptom severity and functioning over a three-year period in a psychosis high-risk sample: A secondary analysis of the Neurapro trial. <i>Behaviour Research and Therapy</i> , 2020 , 124, 103527 | 5.2 | 7 |
| 272 | T21. DEVELOPMENT OF PROTEOMIC PREDICTION MODELS FOR OUTCOMES IN THE CLINICAL HIGH RISK STATE AND PSYCHOTIC EXPERIENCES IN ADOLESCENCE: MACHINE LEARNING ANALYSES IN TWO NESTED CASE-CONTROL STUDIES. <i>Schizophrenia Bulletin</i> , 2020 , 46, S238-S239 | 1.3 | 78 |

| 271 | T34. THE IMPACT OF ANTIDEPRESSANT USE ON THE TRANSITION TO PSYCHOSIS RATE IN THE NEURAPRO TRIAL. <i>Schizophrenia Bulletin</i> , 2020 , 46, S244-S245 | 1.3 | 78 |
|-----|---|-----|----|
| 270 | Relationship between jumping to conclusions and clinical outcomes in people at clinical high-risk for psychosis. <i>Psychological Medicine</i> , 2020 , 1-9 | 6.9 | 4 |
| 269 | EEG Microstate Differences in Medicated vs. Medication-NaWe First-Episode Psychosis Patients. <i>Frontiers in Psychiatry</i> , 2020 , 11, 600606 | 5 | 3 |
| 268 | From Speech Illusions to Onset of Psychotic Disorder: Applying Network Analysis to an Experimental Measure of Aberrant Experiences. <i>Schizophrenia Bulletin Open</i> , 2020 , 1, | 2.2 | 2 |
| 267 | EEG microstates as biomarker for psychosis in ultra-high-risk patients. <i>Translational Psychiatry</i> , 2020 , 10, 300 | 8.6 | 16 |
| 266 | The NEURAPRO Biomarker Analysis: Long-Chain Omega-3 Fatty Acids Improve 6-Month and 12-Month Outcomes in Youths at Ultra-High Risk for Psychosis. <i>Biological Psychiatry</i> , 2020 , 87, 243-252 | 7.9 | 22 |
| 265 | An overlapping pattern of cerebral cortical thinning is associated with both positive symptoms and aggression in schizophrenia via the ENIGMA consortium. <i>Psychological Medicine</i> , 2020 , 50, 2034-2045 | 6.9 | 6 |
| 264 | Supplementation with the omega-3 long chain polyunsaturated fatty acids: Changes in the concentrations of omega-3 index, fatty acids and molecular phospholipids of people at ultra high risk of developing psychosis. <i>Schizophrenia Research</i> , 2020 , 226, 52-60 | 3.6 | Ο |
| 263 | Comparison of erythrocyte omega-3 index, fatty acids and molecular phospholipid species in people at ultra-high risk of developing psychosis and healthy people. <i>Schizophrenia Research</i> , 2020 , 226, 44-51 | 3.6 | 14 |
| 262 | Clinical and functional ultra-long-term outcome of patients with a clinical high risk (CHR) for psychosis. <i>European Psychiatry</i> , 2019 , 62, 30-37 | 6 | 19 |
| 261 | Individualized Prediction of Transition to Psychosis in 1,676 Individuals at Clinical High Risk: Development and Validation of a Multivariable Prediction Model Based on Individual Patient Data Meta-Analysis. <i>Frontiers in Psychiatry</i> , 2019 , 10, 345 | 5 | 18 |
| 260 | Association of antidepressants with brain morphology in early stages of psychosis: an imaging genomics approach. <i>Scientific Reports</i> , 2019 , 9, 8516 | 4.9 | 6 |
| 259 | Gender differences of patients at-risk for psychosis regarding symptomatology, drug use, comorbidity and functioning - Results from the EU-GEI study. <i>European Psychiatry</i> , 2019 , 59, 52-59 | 6 | 15 |
| 258 | No associations between medial temporal lobe volumes and verbal learning/memory in emerging psychosis. <i>European Journal of Neuroscience</i> , 2019 , 50, 3060-3071 | 3.5 | 3 |
| 257 | Implementation of early detection and intervention services for psychosis in Central and Eastern Europe: Current status. <i>Microbial Biotechnology</i> , 2019 , 13, 1283-1288 | 3.3 | 3 |
| 256 | Estrogens and SERMS as adjunctive treatments for schizophrenia. <i>Frontiers in Neuroendocrinology</i> , 2019 , 53, 100743 | 8.9 | 23 |
| 255 | O6.5. INVESTIGATING VARIABLES FROM THE NAPLS RISK CALCULATOR FOR PSYCHOSIS IN THE EU-GEI HIGH RISK STUDY. <i>Schizophrenia Bulletin</i> , 2019 , 45, S177-S178 | 1.3 | 78 |
| 254 | Survey of the European Psychiatric Association on the European status and perspectives in early detection and intervention in at-risk mental state and first-episode psychosis. <i>Microbial Biotechnology</i> 2019 13, 853-858 | 3.3 | 7 |

| 253 | Exploring the predictive power of the unspecific risk category of the Basel Screening Instrument for Psychosis. <i>Microbial Biotechnology</i> , 2019 , 13, 969-976 | 3.3 | 6 |
|-----|---|------|----|
| 252 | Plasma and serum brain-derived neurotrophic factor (BDNF) levels and their association with neurocognition in at-risk mental state, first episode psychosis and chronic schizophrenia patients. <i>World Journal of Biological Psychiatry</i> , 2019 , 20, 545-554 | 3.8 | 21 |
| 251 | Vulnerability and Protective Factors for Mental Health: A Rereading in Gender Perspective 2019, 25-36 | | |
| 250 | Relationship Between Polyunsaturated Fatty Acids and Psychopathology in the NEURAPRO Clinical Trial. <i>Frontiers in Psychiatry</i> , 2019 , 10, 393 | 5 | 13 |
| 249 | Menopause and Mental Health. Mental Health and Illness Worldwide, 2019, 1-27 | 0.1 | |
| 248 | Neurocognition as a predictor of transition to psychotic disorder and functional outcomes in ultra-high risk participants: Findings from the NEURAPRO randomized clinical trial. <i>Schizophrenia Research</i> , 2019 , 206, 67-74 | 3.6 | 25 |
| 247 | Reply to: New Meta- and Mega-analyses of Magnetic Resonance Imaging Findings in Schizophrenia: Do They Really Increase Our Knowledge About the Nature of the Disease Process?. <i>Biological Psychiatry</i> , 2019 , 85, e35-e39 | 7.9 | 4 |
| 246 | Bride price payment and womenß autonomy: Findings from qualitative interviews from Nigeria. <i>Women and Health</i> , 2019 , 59, 775-788 | 1.7 | 1 |
| 245 | WFSBP and IAWMH Guidelines for the treatment of alcohol use disorders in pregnant women. World Journal of Biological Psychiatry, 2019 , 20, 17-50 | 3.8 | 18 |
| 244 | Clinical and functional long-term outcome of patients at clinical high risk (CHR) for psychosis without transition to psychosis: A systematic review. <i>Schizophrenia Research</i> , 2019 , 210, 39-47 | 3.6 | 45 |
| 243 | Individualized prediction of psychosis in subjects with an at-risk mental state. <i>Schizophrenia Research</i> , 2019 , 214, 18-23 | 3.6 | 14 |
| 242 | Gender differences in first self-perceived signs and symptoms in patients with an at-risk mental state and first-episode psychosis. <i>Microbial Biotechnology</i> , 2019 , 13, 582-588 | 3.3 | 14 |
| 241 | Disorganized Gyrification Network Properties During the Transition to Psychosis. <i>JAMA Psychiatry</i> , 2018 , 75, 613-622 | 14.5 | 38 |
| 240 | Sexually dimorphic subcortical brain volumes in emerging psychosis. <i>Schizophrenia Research</i> , 2018 , 199, 257-265 | 3.6 | 9 |
| 239 | Clinical trajectories in the ultra-high risk for psychosis population. <i>Schizophrenia Research</i> , 2018 , 197, 550-556 | 3.6 | 34 |
| 238 | The Frankfurt Complaint Questionnaire for self-assessment of basic symptoms in the early detection of psychosis-Factor structure, reliability, and predictive validity. <i>International Journal of Methods in Psychiatric Research</i> , 2018 , 27, e1600 | 4.3 | 6 |
| 237 | Can neuropsychological testing facilitate differential diagnosis between at-risk mental state (ARMS) for psychosis and adult attention-deficit/hyperactivity disorder (ADHD)?. <i>European Psychiatry</i> , 2018 , 52, 38-44 | 6 | 6 |
| 236 | Early detection of psychosis: helpful or stigmatizing experience? A qualitative study. <i>Microbial Biotechnology</i> , 2018 , 12, 66-73 | 3.3 | 11 |

| 235 | Outcome of individuals "not at risk of psychosis" and prognostic accuracy of the Basel Screening Instrument for Psychosis (BSIP). <i>Microbial Biotechnology</i> , 2018 , 12, 907-914 | 3.3 | 2 |
|-----|--|------|-----|
| 234 | Abnormal brain connectivity during error-monitoring in the psychosis high-risk state. <i>Schizophrenia Research</i> , 2018 , 193, 261-262 | 3.6 | 1 |
| 233 | Impact on the Onset of Psychosis of a Polygenic Schizophrenia-Related Risk Score and Changes in White Matter Volume. <i>Cellular Physiology and Biochemistry</i> , 2018 , 48, 1201-1214 | 3.9 | 6 |
| 232 | Dynamic prediction of transition to psychosis using joint modelling. <i>Schizophrenia Research</i> , 2018 , 202, 333-340 | 3.6 | 13 |
| 231 | Evaluating verbal learning and memory in patients with an at-risk mental state or first episode psychosis using structural equation modelling. <i>PLoS ONE</i> , 2018 , 13, e0196936 | 3.7 | 2 |
| 230 | Patient-Identified Priorities Leading to Attempted Suicide. <i>Crisis</i> , 2018 , 39, 37-46 | 2.8 | 3 |
| 229 | T49. THE NEURAPRO STUDY: ADHERENCE TO STUDY MEDICATION. <i>Schizophrenia Bulletin</i> , 2018 , 44, S132-S133 | 1.3 | 3 |
| 228 | T9. CROSS-SECTIONAL ASSOCIATION OF MEMBRANE FATTY ACID COMPOSITION AND PSYCHOPATHOLOGY IN THE NEURAPRO-E STUDY. <i>Schizophrenia Bulletin</i> , 2018 , 44, S116-S116 | 1.3 | 1 |
| 227 | T212. THE INTRINSIC ORGANIZATION OF SYMPTOMS MARKS TRANSITION FROM HIGH-RISK STATE TO EARLY PSYCHOSIS: A PHENOMENOLOGICAL CONNECTIVITY STUDY. <i>Schizophrenia Bulletin</i> , 2018 , 44, S199-S199 | 1.3 | 78 |
| 226 | F25. NEURAPRO REVISITED: INCREASES IN LONG-CHAIN OMEGA-3 FATTY ACIDS IMPROVE FUNCTIONAL AND SYMPTOMATIC OUTCOMES IN ULTRAHIGH RISK PATIENTS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S228-S228 | 1.3 | 1 |
| 225 | S136. A NOVEL APPROACH FOR DEVELOPING PREDICTION MODEL OF TRANSITION TO PSYCHOSIS: DYNAMIC PREDICTION USING JOINT MODELLING. <i>Schizophrenia Bulletin</i> , 2018 , 44, S378-S3 | 379 | 1 |
| 224 | Voxel-Based Morphometry Correlates of an Agitated-Aggressive Syndrome in the At-Risk Mental State for Psychosis and First Episode Psychosis. <i>Scientific Reports</i> , 2018 , 8, 16516 | 4.9 | 1 |
| 223 | Prediction Models of Functional Outcomes for Individuals in the Clinical High-Risk State for Psychosis or With Recent-Onset Depression: A Multimodal, Multisite Machine Learning Analysis. JAMA Psychiatry, 2018, 75, 1156-1172 | 14.5 | 156 |
| 222 | The neuropsychology of emerging psychosis and the role of working memory in episodic memory encoding. <i>Psychology Research and Behavior Management</i> , 2018 , 11, 157-168 | 3.8 | 6 |
| 221 | O8.8. NEUROCOGNITION IN ULTRA-HIGHRISK INDIVIDUALS AND RELATIONSHIP TO TRANSITION TO PSYCHOSIS, DEPRESSIVE DISORDER, AND FUNCTIONING: FINDINGS FROM THE NEURAPRO TRIAL. <i>Schizophrenia Bulletin</i> , 2018 , 44, S99-S99 | 1.3 | 1 |
| 220 | Sex and gender differences in schizophrenic psychoses-a critical review. <i>Archives of Womenis Mental Health</i> , 2018 , 21, 627-648 | 5 | 80 |
| 219 | Cortical Brain Abnormalities in 4474 Individuals With Schizophrenia and 5098 Control Subjects via the Enhancing Neuro Imaging Genetics Through Meta Analysis (ENIGMA) Consortium. <i>Biological Psychiatry</i> , 2018 , 84, 644-654 | 7.9 | 325 |
| 218 | The relationship between negative symptoms and cognitive functioning in patients at clinical high risk for psychosis. <i>Psychiatry Research</i> , 2018 , 268, 21-27 | 9.9 | 13 |

(2017-2018)

| 217 | people at ultra-high risk of psychotic disorders-medium-term follow-up and clinical course. <i>NPJ Schizophrenia</i> , 2018 , 4, 11 | 5.5 | 29 |
|-----|--|------|-----|
| 216 | NEURAPRO-E study protocol: a multicentre randomized controlled trial of omega-3 fatty acids and cognitive-behavioural case management for patients at ultra high risk of schizophrenia and other psychotic disorders. <i>Microbial Biotechnology</i> , 2017 , 11, 418-428 | 3.3 | 40 |
| 215 | Correlations between self-rating and observer-rating of psychopathology in at-risk mental state and first-episode psychosis patients: influence of disease stage and gender. <i>Microbial Biotechnology</i> , 2017 , 11, 461-470 | 3.3 | 9 |
| 214 | Longitudinal determinants of client treatment satisfaction in an intensive first-episode psychosis treatment programme. <i>Microbial Biotechnology</i> , 2017 , 11, 354-362 | 3.3 | 4 |
| 213 | Prediction of transition to psychosis in patients with a clinical high risk for psychosis: a systematic review of methodology and reporting. <i>Psychological Medicine</i> , 2017 , 47, 1163-1178 | 6.9 | 59 |
| 212 | Sex differences in prolactin levels in emerging psychosis: Indication for enhanced stress reactivity in women. <i>Schizophrenia Research</i> , 2017 , 189, 111-116 | 3.6 | 27 |
| 211 | Sex and gender differences in mental disorders. Lancet Psychiatry, the, 2017, 4, 8-9 | 23.3 | 157 |
| 210 | Effect of B Polyunsaturated Fatty Acids in Young People at Ultrahigh Risk for Psychotic Disorders: The NEURAPRO Randomized Clinical Trial. <i>JAMA Psychiatry</i> , 2017 , 74, 19-27 | 14.5 | 162 |
| 209 | Autonomy and Reproductive Rights of Married Ikwerre Women in Rivers State, Nigeria. <i>Journal of Bioethical Inquiry</i> , 2017 , 14, 205-215 | 1.9 | 3 |
| 208 | Alpha oscillations underlie working memory abnormalities in the psychosis high-risk state. <i>Biological Psychology</i> , 2017 , 126, 12-18 | 3.2 | |
| 207 | Oestrogens, prolactin, hypothalamic-pituitary-gonadal axis, and schizophrenic psychoses. <i>Lancet Psychiatry,the</i> , 2017 , 4, 63-72 | 23.3 | 71 |
| 206 | Opening the Black Box of Cognitive-Behavioural Case Management in Clients with Ultra-High Risk for Psychosis. <i>Psychotherapy and Psychosomatics</i> , 2017 , 86, 292-299 | 9.4 | 17 |
| 205 | Education and Reproductive Autonomy: The Case of Married Nigerian Women. <i>Narrative Inquiry in Bioethics</i> , 2017 , 7, 231-244 | 0.2 | 6 |
| 204 | Estradiol Production Suppressed by Prolactin in at-risk Mental State and First Episode Psychosis Female Patients? Preliminary Results. <i>European Psychiatry</i> , 2017 , 41, S267-S267 | 6 | 1 |
| 203 | The Current European Status. European Psychiatry, 2017, 41, S27-S27 | 6 | |
| 202 | Long-term rates of remission and late psychotic transition of individuals at risk for psychosis. <i>European Psychiatry</i> , 2017 , 41, S186-S186 | 6 | 2 |
| 201 | Comorbidities in Patients with an At-risk Mental State and First Episode Psychosis. <i>European Psychiatry</i> , 2017 , 41, S198-S198 | 6 | 1 |
| 200 | The Relationship Between Negative Symptoms and Cognitive Functioning in Patients with an at Risk Mental State for Psychosis. <i>European Psychiatry</i> , 2017 , 41, S270-S271 | 6 | |

| 199 | Stigma in early detection of psychosis: Subjective experiences of those concerned. <i>European Psychiatry</i> , 2017 , 41, S387-S387 | 6 | |
|-----|--|------|-----|
| 198 | Verbal Learning and Memory in At-risk Mental State and First Episode Psychosis Patients and Their Correlates to Brain Structural Alterations. <i>European Psychiatry</i> , 2017 , 41, S103-S103 | 6 | |
| 197 | Duration of untreated psychosis/illness and brain volume changes in early psychosis. <i>Psychiatry Research</i> , 2017 , 255, 332-337 | 9.9 | 19 |
| 196 | Prediction of conversion to psychosis in individuals with an at-risk mental state: a brief update on recent developments. <i>Current Opinion in Psychiatry</i> , 2017 , 30, 209-219 | 4.9 | 39 |
| 195 | Depression in der Peripartalzeit Diagnostik, Therapie und Prophylaxe. <i>Frauenheilkunde Up2date</i> , 2017 , 10, 531-545 | 0.1 | |
| 194 | Working Together for Early Detection of Psychosis. <i>European Psychiatry</i> , 2017 , 41, S6-S6 | 6 | |
| 193 | Age-related brain structural alterations as an intermediate phenotype of psychosis. <i>Journal of Psychiatry and Neuroscience</i> , 2017 , 42, 307-319 | 4.5 | 19 |
| 192 | Screening for Adult Attention-Deficit/Hyperactivity Disorder in a Psychiatric Outpatient Population with Specific Focus on Sex Differences. <i>Frontiers in Psychiatry</i> , 2017 , 8, 115 | 5 | 18 |
| 191 | Symptom Overlap and Screening for Symptoms of Attention-Deficit/Hyperactivity Disorder and Psychosis Risk in Help-Seeking Psychiatric Patients. <i>Frontiers in Psychiatry</i> , 2017 , 8, 206 | 5 | 4 |
| 190 | Machine Learning for Large-Scale Quality Control of 3D Shape Models in Neuroimaging. <i>Lecture Notes in Computer Science</i> , 2017 , 10541, 371-378 | 0.9 | 4 |
| 189 | Structural Network Disorganization in Subjects at Clinical High Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2017 , 43, 583-591 | 1.3 | 31 |
| 188 | Prediction of psychosis using neural oscillations and machine learning in neuroleptic-nalle at-risk patients. <i>World Journal of Biological Psychiatry</i> , 2016 , 17, 285-95 | 3.8 | 34 |
| 187 | Effects of an electronic reminder system on guideline-concordant treatment of psychotic disorders : Results from apilot feasibility trial. <i>Neuropsychiatrie</i> , 2016 , 30, 191-197 | 3.5 | 1 |
| 186 | The Dark Side of the Moon: Meta-analytical Impact of Recruitment Strategies on Risk Enrichment in the Clinical High Risk State for Psychosis. <i>Schizophrenia Bulletin</i> , 2016 , 42, 732-43 | 1.3 | 144 |
| 185 | Neural oscillations in antipsychotic-nawe patients with a first psychotic episode. <i>World Journal of Biological Psychiatry</i> , 2016 , 17, 296-307 | 3.8 | 10 |
| 184 | Heterogeneity of Psychosis Risk Within Individuals at Clinical High Risk: A Meta-analytical Stratification. <i>JAMA Psychiatry</i> , 2016 , 73, 113-20 | 14.5 | 270 |
| 183 | Dysfunctional insular connectivity during reward prediction in patients with first-episode psychosis. <i>Journal of Psychiatry and Neuroscience</i> , 2016 , 41, 367-376 | 4.5 | 23 |
| 182 | Psychotropic Drugs and the Perinatal Period 2016 , 79-92 | | 1 |

Weibliche Rollen und psychische Gesundheit 2016, 19-34 181 5 Appropriateness of Care and Joint Decision-Making Strategies 2016, 207-209 180 Altered Insular Function during Aberrant Salience Processing in Relation to the Severity of 179 5 10 Psychotic Symptoms. Frontiers in Psychiatry, 2016, 7, 189 Alterations in the hippocampus and thalamus in individuals at high risk for psychosis. NPJ 178 5.5 29 Schizophrenia, **2016**, 2, 16033 The role of vulnerability factors in individuals with an at-risk mental state of psychosis. 177 3.5 4 Neuropsychiatrie, 2016, 30, 18-26 6 176 Early psychosis in young women. European Psychiatry, 2016, 33, S7-S7 Sex and gender differences in schizophrenic psychoses. European Psychiatry, 2016, 33, S46-S46 6 175 4 Increased superior frontal gyrus activation during working memory processing in psychosis: Significant relation to cumulative antipsychotic medication and to negative symptoms. 174 3.6 7 Schizophrenia Research, 2016, 175, 20-26 High time for a paradigm shift in psychiatry. World Psychiatry, 2016, 15, 131-3 173 14.4 5 Does menopausal transition really influence mental health? Findings from the prospective 172 14.4 27 long-term Zurich study. World Psychiatry, 2016, 15, 146-54 Impact of polygenic schizophrenia-related risk and hippocampal volumes on the onset of psychosis. 8.6 171 25 Translational Psychiatry, 2016, 6, e868 Modulation of motivational salience processing during the early stages of psychosis. Schizophrenia 170 3.6 38 Research, 2015, 166, 17-23 Individualized differential diagnosis of schizophrenia and mood disorders using neuroanatomical 169 11.2 99 biomarkers. Brain, 2015, 138, 2059-73 Pituitary gland volume in at-risk mental state for psychosis: a longitudinal MRI analysis. CNS 168 1.8 10 Spectrums, 2015, 20, 122-9 EPA guidance on the early detection of clinical high risk states of psychoses. European Psychiatry, 6 167 235 2015, 30, 405-16 166 Depression in der Peripartalzeit Diagnostik, Therapie und Prophylaxe. *PSYCH Up2date*, **2015**, 9, 149-160_{0.1} Increased functional connectivity in the resting-state basal ganglia network after acute heroin 165 8.6 32 substitution. Translational Psychiatry, 2015, 5, e533 Hippocampal volume correlates with attenuated negative psychotic symptoms irrespective of 164 5.3 7 antidepressant medication. NeuroImage: Clinical, 2015, 8, 230-7

| 163 | Aberrant Current Source-Density and Lagged Phase Synchronization of Neural Oscillations as Markers for Emerging Psychosis. <i>Schizophrenia Bulletin</i> , 2015 , 41, 919-29 | 1.3 | 50 |
|-----|---|------|-----|
| 162 | Detecting the psychosis prodrome across high-risk populations using neuroanatomical biomarkers. <i>Schizophrenia Bulletin</i> , 2015 , 41, 471-82 | 1.3 | 105 |
| 161 | At risk or not at risk? A meta-analysis of the prognostic accuracy of psychometric interviews for psychosis prediction. <i>World Psychiatry</i> , 2015 , 14, 322-32 | 14.4 | 172 |
| 160 | Brain Diffusion Changes in Emerging Psychosis and the Impact of State-Dependent Psychopathology. <i>NeuroSignals</i> , 2015 , 23, 71-83 | 1.9 | 20 |
| 159 | Classifying individuals at high-risk for psychosis based on functional brain activity during working memory processing. <i>Neurolmage: Clinical</i> , 2015 , 9, 555-63 | 5.3 | 17 |
| 158 | Abnormal functional integration of thalamic low frequency oscillation in the BOLD signal after acute heroin treatment. <i>Human Brain Mapping</i> , 2015 , 36, 5287-300 | 5.9 | 19 |
| 157 | EPA guidance on the early intervention in clinical high risk states of psychoses. <i>European Psychiatry</i> , 2015 , 30, 388-404 | 6 | 233 |
| 156 | Sex differences in cognitive functioning in at-risk mental state for psychosis, first episode psychosis and healthy control subjects. <i>European Psychiatry</i> , 2015 , 30, 242-50 | 6 | 33 |
| 155 | Orbitofrontal response to drug-related stimuli after heroin administration. <i>Addiction Biology</i> , 2015 , 20, 570-9 | 4.6 | 24 |
| 154 | Normalizing effect of heroin maintenance treatment on stress-induced brain connectivity. <i>Brain</i> , 2015 , 138, 217-28 | 11.2 | 17 |
| 153 | Perinatal mental health service provision in Switzerland and in the UK. <i>Swiss Medical Weekly</i> , 2015 , 145, w14011 | 3.1 | 5 |
| 152 | FrBerkennung und FrBintervention bei beginnenden Psychosen. <i>Neurotransmitter</i> , 2015 , 26, 50-54 | 0.1 | |
| 151 | Therapist-client sex in psychotherapy: attitudes of professionals and students towards ethical arguments. <i>Swiss Medical Weekly</i> , 2015 , 145, w14099 | 3.1 | 2 |
| 150 | Accelerated brain aging in schizophrenia and beyond: a neuroanatomical marker of psychiatric disorders. <i>Schizophrenia Bulletin</i> , 2014 , 40, 1140-53 | 1.3 | 235 |
| 149 | Evidence for an agitated-aggressive syndrome predating the onset of psychosis. <i>Schizophrenia Research</i> , 2014 , 157, 26-32 | 3.6 | 16 |
| 148 | Acute effects of heroin on negative emotional processing: relation of amygdala activity and stress-related responses. <i>Biological Psychiatry</i> , 2014 , 76, 289-96 | 7.9 | 93 |
| 147 | Altered prefrontal connectivity after acute heroin administration during cognitive control. <i>International Journal of Neuropsychopharmacology</i> , 2014 , 17, 1375-85 | 5.8 | 11 |
| 146 | Identifying gene-environment interactions in schizophrenia: contemporary challenges for integrated, large-scale investigations. <i>Schizophrenia Bulletin</i> , 2014 , 40, 729-36 | 1.3 | 186 |

| 145 | Abnormal effective connectivity and psychopathological symptoms in the psychosis high-risk state. <i>Journal of Psychiatry and Neuroscience</i> , 2014 , 39, 239-48 | 4.5 | 32 | |
|-----|---|-----------------|-----|---|
| 144 | Reduced parahippocampal cortical thickness in subjects at ultra-high risk for psychosis. <i>Psychological Medicine</i> , 2014 , 44, 489-98 | 6.9 | 37 | |
| 143 | Gender differences in the psychopathology of emerging psychosis. <i>Israel Journal of Psychiatry</i> , 2014 , 51, 85-92 | | 3 | • |
| 142 | Cannabis use and cognitive functions in at-risk mental state and first episode psychosis. <i>Psychopharmacology</i> , 2013 , 230, 299-308 | 4.7 | 19 | |
| 141 | Help-seeking and pathways to care in the early stages of psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013 , 48, 1033-43 | 4.5 | 48 | |
| 140 | Acute effects of heroin on emotions in heroin-dependent patients. <i>American Journal on Addictions</i> , 2013 , 22, 598-604 | 3.7 | 28 | |
| 139 | Moving beyond transition outcomes: meta-analysis of remission rates in individuals at high clinical risk for psychosis. <i>Psychiatry Research</i> , 2013 , 209, 266-72 | 9.9 | 96 | |
| 138 | Cannabis use and brain structural alterations of the cingulate cortex in early psychosis. <i>Psychiatry Research - Neuroimaging</i> , 2013 , 214, 102-8 | 2.9 | 21 | |
| 137 | Persistent negative symptoms in first episode patients with schizophrenia: results from the European First Episode Schizophrenia Trial. <i>European Neuropsychopharmacology</i> , 2013 , 23, 196-204 | 1.2 | 99 | |
| 136 | Are neurological soft signs pre-existing markers in individuals with an at-risk mental state for psychosis?. <i>Psychiatry Research</i> , 2013 , 210, 427-31 | 9.9 | 15 | |
| 135 | S.10.03 Hyperprolactinemia in drug-nalle first-episode patients: data from EUFEST. <i>European Neuropsychopharmacology</i> , 2013 , 23, S126 | 1.2 | | |
| 134 | The attenuated psychosis syndrome in DSM-5. <i>Schizophrenia Research</i> , 2013 , 151, 295 | 3.6 | 4 | |
| 133 | Comorbid substance abuse in first-episode schizophrenia: effects on cognition and psychopathology in the EUFEST study. <i>Schizophrenia Research</i> , 2013 , 147, 132-139 | 3.6 | 36 | |
| 132 | P.6.d.001 Inhibition-specific prefrontal connectivity after an acute dose of heroin. <i>European Neuropsychopharmacology</i> , 2013 , 23, S573-S574 | 1.2 | | |
| 131 | P.1.i.025 Abnormal brain functioning during salience processing in patients with schizophrenic psychosis. <i>European Neuropsychopharmacology</i> , 2013 , 23, S277-S278 | 1.2 | | |
| 130 | The psychosis high-risk state: a comprehensive state-of-the-art review. <i>JAMA Psychiatry</i> , 2013 , 70, 107 | - 20 4.5 | 965 | |
| 129 | Duration of untreated psychosis and cognitive functioning. <i>Schizophrenia Research</i> , 2013 , 145, 43-9 | 3.6 | 27 | |
| 128 | Hyperprolactinemia in antipsychotic-naive patients with first-episode psychosis. <i>Psychological Medicine</i> , 2013 , 43, 2571-82 | 6.9 | 68 | |

| 127 | Can cognitive deficits facilitate differential diagnosis between at-risk mental state for psychosis and depressive disorders?. <i>Microbial Biotechnology</i> , 2013 , 7, 381-90 | 3.3 | 11 |
|---------------------------------|---|--------------------------|---|
| 126 | Metabolic risk factors in first-episode schizophrenia: baseline prevalence and course analysed from the European First-Episode Schizophrenia Trial. <i>International Journal of Neuropsychopharmacology</i> , 2013 , 16, 987-95 | 5.8 | 60 |
| 125 | Association of frontal gray matter volume and cerebral perfusion in heroin addiction: a multimodal neuroimaging study. <i>Frontiers in Psychiatry</i> , 2013 , 4, 135 | 5 | 23 |
| 124 | Brain connectivity abnormalities predating the onset of psychosis: correlation with the effect of medication. <i>JAMA Psychiatry</i> , 2013 , 70, 903-12 | 14.5 | 72 |
| 123 | Group treatment for depression in mothers of young children compared to standard individual therapy. <i>Psychopathology</i> , 2013 , 46, 94-101 | 3.4 | 4 |
| 122 | Distinguishing prodromal from first-episode psychosis using neuroanatomical single-subject pattern recognition. <i>Schizophrenia Bulletin</i> , 2013 , 39, 1105-14 | 1.3 | 54 |
| 121 | Acute effects of intravenous heroin on the hypothalamic-pituitary-adrenal axis response: a controlled trial. <i>Journal of Clinical Psychopharmacology</i> , 2013 , 33, 193-8 | 1.7 | 29 |
| 120 | Inferior frontal cortex modulation with an acute dose of heroin during cognitive control. <i>Neuropsychopharmacology</i> , 2013 , 38, 2231-9 | 8.7 | 40 |
| 119 | Insight and hostility as predictors and correlates of nonadherence in the European First Episode Schizophrenia Trial. <i>Journal of Clinical Psychopharmacology</i> , 2013 , 33, 258-61 | 1.7 | 11 |
| | | | |
| 118 | Violence against Women and Mental Health. <i>Key Issues in Mental Health</i> , 2013 , 167-174 | | 4 |
| 118 | Violence against Women and Mental Health. <i>Key Issues in Mental Health</i> , 2013 , 167-174 Do subjects at clinical high risk for psychosis differ from those with a genetic high risk?A systematic review of structural and functional brain abnormalities. <i>Current Medicinal Chemistry</i> , 2013 , 20, 467-81 | 4.3 | 4 51 |
| | Do subjects at clinical high risk for psychosis differ from those with a genetic high risk?A systematic review of structural and functional brain abnormalities. <i>Current Medicinal Chemistry</i> , | 4.3 | |
| 117 | Do subjects at clinical high risk for psychosis differ from those with a genetic high risk?A systematic review of structural and functional brain abnormalities. <i>Current Medicinal Chemistry</i> , 2013 , 20, 467-81 Reduction in cerebral perfusion after heroin administration: a resting state arterial spin labeling | | 51 |
| 117 116 | Do subjects at clinical high risk for psychosis differ from those with a genetic high risk?A systematic review of structural and functional brain abnormalities. <i>Current Medicinal Chemistry</i> , 2013 , 20, 467-81 Reduction in cerebral perfusion after heroin administration: a resting state arterial spin labeling study. <i>PLoS ONE</i> , 2013 , 8, e71461 Suicide attempts in the county of Basel: results from the WHO/EURO Multicentre Study on Suicidal | 3.7 | 51 26 |
| 117 116 115 | Do subjects at clinical high risk for psychosis differ from those with a genetic high risk?A systematic review of structural and functional brain abnormalities. <i>Current Medicinal Chemistry</i> , 2013 , 20, 467-81 Reduction in cerebral perfusion after heroin administration: a resting state arterial spin labeling study. <i>PLoS ONE</i> , 2013 , 8, e71461 Suicide attempts in the county of Basel: results from the WHO/EURO Multicentre Study on Suicidal Behaviour. <i>Swiss Medical Weekly</i> , 2013 , 143, w13759 First self-perceived signs and symptoms in emerging psychosis compared with depression. | 3.7 | 51 26 12 |
| 117 116 115 | Do subjects at clinical high risk for psychosis differ from those with a genetic high risk?A systematic review of structural and functional brain abnormalities. <i>Current Medicinal Chemistry</i> , 2013 , 20, 467-81 Reduction in cerebral perfusion after heroin administration: a resting state arterial spin labeling study. <i>PLoS ONE</i> , 2013 , 8, e71461 Suicide attempts in the county of Basel: results from the WHO/EURO Multicentre Study on Suicidal Behaviour. <i>Swiss Medical Weekly</i> , 2013 , 143, w13759 First self-perceived signs and symptoms in emerging psychosis compared with depression. <i>Microbial Biotechnology</i> , 2012 , 6, 455-9 Hippocampal volume in subjects at high risk of psychosis: a longitudinal MRI study. <i>Schizophrenia</i> | 3.7 3.1 3.3 | 51 26 12 |
| 117 116 115 114 113 | Do subjects at clinical high risk for psychosis differ from those with a genetic high risk?A systematic review of structural and functional brain abnormalities. <i>Current Medicinal Chemistry</i> , 2013 , 20, 467-81 Reduction in cerebral perfusion after heroin administration: a resting state arterial spin labeling study. <i>PLoS ONE</i> , 2013 , 8, e71461 Suicide attempts in the county of Basel: results from the WHO/EURO Multicentre Study on Suicidal Behaviour. <i>Swiss Medical Weekly</i> , 2013 , 143, w13759 First self-perceived signs and symptoms in emerging psychosis compared with depression. <i>Microbial Biotechnology</i> , 2012 , 6, 455-9 Hippocampal volume in subjects at high risk of psychosis: a longitudinal MRI study. <i>Schizophrenia Research</i> , 2012 , 142, 217-22 | 3.7 3.1 3.3 3.6 | 512612347 |

| 109 | Poster #54 PITUITARY GLAND VOLUME IN INDIVIDUALS WITH AN AT-RISK MENTAL STATE: A LONGITUDINAL MRI ANALYSIS. <i>Schizophrenia Research</i> , 2012 , 136, S300 | 3.6 | 1 |
|-----|--|------------------|-----|
| 108 | Different duration of at-risk mental state associated with neurofunctional abnormalities. A multimodal imaging study. <i>Human Brain Mapping</i> , 2012 , 33, 2281-94 | 5.9 | 56 |
| 107 | Disease prediction in the at-risk mental state for psychosis using neuroanatomical biomarkers: results from the FePsy study. <i>Schizophrenia Bulletin</i> , 2012 , 38, 1234-46 | 1.3 | 111 |
| 106 | Attempted suicide in immigrants from Turkey: a comparison with Swiss suicide attempters. <i>Psychopathology</i> , 2012 , 45, 366-73 | 3.4 | 16 |
| 105 | The impact of diacetylmorphine on hypothalamic-pituitary-adrenal axis activity and heroin craving in heroin dependence. <i>European Addiction Research</i> , 2012 , 18, 116-23 | 4.6 | 17 |
| 104 | Insular volume abnormalities associated with different transition probabilities to psychosis. <i>Psychological Medicine</i> , 2012 , 42, 1613-25 | 6.9 | 42 |
| 103 | Effects of cannabis use on human brain structure in psychosis: a systematic review combining in vivo structural neuroimaging and post mortem studies. <i>Current Pharmaceutical Design</i> , 2012 , 18, 5070- | 89 ^{.3} | 47 |
| 102 | Neuroimaging and resilience factorsstaging of the at-risk mental state?. <i>Current Pharmaceutical Design</i> , 2012 , 18, 416-21 | 3.3 | 11 |
| 101 | Unmet needs in patients with first-episode schizophrenia: a longitudinal perspective. <i>Psychological Medicine</i> , 2012 , 42, 1461-73 | 6.9 | 21 |
| 100 | Cingulate volume abnormalities in emerging psychosis. Current Pharmaceutical Design, 2012, 18, 495-5 | 043.3 | 17 |
| 99 | Cost of attempted suicide: a retrospective study of extent and associated factors. <i>Swiss Medical Weekly</i> , 2012 , 142, w13648 | 3.1 | 23 |
| 98 | Pituitary volume increase during emerging psychosis. <i>Schizophrenia Research</i> , 2011 , 125, 41-8 | 3.6 | 45 |
| 97 | Sexual dysfunction in first-episode schizophrenia patients: results from European First Episode Schizophrenia Trial. <i>Journal of Clinical Psychopharmacology</i> , 2011 , 31, 274-80 | 1.7 | 71 |
| 96 | Depression und Psychose in der Menopause - kann eine Hormontherapie hilfreich sein?. <i>Psychiatrie Und Psychotherapie</i> , 2011 , 7, 129-134 | | |
| 95 | Estrogens and gonadal function in schizophrenia and related psychoses. <i>Current Topics in Behavioral Neurosciences</i> , 2011 , 8, 155-71 | 3.4 | 53 |
| 94 | Neuroanatomical abnormalities that predate the onset of psychosis: a multicenter study. <i>Archives of General Psychiatry</i> , 2011 , 68, 489-95 | | 196 |
| 93 | A randomized, double-blind, placebo-controlled study of light therapy for antepartum depression. Journal of Clinical Psychiatry, 2011 , 72, 986-93 | 4.6 | 150 |
| 92 | The Self-screen-Prodrome as a short screening tool for pre-psychotic states. <i>Schizophrenia Research</i> , 2010 , 123, 217-24 | 3.6 | 24 |

| 91 | EEG spectral power and negative symptoms in at-risk individuals predict transition to psychosis. <i>Schizophrenia Research</i> , 2010 , 123, 208-16 | 3.6 | 34 |
|----|--|-----------------------|-----|
| 90 | Neural effects of heroinrelation to anxiety stress. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010 , 34, 816-7 | 5.5 | 1 |
| 89 | Hyperprolactinaemia in early psychosis-not only due to antipsychotics. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010 , 34, 1342-4 | 5.5 | 65 |
| 88 | P.3.019 A meta-analysis of neuroimaging predictors of transition to psychosis. <i>European Neuropsychopharmacology</i> , 2010 , 20, S78 | 1.2 | |
| 87 | Prospects for the classification of mental disorders in women. European Psychiatry, 2010, 25, 189-96 | 6 | 30 |
| 86 | Hippocampus abnormalities in at risk mental states for psychosis? A cross-sectional high resolution region of interest magnetic resonance imaging study. <i>Journal of Psychiatric Research</i> , 2010 , 44, 447-53 | 5.2 | 75 |
| 85 | Neuroimaging predictors of transition to psychosisa systematic review and meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2010 , 34, 1207-22 | 9 | 249 |
| 84 | Hippocampal volume reduction specific for later transition to psychosis or substance-associated effects?. <i>Journal of Psychiatry and Neuroscience</i> , 2010 , 35, 214-5; author reply 215 | 4.5 | 2 |
| 83 | Domestic violence against women: Definitions, epidemiology, risk factors and consequences. <i>Swiss Medical Weekly</i> , 2010 , 140, w13099 | 3.1 | 37 |
| 82 | Prediction of caseness for mental pathology in Swiss conscripts: the Self-Screen Prodrome. <i>Military Medicine</i> , 2009 , 174, 1270-5 | 1.3 | 10 |
| 81 | The effects of antipsychotics on brain structure: what have we learnt from structural imaging of schizophrenia?. <i>Psychological Medicine</i> , 2009 , 39, 1781-2 | 6.9 | 12 |
| 80 | Cognitive effects of antipsychotic drugs in first-episode schizophrenia and schizophreniform disorder: a randomized, open-label clinical trial (EUFEST). <i>American Journal of Psychiatry</i> , 2009 , 166, 675 | 5- <mark>82</mark> .9 | 249 |
| 79 | Can cortical thickness asymmetry analysis contribute to detection of at-risk mental state and first-episode psychosis? A pilot study. <i>Radiology</i> , 2009 , 250, 212-21 | 20.5 | 54 |
| 78 | Antipsychotika und Hyperprolaktinthie: Pathophysiologie, klinische Bedeutung, Abkltung und Therapie. <i>Gynakologische Endokrinologie</i> , 2009 , 7, 171-182 | 0.1 | 2 |
| 77 | EEG: a helpful tool in the prediction of psychosis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2009 , 259, 257-62 | 5.1 | 22 |
| 76 | Efficacy of using cognitive status in predicting psychosis: a 7-year follow-up. <i>Biological Psychiatry</i> , 2009 , 66, 1023-30 | 7.9 | 204 |
| 75 | Superior temporal gray and white matter changes in schizophrenia or antipsychotic related effects?. <i>Schizophrenia Research</i> , 2009 , 113, 109-10 | 3.6 | 13 |
| 74 | Negative symptoms in neuroleptic-nalle patients with first-episode psychosis correlate with QEEG parameters. <i>Schizophrenia Research</i> , 2009 , 115, 231-6 | 3.6 | 17 |

(2006-2009)

| 73 | The effects of antipsychotics on the brain: what have we learnt from structural imaging of schizophrenia?a systematic review. <i>Current Pharmaceutical Design</i> , 2009 , 15, 2535-49 | 3.3 | 182 |
|----|---|-----|-----|
| 72 | Intervention in individuals at ultra-high risk for psychosis: a review and future directions. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 1206-12 | 4.6 | 219 |
| 71 | Reductions in frontal, temporal and parietal volume associated with the onset of psychosis. <i>Schizophrenia Research</i> , 2008 , 106, 108-14 | 3.6 | 186 |
| 70 | STRATEGIES FOR IMPROVING THE PREDICTION OF PSYCHOSIS. Schizophrenia Research, 2008 , 102, 155 | 3.6 | 1 |
| 69 | Anterior cingulate pathology in the prodromal stage of schizophrenia. <i>NeuroImage</i> , 2008 , 39, 553-4 | 7.9 | 33 |
| 68 | Effectiveness of antipsychotic drugs in first-episode schizophrenia and schizophreniform disorder: an open randomised clinical trial. <i>Lancet, The</i> , 2008 , 371, 1085-97 | 40 | 823 |
| 67 | Insular pathology in the at-risk mental state. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2008 , 258, 254-5 | 5.1 | 3 |
| 66 | Psychotic experiences in the general population: a twenty-year prospective community study. <i>Schizophrenia Research</i> , 2007 , 92, 1-14 | 3.6 | 226 |
| 65 | Neuropsychological deficits in individuals with an at risk mental state for psychosis - working memory as a potential trait marker. <i>Schizophrenia Research</i> , 2007 , 97, 14-24 | 3.6 | 80 |
| 64 | Regional gray matter volume abnormalities in the at risk mental state. <i>Biological Psychiatry</i> , 2007 , 61, 1148-56 | 7.9 | 258 |
| 63 | The Basel early-detection-of-psychosis (FEPSY)-studydesign and preliminary results. <i>Acta Psychiatrica Scandinavica</i> , 2007 , 115, 114-25 | 6.5 | 140 |
| 62 | Aneurysms of pericallosal cerebral artery haemorrhage with consecutive psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2007 , 41, 554 | 2.6 | 2 |
| 61 | Antidepressant medications and other treatments of depressive disorders: a CINP Task Force report based on a review of evidence. <i>International Journal of Neuropsychopharmacology</i> , 2007 , 10 Suppl 1, S1-207 | 5.8 | 37 |
| 60 | Structural brain abnormalities in individuals with an at-risk mental state who later develop psychosis. <i>British Journal of Psychiatry</i> , 2007 , 51, s69-75 | 5.4 | 105 |
| 59 | Cavum septum pellucidum in patients with first episode psychosis and individuals at high risk of psychosis. <i>European Psychiatry</i> , 2007 , 22, 264 | 6 | 6 |
| 58 | The forthcoming role of treatment with oestrogens in mental health. Swiss Medical Weekly, 2007 , 137, 565-72 | 3.1 | 24 |
| 57 | Radiological findings in individuals at high risk of psychosis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2006 , 77, 229-33 | 5.5 | 37 |
| 56 | Oestrogen-A Protective Factor in Schizophrenia?. Current Psychiatry Reviews, 2006, 2, 339-352 | 0.9 | 7 |

| 55 | Symptom control, functioning and satisfaction among Swiss patients treated with risperidone long-acting injectable. <i>International Journal of Psychiatry in Clinical Practice</i> , 2006 , 10, 174-81 | 2.4 | 4 |
|----|---|-----|-----|
| 54 | Early detection and treatment of schizophrenia: how early?. <i>Acta Psychiatrica Scandinavica</i> , 2006 , 113, 73-80 | 6.5 | 58 |
| 53 | Fine motor function and neuropsychological deficits in individuals at risk for schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2006 , 256, 201-6 | 5.1 | 38 |
| 52 | Size of burden of schizophrenia and psychotic disorders. <i>European Neuropsychopharmacology</i> , 2005 , 15, 399-409 | 1.2 | 406 |
| 51 | Estrogens and Schizophrenia 2005 , 31-52 | | 17 |
| 50 | The European First Episode Schizophrenia Trial (EUFEST): rationale and design of the trial. <i>Schizophrenia Research</i> , 2005 , 78, 147-56 | 3.6 | 77 |
| 49 | Group Psychotherapy for Depression in Early Stages of Motherhood 2005 , 173, 167-181 | | |
| 48 | Cannabis and risk of psychosis. Swiss Medical Weekly, 2004 , 134, 659-63 | 3.1 | 8 |
| 47 | Oestrogens and schizophrenia. Current Opinion in Psychiatry, 2003, 16, 187-192 | 4.9 | 18 |
| 46 | Late-Onset Schizophrenia Versus Paranoid Psychoses. <i>American Journal of Geriatric Psychiatry</i> , 2003 , 11, 595-604 | 6.5 | 1 |
| 45 | Postpartum depression: do we still need this diagnostic term?. <i>Acta Psychiatrica Scandinavica</i> , 2003 , 108, 51-6 | 6.5 | 50 |
| 44 | Neuropsychological and neurophysiological findings in individuals suspected to be at risk for schizophrenia: preliminary results from the Basel early detection of psychosis study - FrBerkennung von Psychosen (FEPSY). <i>Acta Psychiatrica Scandinavica</i> , 2003 , 108, 152-5 | 6.5 | 47 |
| 43 | Hormone replacement therapy in climacteric and aging brain. <i>Gynecological Endocrinology</i> , 2003 , 17, 363-78 | 2.4 | |
| 42 | Late-onset schizophrenia versus paranoid psychoses: a valid diagnostic distinction?. <i>American Journal of Geriatric Psychiatry</i> , 2003 , 11, 595-604 | 6.5 | 12 |
| 41 | Oestrogen effects in schizophrenia and their potential therapeutic implicationsreview. <i>Archives of Womenis Mental Health</i> , 2002 , 5, 111-8 | 5 | 51 |
| 40 | Oestrogens and schizophreniaintroduction. Archives of Womenis Mental Health, 2002, 5, 91-2 | 5 | 14 |
| 39 | Etrogene und Schizophrenie - Patientinnen an der Schnittstelle zwischen Psychiatrie und Gynkologie. <i>Geburtshilfe Und Frauenheilkunde</i> , 2002 , 62, 429-435 | 2 | 1 |
| 38 | Gender aspects in schizophrenia: bridging the border between social and biological psychiatry. <i>Acta Psychiatrica Scandinavica</i> , 2000 , 102, 58-62 | 6.5 | 137 |

Traditional Methodology and Outcome Assessment in Studies on the Course of Schizophrenia 1999 37 , 249-258 The course of schizophrenic psychoses: what do we really know? A selective review from an 36 42 epidemiological perspective. European Archives of Psychiatry and Clinical Neuroscience, 1998, 248, 189-20 52^{1} Gonadal function and its influence on psychopathology. Archives of Womenis Mental Health, 1998, 5 28 35 1, 15-26 The ABC Schizophrenia Study: a preliminary overview of the results. Social Psychiatry and Psychiatric 4.5 151 34 Epidemiology, 1998, 33, 380-6 Causes and consequences of the gender difference in age at onset of schizophrenia. Schizophrenia 1.3 238 33 Bulletin, 1998, 24, 99-113 Is schizophrenia a disorder of all ages? A comparison of first episodes and early course across the 32 6.9 114 life-cycle. Psychological Medicine, 1998, 28, 351-65 What do we really know about late-onset schizophrenia?. European Archives of Psychiatry and 48 31 5.1 Clinical Neuroscience, 1997, 247, 195-208 Changing patterns of mental health care in Germany. International Journal of Law and Psychiatry, 30 2.6 **1996**, 19, 391-411 Symptom assessment in casenotes and the clinical diagnosis of schizophrenia. Psychopathology, 6 29 3.4 **1995**, 28, 131-9 28 Late-onset schizophrenia and late paraphrenia. Schizophrenia Bulletin, 1995, 21, 345-54; discussion 355-61.3 23 Case management for schizophrenic patients at risk for rehospitalization: a case control study. 27 5.1 17 European Archives of Psychiatry and Clinical Neuroscience, 1995, 246, 29-36 The Epidemiology of Early Schizophrenia: Influence of Age and Gender on Onset and Early Course. 26 138 5.4 British Journal of Psychiatry, 1994, 164, 29-38 Can estradiol modulate schizophrenic symptomatology?. Schizophrenia Bulletin, 1994, 20, 203-14 25 1.3 230 Further evidence for a specific role of estradiol in schizophrenia?. Biological Psychiatry, 1994, 36, 492-4 24 83 Influence of the menstrual cycle phase on the therapeutic response in schizophrenia. Biological 23 7.9 94 Psychiatry, **1994**, 36, 137-9 Higher morbidity risk for schizophrenia in males: fact or fiction?. Comprehensive Psychiatry, 1994, 22 7.3 15 35. 39-49 Organic factors and the clinical features of late paranoid psychosis: a comparison with Alzheimer® 6.5 21 19 disease and normal ageing. Acta Psychiatrica Scandinavica, 1994, 89, 335-40 Wilhelm Griesinger and the concept of community care in 19th-century Germany. Psychiatric 20 3.3 Services, 1994, 45, 818-22

| 19 | Validation of Danish case register diagnosis for schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 1994 , 90, 196-203 | 6.5 | 80 |
|----|---|--------------|-----|
| 18 | The influence of age and sex on the onset and early course of schizophrenia. <i>British Journal of Psychiatry</i> , 1993 , 162, 80-6 | 5.4 | 510 |
| 17 | Compulsory admission of psychiatric patientsan international comparison. <i>Acta Psychiatrica Scandinavica</i> , 1993 , 87, 231-6 | 6.5 | 106 |
| 16 | Generating and testing a causal explanation of the gender difference in age at first onset of schizophrenia. <i>Psychological Medicine</i> , 1993 , 23, 925-40 | 6.9 | 226 |
| 15 | Schizophrenia and oestrogensis there an association?. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1993 , 242, 323-8 | 5.1 | 111 |
| 14 | Does case management reduce the rehospitalization rate?. Acta Psychiatrica Scandinavica, 1992, 86, 445 | -6 .5 | 65 |
| 13 | IRAOS: an instrument for the assessment of onset and early course of schizophrenia. <i>Schizophrenia Research</i> , 1992 , 6, 209-23 | 3.6 | 454 |
| 12 | Schizophrenic symptomatology varies with serum estradiol levels during menstrual cycle. <i>Schizophrenia Research</i> , 1992 , 6, 114-115 | 3.6 | 16 |
| 11 | First onset and early symptomatology of schizophrenia. A chapter of epidemiological and neurobiological research into age and sex differences. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1992 , 242, 109-18 | 5.1 | 142 |
| 10 | Is age of onset in schizophrenia influenced by marital status? Some remarks on the difficulties and pitfalls in the systematic testing of a "simple" question. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1992 , 27, 122-8 | 4.5 | 16 |
| 9 | Factors influencing compulsory admission of psychiatric patients. <i>Psychological Medicine</i> , 1991 , 21, 197- | 208 | 77 |
| 8 | Community care in child psychiatry. An empirical approach using the concept of travel time. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1991 , 26, 28-33 | 4.5 | 10 |
| 7 | Schizophreniaa disease of young single males? Preliminary results from an investigation on a representative cohort admitted to hospital for the first time. <i>European Archives of Psychiatry and Neurological Sciences</i> , 1989 , 239, 210-2 | | 23 |
| 6 | How does gender influence age at first hospitalization for schizophrenia? A transnational case register study. <i>Psychological Medicine</i> , 1989 , 19, 903-18 | 6.9 | 197 |
| 5 | Central Institute of Mental Health, Mannheim, West Germany. <i>Psychological Medicine</i> , 1985 , 15, 417-31 | 6.9 | 3 |
| 4 | Early Detection of Psychosis - Helpful or Stigmatizing Experience for Those Concerned?. <i>Key Issues in Mental Health</i> ,69-82 | | |
| 3 | Neurocognition and Motor Functioning in the Prediction of Psychosis. Key Issues in Mental Health,116-13 | 32 | 10 |
| 2 | Early Detection and Intervention in Psychosis. <i>Key Issues in Mental Health</i> ,179-189 | | 4 |

Dysregulated lipid metabolism precedes onset of psychosis in people at clinical high risk

1