

Anita Riecher-Ressler

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/651591/anita-riecher-rossler-publications-by-year.pdf>

Version: 2023-12-11

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

306
papers

15,595
citations

65
h-index

118
g-index

377
ext. papers

18,193
ext. citations

4.5
avg, IF

6.43
L-index

#	Paper	IF	Citations
306	Verbal memory performance predicts remission and functional outcome in people at clinical high-risk for psychosis.. <i>Schizophrenia Research: Cognition</i> , 2022 , 28, 100222	2.8	0
305	The association of plasma inflammatory markers with omega-3 fatty acids and their mediating role in psychotic symptoms and functioning: An analysis of the NEURAPRO clinical trial. <i>Brain, Behavior, and Immunity</i> , 2022 , 99, 147-156	16.6	0
304	Latent state-trait structure of BPRS subscales in clinical high-risk state and first episode psychosis.. <i>Scientific Reports</i> , 2022 , 12, 6652	4.9	
303	Orbitofrontal-Striatal Structural Alterations Linked to Negative Symptoms at Different Stages of the Schizophrenia Spectrum. <i>Schizophrenia Bulletin</i> , 2021 , 47, 849-863	1.3	4
302	Clinical, cognitive and neuroanatomical associations of serum NMDAR autoantibodies in people at clinical high risk for psychosis. <i>Molecular Psychiatry</i> , 2021 , 26, 2590-2604	15.1	7
301	Omega-3 fatty acids and neurocognitive ability in young people at ultra-high risk for psychosis. <i>Microbial Biotechnology</i> , 2021 , 15, 874-881	3.3	3
300	Pre-training inter-rater reliability of clinical instruments in an international psychosis research project. <i>Schizophrenia Research</i> , 2021 , 230, 104-107	3.6	5
299	Relation between self-perceived stress, psychopathological symptoms and the stress hormone prolactin in emerging psychosis. <i>Journal of Psychiatric Research</i> , 2021 , 136, 428-434	5.2	6
298	Multimodal prognosis of negative symptom severity in individuals at increased risk of developing psychosis. <i>Translational Psychiatry</i> , 2021 , 11, 312	8.6	3
297	Prediction of clinical outcomes beyond psychosis in the ultra-high risk for psychosis population. <i>Microbial Biotechnology</i> , 2021 , 15, 642-651	3.3	4
296	Dysregulated Lipid Metabolism Precedes Onset of Psychosis. <i>Biological Psychiatry</i> , 2021 , 89, 288-297	7.9	10
295	Development of Proteomic Prediction Models for Transition to Psychotic Disorder in the Clinical High-Risk State and Psychotic Experiences in Adolescence. <i>JAMA Psychiatry</i> , 2021 , 78, 77-90	14.5	19
294	Effect of childhood physical abuse on social anxiety is mediated via reduced frontal lobe and amygdala-hippocampus complex volume in adult clinical high-risk subjects. <i>Schizophrenia Research</i> , 2021 , 227, 101-109	3.6	4
293	Multimodal Machine Learning Workflows for Prediction of Psychosis in Patients With Clinical High-Risk Syndromes and Recent-Onset Depression. <i>JAMA Psychiatry</i> , 2021 , 78, 195-209	14.5	31
292	Obsessive-Compulsive Symptoms and Other Symptoms of the At-risk Mental State for Psychosis: A Network Perspective. <i>Schizophrenia Bulletin</i> , 2021 , 47, 1018-1028	1.3	2
291	Impact of Comorbid Affective Disorders on Longitudinal Clinical Outcomes in Individuals at Ultra-high Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2021 ,	1.3	2
290	Novel Gyrfication Networks Reveal Links with Psychiatric Risk Factors in Early Illness. <i>Cerebral Cortex</i> , 2021 ,	5.1	1

289	Characterization and prediction of clinical pathways of vulnerability to psychosis through graph signal processing. <i>ELife</i> , 2021 , 10,	8.9	1
288	Association between tobacco use and symptomatology in individuals at ultra-high risk to develop a psychosis: A longitudinal study. <i>Schizophrenia Research</i> , 2021 , 236, 48-53	3.6	1
287	The association between migrant status and transition in an ultra-high risk for psychosis population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 56, 943-952	4.5	0
286	Cognitive functioning throughout adulthood and illness stages in individuals with psychotic disorders and their unaffected siblings. <i>Molecular Psychiatry</i> , 2021 , 26, 4529-4543	15.1	7
285	S175. CLINICAL OUTCOMES IN PEOPLE AT HIGH RISK FOR PSYCHOSIS RELATED TO INTERACTIONS BETWEEN POLYGENIC RISK SCORES AND CHILDHOOD ADVERSITY. <i>Schizophrenia Bulletin</i> , 2020 , 46, S104-S104	1.3	78
284	Do schizotypal or borderline personality disorders predict onset of psychotic disorder or persistent attenuated psychotic symptoms in patients at high clinical risk?. <i>Schizophrenia Research</i> , 2020 , 220, 275-277	3.6	2
283	Cognitive functioning in ultra-high risk for psychosis individuals with and without depression: Secondary analysis of findings from the NEURAPRO randomized clinical trial. <i>Schizophrenia Research</i> , 2020 , 218, 48-54	3.6	4
282	Sex differences in cognitive functioning of patients at-risk for psychosis and healthy controls: Results from the European Gene-Environment Interactions study. <i>European Psychiatry</i> , 2020 , 63, e25	6	8
281	Emotion Recognition and Adverse Childhood Experiences in Individuals at Clinical High Risk of Psychosis. <i>Schizophrenia Bulletin</i> , 2020 , 46, 823-833	1.3	7
280	Anatomical integrity within the inferior fronto-occipital fasciculus and semantic processing deficits in schizophrenia spectrum disorders. <i>Schizophrenia Research</i> , 2020 , 218, 267-275	3.6	9
279	Development and Validation of a Dynamic Risk Prediction Model to Forecast Psychosis Onset in Patients at Clinical High Risk. <i>Schizophrenia Bulletin</i> , 2020 , 46, 252-260	1.3	10
278	Basic Symptoms Are Associated With Age in Patients With a Clinical High-Risk State for Psychosis: Results From the PRONIA Study. <i>Frontiers in Psychiatry</i> , 2020 , 11, 552175	5	2
277	Menopause and Mental Health. <i>Mental Health and Illness Worldwide</i> , 2020 , 147-173	0.1	3
276	Predictors of study drop-out and service disengagement in patients at clinical high risk for psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020 , 55, 539-548	4.5	6
275	Association of Adverse Outcomes With Emotion Processing and Its Neural Substrate in Individuals at Clinical High Risk for Psychosis. <i>JAMA Psychiatry</i> , 2020 , 77, 190-200	14.5	14
274	Basic symptoms in young people at ultra-high risk of psychosis: Association with clinical characteristics and outcomes. <i>Schizophrenia Research</i> , 2020 , 216, 255-261	3.6	8
273	Trajectories of symptom severity and functioning over a three-year period in a psychosis high-risk sample: A secondary analysis of the Neurapro trial. <i>Behaviour Research and Therapy</i> , 2020 , 124, 103527	5.2	7
272	T21. DEVELOPMENT OF PROTEOMIC PREDICTION MODELS FOR OUTCOMES IN THE CLINICAL HIGH RISK STATE AND PSYCHOTIC EXPERIENCES IN ADOLESCENCE: MACHINE LEARNING ANALYSES IN TWO NESTED CASE-CONTROL STUDIES. <i>Schizophrenia Bulletin</i> , 2020 , 46, S238-S239	1.3	78

271	T34. THE IMPACT OF ANTIDEPRESSANT USE ON THE TRANSITION TO PSYCHOSIS RATE IN THE NEURAPRO TRIAL. <i>Schizophrenia Bulletin</i> , 2020 , 46, S244-S245	1.3	78
270	Relationship between jumping to conclusions and clinical outcomes in people at clinical high-risk for psychosis. <i>Psychological Medicine</i> , 2020 , 1-9	6.9	4
269	EEG Microstate Differences in Medicated vs. Medication-Naïve First-Episode Psychosis Patients. <i>Frontiers in Psychiatry</i> , 2020 , 11, 600606	5	3
268	From Speech Illusions to Onset of Psychotic Disorder: Applying Network Analysis to an Experimental Measure of Aberrant Experiences. <i>Schizophrenia Bulletin Open</i> , 2020 , 1,	2.2	2
267	EEG microstates as biomarker for psychosis in ultra-high-risk patients. <i>Translational Psychiatry</i> , 2020 , 10, 300	8.6	16
266	The NEURAPRO Biomarker Analysis: Long-Chain Omega-3 Fatty Acids Improve 6-Month and 12-Month Outcomes in Youths at Ultra-High Risk for Psychosis. <i>Biological Psychiatry</i> , 2020 , 87, 243-252	7.9	22
265	An overlapping pattern of cerebral cortical thinning is associated with both positive symptoms and aggression in schizophrenia via the ENIGMA consortium. <i>Psychological Medicine</i> , 2020 , 50, 2034-2045	6.9	6
264	Supplementation with the omega-3 long chain polyunsaturated fatty acids: Changes in the concentrations of omega-3 index, fatty acids and molecular phospholipids of people at ultra high risk of developing psychosis. <i>Schizophrenia Research</i> , 2020 , 226, 52-60	3.6	0
263	Comparison of erythrocyte omega-3 index, fatty acids and molecular phospholipid species in people at ultra-high risk of developing psychosis and healthy people. <i>Schizophrenia Research</i> , 2020 , 226, 44-51	3.6	14
262	Clinical and functional ultra-long-term outcome of patients with a clinical high risk (CHR) for psychosis. <i>European Psychiatry</i> , 2019 , 62, 30-37	6	19
261	Individualized Prediction of Transition to Psychosis in 1,676 Individuals at Clinical High Risk: Development and Validation of a Multivariable Prediction Model Based on Individual Patient Data Meta-Analysis. <i>Frontiers in Psychiatry</i> , 2019 , 10, 345	5	18
260	Association of antidepressants with brain morphology in early stages of psychosis: an imaging genomics approach. <i>Scientific Reports</i> , 2019 , 9, 8516	4.9	6
259	Gender differences of patients at-risk for psychosis regarding symptomatology, drug use, comorbidity and functioning - Results from the EU-GEI study. <i>European Psychiatry</i> , 2019 , 59, 52-59	6	15
258	No associations between medial temporal lobe volumes and verbal learning/memory in emerging psychosis. <i>European Journal of Neuroscience</i> , 2019 , 50, 3060-3071	3.5	3
257	Implementation of early detection and intervention services for psychosis in Central and Eastern Europe: Current status. <i>Microbial Biotechnology</i> , 2019 , 13, 1283-1288	3.3	3
256	Estrogens and SERMS as adjunctive treatments for schizophrenia. <i>Frontiers in Neuroendocrinology</i> , 2019 , 53, 100743	8.9	23
255	O6.5. INVESTIGATING VARIABLES FROM THE NAPLS RISK CALCULATOR FOR PSYCHOSIS IN THE EU-GEI HIGH RISK STUDY. <i>Schizophrenia Bulletin</i> , 2019 , 45, S177-S178	1.3	78
254	Survey of the European Psychiatric Association on the European status and perspectives in early detection and intervention in at-risk mental state and first-episode psychosis. <i>Microbial Biotechnology</i> , 2019 , 13, 853-858	3.3	7

253	Exploring the predictive power of the unspecific risk category of the Basel Screening Instrument for Psychosis. <i>Microbial Biotechnology</i> , 2019 , 13, 969-976	3.3	6
252	Plasma and serum brain-derived neurotrophic factor (BDNF) levels and their association with neurocognition in at-risk mental state, first episode psychosis and chronic schizophrenia patients. <i>World Journal of Biological Psychiatry</i> , 2019 , 20, 545-554	3.8	21
251	Vulnerability and Protective Factors for Mental Health: A Rereading in Gender Perspective 2019 , 25-36		
250	Relationship Between Polyunsaturated Fatty Acids and Psychopathology in the NEURAPRO Clinical Trial. <i>Frontiers in Psychiatry</i> , 2019 , 10, 393	5	13
249	Menopause and Mental Health. <i>Mental Health and Illness Worldwide</i> , 2019 , 1-27	0.1	
248	Neurocognition as a predictor of transition to psychotic disorder and functional outcomes in ultra-high risk participants: Findings from the NEURAPRO randomized clinical trial. <i>Schizophrenia Research</i> , 2019 , 206, 67-74	3.6	25
247	Reply to: New Meta- and Mega-analyses of Magnetic Resonance Imaging Findings in Schizophrenia: Do They Really Increase Our Knowledge About the Nature of the Disease Process?. <i>Biological Psychiatry</i> , 2019 , 85, e35-e39	7.9	4
246	Bride price payment and women's autonomy: Findings from qualitative interviews from Nigeria. <i>Women and Health</i> , 2019 , 59, 775-788	1.7	1
245	WFSBP and IAWMH Guidelines for the treatment of alcohol use disorders in pregnant women. <i>World Journal of Biological Psychiatry</i> , 2019 , 20, 17-50	3.8	18
244	Clinical and functional long-term outcome of patients at clinical high risk (CHR) for psychosis without transition to psychosis: A systematic review. <i>Schizophrenia Research</i> , 2019 , 210, 39-47	3.6	45
243	Individualized prediction of psychosis in subjects with an at-risk mental state. <i>Schizophrenia Research</i> , 2019 , 214, 18-23	3.6	14
242	Gender differences in first self-perceived signs and symptoms in patients with an at-risk mental state and first-episode psychosis. <i>Microbial Biotechnology</i> , 2019 , 13, 582-588	3.3	14
241	Disorganized Gyrfication Network Properties During the Transition to Psychosis. <i>JAMA Psychiatry</i> , 2018 , 75, 613-622	14.5	38
240	Sexually dimorphic subcortical brain volumes in emerging psychosis. <i>Schizophrenia Research</i> , 2018 , 199, 257-265	3.6	9
239	Clinical trajectories in the ultra-high risk for psychosis population. <i>Schizophrenia Research</i> , 2018 , 197, 550-556	3.6	34
238	The Frankfurt Complaint Questionnaire for self-assessment of basic symptoms in the early detection of psychosis-Factor structure, reliability, and predictive validity. <i>International Journal of Methods in Psychiatric Research</i> , 2018 , 27, e1600	4.3	6
237	Can neuropsychological testing facilitate differential diagnosis between at-risk mental state (ARMS) for psychosis and adult attention-deficit/hyperactivity disorder (ADHD)?. <i>European Psychiatry</i> , 2018 , 52, 38-44	6	6
236	Early detection of psychosis: helpful or stigmatizing experience? A qualitative study. <i>Microbial Biotechnology</i> , 2018 , 12, 66-73	3.3	11

235	Outcome of individuals "not at risk of psychosis" and prognostic accuracy of the Basel Screening Instrument for Psychosis (BSIP). <i>Microbial Biotechnology</i> , 2018 , 12, 907-914	3.3	2
234	Abnormal brain connectivity during error-monitoring in the psychosis high-risk state. <i>Schizophrenia Research</i> , 2018 , 193, 261-262	3.6	1
233	Impact on the Onset of Psychosis of a Polygenic Schizophrenia-Related Risk Score and Changes in White Matter Volume. <i>Cellular Physiology and Biochemistry</i> , 2018 , 48, 1201-1214	3.9	6
232	Dynamic prediction of transition to psychosis using joint modelling. <i>Schizophrenia Research</i> , 2018 , 202, 333-340	3.6	13
231	Evaluating verbal learning and memory in patients with an at-risk mental state or first episode psychosis using structural equation modelling. <i>PLoS ONE</i> , 2018 , 13, e0196936	3.7	2
230	Patient-Identified Priorities Leading to Attempted Suicide. <i>Crisis</i> , 2018 , 39, 37-46	2.8	3
229	T49. THE NEURAPRO STUDY: ADHERENCE TO STUDY MEDICATION. <i>Schizophrenia Bulletin</i> , 2018 , 44, S132-S133	1.3	3
228	T9. CROSS-SECTIONAL ASSOCIATION OF MEMBRANE FATTY ACID COMPOSITION AND PSYCHOPATHOLOGY IN THE NEURAPRO-E STUDY. <i>Schizophrenia Bulletin</i> , 2018 , 44, S116-S116	1.3	1
227	T212. THE INTRINSIC ORGANIZATION OF SYMPTOMS MARKS TRANSITION FROM HIGH-RISK STATE TO EARLY PSYCHOSIS: A PHENOMENOLOGICAL CONNECTIVITY STUDY. <i>Schizophrenia Bulletin</i> , 2018 , 44, S199-S199	1.3	78
226	F25. NEURAPRO REVISITED: INCREASES IN LONG-CHAIN OMEGA-3 FATTY ACIDS IMPROVE FUNCTIONAL AND SYMPTOMATIC OUTCOMES IN ULTRAHIGH RISK PATIENTS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S228-S228	1.3	1
225	S136. A NOVEL APPROACH FOR DEVELOPING PREDICTION MODEL OF TRANSITION TO PSYCHOSIS: DYNAMIC PREDICTION USING JOINT MODELLING. <i>Schizophrenia Bulletin</i> , 2018 , 44, S378-S379	1.3	1
224	Voxel-Based Morphometry Correlates of an Agitated-Aggressive Syndrome in the At-Risk Mental State for Psychosis and First Episode Psychosis. <i>Scientific Reports</i> , 2018 , 8, 16516	4.9	1
223	Prediction Models of Functional Outcomes for Individuals in the Clinical High-Risk State for Psychosis or With Recent-Onset Depression: A Multimodal, Multisite Machine Learning Analysis. <i>JAMA Psychiatry</i> , 2018 , 75, 1156-1172	14.5	156
222	The neuropsychology of emerging psychosis and the role of working memory in episodic memory encoding. <i>Psychology Research and Behavior Management</i> , 2018 , 11, 157-168	3.8	6
221	O8.8. NEUROCOGNITION IN ULTRA-HIGHRISK INDIVIDUALS AND RELATIONSHIP TO TRANSITION TO PSYCHOSIS, DEPRESSIVE DISORDER, AND FUNCTIONING: FINDINGS FROM THE NEURAPRO TRIAL. <i>Schizophrenia Bulletin</i> , 2018 , 44, S99-S99	1.3	1
220	Sex and gender differences in schizophrenic psychoses-a critical review. <i>Archives of Women's Mental Health</i> , 2018 , 21, 627-648	5	80
219	Cortical Brain Abnormalities in 4474 Individuals With Schizophrenia and 5098 Control Subjects via the Enhancing Neuro Imaging Genetics Through Meta Analysis (ENIGMA) Consortium. <i>Biological Psychiatry</i> , 2018 , 84, 644-654	7.9	325
218	The relationship between negative symptoms and cognitive functioning in patients at clinical high risk for psychosis. <i>Psychiatry Research</i> , 2018 , 268, 21-27	9.9	13

217	NEURAPRO: a multi-centre RCT of omega-3 polyunsaturated fatty acids versus placebo in young people at ultra-high risk of psychotic disorders-medium-term follow-up and clinical course. <i>NPJ Schizophrenia</i> , 2018 , 4, 11	5.5	29
216	NEURAPRO-E study protocol: a multicentre randomized controlled trial of omega-3 fatty acids and cognitive-behavioural case management for patients at ultra high risk of schizophrenia and other psychotic disorders. <i>Microbial Biotechnology</i> , 2017 , 11, 418-428	3.3	40
215	Correlations between self-rating and observer-rating of psychopathology in at-risk mental state and first-episode psychosis patients: influence of disease stage and gender. <i>Microbial Biotechnology</i> , 2017 , 11, 461-470	3.3	9
214	Longitudinal determinants of client treatment satisfaction in an intensive first-episode psychosis treatment programme. <i>Microbial Biotechnology</i> , 2017 , 11, 354-362	3.3	4
213	Prediction of transition to psychosis in patients with a clinical high risk for psychosis: a systematic review of methodology and reporting. <i>Psychological Medicine</i> , 2017 , 47, 1163-1178	6.9	59
212	Sex differences in prolactin levels in emerging psychosis: Indication for enhanced stress reactivity in women. <i>Schizophrenia Research</i> , 2017 , 189, 111-116	3.6	27
211	Sex and gender differences in mental disorders. <i>Lancet Psychiatry</i> , 2017 , 4, 8-9	23.3	157
210	Effect of Polyunsaturated Fatty Acids in Young People at Ultrahigh Risk for Psychotic Disorders: The NEURAPRO Randomized Clinical Trial. <i>JAMA Psychiatry</i> , 2017 , 74, 19-27	14.5	162
209	Autonomy and Reproductive Rights of Married Ikwerre Women in Rivers State, Nigeria. <i>Journal of Bioethical Inquiry</i> , 2017 , 14, 205-215	1.9	3
208	Alpha oscillations underlie working memory abnormalities in the psychosis high-risk state. <i>Biological Psychology</i> , 2017 , 126, 12-18	3.2	
207	Oestrogens, prolactin, hypothalamic-pituitary-gonadal axis, and schizophrenic psychoses. <i>Lancet Psychiatry</i> , 2017 , 4, 63-72	23.3	71
206	Opening the Black Box of Cognitive-Behavioural Case Management in Clients with Ultra-High Risk for Psychosis. <i>Psychotherapy and Psychosomatics</i> , 2017 , 86, 292-299	9.4	17
205	Education and Reproductive Autonomy: The Case of Married Nigerian Women. <i>Narrative Inquiry in Bioethics</i> , 2017 , 7, 231-244	0.2	6
204	Estradiol Production Suppressed by Prolactin in at-risk Mental State and First Episode Psychosis Female Patients? Preliminary Results. <i>European Psychiatry</i> , 2017 , 41, S267-S267	6	1
203	The Current European Status. <i>European Psychiatry</i> , 2017 , 41, S27-S27	6	
202	Long-term rates of remission and late psychotic transition of individuals at risk for psychosis. <i>European Psychiatry</i> , 2017 , 41, S186-S186	6	2
201	Comorbidities in Patients with an At-risk Mental State and First Episode Psychosis. <i>European Psychiatry</i> , 2017 , 41, S198-S198	6	1
200	The Relationship Between Negative Symptoms and Cognitive Functioning in Patients with an at Risk Mental State for Psychosis. <i>European Psychiatry</i> , 2017 , 41, S270-S271	6	

199	Stigma in early detection of psychosis: Subjective experiences of those concerned. <i>European Psychiatry</i> , 2017 , 41, S387-S387	6	
198	Verbal Learning and Memory in At-risk Mental State and First Episode Psychosis Patients and Their Correlates to Brain Structural Alterations. <i>European Psychiatry</i> , 2017 , 41, S103-S103	6	
197	Duration of untreated psychosis/illness and brain volume changes in early psychosis. <i>Psychiatry Research</i> , 2017 , 255, 332-337	9.9	19
196	Prediction of conversion to psychosis in individuals with an at-risk mental state: a brief update on recent developments. <i>Current Opinion in Psychiatry</i> , 2017 , 30, 209-219	4.9	39
195	Depression in der Peripartalzeit Diagnostik, Therapie und Prophylaxe. <i>Frauenheilkunde Up2date</i> , 2017 , 10, 531-545	0.1	
194	Working Together for Early Detection of Psychosis. <i>European Psychiatry</i> , 2017 , 41, S6-S6	6	
193	Age-related brain structural alterations as an intermediate phenotype of psychosis. <i>Journal of Psychiatry and Neuroscience</i> , 2017 , 42, 307-319	4.5	19
192	Screening for Adult Attention-Deficit/Hyperactivity Disorder in a Psychiatric Outpatient Population with Specific Focus on Sex Differences. <i>Frontiers in Psychiatry</i> , 2017 , 8, 115	5	18
191	Symptom Overlap and Screening for Symptoms of Attention-Deficit/Hyperactivity Disorder and Psychosis Risk in Help-Seeking Psychiatric Patients. <i>Frontiers in Psychiatry</i> , 2017 , 8, 206	5	4
190	Machine Learning for Large-Scale Quality Control of 3D Shape Models in Neuroimaging. <i>Lecture Notes in Computer Science</i> , 2017 , 10541, 371-378	0.9	4
189	Structural Network Disorganization in Subjects at Clinical High Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2017 , 43, 583-591	1.3	31
188	Prediction of psychosis using neural oscillations and machine learning in neuroleptic-naïve at-risk patients. <i>World Journal of Biological Psychiatry</i> , 2016 , 17, 285-95	3.8	34
187	Effects of an electronic reminder system on guideline-concordant treatment of psychotic disorders : Results from a pilot feasibility trial. <i>Neuropsychiatrie</i> , 2016 , 30, 191-197	3.5	1
186	The Dark Side of the Moon: Meta-analytical Impact of Recruitment Strategies on Risk Enrichment in the Clinical High Risk State for Psychosis. <i>Schizophrenia Bulletin</i> , 2016 , 42, 732-43	1.3	144
185	Neural oscillations in antipsychotic-naïve patients with a first psychotic episode. <i>World Journal of Biological Psychiatry</i> , 2016 , 17, 296-307	3.8	10
184	Heterogeneity of Psychosis Risk Within Individuals at Clinical High Risk: A Meta-analytical Stratification. <i>JAMA Psychiatry</i> , 2016 , 73, 113-20	14.5	270
183	Dysfunctional insular connectivity during reward prediction in patients with first-episode psychosis. <i>Journal of Psychiatry and Neuroscience</i> , 2016 , 41, 367-376	4.5	23
182	Psychotropic Drugs and the Perinatal Period 2016 , 79-92		1

181	Weibliche Rollen und psychische Gesundheit 2016 , 19-34		5
180	Appropriateness of Care and Joint Decision-Making Strategies 2016 , 207-209		
179	Altered Insular Function during Aberrant Salience Processing in Relation to the Severity of Psychotic Symptoms. <i>Frontiers in Psychiatry</i> , 2016 , 7, 189	5	10
178	Alterations in the hippocampus and thalamus in individuals at high risk for psychosis. <i>NPJ Schizophrenia</i> , 2016 , 2, 16033	5.5	29
177	The role of vulnerability factors in individuals with an at-risk mental state of psychosis. <i>Neuropsychiatrie</i> , 2016 , 30, 18-26	3.5	4
176	Early psychosis in young women. <i>European Psychiatry</i> , 2016 , 33, S7-S7	6	
175	Sex and gender differences in schizophrenic psychoses. <i>European Psychiatry</i> , 2016 , 33, S46-S46	6	4
174	Increased superior frontal gyrus activation during working memory processing in psychosis: Significant relation to cumulative antipsychotic medication and to negative symptoms. <i>Schizophrenia Research</i> , 2016 , 175, 20-26	3.6	7
173	High time for a paradigm shift in psychiatry. <i>World Psychiatry</i> , 2016 , 15, 131-3	14.4	5
172	Does menopausal transition really influence mental health? Findings from the prospective long-term Zurich study. <i>World Psychiatry</i> , 2016 , 15, 146-54	14.4	27
171	Impact of polygenic schizophrenia-related risk and hippocampal volumes on the onset of psychosis. <i>Translational Psychiatry</i> , 2016 , 6, e868	8.6	25
170	Modulation of motivational salience processing during the early stages of psychosis. <i>Schizophrenia Research</i> , 2015 , 166, 17-23	3.6	38
169	Individualized differential diagnosis of schizophrenia and mood disorders using neuroanatomical biomarkers. <i>Brain</i> , 2015 , 138, 2059-73	11.2	99
168	Pituitary gland volume in at-risk mental state for psychosis: a longitudinal MRI analysis. <i>CNS Spectrums</i> , 2015 , 20, 122-9	1.8	10
167	EPA guidance on the early detection of clinical high risk states of psychoses. <i>European Psychiatry</i> , 2015 , 30, 405-16	6	235
166	Depression in der Peripartalzeit [Diagnostik, Therapie und Prophylaxe. <i>PSYCH Up2date</i> , 2015 , 9, 149-160 _{0.1}		
165	Increased functional connectivity in the resting-state basal ganglia network after acute heroin substitution. <i>Translational Psychiatry</i> , 2015 , 5, e533	8.6	32
164	Hippocampal volume correlates with attenuated negative psychotic symptoms irrespective of antidepressant medication. <i>NeuroImage: Clinical</i> , 2015 , 8, 230-7	5.3	7

163	Aberrant Current Source-Density and Lagged Phase Synchronization of Neural Oscillations as Markers for Emerging Psychosis. <i>Schizophrenia Bulletin</i> , 2015 , 41, 919-29	1.3	50
162	Detecting the psychosis prodrome across high-risk populations using neuroanatomical biomarkers. <i>Schizophrenia Bulletin</i> , 2015 , 41, 471-82	1.3	105
161	At risk or not at risk? A meta-analysis of the prognostic accuracy of psychometric interviews for psychosis prediction. <i>World Psychiatry</i> , 2015 , 14, 322-32	14.4	172
160	Brain Diffusion Changes in Emerging Psychosis and the Impact of State-Dependent Psychopathology. <i>NeuroSignals</i> , 2015 , 23, 71-83	1.9	20
159	Classifying individuals at high-risk for psychosis based on functional brain activity during working memory processing. <i>NeuroImage: Clinical</i> , 2015 , 9, 555-63	5.3	17
158	Abnormal functional integration of thalamic low frequency oscillation in the BOLD signal after acute heroin treatment. <i>Human Brain Mapping</i> , 2015 , 36, 5287-300	5.9	19
157	EPA guidance on the early intervention in clinical high risk states of psychoses. <i>European Psychiatry</i> , 2015 , 30, 388-404	6	233
156	Sex differences in cognitive functioning in at-risk mental state for psychosis, first episode psychosis and healthy control subjects. <i>European Psychiatry</i> , 2015 , 30, 242-50	6	33
155	Orbitofrontal response to drug-related stimuli after heroin administration. <i>Addiction Biology</i> , 2015 , 20, 570-9	4.6	24
154	Normalizing effect of heroin maintenance treatment on stress-induced brain connectivity. <i>Brain</i> , 2015 , 138, 217-28	11.2	17
153	Perinatal mental health service provision in Switzerland and in the UK. <i>Swiss Medical Weekly</i> , 2015 , 145, w14011	3.1	5
152	Früherkennung und Frühintervention bei beginnenden Psychosen. <i>Neurotransmitter</i> , 2015 , 26, 50-54	0.1	
151	Therapist-client sex in psychotherapy: attitudes of professionals and students towards ethical arguments. <i>Swiss Medical Weekly</i> , 2015 , 145, w14099	3.1	2
150	Accelerated brain aging in schizophrenia and beyond: a neuroanatomical marker of psychiatric disorders. <i>Schizophrenia Bulletin</i> , 2014 , 40, 1140-53	1.3	235
149	Evidence for an agitated-aggressive syndrome predating the onset of psychosis. <i>Schizophrenia Research</i> , 2014 , 157, 26-32	3.6	16
148	Acute effects of heroin on negative emotional processing: relation of amygdala activity and stress-related responses. <i>Biological Psychiatry</i> , 2014 , 76, 289-96	7.9	93
147	Altered prefrontal connectivity after acute heroin administration during cognitive control. <i>International Journal of Neuropsychopharmacology</i> , 2014 , 17, 1375-85	5.8	11
146	Identifying gene-environment interactions in schizophrenia: contemporary challenges for integrated, large-scale investigations. <i>Schizophrenia Bulletin</i> , 2014 , 40, 729-36	1.3	186

145	Abnormal effective connectivity and psychopathological symptoms in the psychosis high-risk state. <i>Journal of Psychiatry and Neuroscience</i> , 2014 , 39, 239-48	4.5	32
144	Reduced parahippocampal cortical thickness in subjects at ultra-high risk for psychosis. <i>Psychological Medicine</i> , 2014 , 44, 489-98	6.9	37
143	Gender differences in the psychopathology of emerging psychosis. <i>Israel Journal of Psychiatry</i> , 2014 , 51, 85-92		3
142	Cannabis use and cognitive functions in at-risk mental state and first episode psychosis. <i>Psychopharmacology</i> , 2013 , 230, 299-308	4.7	19
141	Help-seeking and pathways to care in the early stages of psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013 , 48, 1033-43	4.5	48
140	Acute effects of heroin on emotions in heroin-dependent patients. <i>American Journal on Addictions</i> , 2013 , 22, 598-604	3.7	28
139	Moving beyond transition outcomes: meta-analysis of remission rates in individuals at high clinical risk for psychosis. <i>Psychiatry Research</i> , 2013 , 209, 266-72	9.9	96
138	Cannabis use and brain structural alterations of the cingulate cortex in early psychosis. <i>Psychiatry Research - Neuroimaging</i> , 2013 , 214, 102-8	2.9	21
137	Persistent negative symptoms in first episode patients with schizophrenia: results from the European First Episode Schizophrenia Trial. <i>European Neuropsychopharmacology</i> , 2013 , 23, 196-204	1.2	99
136	Are neurological soft signs pre-existing markers in individuals with an at-risk mental state for psychosis?. <i>Psychiatry Research</i> , 2013 , 210, 427-31	9.9	15
135	S.10.03 Hyperprolactinemia in drug-naïve first-episode patients: data from EUFEST. <i>European Neuropsychopharmacology</i> , 2013 , 23, S126	1.2	
134	The attenuated psychosis syndrome in DSM-5. <i>Schizophrenia Research</i> , 2013 , 151, 295	3.6	4
133	Comorbid substance abuse in first-episode schizophrenia: effects on cognition and psychopathology in the EUFEST study. <i>Schizophrenia Research</i> , 2013 , 147, 132-139	3.6	36
132	P.6.d.001 Inhibition-specific prefrontal connectivity after an acute dose of heroin. <i>European Neuropsychopharmacology</i> , 2013 , 23, S573-S574	1.2	
131	P.1.i.025 Abnormal brain functioning during salience processing in patients with schizophrenic psychosis. <i>European Neuropsychopharmacology</i> , 2013 , 23, S277-S278	1.2	
130	The psychosis high-risk state: a comprehensive state-of-the-art review. <i>JAMA Psychiatry</i> , 2013 , 70, 107-204	4.5	965
129	Duration of untreated psychosis and cognitive functioning. <i>Schizophrenia Research</i> , 2013 , 145, 43-9	3.6	27
128	Hyperprolactinemia in antipsychotic-naive patients with first-episode psychosis. <i>Psychological Medicine</i> , 2013 , 43, 2571-82	6.9	68

127	Can cognitive deficits facilitate differential diagnosis between at-risk mental state for psychosis and depressive disorders?. <i>Microbial Biotechnology</i> , 2013 , 7, 381-90	3.3	11
126	Metabolic risk factors in first-episode schizophrenia: baseline prevalence and course analysed from the European First-Episode Schizophrenia Trial. <i>International Journal of Neuropsychopharmacology</i> , 2013 , 16, 987-95	5.8	60
125	Association of frontal gray matter volume and cerebral perfusion in heroin addiction: a multimodal neuroimaging study. <i>Frontiers in Psychiatry</i> , 2013 , 4, 135	5	23
124	Brain connectivity abnormalities predating the onset of psychosis: correlation with the effect of medication. <i>JAMA Psychiatry</i> , 2013 , 70, 903-12	14.5	72
123	Group treatment for depression in mothers of young children compared to standard individual therapy. <i>Psychopathology</i> , 2013 , 46, 94-101	3.4	4
122	Distinguishing prodromal from first-episode psychosis using neuroanatomical single-subject pattern recognition. <i>Schizophrenia Bulletin</i> , 2013 , 39, 1105-14	1.3	54
121	Acute effects of intravenous heroin on the hypothalamic-pituitary-adrenal axis response: a controlled trial. <i>Journal of Clinical Psychopharmacology</i> , 2013 , 33, 193-8	1.7	29
120	Inferior frontal cortex modulation with an acute dose of heroin during cognitive control. <i>Neuropsychopharmacology</i> , 2013 , 38, 2231-9	8.7	40
119	Insight and hostility as predictors and correlates of nonadherence in the European First Episode Schizophrenia Trial. <i>Journal of Clinical Psychopharmacology</i> , 2013 , 33, 258-61	1.7	11
118	Violence against Women and Mental Health. <i>Key Issues in Mental Health</i> , 2013 , 167-174		4
117	Do subjects at clinical high risk for psychosis differ from those with a genetic high risk?--A systematic review of structural and functional brain abnormalities. <i>Current Medicinal Chemistry</i> , 2013 , 20, 467-81	4.3	51
116	Reduction in cerebral perfusion after heroin administration: a resting state arterial spin labeling study. <i>PLoS ONE</i> , 2013 , 8, e71461	3.7	26
115	Suicide attempts in the county of Basel: results from the WHO/EURO Multicentre Study on Suicidal Behaviour. <i>Swiss Medical Weekly</i> , 2013 , 143, w13759	3.1	12
114	First self-perceived signs and symptoms in emerging psychosis compared with depression. <i>Microbial Biotechnology</i> , 2012 , 6, 455-9	3.3	3
113	Hippocampal volume in subjects at high risk of psychosis: a longitudinal MRI study. <i>Schizophrenia Research</i> , 2012 , 142, 217-22	3.6	47
112	Whither the attenuated psychosis syndrome?. <i>Schizophrenia Bulletin</i> , 2012 , 38, 1130-4	1.3	74
111	Poster #52 DURATION OF UNTREATED ILLNESS/PSYCHOSIS AND COGNITIVE FUNCTIONING. <i>Schizophrenia Research</i> , 2012 , 136, S110	3.6	
110	Poster #56 INSULAR VOLUME ABNORMALITIES ASSOCIATED WITH DIFFERENT TRANSITION PROBABILITIES TO PSYCHOSIS [A VOXEL-BASED MORPHOMETRY STUDY]. <i>Schizophrenia Research</i> , 2012 , 136, S111	3.6	

109	Poster #54 PITUITARY GLAND VOLUME IN INDIVIDUALS WITH AN AT-RISK MENTAL STATE: A LONGITUDINAL MRI ANALYSIS. <i>Schizophrenia Research</i> , 2012 , 136, S300	3.6	1
108	Different duration of at-risk mental state associated with neurofunctional abnormalities. A multimodal imaging study. <i>Human Brain Mapping</i> , 2012 , 33, 2281-94	5.9	56
107	Disease prediction in the at-risk mental state for psychosis using neuroanatomical biomarkers: results from the FePsy study. <i>Schizophrenia Bulletin</i> , 2012 , 38, 1234-46	1.3	111
106	Attempted suicide in immigrants from Turkey: a comparison with Swiss suicide attempters. <i>Psychopathology</i> , 2012 , 45, 366-73	3.4	16
105	The impact of diacetylmorphine on hypothalamic-pituitary-adrenal axis activity and heroin craving in heroin dependence. <i>European Addiction Research</i> , 2012 , 18, 116-23	4.6	17
104	Insular volume abnormalities associated with different transition probabilities to psychosis. <i>Psychological Medicine</i> , 2012 , 42, 1613-25	6.9	42
103	Effects of cannabis use on human brain structure in psychosis: a systematic review combining in vivo structural neuroimaging and post mortem studies. <i>Current Pharmaceutical Design</i> , 2012 , 18, 5070-80	3.3	47
102	Neuroimaging and resilience factors--staging of the at-risk mental state?. <i>Current Pharmaceutical Design</i> , 2012 , 18, 416-21	3.3	11
101	Unmet needs in patients with first-episode schizophrenia: a longitudinal perspective. <i>Psychological Medicine</i> , 2012 , 42, 1461-73	6.9	21
100	Cingulate volume abnormalities in emerging psychosis. <i>Current Pharmaceutical Design</i> , 2012 , 18, 495-504	3.3	17
99	Cost of attempted suicide: a retrospective study of extent and associated factors. <i>Swiss Medical Weekly</i> , 2012 , 142, w13648	3.1	23
98	Pituitary volume increase during emerging psychosis. <i>Schizophrenia Research</i> , 2011 , 125, 41-8	3.6	45
97	Sexual dysfunction in first-episode schizophrenia patients: results from European First Episode Schizophrenia Trial. <i>Journal of Clinical Psychopharmacology</i> , 2011 , 31, 274-80	1.7	71
96	Depression und Psychose in der Menopause - kann eine Hormontherapie hilfreich sein?. <i>Psychiatrie Und Psychotherapie</i> , 2011 , 7, 129-134		
95	Estrogens and gonadal function in schizophrenia and related psychoses. <i>Current Topics in Behavioral Neurosciences</i> , 2011 , 8, 155-71	3.4	53
94	Neuroanatomical abnormalities that predate the onset of psychosis: a multicenter study. <i>Archives of General Psychiatry</i> , 2011 , 68, 489-95		196
93	A randomized, double-blind, placebo-controlled study of light therapy for antepartum depression. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 986-93	4.6	150
92	The Self-screen-Prodrome as a short screening tool for pre-psychotic states. <i>Schizophrenia Research</i> , 2010 , 123, 217-24	3.6	24

91	EEG spectral power and negative symptoms in at-risk individuals predict transition to psychosis. <i>Schizophrenia Research</i> , 2010 , 123, 208-16	3.6	34
90	Neural effects of heroin--relation to anxiety stress. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010 , 34, 816-7	5.5	1
89	Hyperprolactinaemia in early psychosis-not only due to antipsychotics. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010 , 34, 1342-4	5.5	65
88	P.3.019 A meta-analysis of neuroimaging predictors of transition to psychosis. <i>European Neuropsychopharmacology</i> , 2010 , 20, S78	1.2	
87	Prospects for the classification of mental disorders in women. <i>European Psychiatry</i> , 2010 , 25, 189-96	6	30
86	Hippocampus abnormalities in at risk mental states for psychosis? A cross-sectional high resolution region of interest magnetic resonance imaging study. <i>Journal of Psychiatric Research</i> , 2010 , 44, 447-53	5.2	75
85	Neuroimaging predictors of transition to psychosis--a systematic review and meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2010 , 34, 1207-22	9	249
84	Hippocampal volume reduction specific for later transition to psychosis or substance-associated effects?. <i>Journal of Psychiatry and Neuroscience</i> , 2010 , 35, 214-5; author reply 215	4.5	2
83	Domestic violence against women: Definitions, epidemiology, risk factors and consequences. <i>Swiss Medical Weekly</i> , 2010 , 140, w13099	3.1	37
82	Prediction of caseness for mental pathology in Swiss conscripts: the Self-Screen Prodrome. <i>Military Medicine</i> , 2009 , 174, 1270-5	1.3	10
81	The effects of antipsychotics on brain structure: what have we learnt from structural imaging of schizophrenia?. <i>Psychological Medicine</i> , 2009 , 39, 1781-2	6.9	12
80	Cognitive effects of antipsychotic drugs in first-episode schizophrenia and schizophreniform disorder: a randomized, open-label clinical trial (EUFEST). <i>American Journal of Psychiatry</i> , 2009 , 166, 675-82	11.9	249
79	Can cortical thickness asymmetry analysis contribute to detection of at-risk mental state and first-episode psychosis? A pilot study. <i>Radiology</i> , 2009 , 250, 212-21	20.5	54
78	Antipsychotika und Hyperprolaktinämie: Pathophysiologie, klinische Bedeutung, Abklärung und Therapie. <i>Gynakologische Endokrinologie</i> , 2009 , 7, 171-182	0.1	2
77	EEG: a helpful tool in the prediction of psychosis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2009 , 259, 257-62	5.1	22
76	Efficacy of using cognitive status in predicting psychosis: a 7-year follow-up. <i>Biological Psychiatry</i> , 2009 , 66, 1023-30	7.9	204
75	Superior temporal gray and white matter changes in schizophrenia or antipsychotic related effects?. <i>Schizophrenia Research</i> , 2009 , 113, 109-10	3.6	13
74	Negative symptoms in neuroleptic-naïve patients with first-episode psychosis correlate with QEEG parameters. <i>Schizophrenia Research</i> , 2009 , 115, 231-6	3.6	17

73	The effects of antipsychotics on the brain: what have we learnt from structural imaging of schizophrenia?--a systematic review. <i>Current Pharmaceutical Design</i> , 2009 , 15, 2535-49	3.3	182
72	Intervention in individuals at ultra-high risk for psychosis: a review and future directions. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 1206-12	4.6	219
71	Reductions in frontal, temporal and parietal volume associated with the onset of psychosis. <i>Schizophrenia Research</i> , 2008 , 106, 108-14	3.6	186
70	STRATEGIES FOR IMPROVING THE PREDICTION OF PSYCHOSIS. <i>Schizophrenia Research</i> , 2008 , 102, 155	3.6	1
69	Anterior cingulate pathology in the prodromal stage of schizophrenia. <i>NeuroImage</i> , 2008 , 39, 553-4	7.9	33
68	Effectiveness of antipsychotic drugs in first-episode schizophrenia and schizophreniform disorder: an open randomised clinical trial. <i>Lancet, The</i> , 2008 , 371, 1085-97	4.0	823
67	Insular pathology in the at-risk mental state. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2008 , 258, 254-5	5.1	3
66	Psychotic experiences in the general population: a twenty-year prospective community study. <i>Schizophrenia Research</i> , 2007 , 92, 1-14	3.6	226
65	Neuropsychological deficits in individuals with an at risk mental state for psychosis - working memory as a potential trait marker. <i>Schizophrenia Research</i> , 2007 , 97, 14-24	3.6	80
64	Regional gray matter volume abnormalities in the at risk mental state. <i>Biological Psychiatry</i> , 2007 , 61, 1148-56	7.9	258
63	The Basel early-detection-of-psychosis (FEPSY)-study--design and preliminary results. <i>Acta Psychiatrica Scandinavica</i> , 2007 , 115, 114-25	6.5	140
62	Aneurysms of pericallosal cerebral artery haemorrhage with consecutive psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2007 , 41, 554	2.6	2
61	Antidepressant medications and other treatments of depressive disorders: a CINP Task Force report based on a review of evidence. <i>International Journal of Neuropsychopharmacology</i> , 2007 , 10 Suppl 1, S1-207	5.8	37
60	Structural brain abnormalities in individuals with an at-risk mental state who later develop psychosis. <i>British Journal of Psychiatry</i> , 2007 , 51, s69-75	5.4	105
59	Cavum septum pellucidum in patients with first episode psychosis and individuals at high risk of psychosis. <i>European Psychiatry</i> , 2007 , 22, 264	6	6
58	The forthcoming role of treatment with oestrogens in mental health. <i>Swiss Medical Weekly</i> , 2007 , 137, 565-72	3.1	24
57	Radiological findings in individuals at high risk of psychosis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2006 , 77, 229-33	5.5	37
56	Oestrogen-A Protective Factor in Schizophrenia?. <i>Current Psychiatry Reviews</i> , 2006 , 2, 339-352	0.9	7

55	Symptom control, functioning and satisfaction among Swiss patients treated with risperidone long-acting injectable. <i>International Journal of Psychiatry in Clinical Practice</i> , 2006 , 10, 174-81	2.4	4
54	Early detection and treatment of schizophrenia: how early?. <i>Acta Psychiatrica Scandinavica</i> , 2006 , 113, 73-80	6.5	58
53	Fine motor function and neuropsychological deficits in individuals at risk for schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2006 , 256, 201-6	5.1	38
52	Size of burden of schizophrenia and psychotic disorders. <i>European Neuropsychopharmacology</i> , 2005 , 15, 399-409	1.2	406
51	Estrogens and Schizophrenia 2005 , 31-52		17
50	The European First Episode Schizophrenia Trial (EUFEST): rationale and design of the trial. <i>Schizophrenia Research</i> , 2005 , 78, 147-56	3.6	77
49	Group Psychotherapy for Depression in Early Stages of Motherhood 2005 , 173, 167-181		
48	Cannabis and risk of psychosis. <i>Swiss Medical Weekly</i> , 2004 , 134, 659-63	3.1	8
47	Oestrogens and schizophrenia. <i>Current Opinion in Psychiatry</i> , 2003 , 16, 187-192	4.9	18
46	Late-Onset Schizophrenia Versus Paranoid Psychoses. <i>American Journal of Geriatric Psychiatry</i> , 2003 , 11, 595-604	6.5	1
45	Postpartum depression: do we still need this diagnostic term?. <i>Acta Psychiatrica Scandinavica</i> , 2003 , 108, 51-6	6.5	50
44	Neuropsychological and neurophysiological findings in individuals suspected to be at risk for schizophrenia: preliminary results from the Basel early detection of psychosis study - Früherkennung von Psychosen (FEPSY). <i>Acta Psychiatrica Scandinavica</i> , 2003 , 108, 152-5	6.5	47
43	Hormone replacement therapy in climacteric and aging brain. <i>Gynecological Endocrinology</i> , 2003 , 17, 363-78	2.4	
42	Late-onset schizophrenia versus paranoid psychoses: a valid diagnostic distinction?. <i>American Journal of Geriatric Psychiatry</i> , 2003 , 11, 595-604	6.5	12
41	Oestrogen effects in schizophrenia and their potential therapeutic implications--review. <i>Archives of Women's Mental Health</i> , 2002 , 5, 111-8	5	51
40	Oestrogens and schizophrenia--introduction. <i>Archives of Women's Mental Health</i> , 2002 , 5, 91-2	5	14
39	Östrogene und Schizophrenie - Patientinnen an der Schnittstelle zwischen Psychiatrie und Gynäkologie. <i>Geburtshilfe Und Frauenheilkunde</i> , 2002 , 62, 429-435	2	1
38	Gender aspects in schizophrenia: bridging the border between social and biological psychiatry. <i>Acta Psychiatrica Scandinavica</i> , 2000 , 102, 58-62	6.5	137

37	Traditional Methodology and Outcome Assessment in Studies on the Course of Schizophrenia 1999 , 249-258		
36	The course of schizophrenic psychoses: what do we really know? A selective review from an epidemiological perspective. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1998 , 248, 189-202	5.1	42
35	Gonadal function and its influence on psychopathology. <i>Archives of Women's Mental Health</i> , 1998 , 1, 15-26	5	28
34	The ABC Schizophrenia Study: a preliminary overview of the results. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1998 , 33, 380-6	4.5	151
33	Causes and consequences of the gender difference in age at onset of schizophrenia. <i>Schizophrenia Bulletin</i> , 1998 , 24, 99-113	1.3	238
32	Is schizophrenia a disorder of all ages? A comparison of first episodes and early course across the life-cycle. <i>Psychological Medicine</i> , 1998 , 28, 351-65	6.9	114
31	What do we really know about late-onset schizophrenia?. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1997 , 247, 195-208	5.1	48
30	Changing patterns of mental health care in Germany. <i>International Journal of Law and Psychiatry</i> , 1996 , 19, 391-411	2.6	5
29	Symptom assessment in casenotes and the clinical diagnosis of schizophrenia. <i>Psychopathology</i> , 1995 , 28, 131-9	3.4	6
28	Late-onset schizophrenia and late paraphrenia. <i>Schizophrenia Bulletin</i> , 1995 , 21, 345-54; discussion 355-61	1.3	23
27	Case management for schizophrenic patients at risk for rehospitalization: a case control study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1995 , 246, 29-36	5.1	17
26	The Epidemiology of Early Schizophrenia: Influence of Age and Gender on Onset and Early Course. <i>British Journal of Psychiatry</i> , 1994 , 164, 29-38	5.4	138
25	Can estradiol modulate schizophrenic symptomatology?. <i>Schizophrenia Bulletin</i> , 1994 , 20, 203-14	1.3	230
24	Further evidence for a specific role of estradiol in schizophrenia?. <i>Biological Psychiatry</i> , 1994 , 36, 492-4	7.9	83
23	Influence of the menstrual cycle phase on the therapeutic response in schizophrenia. <i>Biological Psychiatry</i> , 1994 , 36, 137-9	7.9	94
22	Higher morbidity risk for schizophrenia in males: fact or fiction?. <i>Comprehensive Psychiatry</i> , 1994 , 35, 39-49	7.3	15
21	Organic factors and the clinical features of late paranoid psychosis: a comparison with Alzheimer's disease and normal ageing. <i>Acta Psychiatrica Scandinavica</i> , 1994 , 89, 335-40	6.5	19
20	Wilhelm Griesinger and the concept of community care in 19th-century Germany. <i>Psychiatric Services</i> , 1994 , 45, 818-22	3.3	5

19	Validation of Danish case register diagnosis for schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 1994 , 90, 196-203	6.5	80
18	The influence of age and sex on the onset and early course of schizophrenia. <i>British Journal of Psychiatry</i> , 1993 , 162, 80-6	5.4	510
17	Compulsory admission of psychiatric patients--an international comparison. <i>Acta Psychiatrica Scandinavica</i> , 1993 , 87, 231-6	6.5	106
16	Generating and testing a causal explanation of the gender difference in age at first onset of schizophrenia. <i>Psychological Medicine</i> , 1993 , 23, 925-40	6.9	226
15	Schizophrenia and oestrogens--is there an association?. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1993 , 242, 323-8	5.1	111
14	Does case management reduce the rehospitalization rate?. <i>Acta Psychiatrica Scandinavica</i> , 1992 , 86, 445-50	5.5	65
13	IRAOS: an instrument for the assessment of onset and early course of schizophrenia. <i>Schizophrenia Research</i> , 1992 , 6, 209-23	3.6	454
12	Schizophrenic symptomatology varies with serum estradiol levels during menstrual cycle. <i>Schizophrenia Research</i> , 1992 , 6, 114-115	3.6	16
11	First onset and early symptomatology of schizophrenia. A chapter of epidemiological and neurobiological research into age and sex differences. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1992 , 242, 109-18	5.1	142
10	Is age of onset in schizophrenia influenced by marital status? Some remarks on the difficulties and pitfalls in the systematic testing of a "simple" question. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1992 , 27, 122-8	4.5	16
9	Factors influencing compulsory admission of psychiatric patients. <i>Psychological Medicine</i> , 1991 , 21, 197-208	6.8	77
8	Community care in child psychiatry. An empirical approach using the concept of travel time. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1991 , 26, 28-33	4.5	10
7	Schizophrenia--a disease of young single males? Preliminary results from an investigation on a representative cohort admitted to hospital for the first time. <i>European Archives of Psychiatry and Neurological Sciences</i> , 1989 , 239, 210-2		23
6	How does gender influence age at first hospitalization for schizophrenia? A transnational case register study. <i>Psychological Medicine</i> , 1989 , 19, 903-18	6.9	197
5	Central Institute of Mental Health, Mannheim, West Germany. <i>Psychological Medicine</i> , 1985 , 15, 417-31	6.9	3
4	Early Detection of Psychosis - Helpful or Stigmatizing Experience for Those Concerned?. <i>Key Issues in Mental Health</i> , 69-82		
3	Neurocognition and Motor Functioning in the Prediction of Psychosis. <i>Key Issues in Mental Health</i> , 116-132		10
2	Early Detection and Intervention in Psychosis. <i>Key Issues in Mental Health</i> , 179-189		4

1 Dysregulated lipid metabolism precedes onset of psychosis in people at clinical high risk

1