

# Anita Riecher-Rössler

## List of Publications by Year in descending order

Source: [//exaly.com/author-pdf/651591/publications.pdf](https://exaly.com/author-pdf/651591/publications.pdf)

Version: 2024-02-01

250  
papers

15,895  
citations

29928

54  
h-index

20222

117  
g-index

297  
all docs

297  
docs citations

297  
times ranked

15885  
citing authors

#	ARTICLE	IF	CITATIONS
1	The Psychosis High-Risk State. <i>JAMA Psychiatry</i> , 2013, 70, 107.	11.4	1,256
2	Tissue transglutaminase selectively modifies gliadin peptides that are recognized by gut-derived T cells in celiac disease. <i>Nature Medicine</i> , 1998, 4, 713-717.	30.1	1,057
3	Effectiveness of antipsychotic drugs in first-episode schizophrenia and schizophreniform disorder: an open randomised clinical trial. <i>Lancet</i> , The, 2008, 371, 1085-1097.	12.1	980
4	Cortical Brain Abnormalities in 4474 Individuals With Schizophrenia and 5098 Control Subjects via the Enhancing Neuro Imaging Genetics Through Meta Analysis (ENIGMA) Consortium. <i>Biological Psychiatry</i> , 2018, 84, 644-654.	1.3	699
5	The Influence of Age and Sex on the Onset and Early Course of Schizophrenia. <i>British Journal of Psychiatry</i> , 1993, 162, 80-86.	3.6	601
6	Size of burden of schizophrenia and psychotic disorders. <i>European Neuropsychopharmacology</i> , 2005, 15, 399-409.	1.6	524
7	Accelerated Brain Aging in Schizophrenia and Beyond: A Neuroanatomical Marker of Psychiatric Disorders. <i>Schizophrenia Bulletin</i> , 2014, 40, 1140-1153.	4.6	389
8	Heterogeneity of Psychosis Risk Within Individuals at Clinical High Risk. <i>JAMA Psychiatry</i> , 2016, 73, 113.	11.4	367
9	Sex and gender differences in mental disorders. <i>Lancet Psychiatry</i> , the, 2017, 4, 8-9.	7.6	366
10	Regional Gray Matter Volume Abnormalities in the At Risk Mental State. <i>Biological Psychiatry</i> , 2007, 61, 1148-1156.	1.3	298
11	Cognitive Effects of Antipsychotic Drugs in First-Episode Schizophrenia and Schizophreniform Disorder: A Randomized, Open-Label Clinical Trial (EUFEST). <i>American Journal of Psychiatry</i> , 2009, 166, 675-682.	8.7	293
12	Prediction Models of Functional Outcomes for Individuals in the Clinical High-Risk State for Psychosis or With Recent-Onset Depression. <i>JAMA Psychiatry</i> , 2018, 75, 1156.	11.4	268
13	Psychotic experiences in the general population: A twenty-year prospective community study. <i>Schizophrenia Research</i> , 2007, 92, 1-14.	2.1	267
14	Intervention in Individuals at Ultra-High Risk for Psychosis. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 1206-1212.	2.3	261
15	Efficacy of Using Cognitive Status in Predicting Psychosis: A 7-Year Follow-Up. <i>Biological Psychiatry</i> , 2009, 66, 1023-1030.	1.3	245
16	Identifying Gene-Environment Interactions in Schizophrenia: Contemporary Challenges for Integrated, Large-scale Investigations. <i>Schizophrenia Bulletin</i> , 2014, 40, 729-736.	4.6	235
17	Neuroanatomical Abnormalities That Predate the Onset of Psychosis. <i>Archives of General Psychiatry</i> , 2011, 68, 489.	13.2	230
18	Effect of $\omega$ -3 Polyunsaturated Fatty Acids in Young People at Ultrahigh Risk for Psychotic Disorders. <i>JAMA Psychiatry</i> , 2017, 74, 19.	11.4	223

#	ARTICLE	IF	CITATIONS
19	At risk or not at risk? A meta-analysis of the prognostic accuracy of psychometric interviews for psychosis prediction. <i>World Psychiatry</i> , 2015, 14, 322-332.	9.6	212
20	Reductions in frontal, temporal and parietal volume associated with the onset of psychosis. <i>Schizophrenia Research</i> , 2008, 106, 108-114.	2.1	211
21	A Randomized, Double-Blind, Placebo-Controlled Study of Light Therapy for Antepartum Depression. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 986-993.	2.3	200
22	The Dark Side of the Moon: Meta-analytical Impact of Recruitment Strategies on Risk Enrichment in the Clinical High Risk State for Psychosis. <i>Schizophrenia Bulletin</i> , 2016, 42, 732-743.	4.6	186
23	First onset and early symptomatology of schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1992, 242, 109-118.	3.4	182
24	Sex and gender differences in schizophrenic psychoses—a critical review. <i>Archives of Women's Mental Health</i> , 2018, 21, 627-648.	2.8	151
25	Multimodal Machine Learning Workflows for Prediction of Psychosis in Patients With Clinical High-Risk Syndromes and Recent-Onset Depression. <i>JAMA Psychiatry</i> , 2021, 78, 195.	11.4	146
26	Schizophrenia and oestrogens—is there an association?. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1993, 242, 323-328.	3.4	144
27	Detecting the Psychosis Prodrome Across High-Risk Populations Using Neuroanatomical Biomarkers. <i>Schizophrenia Bulletin</i> , 2015, 41, 471-482.	4.6	144
28	Disease Prediction in the At-Risk Mental State for Psychosis Using Neuroanatomical Biomarkers: Results From the FePsy Study. <i>Schizophrenia Bulletin</i> , 2012, 38, 1234-1246.	4.6	142
29	Individualized differential diagnosis of schizophrenia and mood disorders using neuroanatomical biomarkers. <i>Brain</i> , 2015, 138, 2059-2073.	8.0	135
30	Structural brain abnormalities in individuals with an at-risk mental state who later develop psychosis. <i>British Journal of Psychiatry</i> , 2007, 191, s69-s75.	3.6	131
31	Oestrogens, prolactin, hypothalamic-pituitary-gonadal axis, and schizophrenic psychoses. <i>Lancet Psychiatry</i> , 2017, 4, 63-72.	7.6	119
32	Moving beyond transition outcomes: Meta-analysis of remission rates in individuals at high clinical risk for psychosis. <i>Psychiatry Research</i> , 2013, 209, 266-272.	3.4	115
33	Acute Effects of Heroin on Negative Emotional Processing: Relation of Amygdala Activity and Stress-Related Responses. <i>Biological Psychiatry</i> , 2014, 76, 289-296.	1.3	113
34	Further evidence for a specific role of estradiol in schizophrenia?. <i>Biological Psychiatry</i> , 1994, 36, 492-494.	1.3	97
35	Influence of the menstrual cycle phase on the therapeutic response in schizophrenia. <i>Biological Psychiatry</i> , 1994, 36, 137-139.	1.3	97
36	Brain Connectivity Abnormalities Predating the Onset of Psychosis. <i>JAMA Psychiatry</i> , 2013, 70, 903.	11.4	94

#	ARTICLE	IF	CITATIONS
37	Neuropsychological deficits in individuals with an at risk mental state for psychosis – Working memory as a potential trait marker. <i>Schizophrenia Research</i> , 2007, 97, 14-24.	2.1	88
38	Whither the Attenuated Psychosis Syndrome?. <i>Schizophrenia Bulletin</i> , 2012, 38, 1130-1134.	4.6	85
39	Hippocampus abnormalities in at risk mental states for psychosis? A cross-sectional high resolution region of interest magnetic resonance imaging study. <i>Journal of Psychiatric Research</i> , 2010, 44, 447-453.	3.2	82
40	Hyperprolactinaemia in early psychosis – not only due to antipsychotics. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010, 34, 1342-1344.	5.0	75
41	Short-term metreleptin treatment of patients with anorexia nervosa: rapid on-set of beneficial cognitive, emotional, and behavioral effects. <i>Translational Psychiatry</i> , 2020, 10, 303.	4.9	75
42	Clinical and functional long-term outcome of patients at clinical high risk (CHR) for psychosis without transition to psychosis: A systematic review. <i>Schizophrenia Research</i> , 2019, 210, 39-47.	2.1	70
43	Domestic violence against women: Definitions, epidemiology, risk factors and consequences. <i>Swiss Medical Weekly</i> , 2010, 140, w13099.	1.5	70
44	Distinguishing Prodromal From First-Episode Psychosis Using Neuroanatomical Single-Subject Pattern Recognition. <i>Schizophrenia Bulletin</i> , 2013, 39, 1105-1114.	4.6	66
45	Estrogens and Gonadal Function in Schizophrenia and Related Psychoses. <i>Current Topics in Behavioral Neurosciences</i> , 2010, 8, 155-171.	0.0	64
46	Different duration of at risk mental state associated with neurofunctional abnormalities. A multimodal imaging study. <i>Human Brain Mapping</i> , 2012, 33, 2281-2294.	3.7	64
47	Help-seeking and pathways to care in the early stages of psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 1033-1043.	3.4	63
48	What do we really know about late-onset schizophrenia?. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1997, 247, 195-208.	3.4	62
49	New insights into the transposition mechanisms of IS6110 and its dynamic distribution between <i>Mycobacterium tuberculosis</i> Complex lineages. <i>PLoS Genetics</i> , 2018, 14, e1007282.	3.4	62
50	Development of Proteomic Prediction Models for Transition to Psychotic Disorder in the Clinical High-Risk State and Psychotic Experiences in Adolescence. <i>JAMA Psychiatry</i> , 2021, 78, 77.	11.4	62
51	Aberrant Current Source-Density and Lagged Phase Synchronization of Neural Oscillations as Markers for Emerging Psychosis. <i>Schizophrenia Bulletin</i> , 2015, 41, 919-929.	4.6	60
52	EEG microstates as biomarker for psychosis in ultra-high-risk patients. <i>Translational Psychiatry</i> , 2020, 10, 300.	4.9	59
53	Pituitary volume increase during emerging psychosis. <i>Schizophrenia Research</i> , 2011, 125, 41-48.	2.1	57
54	Disorganized Gyrification Network Properties During the Transition to Psychosis. <i>JAMA Psychiatry</i> , 2018, 75, 613.	11.4	57

#	ARTICLE	IF	CITATIONS
55	Antidepressant medications and other treatments of depressive disorders: a CINP Task Force report based on a review of evidence. <i>International Journal of Neuropsychopharmacology</i> , 2007, 10, S1-207.	2.1	56
56	Clinical trajectories in the ultra-high risk for psychosis population. <i>Schizophrenia Research</i> , 2018, 197, 550-556.	2.1	56
57	NEURAPRO study protocol: a multicentre randomized controlled trial of omega-3 fatty acids and cognitive-behavioural case management for patients at ultra high risk of schizophrenia and other psychotic disorders. <i>Microbial Biotechnology</i> , 2017, 11, 418-428.	1.9	55
58	Quantitative genetics of life-history and morphology in a rare plant, <i>Senecio integrifolius</i> . <i>Heredity</i> , 1993, 70, 503-514.	2.7	54
59	Dysregulated Lipid Metabolism Precedes Onset of Psychosis. <i>Biological Psychiatry</i> , 2021, 89, 288-297.	1.3	53
60	Hippocampal volume in subjects at high risk of psychosis: A longitudinal MRI study. <i>Schizophrenia Research</i> , 2012, 142, 217-222.	2.1	52
61	Inferior Frontal Cortex Modulation with an Acute Dose of Heroin During Cognitive Control. <i>Neuropsychopharmacology</i> , 2013, 38, 2231-2239.	5.6	52
62	Neurocognition as a predictor of transition to psychotic disorder and functional outcomes in ultra-high risk participants: Findings from the NEURAPRO randomized clinical trial. <i>Schizophrenia Research</i> , 2019, 206, 67-74.	2.1	52
63	The NEURAPRO Biomarker Analysis: Long-Chain Omega-3 Fatty Acids Improve 6-Month and 12-Month Outcomes in Youths at Ultra-High Risk for Psychosis. <i>Biological Psychiatry</i> , 2020, 87, 243-252.	1.3	52
64	Prediction of conversion to psychosis in individuals with an at-risk mental state. <i>Current Opinion in Psychiatry</i> , 2017, 30, 209-219.	6.6	50
65	Estrogens and SERMS as adjunctive treatments for schizophrenia. <i>Frontiers in Neuroendocrinology</i> , 2019, 53, 100743.	5.2	48
66	Modulation of motivational salience processing during the early stages of psychosis. <i>Schizophrenia Research</i> , 2015, 166, 17-23.	2.1	47
67	Fine motor function and neuropsychological deficits in individuals at risk for schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2006, 256, 201-206.	3.4	46
68	Alterations in the hippocampus and thalamus in individuals at high risk for psychosis. <i>NPJ Schizophrenia</i> , 2016, 2, 16033.	4.5	46
69	Prediction of psychosis using neural oscillations and machine learning in neuroleptic-naïve at-risk patients. <i>World Journal of Biological Psychiatry</i> , 2016, 17, 285-295.	2.7	43
70	EEG spectral power and negative symptoms in at-risk individuals predict transition to psychosis. <i>Schizophrenia Research</i> , 2010, 123, 208-216.	2.1	42
71	Abnormal effective connectivity and psychopathological symptoms in the psychosis high-risk state. <i>Journal of Psychiatry and Neuroscience</i> , 2014, 39, 239-248.	2.8	41
72	Structural Network Disorganization in Subjects at Clinical High Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2017, 43, sbw110.	4.6	40

#	ARTICLE	IF	CITATIONS
73	Sex differences in prolactin levels in emerging psychosis: Indication for enhanced stress reactivity in women. <i>Schizophrenia Research</i> , 2017, 189, 111-116.	2.1	40
74	Is age of onset in schizophrenia influenced by marital status?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1992, 27, 122-128.	3.4	40
75	CuSCN as selective contact in solution-processed small-molecule organic solar cells leads to over 7% efficient porphyrin-based device. <i>Journal of Materials Chemistry A</i> , 2016, 4, 11009-11022.	10.5	39
76	Plasma and serum brain-derived neurotrophic factor (BDNF) levels and their association with neurocognition in at-risk mental state, first episode psychosis and chronic schizophrenia patients. <i>World Journal of Biological Psychiatry</i> , 2019, 20, 545-554.	2.7	39
77	Dysfunctional insular connectivity during reward prediction in patients with first-episode psychosis. <i>Journal of Psychiatry and Neuroscience</i> , 2016, 41, 367-376.	2.8	37
78	Acute effects of heroin on emotions in heroin-dependent patients. <i>American Journal on Addictions</i> , 2013, 22, 598-604.	1.9	36
79	Acute Effects of Intravenous Heroin on the Hypothalamic-Pituitary-Adrenal Axis Response. <i>Journal of Clinical Psychopharmacology</i> , 2013, 33, 193-198.	1.4	35
80	Anterior cingulate pathology in the prodromal stage of schizophrenia. <i>NeuroImage</i> , 2008, 39, 553-554.	4.4	34
81	Orbitofrontal response to drug-related stimuli after heroin administration. <i>Addiction Biology</i> , 2015, 20, 570-579.	2.7	34
82	Age-related brain structural alterations as an intermediate phenotype of psychosis. <i>Journal of Psychiatry and Neuroscience</i> , 2017, 42, 307-319.	2.8	34
83	Does menopausal transition really influence mental health? Findings from the prospective long-term Zurich study. <i>World Psychiatry</i> , 2016, 15, 146-154.	9.6	33
84	WFSBP and IAWMH Guidelines for the treatment of alcohol use disorders in pregnant women. <i>World Journal of Biological Psychiatry</i> , 2019, 20, 17-50.	2.7	32
85	Psychische Störungen und Erkrankungen nach der Entbindung. <i>Fortschritte Der Neurologie Psychiatrie</i> , 1997, 65, 97-107.	0.2	31
86	The Self-screen-Prodrome as a short screening tool for pre-psychotic states. <i>Schizophrenia Research</i> , 2010, 123, 217-224.	2.1	31
87	Duration of untreated psychosis and cognitive functioning. <i>Schizophrenia Research</i> , 2013, 145, 43-49.	2.1	31
88	Super proton/electron mixed conduction in graphene oxide hybrids by intercalating sulfate ions. <i>Journal of Materials Chemistry A</i> , 2015, 3, 20892-20895.	10.5	31
89	Individualized Prediction of Transition to Psychosis in 1,676 Individuals at Clinical High Risk: Development and Validation of a Multivariable Prediction Model Based on Individual Patient Data Meta-Analysis. <i>Frontiers in Psychiatry</i> , 2019, 10, 345.	2.7	30
90	Comparison of erythrocyte omega-3 index, fatty acids and molecular phospholipid species in people at ultra-high risk of developing psychosis and healthy people. <i>Schizophrenia Research</i> , 2020, 226, 44-51.	2.1	30

#	ARTICLE	IF	CITATIONS
91	Cost of attempted suicide: a retrospective study of extent and associated factors. <i>Swiss Medical Weekly</i> , 2012, 142, w13648.	1.5	29
92	Cannabis use and brain structural alterations of the cingulate cortex in early psychosis. <i>Psychiatry Research - Neuroimaging</i> , 2013, 214, 102-108.	1.9	28
93	Hyper-methylation of the upstream CpG island shore is a likely mechanism of GPER1 silencing in breast cancer cells. <i>Gene</i> , 2017, 614, 65-73.	2.3	28
94	Anatomical integrity within the inferior fronto-occipital fasciculus and semantic processing deficits in schizophrenia spectrum disorders. <i>Schizophrenia Research</i> , 2020, 218, 267-275.	2.1	28
95	Cognitive functioning throughout adulthood and illness stages in individuals with psychotic disorders and their unaffected siblings. <i>Molecular Psychiatry</i> , 2021, 26, 4529-4543.	8.2	28
96	EEG: a helpful tool in the prediction of psychosis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2009, 259, 257-262.	3.4	27
97	Association of Frontal Gray Matter Volume and Cerebral Perfusion in Heroin Addiction: A Multimodal Neuroimaging Study. <i>Frontiers in Psychiatry</i> , 2013, 4, 135.	2.7	27
98	Individualized prediction of psychosis in subjects with an at-risk mental state. <i>Schizophrenia Research</i> , 2019, 214, 18-23.	2.1	27
99	Oestrogens and schizophrenia. <i>Current Opinion in Psychiatry</i> , 2003, 16, 187-192.	6.6	26
100	Clinical and functional ultra-long-term outcome of patients with a clinical high risk (CHR) for psychosis. <i>European Psychiatry</i> , 2019, 62, 30-37.	0.2	26
101	Duration of untreated psychosis/illness and brain volume changes in early psychosis. <i>Psychiatry Research</i> , 2017, 255, 332-337.	3.4	25
102	Association of Adverse Outcomes With Emotion Processing and Its Neural Substrate in Individuals at Clinical High Risk for Psychosis. <i>JAMA Psychiatry</i> , 2020, 77, 190.	11.4	25
103	The relationship between negative symptoms and cognitive functioning in patients at clinical high risk for psychosis. <i>Psychiatry Research</i> , 2018, 268, 21-27.	3.4	24
104	Relationship Between Polyunsaturated Fatty Acids and Psychopathology in the NEURAPRO Clinical Trial. <i>Frontiers in Psychiatry</i> , 2019, 10, 393.	2.7	24
105	Gender differences in first self-perceived signs and symptoms in patients with an at-risk mental state and first episode psychosis. <i>Microbial Biotechnology</i> , 2019, 13, 582-588.	1.9	24
106	Normalizing effect of heroin maintenance treatment on stress-induced brain connectivity. <i>Brain</i> , 2015, 138, 217-228.	8.0	23
107	Screening for Adult Attention-Deficit/Hyperactivity Disorder in a Psychiatric Outpatient Population with Specific Focus on Sex Differences. <i>Frontiers in Psychiatry</i> , 2017, 8, 115.	2.7	23
108	Early detection of psychosis: helpful or stigmatizing experience? A qualitative study. <i>Microbial Biotechnology</i> , 2018, 12, 66-73.	1.9	23

#	ARTICLE	IF	CITATIONS
109	An overlapping pattern of cerebral cortical thinning is associated with both positive symptoms and aggression in schizophrenia via the ENIGMA consortium. <i>Psychological Medicine</i> , 2020, 50, 2034-2045.	5.2	23
110	Negative symptoms in neuroleptic-naïve patients with first-episode psychosis correlate with QEEG parameters. <i>Schizophrenia Research</i> , 2009, 115, 231-236.	2.1	22
111	Estrogens and Schizophrenia. , 2005, , 31-52.		21
112	Classifying individuals at high-risk for psychosis based on functional brain activity during working memory processing. <i>NeuroImage: Clinical</i> , 2015, 9, 555-563.	2.8	21
113	Orbitofrontal-Striatal Structural Alterations Linked to Negative Symptoms at Different Stages of the Schizophrenia Spectrum. <i>Schizophrenia Bulletin</i> , 2021, 47, 849-863.	4.6	21
114	Cingulate Volume Abnormalities in Emerging Psychosis. <i>Current Pharmaceutical Design</i> , 2012, 18, 495-504.	1.9	21
115	Schizophrenic symptomatology varies with serum estradiol levels during menstrual cycle. <i>Schizophrenia Research</i> , 1992, 6, 114-115.	2.1	20
116	Veblen on the machine process and technological change. <i>Cambridge Journal of Economics</i> , 2010, 34, 601-615.	1.4	20
117	Evidence for an agitated/aggressive syndrome predating the onset of psychosis. <i>Schizophrenia Research</i> , 2014, 157, 26-32.	2.1	20
118	Gender differences of patients at-risk for psychosis regarding symptomatology, drug use, comorbidity and functioning – Results from the EU-GEI study. <i>European Psychiatry</i> , 2019, 59, 52-59.	0.2	20
119	Pan-azole-Resistant <i>Candida guilliermondii</i> from a Leukemia Patient’s Silent Funguria. <i>Mycopathologia</i> , 2010, 169, 457-459.	3.0	19
120	Relation between self-perceived stress, psychopathological symptoms and the stress hormone prolactin in emerging psychosis. <i>Journal of Psychiatric Research</i> , 2021, 136, 428-434.	3.2	19
121	Neurobiologically Based Stratification of Recent-Onset Depression and Psychosis: Identification of Two Distinct Transdiagnostic Phenotypes. <i>Biological Psychiatry</i> , 2022, 92, 552-562.	1.3	19
122	Die Zwangseinweisung psychiatrischer Patienten im nationalen und internationalen Vergleich - Häufigkeiten und Einflussfaktoren. <i>Fortschritte Der Neurologie Psychiatrie</i> , 1992, 60, 375-382.	0.2	18
123	The gene family coding for the light-harvesting polypeptides of Photosystem I of the red alga <i>Galdieria sulphuraria</i> . <i>Photosynthesis Research</i> , 2001, 68, 121-130.	2.9	18
124	Quantum dynamics simulation of intramolecular singlet fission in covalently linked tetracene dimer. <i>Journal of Chemical Physics</i> , 2021, 155, 194101.	3.1	18
125	Are neurological soft signs pre-existing markers in individuals with an at-risk mental state for psychosis?. <i>Psychiatry Research</i> , 2013, 210, 427-431.	3.4	17
126	Can cognitive deficits facilitate differential diagnosis between at-risk mental state for psychosis and depressive disorders?. <i>Microbial Biotechnology</i> , 2013, 7, 381-390.	1.9	17



#	ARTICLE	IF	CITATIONS
127	Clinical, cognitive and neuroanatomical associations of serum NMDAR autoantibodies in people at clinical high risk for psychosis. <i>Molecular Psychiatry</i> , 2021, 26, 2590-2604.	8.2	17
128	Altered prefrontal connectivity after acute heroin administration during cognitive control. <i>International Journal of Neuropsychopharmacology</i> , 2014, 17, 1375-1385.	2.1	16
129	Increased superior frontal gyrus activation during working memory processing in psychosis: Significant relation to cumulative antipsychotic medication and to negative symptoms. <i>Schizophrenia Research</i> , 2016, 175, 20-26.	2.1	16
130	Trajectories of symptom severity and functioning over a three-year period in a psychosis high-risk sample: A secondary analysis of the Neuropro trial. <i>Behaviour Research and Therapy</i> , 2020, 124, 103527.	3.3	16
131	EEG Microstate Differences in Medicated vs. Medication-Naïve First-Episode Psychosis Patients. <i>Frontiers in Psychiatry</i> , 2020, 11, 600606.	2.7	16
132	Emotion Recognition and Adverse Childhood Experiences in Individuals at Clinical High Risk of Psychosis. <i>Schizophrenia Bulletin</i> , 2020, 46, 823-833.	4.6	16
133	Elternschaft und Belastungserleben: Psychometrische Überprüfung des Parenting-Stress-Index (PSI) an einer deutschsprachigen Stichprobe. <i>PPmP Psychotherapie Psychosomatik Medizinische Psychologie</i> , 2009, 59, 224-233.	0.4	15
134	Single- and multiple-dose pharmacokinetics of arginase inhibitor N <sup>ω</sup> -hydroxy-nor-L-arginine, and its effect on plasma amino acids concentrations in Wistar rats. <i>General Physiology and Biophysics</i> , 2014, 33, 189-198.	0.9	15
135	Altered Insular Function during Aberrant Salience Processing in Relation to the Severity of Psychotic Symptoms. <i>Frontiers in Psychiatry</i> , 2016, 7, 189.	2.7	15
136	Sex differences in cognitive functioning of patients at-risk for psychosis and healthy controls: Results from the European Gene-Environment Interactions study. <i>European Psychiatry</i> , 2020, 63, e25.	0.2	15
137	Late-Onset Schizophrenia Versus Paranoid Psychoses: A Valid Diagnostic Distinction?. <i>American Journal of Geriatric Psychiatry</i> , 2003, 11, 595-604.	1.1	15
138	Superior temporal gray and white matter changes in schizophrenia or antipsychotic related effects?. <i>Schizophrenia Research</i> , 2009, 113, 109-110.	2.1	14
139	Relationship between jumping to conclusions and clinical outcomes in people at clinical high-risk for psychosis. <i>Psychological Medicine</i> , 2022, 52, 1569-1577.	5.2	14
140	Psychische Erkrankungen bei Frauen - einige Argumente für eine geschlechtersensible Psychiatrie und Psychotherapie/ Mental diseases in women - some arguments for a gender-sensitive psychiatry and psychotherapy. <i>Zeitschrift Fur Psychosomatische Medizin Und Psychotherapie</i> , 2000, 46, 129-139.	0.9	13
141	Werden psychisch Kranke zu schnell in die Rente "abgeschoben"? <i>Psychiatrische Praxis</i> , 2005, 32, 172-176.	0.5	13
142	Neuroimaging and Resilience Factors - Staging of the At-risk Mental State?. <i>Current Pharmaceutical Design</i> , 2012, 18, 416-421.	1.9	13
143	Hippocampal volume correlates with attenuated negative psychotic symptoms irrespective of antidepressant medication. <i>NeuroImage: Clinical</i> , 2015, 8, 230-237.	2.8	13
144	Correlations between self-rating and observer-rating of psychopathology in at-risk mental state and first-episode psychosis patients: influence of disease stage and gender. <i>Microbial Biotechnology</i> , 2017, 11, 461-470.	1.9	13

#	ARTICLE	IF	CITATIONS
145	Development and Validation of a Dynamic Risk Prediction Model to Forecast Psychosis Onset in Patients at Clinical High Risk. <i>Schizophrenia Bulletin</i> , 2019, 46, 252-260.	4.6	13
146	Predictors of study drop-out and service disengagement in patients at clinical high risk for psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 539-548.	3.4	13
147	Prediction of clinical outcomes beyond psychosis in the <scp>ultraâ€high</scp> risk for psychosis population. <i>Microbial Biotechnology</i> , 2021, 15, 642-651.	1.9	13
148	Impact of Comorbid Affective Disorders on Longitudinal Clinical Outcomes in Individuals at Ultra-high Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2022, 48, 100-110.	4.6	13
149	Neural oscillations in antipsychotic-naïve patients with a first psychotic episode. <i>World Journal of Biological Psychiatry</i> , 2016, 17, 296-307.	2.7	12
150	Sexually dimorphic subcortical brain volumes in emerging psychosis. <i>Schizophrenia Research</i> , 2018, 199, 257-265.	2.1	12
151	High-transmission hybrid-effect-assisted nanoaperture. <i>Optics Letters</i> , 2006, 31, 655.	3.3	11
152	Survey of the European Psychiatric Association on the European status and perspectives in early detection and intervention in atâ€risk mental state and firstâ€episode psychosis. <i>Microbial Biotechnology</i> , 2019, 13, 853-858.	1.9	11
153	Association of antidepressants with brain morphology in early stages of psychosis: an imaging genomics approach. <i>Scientific Reports</i> , 2019, 9, 8516.	3.4	11
154	Obsessive-Compulsive Symptoms and Other Symptoms of the At-risk Mental State for Psychosis: A Network Perspective. <i>Schizophrenia Bulletin</i> , 2021, 47, 1018-1028.	4.6	11
155	Verbal memory performance predicts remission and functional outcome in people at clinical high-risk for psychosis. <i>Schizophrenia Research: Cognition</i> , 2022, 28, 100222.	1.3	11
156	Pituitary gland volume in at-risk mental state for psychosis: a longitudinal MRI analysis. <i>CNS Spectrums</i> , 2015, 20, 122-129.	1.3	10
157	Supplementation with the omega-3 long chain polyunsaturated fatty acids: Changes in the concentrations of omega-3 index, fatty acids and molecular phospholipids of people at ultra high risk of developing psychosis. <i>Schizophrenia Research</i> , 2020, 226, 52-60.	2.1	10
158	Omegaâ€3 fatty acids and neurocognitive ability in young people at ultraâ€high risk for psychosis. <i>Microbial Biotechnology</i> , 2021, 15, 874-881.	1.9	10
159	Wilhelm Griesinger and the Concept of Community Care in 19th-Century Germany. <i>Psychiatric Services</i> , 1994, 45, 818-822.	2.2	9
160	50 Jahre nach Manfred Bleuler. <i>Der Nervenarzt</i> , 1997, 68, 159-170.	0.8	9
161	Can neuropsychological testing facilitate differential diagnosis between at-risk mental state (ARMS) for psychosis and adult attention-deficit/hyperactivity disorder (ADHD)?. <i>European Psychiatry</i> , 2018, 52, 38-44.	0.2	9
162	Cognitive functioning in ultra-high risk for psychosis individuals with and without depression: Secondary analysis of findings from the NEURAPRO randomized clinical trial. <i>Schizophrenia Research</i> , 2020, 218, 48-54.	2.1	9

#	ARTICLE	IF	CITATIONS
163	Multimodal prognosis of negative symptom severity in individuals at increased risk of developing psychosis. <i>Translational Psychiatry</i> , 2021, 11, 312.	4.9	9
164	Clinical, Brain, and Multilevel Clustering in Early Psychosis and Affective Stages. <i>JAMA Psychiatry</i> , 2022, 79, 677.	11.4	9
165	Changing patterns of mental health care in Germany. <i>International Journal of Law and Psychiatry</i> , 1996, 19, 391-411.	0.9	8
166	Cavum septum pellucidum in patients with first episode psychosis and individuals at high risk of psychosis. <i>European Psychiatry</i> , 2007, 22, 264-264.	0.2	8
167	Education and Reproductive Autonomy: The Case of Married Nigerian Women. <i>Narrative Inquiry in Bioethics</i> , 2017, 7, 231-244.	0.1	8
168	The neuropsychology of emerging psychosis and the role of working memory in episodic memory encoding. <i>Psychology Research and Behavior Management</i> , 2018, Volume 11, 157-168.	2.9	8
169	Wirken Æ–strogene antipsychotisch?. <i>Fortschritte Der Neurologie Psychiatrie</i> , 1994, 62, 22-28.	0.2	7
170	High time for a paradigm shift in psychiatry. <i>World Psychiatry</i> , 2016, 15, 131-133.	9.6	7
171	The Frankfurt Complaint Questionnaire for self-æassessment of basic symptoms in the early detection of psychosis-æFactor structure, reliability, and predictive validity. <i>International Journal of Methods in Psychiatric Research</i> , 2018, 27, e1600.	2.3	7
172	Exploring the predictive power of the unspecific risk category of the Basel Screening Instrument for Psychosis. <i>Microbial Biotechnology</i> , 2019, 13, 969-976.	1.9	7
173	Implementation of early detection and intervention services for psychosis in Central and Eastern Europe: Current status. <i>Microbial Biotechnology</i> , 2019, 13, 1283-1288.	1.9	7
174	The Augmented Classical Twin Design: Incorporating Genome-æWide Identity by Descent Sharing Into Twin Studies in Order to Model Violations of the Equal Environments Assumption. <i>Behavior Genetics</i> , 2021, 51, 223-236.	2.0	7
175	Characterization and prediction of clinical pathways of vulnerability to psychosis through graph signal processing. <i>ELife</i> , 2021, 10, .	5.9	7
176	Perinatal mental health service provision in Switzerland and in the UK. <i>Swiss Medical Weekly</i> , 2015, 145, w14011.	1.5	7
177	Evidence that complement and coagulation proteins are mediating the clinical response to omega-3 fatty acids: A mass spectrometry-based investigation in subjects at clinical high-risk for psychosis. <i>Translational Psychiatry</i> , 2022, 12, .	4.9	7
178	Symptom Overlap and Screening for Symptoms of Attention-Deficit/Hyperactivity Disorder and Psychosis Risk in Help-Seeking Psychiatric Patients. <i>Frontiers in Psychiatry</i> , 2017, 8, 206.	2.7	6
179	Bride price payment and women-æTM's autonomy: Findings from qualitative interviews from Nigeria. <i>Women and Health</i> , 2019, 59, 775-788.	1.1	6
180	Pre-training inter-rater reliability of clinical instruments in an international psychosis research project. <i>Schizophrenia Research</i> , 2021, 230, 104-107.	2.1	6

#	ARTICLE	IF	CITATIONS
181	Association between tobacco use and symptomatology in individuals at ultra-high risk to develop a psychosis: A longitudinal study. <i>Schizophrenia Research</i> , 2021, 236, 48-53.	2.1	6
182	Weibliche Rollen und psychische Gesundheit. , 2016, , 19-34.		6
183	Are all quantum measurements reducible to local position measurements?. <i>Journal of Physics A</i> , 1991, 24, L425-L430.	1.6	5
184	Theory of natural circular dichroism in x-ray Raman scattering from molecules. <i>Physical Review A</i> , 1997, 55, 2716-2722.	2.5	5
185	Late-Onset Schizophrenia Versus Paranoid Psychoses. <i>American Journal of Geriatric Psychiatry</i> , 2003, 11, 595-604.	1.1	5
186	Symptom control, functioning and satisfaction among Swiss patients treated with risperidone long-acting injectable. <i>International Journal of Psychiatry in Clinical Practice</i> , 2006, 10, 174-181.	2.7	5
187	The attenuated psychosis syndrome in DSM-5. <i>Schizophrenia Research</i> , 2013, 151, 295.	2.1	5
188	Pourquoi et comment soigner plus prÃ©cocement les troubles psychotiquesÂ?. <i>Presse Medicale</i> , 2016, 45, 992-1000.	2.1	5
189	T49. THE NEURAPRO STUDY: ADHERENCE TO STUDY MEDICATION. <i>Schizophrenia Bulletin</i> , 2018, 44, S132-S133.	4.6	5
190	Effect of cantilevers' dimensions on phase contrast in multifrequency atomic force microscopy. <i>Microscopy Research and Technique</i> , 2019, 82, 1438-1447.	2.3	5
191	Reply to: New Meta- and Mega-analyses of Magnetic Resonance Imaging Findings in Schizophrenia: Do They Really Increase Our Knowledge About the Nature of the Disease Process?. <i>Biological Psychiatry</i> , 2019, 85, e35-e39.	1.3	5
192	The association between migrant status and transition in an ultra-high risk for psychosis population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 943-952.	3.4	5
193	Menopause and Mental Health. <i>Mental Health and Illness Worldwide</i> , 2020, , 147-173.	0.0	5
194	Patient-Identified Priorities Leading to Attempted Suicide. <i>Crisis</i> , 2018, 39, 37-46.	1.5	5
195	Therapist-client sex in psychotherapy: attitudes of professionals and students towards ethical arguments. <i>Swiss Medical Weekly</i> , 2015, 145, w14099.	1.5	5
196	Basic Symptoms Are Associated With Age in Patients With a Clinical High-Risk State for Psychosis: Results From the PRONIA Study. <i>Frontiers in Psychiatry</i> , 2020, 11, 552175.	2.7	5
197	Machine learning based prediction and the influence of complement " Coagulation pathway proteins on clinical outcome: Results from the NEURAPRO trial. <i>Brain, Behavior, and Immunity</i> , 2022, 103, 50-60.	6.3	5
198	Insular pathology in the at-risk mental state. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2008, 258, 254-255.	3.4	4

#	ARTICLE	IF	CITATIONS
199	The role of vulnerability factors in individuals with an at-risk mental state of psychosis. <i>Neuropsychiatrie</i> , 2016, 30, 18-26.	2.1	4
200	Outcome of individuals "not at risk of psychosis" and prognostic accuracy of the Basel Screening Instrument for Psychosis (BSIP). <i>Microbial Biotechnology</i> , 2018, 12, 907-914.	1.9	4
201	From Speech Illusions to Onset of Psychotic Disorder: Applying Network Analysis to an Experimental Measure of Aberrant Experiences. <i>Schizophrenia Bulletin Open</i> , 2020, 1, .	1.7	4
202	Machine Learning for Large-Scale Quality Control of 3D Shape Models in Neuroimaging. <i>Lecture Notes in Computer Science</i> , 2017, 10541, 371-378.	1.0	4
203	Fr¼herkennung schizophrener Psychosen bei M¼nnern und Frauen. <i>Therapeutische Umschau Revue Therapeutique</i> , 2007, 64, 337-343.	0.1	4
204	Depression in der Schwangerschaft. <i>Therapeutische Umschau Revue Therapeutique</i> , 2010, 67, 571-575.	0.1	4
205	The association of plasma inflammatory markers with omega-3 fatty acids and their mediating role in psychotic symptoms and functioning: An analysis of the NEURAPRO clinical trial. <i>Brain, Behavior, and Immunity</i> , 2022, 99, 147-156.	6.3	4
206	Twelve-Month Cognitive Trajectories in Individuals at Ultra-High Risk for Psychosis: A Latent Class Analysis. <i>Schizophrenia Bulletin Open</i> , 2022, 3, .	1.7	4
207	Latent state-trait structure of BPRS subscales in clinical high-risk state and first episode psychosis. <i>Scientific Reports</i> , 2022, 12, 6652.	3.4	4
208	Influence of cannabis use on incidence of psychosis in people at clinical high risk. <i>Psychiatry and Clinical Neurosciences</i> , 2023, 77, 469-477.	2.3	4
209	First self-perceived signs and symptoms in emerging psychosis compared with depression. <i>Microbial Biotechnology</i> , 2012, 6, 455-459.	1.9	3
210	Der Einfluss eines elektronischen Erinnerungssystems auf die leitlinientreue Behandlung von psychotischen Erkrankungen. <i>Neuropsychiatrie</i> , 2016, 30, 191-197.	2.1	3
211	Evaluating verbal learning and memory in patients with an at-risk mental state or first episode psychosis using structural equation modelling. <i>PLoS ONE</i> , 2018, 13, e0196936.	2.5	3
212	No associations between medial temporal lobe volumes and verbal learning/memory in emerging psychosis. <i>European Journal of Neuroscience</i> , 2019, 50, 3060-3071.	3.5	3
213	Editorial: Sex and the Suffering Brain - A Call for Sex-Stratified Analyses in Psychiatric Research. <i>Frontiers in Psychiatry</i> , 2022, 13, 849009.	2.7	3
214	Å–strogene und Schizophrenie - Patientinnen an der Schnittstelle zwischen Psychiatrie und Gyn¼kologie. <i>Geburtshilfe Und Frauenheilkunde</i> , 2002, 62, 429-435.	0.4	2
215	Neural effects of heroin " Relation to anxiety stress. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010, 34, 816-817.	5.0	2
216	T9. CROSS-SECTIONAL ASSOCIATION OF MEMBRANE FATTY ACID COMPOSITION AND PSYCHOPATHOLOGY IN THE NEURAPRO-E STUDY. <i>Schizophrenia Bulletin</i> , 2018, 44, S116-S116.	4.6	2

#	ARTICLE	IF	CITATIONS
217	Novel Gyrfication Networks Reveal Links with Psychiatric Risk Factors in Early Illness. <i>Cerebral Cortex</i> , 2022, 32, 1625-1636.	3.2	2
218	The relationship between grey matter volume and clinical and functional outcomes in people at clinical high risk for psychosis. <i>Schizophrenia Bulletin Open</i> , 0, , .	1.7	2
219	The role of gender as a barrier to the professional development of psychiatrists. <i>European Psychiatry</i> , 2023, 66, .	0.2	2
220	Role of fO2 on fluid saturation in oceanic basalt (reply). <i>Nature</i> , 2004, 430, 1-2.	36.2	1
221	Alpha oscillations underlie working memory abnormalities in the psychosis high-risk state. <i>Biological Psychology</i> , 2017, 126, 12-18.	2.3	1
222	Abnormal brain connectivity during error-monitoring in the psychosis high-risk state. <i>Schizophrenia Research</i> , 2018, 193, 261-262.	2.1	1
223	F25. NEURAPRO REVISITED: INCREASES IN LONG-CHAIN OMEGA-3 FATTY ACIDS IMPROVE FUNCTIONAL AND SYMPTOMATIC OUTCOMES IN ULTRAHIGH RISK PATIENTS. <i>Schizophrenia Bulletin</i> , 2018, 44, S228-S228.	4.6	1
224	S136. A NOVEL APPROACH FOR DEVELOPING PREDICTION MODEL OF TRANSITION TO PSYCHOSIS: DYNAMIC PREDICTION USING JOINT MODELLING. <i>Schizophrenia Bulletin</i> , 2018, 44, S378-S379.	4.6	1
225	Voxel-Based Morphometry Correlates of an Agitated-Aggressive Syndrome in the At-Risk Mental State for Psychosis and First Episode Psychosis. <i>Scientific Reports</i> , 2018, 8, 16516.	3.4	1
226	O8.8. NEUROCOGNITION IN ULTRA-HIGHRISK INDIVIDUALS AND RELATIONSHIP TO TRANSITION TO PSYCHOSIS, DEPRESSIVE DISORDER, AND FUNCTIONING: FINDINGS FROM THE NEURAPRO TRIAL. <i>Schizophrenia Bulletin</i> , 2018, 44, S99-S99.	4.6	1
227	Vulnerability and Protective Factors for Mental Health: A Rereading in Gender Perspective. , 2019, , 25-36.		1
228	Increased Symptom Consolidation Preceding Transition to Psychosis: A Phenomenological Network Study. <i>SSRN Electronic Journal</i> , 0, , .	0.3	1
229	Professional Conduct and Handling Misconduct in Psychotherapy: Ethical Practice between Boundaries, Relationships, and Reality. , 0, , 1001-1018.		1
230	Editorial: Women and the Pandemic. <i>Archives of Women's Mental Health</i> , 2022, 25, 255.	2.8	1
231	Impact of adverse childhood experiences on educational achievements in young people at clinical high risk of developing psychosis. <i>European Psychiatry</i> , 2023, 66, .	0.2	1
232	Proteomic Biomarkers for the Prediction of Transition to Psychosis in Individuals at Clinical High Risk: A Multi-cohort Model Development Study. <i>Schizophrenia Bulletin</i> , 2024, 50, 579-588.	4.6	1
233	Pau Hana: Plantation Life and Labor in Hawaii. By Ronald Takaki. Honolulu: University of Hawaii Press, 1983. Pp. xiv, 213. \$15.00.. <i>Journal of Economic History</i> , 1984, 44, 891-892.	1.4	0
234	Depression und Psychose in der Menopause - kann eine Hormontherapie hilfreich sein?. <i>Psychiatrie Und Psychotherapie</i> , 2011, 7, 129-134.	0.1	0

#	ARTICLE	IF	CITATIONS
235	Sollen junge Menschen mit Psychoserisikosyndrom behandelt werden?. Neuropsychiatrie, 2013, 27, 153-156.	2.1	0
236	Depression in der Peripartalzeit â€“ Diagnostik, Therapie und Prophylaxe. PSYCH Up2date, 2015, 9, 149-160.	0.2	0
237	Depression in der Peripartalzeit â€“ Diagnostik, Therapie und Prophylaxe. Frauenheilkunde Up2date, 2017, 10, 531-545.	0.0	0
238	T212. THE INTRINSIC ORGANIZATION OF SYMPTOMS MARKS TRANSITION FROM HIGH-RISK STATE TO EARLY PSYCHOSIS: A PHENOMENOLOGICAL CONNECTIVITY STUDY. Schizophrenia Bulletin, 2018, 44, S199-S199.	4.6	0
239	O6.5. INVESTIGATING VARIABLES FROM THE NAPLS RISK CALCULATOR FOR PSYCHOSIS IN THE EU-GEI HIGH RISK STUDY. Schizophrenia Bulletin, 2019, 45, S177-S178.	4.6	0
240	T21. DEVELOPMENT OF PROTEOMIC PREDICTION MODELS FOR OUTCOMES IN THE CLINICAL HIGH RISK STATE AND PSYCHOTIC EXPERIENCES IN ADOLESCENCE: MACHINE LEARNING ANALYSES IN TWO NESTED CASE-CONTROL STUDIES. Schizophrenia Bulletin, 2020, 46, S238-S239.	4.6	0
241	T34. THE IMPACT OF ANTIDEPRESSANT USE ON THE TRANSITION TO PSYCHOSIS RATE IN THE NEURAPRO TRIAL. Schizophrenia Bulletin, 2020, 46, S244-S245.	4.6	0
242	S175. CLINICAL OUTCOMES IN PEOPLE AT HIGH RISK FOR PSYCHOSIS RELATED TO INTERACTIONS BETWEEN POLYGENIC RISK SCORES AND CHILDHOOD ADVERSITY. Schizophrenia Bulletin, 2020, 46, S104-S104.	4.6	0
243	Depression in der frÃ¼hen Mutterschaft. Therapeutische Umschau Revue Therapeutique, 2010, 67, 576-580.	0.1	0
244	Traditional Methodology and Outcome Assessment in Studies on the Course of Schizophrenia. , 1999, , 249-258.		0
245	FrÃ¼herkennung und FrÃ¼hintervention bei beginnenden Psychosen. Neurotransmitter, 2015, 26, 50-54.	0.0	0
246	Appropriateness of Care and Joint Decision-Making Strategies. , 2016, , 207-209.		0
247	Menopause and Mental Health. Mental Health and Illness Worldwide, 2019, , 1-27.	0.0	0
248	The NEURAPRO Biomarker Analysis: Long-Chain Omega-3 Fatty Acids Improve 6-Month and 12-Month Outcomes in Youth at Ultra-High Risk for Psychosis. SSRN Electronic Journal, 0, , .	0.3	0
249	Probing the communication patterns of different chondrocyte subtypes in osteoarthritis at the single cell level using pattern recognition and manifold learning. Scientific Reports, 2023, 13, .	3.4	0
250	Do Cognitive Subtypes Exist in People at Clinical High Risk for Psychosis? Results From the EU-GEI Study. Schizophrenia Bulletin, 0, , .	4.6	0