

Masahiko Yano

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/651596/publications.pdf>

Version: 2024-02-01

31
papers

1,095
citations

516710

16
h-index

434195

31
g-index

31
all docs

31
docs citations

31
times ranked

1460
citing authors

#	ARTICLE	IF	CITATIONS
1	Comparison of synbiotics combined with enteral nutrition and prophylactic antibiotics as supportive care in patients with esophageal cancer undergoing neoadjuvant chemotherapy: A multicenter randomized study. <i>Clinical Nutrition</i> , 2022, 41, 1112-1121.	5.0	8
2	Long-term results of a randomized controlled trial comparing neoadjuvant Adriamycin, cisplatin, and 5-Fluorouracil vs docetaxel, cisplatin, and 5-Fluorouracil followed by surgery for esophageal cancer (OGSG1003). <i>Annals of Gastroenterological Surgery</i> , 2021, 5, 75-82.	2.4	16
3	Clinical implications of the serum CA19-9 level in biological borderline resectability and biological downstaging in the setting of preoperative chemoradiation therapy for pancreatic cancer. <i>Pancreatology</i> , 2020, 20, 919-928.	1.1	25
4	Impact of preoperative fecal short chain fatty acids on postoperative infectious complications in esophageal cancer patients. <i>BMC Gastroenterology</i> , 2020, 20, 74.	2.0	7
5	Decreased CT-number in the pancreatic parenchyma is a reliable imaging biomarker of the presence of malignancies in patients with high-risk intraductal papillary mucinous neoplasm. <i>Pancreatology</i> , 2020, 20, 442-447.	1.1	5
6	Clinical Outcomes of Gastric Cancer Patients Who Underwent Proximal or Total Gastrectomy: A Propensity Score-Matched Analysis. <i>World Journal of Surgery</i> , 2018, 42, 1477-1484.	1.6	34
7	Phase I Trial Evaluating the Safety of Preoperative Gemcitabine/nab-Paclitaxel With Concurrent Radiation Therapy for Borderline Resectable Pancreatic Cancer. <i>Pancreas</i> , 2018, 47, 1135-1141.	1.1	20
8	Randomized study of the effect of synbiotics during neoadjuvant chemotherapy on adverse events in esophageal cancer patients. <i>Clinical Nutrition</i> , 2017, 36, 93-99.	5.0	78
9	Clinical Assessment of Reconstruction Involving Gastric Pull-Up Combined with Free Jejunal Graft After Total Pharyngolaryngoesophagectomy. <i>World Journal of Surgery</i> , 2017, 41, 2329-2336.	1.6	8
10	Metastatic mixed acinar-endocrine carcinoma of the pancreas treated with a multidisciplinary approach: a case report. <i>Surgical Case Reports</i> , 2017, 3, 51.	0.6	11
11	Novel intraoperative use of the Tensipresser to assess factors predictive of pancreatic fistula after pancreaticoduodenectomy. <i>Surgery Today</i> , 2017, 47, 1201-1207.	1.5	3
12	Feasibility of Preoperative Chemotherapy with Docetaxel, Cisplatin, and 5-Fluorouracil versus Adriamycin, Cisplatin, and 5-Fluorouracil for Resectable Advanced Esophageal Cancer. <i>Oncology</i> , 2017, 92, 101-108.	1.9	34
13	Endoscopic marking clip with an IC tag and receiving antenna to detect localization during laparoscopic surgery. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2017, 31, 3056-3060.	2.4	4
14	Preoperative Gemcitabine-based Chemoradiation Therapy for Borderline Resectable Pancreatic Cancer. <i>Annals of Surgery</i> , 2016, 264, 1091-1097.	4.2	53
15	Usefulness of diagnostic laparoscopy with 5-aminolevulinic acid (ALA)-mediated photodynamic diagnosis for the detection of peritoneal micrometastasis in advanced gastric cancer after chemotherapy. <i>Surgery Today</i> , 2016, 46, 1427-1434.	1.5	22
16	Prognostic significance of a preoperative magnetic resonance imaging assessment of the distance of mesorectal extension in clinical T3 lower rectal cancer. <i>Surgery Today</i> , 2016, 46, 1249-1257.	1.5	9
17	Clinical importance of a transcription reverse-transcription concerted (TRC) diagnosis using peritoneal lavage fluids obtained pre- and post-lymphadenectomy from gastric cancer patients. <i>Surgery Today</i> , 2016, 46, 654-660.	1.5	13
18	Evaluation of the safety and pathological effects of neoadjuvant full-dose gemcitabine combination radiation therapy in patients with biliary tract cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2015, 76, 1191-1198.	2.3	19

#	ARTICLE	IF	CITATIONS
19	Use of Vacuum-assisted closure in management of open abdominal wound with multiple enterocutaneous fistulae during chemotherapy: A case report. <i>International Journal of Surgery Case Reports</i> , 2015, 17, 112-116.	0.6	7
20	Vacuum-assisted closure for open perineal wound after abdominoperineal resection. <i>International Journal of Surgery Case Reports</i> , 2015, 11, 87-90.	0.6	12
21	Closure method for thick pancreas stump after distal pancreatectomy: soft coagulation and polyglycolic acid felt with fibrin glue. <i>Langenbeck's Archives of Surgery</i> , 2015, 400, 843-848.	1.9	19
22	MACC1 expression levels as a novel prognostic marker for colorectal cancer. <i>Oncology Letters</i> , 2014, 8, 2305-2309.	1.8	11
23	Preoperative Gemcitabine-Based Chemoradiation Therapy for Resectable and Borderline Resectable Pancreatic Cancer. <i>Annals of Surgery</i> , 2013, 258, 1040-1050.	4.2	128
24	Relationship between Immunological Parameters and the Severity of Neutropenia and Effect of Enteral Nutrition on Immune Status during Neoadjuvant Chemotherapy on Patients with Advanced Esophageal Cancer. <i>Oncology</i> , 2012, 83, 91-100.	1.9	19
25	Perineural Invasion and Lymph Node Involvement as Indicators of Surgical Outcome and Pattern of Recurrence in the Setting of Preoperative Gemcitabine-Based Chemoradiation Therapy for Resectable Pancreatic Cancer. <i>Annals of Surgery</i> , 2012, 255, 95-102.	4.2	107
26	Impact of perioperative administration of synbiotics in patients with esophageal cancer undergoing esophagectomy: A prospective randomized controlled trial. <i>Surgery</i> , 2012, 152, 832-842.	1.9	71
27	Randomized study of clinical effect of enteral nutrition support during neoadjuvant chemotherapy on chemotherapy-related toxicity in patients with esophageal cancer. <i>Clinical Nutrition</i> , 2012, 31, 330-336.	5.0	80
28	Chemotherapy-induced toxicities and treatment efficacy in advanced esophageal cancer treated with neoadjuvant chemotherapy followed by surgery. <i>Esophagus</i> , 2011, 8, 81-87.	1.9	11
29	Multicenter Phase I/II Study of Docetaxel, Cisplatin and Fluorouracil Combination Chemotherapy in Patients with Advanced or Recurrent Squamous Cell Carcinoma of the Esophagus. <i>Oncology</i> , 2011, 80, 307-313.	1.9	95
30	Serum CA19â€“9 Alterations During Preoperative Gemcitabine-Based Chemoradiation Therapy for Resectable Invasive Ductal Carcinoma of the Pancreas as an Indicator for Therapeutic Selection and Survival. <i>Annals of Surgery</i> , 2010, 251, 461-469.	4.2	62
31	Feasibility and Efficacy of Combination Therapy With Preoperative Full-Dose Gemcitabine, Concurrent Three-Dimensional Conformal Radiation, Surgery, and Postoperative Liver Perfusion Chemotherapy for T3-Pancreatic Cancer. <i>Annals of Surgery</i> , 2009, 250, 88-95.	4.2	104