

# Grzegorz Kosior

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6516243/publications.pdf>

Version: 2024-02-01

12  
papers

118  
citations

1307594

7  
h-index

1281871

11  
g-index

12  
all docs

12  
docs citations

12  
times ranked

148  
citing authors

#	ARTICLE	IF	CITATIONS
1	The influence of preparation methodology on the concentrations of heavy metals in <i>Pleurozium schreberi</i> moss samples prior to use in active biomonitoring studies. <i>Environmental Science and Pollution Research</i> , 2021, 28, 10068-10076.	5.3	27
2	Transplanted Moss <i>Hylocomium splendens</i> as a Bioaccumulator of Trace Elements from Different Categories of Sampling Sites in the Upper Silesia Area (SW Poland): Bulk and Dry Deposition Impact. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2018, 101, 479-485.	2.7	17
3	$\delta^{34}\text{S}$ values and S concentrations in native and transplanted <i>Pleurozium schreberi</i> in a heavily industrialised area. <i>Ecotoxicology and Environmental Safety</i> , 2015, 118, 112-117.	6.0	13
4	Trace elements in native and transplanted <i>Fontinalis antipyretica</i> and <i>Platyhypnidium riparioides</i> from rivers polluted by uranium mining. <i>Chemosphere</i> , 2017, 171, 735-740.	8.2	12
5	<i>Pleurozium schreberi</i> as an ecological indicator of polybrominated diphenyl ethers (PBDEs) in a heavily industrialized urban area. <i>Ecological Indicators</i> , 2015, 48, 492-497.	6.3	11
6	Bioindication of PBDEs and PCBs by native and transplanted moss <i>Pleurozium schreberi</i> . <i>Ecotoxicology and Environmental Safety</i> , 2017, 143, 136-142.	6.0	9
7	<i>Pleurozium schreberi</i> as bioindicator of mercury pollution in heavily industrialized region. <i>Journal of Atmospheric Chemistry</i> , 2013, 70, 105-114.	3.2	7
8	Trace elements in the <i>Fontinalis antipyretica</i> from rivers receiving sewage of lignite and glass sand mining industry. <i>Environmental Science and Pollution Research</i> , 2015, 22, 9829-9838.	5.3	7
9	Metals in <i>Tortula muralis</i> from sandstone buildings in an urban agglomeration. <i>Ecological Indicators</i> , 2015, 58, 122-131.	6.3	7
10	The Moss Biomonitoring Method and Neutron Activation Analysis in Assessing Pollution by Trace Elements in Selected Polish National Parks. <i>Archives of Environmental Contamination and Toxicology</i> , 2020, 79, 310-320.	4.1	4
11	The Use of Moss <i>Pleurozium schreberi</i> (Brid.) Mitt. as Bioindicator of Radionuclide Contamination in Industrial Areas of Upper Silesia. <i>Ecological Chemistry and Engineering S</i> , 2017, 24, 19-29.	1.5	3
12	Polybrominated diphenyl ethers (PBDEs) in herbaceous <i>Centaurium erythraea</i> affected by various sources of environmental pollution. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2015, 50, 1369-1375.	1.7	1