matzui Kudmila

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6516495/matzui-kudmila-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

71 965 16 29 g-index

78 1,159 1.8 4.29 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
71	Microwave absorption in epoxy composites filled with MoS2 and carbon nanotubes. <i>Journal of Applied Physics</i> , 2022 , 131, 035103	2.5	O
70	Low-temperature magnetoresistance of multi-walled carbon nanotubes with perfect structure. <i>Low Temperature Physics</i> , 2022 , 48, 89-98	0.7	1
69	Electrical and electromagnetic interference shielding properties of GNP-NiFe hybrid composite with segregate structure of conductive networks. <i>Journal of Applied Physics</i> , 2022 , 131, 055110	2.5	O
68	Electromagnetic Properties of Carbon Nanotube/BaFeGaO/Epoxy Composites with Random and Oriented Filler Distributions. <i>Nanomaterials</i> , 2021 , 11,	5.4	19
67	Electrical and thermal properties of epoxy composites filled with carbon nanotubes and inorganic particles. <i>Molecular Crystals and Liquid Crystals</i> , 2021 , 717, 109-120	0.5	1
66	Intercalated multiwall carbon nanotubes with cobalt: structure and properties. <i>Molecular Crystals and Liquid Crystals</i> , 2021 , 718, 80-91	0.5	
65	Electrical properties of epoxy composites with carbon nanotubes, mixed with TiO2 or Fe particles. <i>Applied Nanoscience (Switzerland)</i> , 2021 , 11, 1827-1837	3.3	3
64	Complex permittivity of epoxy composites with carbon nanotubes and TiO2 in microwave range. <i>Molecular Crystals and Liquid Crystals</i> , 2021 , 717, 121-127	0.5	1
63	Polyethylene Composites with Segregated Carbon Nanotubes Network: Low Frequency Plasmons and High Electromagnetic Interference Shielding Efficiency. <i>Materials</i> , 2020 , 13,	3.5	13
62	Dielectric and microwave shielding properties of three-phase composites graphite nanoplatelets/carbonyl iron/epoxy resin. <i>Applied Nanoscience (Switzerland)</i> , 2020 , 10, 4781-4790	3.3	7
61	Effect of Ga content on magnetic properties of BaFe12\(\mathbb{B}\)GaxO19/epoxy composites. <i>Journal of Materials Science</i> , 2020 , 55, 9385-9395	4.3	34
60	Microwave properties of epoxy composites with mixed filler carbon nanotubes/BaTiO3. <i>Applied Nanoscience (Switzerland)</i> , 2020 , 10, 2759-2767	3.3	12
59	Impedance characterization and microwave permittivity of multi-walled carbon nanotubes/BaTiO3/epoxy composites. <i>Applied Physics A: Materials Science and Processing</i> , 2020 , 126, 1	2.6	2
58	Percolation characteristics of multi-polymer composites with different ratios of nanocarbon fillers. <i>Molecular Crystals and Liquid Crystals</i> , 2020 , 699, 97-110	0.5	2
57	Electrodynamic properties of epoxy composites with mixed filler graphite nanoplatelets + TiO2. <i>Molecular Crystals and Liquid Crystals</i> , 2020 , 700, 22-29	0.5	1
56	Electromagnetic shielding properties of epoxy composites with hybrid filler nanocarbon/BaTiO3. <i>Materials Chemistry and Physics</i> , 2020 , 240, 122234	4.4	17
55	Complex permittivity of polymer-based composites with carbon nanotubes in microwave band. <i>Applied Nanoscience (Switzerland)</i> , 2020 , 10, 2691-2697	3.3	3

(2017-2019)

54	Polymer Nanocomposites with Hybrid Fillers as Materials with Controllable Electrodynamic Characteristics for Microwave Devices. <i>NATO Science for Peace and Security Series B: Physics and Biophysics</i> , 2019 , 91-112	0.2	1
53	The Effect of Ultraviolet Irradiation on the Electro-transport Properties of Carbon Nanotubes. <i>Springer Proceedings in Physics</i> , 2019 , 145-163	0.2	
52	Electrical and Thermal Conductivity of Ternary Composites Graphite Nanoplatelets/TiO2/Epoxy. <i>Journal of Nano- and Electronic Physics</i> , 2019 , 11, 03007-1-03007-7	1.5	3
51	Functional Magnetic Composites Based on Hexaferrites: Correlation of the Composition, Magnetic and High-Frequency Properties. <i>Nanomaterials</i> , 2019 , 9,	5.4	75
50	High-frequency absorption properties of gallium weakly doped barium hexaferrites. <i>Philosophical Magazine</i> , 2019 , 99, 585-605	1.6	7
49	Control of electromagnetic properties in substituted M-type hexagonal ferrites. <i>Journal of Alloys and Compounds</i> , 2018 , 754, 247-256	5.7	118
48	Dielectric Properties and AC Conductivity of Epoxy/Hybrid Nanocarbon Filler Composites. <i>Springer Proceedings in Physics</i> , 2018 , 377-393	0.2	2
47	Dielectric properties of epoxy composites with mixed fillers including graphite nanoplatelets/BaTiO3. <i>Molecular Crystals and Liquid Crystals</i> , 2018 , 671, 67-77	0.5	4
46	Phase transitions in the graphite intercalation compound with bromine. <i>Molecular Crystals and Liquid Crystals</i> , 2018 , 672, 41-53	0.5	1
45	Influence type filler on tunnel conductivity in composites. <i>Molecular Crystals and Liquid Crystals</i> , 2018 , 674, 76-91	0.5	1
44	Magnetic anisotropy of the graphite nanoplatelet@poxy and MWCNT@poxy composites with aligned barium ferrite filler. <i>Journal of Materials Science</i> , 2017 , 52, 5345-5358	4.3	90
43	Microwave Properties of One-dimensional Photonic Structures Based on Composite Layers Filled with Nanocarbon. <i>Nanoscale Research Letters</i> , 2017 , 12, 269	5	4
42	Dielectric Properties of Nanocarbon Polymer Composites with Binary Filler. <i>Springer Proceedings in Physics</i> , 2017 , 855-871	0.2	1
41	Electrical Properties of Composite Materials with Electric Field-Assisted Alignment of Nanocarbon Fillers. <i>Nanoscale Research Letters</i> , 2017 , 12, 471	5	22
40	Semiconducting and Optical Properties of Compact Graphene-Like Nanoparticles of Molybdenum Disulfide. <i>Springer Proceedings in Physics</i> , 2017 , 845-854	0.2	
39	Peculiarities of Charge Transfer in Graphite Intercalation Compounds with Bromine and Iodine Chloride. <i>Springer Proceedings in Physics</i> , 2017 , 771-787	0.2	3
38	Effect of gallium doping on electromagnetic properties of barium hexaferrite. <i>Journal of Physics and Chemistry of Solids</i> , 2017 , 111, 142-152	3.9	86
37	Weak localization and interaction effects in acceptor graphite intercalation compounds. <i>Low Temperature Physics</i> , 2017 , 43, 703-707	0.7	3

36	Investigation into the structural features and microwave absorption of doped barium hexaferrites. <i>Dalton Transactions</i> , 2017 , 46, 9010-9021	4.3	106
35	Resistivity of Graphite Intercalation Compounds with Bromine and Aluminum Chloride under the Pressure. <i>Journal of Nano- and Electronic Physics</i> , 2017 , 9, 03002-1-03002-7	1.5	2
34	Effects of Dispersion and Ultraviolet/Ozonolysis Functionalization of Graphite Nanoplatelets on the Electrical Properties of Epoxy Nanocomposites. <i>Springer Proceedings in Physics</i> , 2016 , 477-491	0.2	9
33	Extraordinary synergy in the thermal and electric properties of polymer matrix reinforced with hybrid fillers. <i>Materialwissenschaft Und Werkstofftechnik</i> , 2016 , 47, 278-287	0.9	3
32	Optimization of multilayer electromagnetic shields: A genetic algorithm approach. <i>Materialwissenschaft Und Werkstofftechnik</i> , 2016 , 47, 263-271	0.9	6
31	Asymmetric magnetoresistance in the graphite intercalation compounds with cobalt. <i>Molecular Crystals and Liquid Crystals</i> , 2016 , 639, 137-150	0.5	5
30	The effect of graphite functionalization on electrical and shielding properties of epoxy composites. <i>Molecular Crystals and Liquid Crystals</i> , 2016 , 639, 94-104	0.5	1
29	Modeling of gradient composite structures for shielding of microwaves. <i>Molecular Crystals and Liquid Crystals</i> , 2016 , 639, 105-114	0.5	2
28	Conductive and Shielding Properties of MWCNTs/Polymer Nanocomposites with Aligned Filler Distribution. <i>NATO Science for Peace and Security Series B: Physics and Biophysics</i> , 2016 , 251-271	0.2	8
27	Dielectric properties of composite materials containing aligned carbon nanotubes. <i>Inorganic Materials</i> , 2016 , 52, 1198-1203	0.9	2
26	Electrodynamic properties of the nanocarbon/polymer composites with aligned by magnetic field secondary non-conductive component 2015 ,		3
25	Mechanical and electrical properties of the epoxy composites with graphite nanoplatelets and carbon nanotubes. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2014 , 211, 336-341	1.6	15
24	The effect of boron nitride on electrical conductivity of nanocarbon-polymer composites. <i>Journal of Materials Science</i> , 2014 , 49, 2098-2105	4.3	25
23	Development of carbon nanotubefolymer composites with oriented distribution of MWCNTs induced by electric field. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2014 , 211, 2718-27.	2 2 .6	11
22	Transport Properties of Epoxy-Binary Filler Composites. <i>Molecular Crystals and Liquid Crystals</i> , 2014 , 589, 195-201	0.5	4
21	Electrical conductivity of epoxy resin filled with graphite nanoplatelets and boron nitride. <i>Materialwissenschaft Und Werkstofftechnik</i> , 2013 , 44, 254-258	0.9	11
20	Structure lectrical resistivity relationship of N-doped multi-walled carbon nanotubes. <i>Journal of Materials Science</i> , 2012 , 47, 2390-2395	4.3	27
19	Magnetoresistance of nanocarbon materials based on carbon nanotubes. <i>Low Temperature Physics</i> , 2011 , 37, 819-823	0.7	11

18	The Effect of Filler Morphology and Distribution on Electrical and Shielding Properties of Graphite-Epoxy Composites. <i>Molecular Crystals and Liquid Crystals</i> , 2011 , 535, 179-188	0.5	34
17	Thermo-Exfoliated Graphite Containing CuO/Cu2(OH)3NO3:(Co2+/Fe3+) Composites: Preparation, Characterization and Catalytic Performance in CO Conversion. <i>Materials</i> , 2010 , 3, 572-584	3.5	16
16	Structure and magnetic properties of multi-walled carbon nanotubes modified with iron. <i>Low Temperature Physics</i> , 2010 , 36, 1086-1090	0.7	23
15	Electromagnetic losses in carbon@poxy composites. <i>Materials Science and Engineering C</i> , 2007 , 27, 1007-	18099	10
14	Thermal characterization of expanded graphite and its composites. <i>Inorganic Materials</i> , 2007 , 43, 597-60	06 .9	17
13	ELECTROPHYSICAL PROPERTIES OF THE NANOCARBON MATERIALS 2007 , 149-154		
12	Resistance of a Nanocarbon Material Containing Nanotubes. <i>Molecular Crystals and Liquid Crystals</i> , 2007 , 468, 289/[641]-297/[649]	0.5	14
11	Thermal stability of graphite-Cobalt nanocomposite materials. <i>Inorganic Materials</i> , 2006 , 42, 19-23	0.9	2
10	Fluid Dynamics in Subnanometer Channels of Carbon Nanotubes. <i>Fullerenes Nanotubes and Carbon Nanostructures</i> , 2005 , 13, 287-291	1.8	4
9	Transport Properties of Composites with Carbon Nanotube-Based Composites. <i>Fullerenes Nanotubes and Carbon Nanostructures</i> , 2005 , 13, 259-265	1.8	26
8	Clio Nanocomposite Materials. <i>Inorganic Materials</i> , 2003 , 39, 1147-1153	0.9	9
7	Thermopower of Pregraphitic Carbons. <i>Molecular Crystals and Liquid Crystals</i> , 2000 , 340, 361-366		
6	Phonon Drag in GIC Based on Disordered Graphite. <i>Molecular Crystals and Liquid Crystals</i> , 2000 , 340, 319	9-324	5
5	Thermal Desorption of Graphite Intercalated by SbCl5. <i>Molecular Crystals and Liquid Crystals</i> , 2000 , 340, 313-318		
4	Thermodynamic Model of Thermoexfoliation. <i>Molecular Crystals and Liquid Crystals</i> , 2000 , 340, 203-209		1
3	Investigation of the Thermoexfoliation Process in Different Acceptor GICs. <i>Molecular Crystals and Liquid Crystals</i> , 2000 , 340, 197-202		2
2	Microwave shielding and absorbing properties of single- and multilayered structures based on two-phase filler/epoxy composites. <i>Applied Nanoscience (Switzerland)</i> ,1	3.3	1
1	Peculiarities of phase transformations in graphite intercalation compounds with bromine. Molecular Crystals and Liquid Crystals,1-7	0.5	