

# Ana M M Gonçães

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6516628/publications.pdf>

Version: 2024-02-01

82  
papers

3,964  
citations

185998

28  
h-index

128067

60  
g-index

86  
all docs

86  
docs citations

86  
times ranked

4178  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Impacts of low concentrations of nanoplastics on leaf litter decomposition and food quality for detritivores in streams. <i>Journal of Hazardous Materials</i> , 2022, 429, 128320.   | 6.5 | 22        |
| 2  | A Comparative Study of the Fatty Acids and Monosaccharides of Wild and Cultivated <i>Ulva</i> sp.. <i>Journal of Marine Science and Engineering</i> , 2022, 10, 233.  | 1.2 | 7         |
| 3  | Seaweeds's pigments and phenolic compounds with antimicrobial potential. <i>Biomolecular Concepts</i> , 2022, 13, 89-102.   | 1.0 | 22        |
| 4  | Sustainable and Biodegradable Active Films Based on Seaweed Compounds to Improve Shelf Life of Food Products. , 2022, , 235-252.  |     | 1         |
| 5  | Seaweed as Food: How to Guarantee Their Quality?. , 2022, , 309-321.  |     | 1         |
| 6  | A Road to the Sustainable Seaweed Aquaculture. , 2022, , 63-73.   |     | 1         |
| 7  | Seaweed-Based Polymers from Sustainable Aquaculture to "Greener" Plastic Products. , 2022, , 591-602.   |     | 4         |
| 8  | Red Seaweeds: Their Use in Formulation of Nutraceutical Food Products. , 2022, , 253-265.   |     | 0         |
| 9  | An Overview of Potential Seaweed-Derived Bioactive Compounds for Pharmaceutical Applications. <i>Marine Drugs</i> , 2022, 20, 141.  | 2.2 | 62        |
| 10 | A Global Overview of Aquaculture Food Production with a Focus on the Activity's Development in Transitional Systems" The Case Study of a South European Country (Portugal). <i>Journal of Marine Science and Engineering</i> , 2022, 10, 417.       | 1.2 | 24        |
| 11 | An Overview of the Alternative Use of Seaweeds to Produce Safe and Sustainable Bio-Packaging. <i>Applied Sciences (Switzerland)</i> , 2022, 12, 3123.   | 1.3 | 37        |
| 12 | Marine macroalgae as a feasible and complete resource to address and promote Sustainable Development Goals (SDGs). <i>Integrated Environmental Assessment and Management</i> , 2022, 18, 1148-1161.   | 1.6 | 10        |
| 13 | Microplastics in freshwater systems: The current status to achieve the sustainable development goals until 2030. <i>Integrated Environmental Assessment and Management</i> , 2022, 18, 289-291.   | 1.6 | 1         |
| 14 | Assessment of metal exposure (uranium and copper) in fatty acids and carbohydrate profiles of <i>Calamoceras marsupus</i> larvae (Trichoptera) and <i>Alnus glutinosa</i> leaf litter. <i>Science of the Total Environment</i> , 2022, 836, 155613. | 3.9 | 5         |
| 15 | Antiviral Activity and Mechanisms of Seaweeds Bioactive Compounds on Enveloped Viruses" A Review. <i>Marine Drugs</i> , 2022, 20, 385.  | 2.2 | 19        |
| 16 | Call the Eckols: Present and Future Potential Cancer Therapies. <i>Marine Drugs</i> , 2022, 20, 387.  | 2.2 | 8         |
| 17 | Seasonal variation in habitat use, daily routines and interactions with humans by urban-dwelling gulls. <i>Urban Ecosystems</i> , 2021, 24, 1101-1115.  | 1.1 | 11        |
| 18 | Biochemical Composition of Six Native Seaweeds from Buarcos Bay, Central West Coast of Portugal. , 2021, , 227-236.   |     | 0         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | The importance of marine resources in the diet of urban gulls. <i>Marine Ecology - Progress Series</i> , 2021, 660, 189-201.  | 0.9 | 11        |
| 20 | Biomarkers based tools to assess environmental and chemical stressors in aquatic systems. <i>Ecological Indicators</i> , 2021, 122, 107207.   | 2.6 | 26        |
| 21 | Fatty acids as suitable biomarkers to assess pesticide impacts in freshwater biological scales – A review. <i>Ecological Indicators</i> , 2021, 122, 107299.  | 2.6 | 26        |
| 22 | Enzymes as useful biomarkers to assess the response of freshwater communities to pesticide exposure – A review. <i>Ecological Indicators</i> , 2021, 122, 107303.   | 2.6 | 23        |
| 23 | Environmental Impact on Seaweed Phenolic Production and Activity: An Important Step for Compound Exploitation. <i>Marine Drugs</i> , 2021, 19, 245.   | 2.2 | 39        |
| 24 | Assessment of seasonal and spatial variations in the nutritional content of six edible marine bivalve species by the response of a set of integrated biomarkers. <i>Ecological Indicators</i> , 2021, 124, 107378.  | 2.6 | 2         |
| 25 | Seaweeds as Valuable Sources of Essential Fatty Acids for Human Nutrition. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 4968.   | 1.2 | 41        |
| 26 | An Overview to the Health Benefits of Seaweeds Consumption. <i>Marine Drugs</i> , 2021, 19, 341.  | 2.2 | 65        |
| 27 | Biochemical Effects of Two Pesticides in Three Different Temperature Scenarios on the Diatom <i>Thalassiosira weissflogii</i> . <i>Processes</i> , 2021, 9, 1247.   | 1.3 | 9         |
| 28 | Effects of Heat Treatment Processes: Health Benefits and Risks to the Consumer. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 8740.   | 1.3 | 11        |
| 29 | The key role of zooplankton in ecosystem services: A perspective of interaction between zooplankton and fish recruitment. <i>Ecological Indicators</i> , 2021, 129, 107867.   | 2.6 | 61        |
| 30 | Seaweeds Used in Wastewater Treatment: Steps to Industrial Commercialization. , 2021, , 247-262.  |     | 1         |
| 31 | Fatty acids composition in yellow-legged ( <i>Larus michahellis</i> ) and lesser black-backed ( <i>Larus fuscus</i> ) gulls from natural and urban habitats in relation to the ingestion of anthropogenic materials. <i>Science of the Total Environment</i> , 2021, 809, 151093. | 3.9 | 4         |
| 32 | Seaweeds as a Fermentation Substrate: A Challenge for the Food Processing Industry. <i>Processes</i> , 2021, 9, 1953.   | 1.3 | 13        |
| 33 | Portuguese Kelps: Feedstock Assessment for the Food Industry. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 10681.  | 1.3 | 5         |
| 34 | Diverse Applications of Marine Macroalgae. <i>Marine Drugs</i> , 2020, 18, 17.  | 2.2 | 174       |
| 35 | Seaweed-Based Products and Mushroom $\beta$ -Glucan as Tomato Plant Immunological Inducers. <i>Vaccines</i> , 2020, 8, 524.   | 2.1 | 11        |
| 36 | Seaweed – Bioactive Candidate Compounds to Food Industry and Global Food Security. <i>Life</i> , 2020, 10, 140.   | 1.1 | 97        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Seaweed Phenolics: From Extraction to Applications. <i>Marine Drugs</i> , 2020, 18, 384.   | 2.2 | 234       |
| 38 | The Evolution Road of Seaweed Aquaculture: Cultivation Technologies and the Industry 4.0. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 6528.   | 1.2 | 124       |
| 39 | Calliblepharis jubata Cultivation Potential—A Comparative Study between Controlled and Semi-Controlled Aquaculture. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 7553.  | 1.3 | 15        |
| 40 | A Comprehensive Review of the Nutraceutical and Therapeutic Applications of Red Seaweeds (Rhodophyta). <i>Life</i> , 2020, 10, 19.   | 1.1 | 113       |
| 41 | Improving cost-efficiency for MPs density separation by zinc chloride reuse. <i>MethodsX</i> , 2020, 7, 100785.  | 0.7 | 44        |
| 42 | Fucoidan - a valuable source from the ocean to pharmaceutical. <i>Frontiers in Drug Chemistry and Clinical Research</i> , 2020, 3, .   | 0.6 | 9         |
| 43 | Sustainable Premium Ready Meals for a Daily Nutritional Diet: Human Population Growing Demand. <i>Encyclopedia of the UN Sustainable Development Goals</i> , 2020, , 1-11.   | 0.0 | 1         |
| 44 | Impacts of plastic products used in daily life on the environment and human health: What is known?. <i>Environmental Toxicology and Pharmacology</i> , 2019, 72, 103239.   | 2.0 | 141       |
| 45 | Copper sulphate impact on the antioxidant defence system of the marine bivalves <i>Cerastoderma edule</i> and <i>Scrobicularia plana</i> . <i>Scientific Reports</i> , 2019, 9, 16458.   | 1.6 | 25        |
| 46 | MODELPlastics workshop - Modelling Ocean Plastic Litter in a Changing Climate: Gaps and future directions. <i>Marine Pollution Bulletin</i> , 2019, 146, 22-25.  | 2.3 | 11        |
| 47 | Biochemical impacts in adult and juvenile farmed European seabass and gilthead seabream from semi-intensive aquaculture of southern European estuarine systems. <i>Environmental Science and Pollution Research</i> , 2019, 26, 13422-13440. | 2.7 | 2         |
| 48 | Impacts of S-metolachlor and terbuthylazine in fatty acid and carbohydrate composition of the benthic clam <i>Scrobicularia plana</i> . <i>Ecotoxicology and Environmental Safety</i> , 2019, 173, 293-304.                                  | 2.9 | 12        |
| 49 | Biomarkers™ responses of the benthic clam <i>Scrobicularia plana</i> to the main active ingredients (S-metolachlor and Terbuthylazine) of a common herbicide. <i>Ecological Indicators</i> , 2019, 96, 611-619.                              | 2.6 | 10        |
| 50 | Effectiveness of a methodology of microplastics isolation for environmental monitoring in freshwater systems. <i>Ecological Indicators</i> , 2018, 89, 488-495.  | 2.6 | 78        |
| 51 | Spatial and temporal distribution of microplastics in water and sediments of a freshwater system (Antuã River, Portugal). <i>Science of the Total Environment</i> , 2018, 633, 1549-1559.  | 3.9 | 560       |
| 52 | Effects of a herbicide and copper mixture on the quality of marine plankton. <i>Ecotoxicology and Environmental Safety</i> , 2018, 156, 9-17.  | 2.9 | 8         |
| 53 | Assessment of metal exposure (uranium and copper) by the response of a set of integrated biomarkers in a stream shredder. <i>Ecological Indicators</i> , 2018, 95, 991-1000.   | 2.6 | 15        |
| 54 | Fatty acids profiles modifications in the bivalves <i>Cerastoderma edule</i> and <i>Scrobicularia plana</i> in response to copper sulphate. <i>Ecological Indicators</i> , 2018, 85, 318-328.  | 2.6 | 21        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | The antagonist and synergist potential of cholinium-based deep eutectic solvents. <i>Ecotoxicology and Environmental Safety</i> , 2018, 165, 597-602.  | 2.9 | 35        |
| 56 | Unraveling the ecotoxicity of deep eutectic solvents using the mixture toxicity theory. <i>Chemosphere</i> , 2018, 212, 890-897.   | 4.2 | 62        |
| 57 | Ecotoxicological and biochemical mixture effects of an herbicide and a metal at the marine primary producer diatom <i>Thalassiosira weissflogii</i> and the primary consumer copepod <i>Acartia tonsa</i> . <i>Environmental Science and Pollution Research</i> , 2018, 25, 22180-22195. | 2.7 | 17        |
| 58 | Brain as a target organ of climate events: Environmental induced biochemical changes in three marine fish species. <i>Ecological Indicators</i> , 2018, 95, 815-824.   | 2.6 | 5         |
| 59 | The biochemical response of two commercial bivalve species to exposure to strong salinity changes illustrated by selected biomarkers. <i>Ecological Indicators</i> , 2017, 77, 59-66.  | 2.6 | 30        |
| 60 | Functional diversity of zooplankton communities in two tropical estuaries (NE Brazil) with different degrees of human-induced disturbance. <i>Marine Environmental Research</i> , 2017, 129, 46-56.  | 1.1 | 20        |
| 61 | Biochemical and toxicological effects of organic (herbicide Primextra® Gold TZ) and inorganic (copper) compounds on zooplankton and phytoplankton species. <i>Aquatic Toxicology</i> , 2016, 177, 33-43.   | 1.9 | 51        |
| 62 | Fatty acid profiling as bioindicator of chemical stress in marine organisms: A review. <i>Ecological Indicators</i> , 2016, 67, 657-672.   | 2.6 | 118       |
| 63 | Seasonal and spatial shifts in copepod diets within tropical estuaries measured by fatty acid profiles. <i>Ecological Indicators</i> , 2016, 69, 284-294.  | 2.6 | 13        |
| 64 | Fatty acids™ profiles as indicators of stress induced by of a common herbicide on two marine bivalves species: <i>Cerastoderma edule</i> (Linnaeus, 1758) and <i>Scrobicularia plana</i> (da Costa, 1778). <i>Ecological Indicators</i> , 2016, 63, 209-218.                             | 2.6 | 61        |
| 65 | Environmental safety of cholinium-based ionic liquids: assessing structure–ecotoxicity relationships. <i>Green Chemistry</i> , 2015, 17, 4657-4668.  | 4.6 | 115       |
| 66 | Biochemical and populational responses of an aquatic bioindicator species, <i>Daphnia longispina</i> , to a commercial formulation of a herbicide (Primextra® Gold TZ) and its active ingredient (S-metolachlor). <i>Ecological Indicators</i> , 2015, 53, 220-230.                      | 2.6 | 54        |
| 67 | Ecotoxicity analysis of cholinium-based ionic liquids to <i>Vibrio fischeri</i> marine bacteria. <i>Ecotoxicology and Environmental Safety</i> , 2014, 102, 48-54.   | 2.9 | 185       |
| 68 | Sustainable design for environment-friendly mono and dicationic cholinium-based ionic liquids. <i>Ecotoxicology and Environmental Safety</i> , 2014, 108, 302-310.   | 2.9 | 83        |
| 69 | Designing ionic liquids: the chemical structure role in the toxicity. <i>Ecotoxicology</i> , 2013, 22, 1-12.   | 1.1 | 230       |
| 70 | A pharmacodynamic analysis of factors affecting recovery from anesthesia with propofol-remifentanyl target controlled infusion. <i>Acta Pharmacologica Sinica</i> , 2012, 33, 1080-1084.   | 2.8 | 15        |
| 71 | Fatty acid profiling reveals seasonal and spatial shifts in zooplankton diet in a temperate estuary. <i>Estuarine, Coastal and Shelf Science</i> , 2012, 109, 70-80.   | 0.9 | 64        |
| 72 | Acute and chronic toxicity of Betanal®Expert and its active ingredients on nontarget aquatic organisms from different trophic levels. <i>Environmental Toxicology</i> , 2012, 27, 537-548.   | 2.1 | 17        |

| #  | ARTICLE  | IF        | CITATIONS |
|----|--|-----------|-----------|
| 73 | Ecotoxicological effects of Mikado® and Viper® on algae and daphnids. <i>Environmental Toxicology</i> , 2012, 27, 685-699.   | 2.1       | 11        |
| 74 | Diel vertical behavior of Copepoda community (naupliar, copepodites and adults) at the boundary of a temperate estuary and coastal waters. <i>Estuarine, Coastal and Shelf Science</i> , 2012, 98, 16-30.                  | 0.9       | 10        |
| 75 | How to enhance the hydrophobic nature of ionic liquids while lowering their toxicity?. <i>Toxicology Letters</i> , 2011, 205, S124.  | 0.4       | 1         |
| 76 | Differential inter- and intra-specific responses of <i>Aphanizomenon</i> strains to nutrient limitation and algal growth inhibition. <i>Journal of Plankton Research</i> , 2011, 33, 1606-1616.                            | 0.8       | 17        |
| 77 | Spatial and temporal distribution of harpacticoid copepods in Mondego estuary. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2010, 90, 1279-1290.  | 0.4       | 12        |
| 78 | Assessing the toxicity on [C3mim][Tf2N] to aquatic organisms of different trophic levels. <i>Aquatic Toxicology</i> , 2010, 96, 290-297.   | 1.9       | 122       |
| 79 | Toxicity evaluation of three pesticides on non-target aquatic and soil organisms: commercial formulation versus active ingredient. <i>Ecotoxicology</i> , 2009, 18, 455-463.   | 1.1       | 211       |
| 80 | The effectiveness of a biological treatment with <i>Rhizopus oryzae</i> and of a photo-Fenton oxidation in the mitigation of toxicity of a bleached kraft pulp mill effluent. <i>Water Research</i> , 2009, 43, 2471-2480. | 5.3       | 26        |
| 81 | Salinity effects on survival and life history of two freshwater cladocerans ( <i>Daphnia magna</i> and <i>Tj ETQq1</i> )   | 1.0784314 | 89        |
| 82 | Seaweeds™ nutraceutical and biomedical potential in cancer therapy: a concise review. <i>Journal of Cancer Metastasis and Treatment</i> , 0, 2021, .   | 0.5       | 12        |