Charles E Glatz

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6517255/publications.pdf

Version: 2024-02-01

74 papers 1,881 citations

236925 25 h-index 330143 37 g-index

74 all docs

74 docs citations

74 times ranked 1276 citing authors

#	Article	IF	CITATIONS
1	Hemolysis as a rapid screening technique for assessing the toxicity of native surfactin and a genetically engineered derivative. Environmental Progress and Sustainable Energy, 2017, 36, 505-510.	2.3	4
2	Parameters affecting enzyme-assisted aqueous extraction of extruded sunflower meal. Food Chemistry, 2016, 208, 245-251.	8.2	15
3	Accounting for host cell protein behavior in anionâ€exchange chromatography. Biotechnology Progress, 2016, 32, 1453-1463.	2.6	2
4	Process integration for recovery of recombinant collagen type I $\hat{l}\pm 1$ from corn seed. Biotechnology Progress, 2016, 32, 98-107.	2.6	8
5	Proteomics-based, multivariate random forest method for prediction of protein separation behavior during cation-exchange chromatography. Journal of Chromatography A, 2012, 1249, 103-114.	3.7	11
6	Protein recovery from enzymeâ€assisted aqueous extraction of soybean. Biotechnology Progress, 2010, 26, 488-495.	2.6	19
7	Clarification of aqueous corn extracts by tangential flow microfiltration. Journal of Membrane Science, 2010, 365, 123-129.	8.2	6
8	Purification of recombinant plant-made proteins from corn extracts by ultrafiltration. Journal of Membrane Science, 2010, 353, 103-110.	8.2	37
9	Coupled Application of Aqueous Two-Phase Partitioning and 2D-Electrophoresis for Characterization of Soybean Proteins. Separation Science and Technology, 2010, 45, 2210-2225.	2.5	9
10	Utilizing Protein-Lean Coproducts from Corn Containing Recombinant Pharmaceutical Proteins for Ethanol Production. Journal of Agricultural and Food Chemistry, 2010, 58, 10419-10425.	5.2	6
11	Characterization of greenâ€tissue protein extract from alfalfa (<i>Medicago sativa</i>) exploiting a 3â€D technique. Journal of Separation Science, 2009, 32, 3223-3231.	2.5	26
12	Fractionation of transgenic corn seed by dry and wet milling to recover recombinant collagenâ€related proteins. Biotechnology Progress, 2009, 25, 1396-1401.	2.6	15
13	Purification and characterization of a transgenic corn grainâ€derived recombinant collagen type I alpha 1. Biotechnology Progress, 2009, 25, 1660-1668.	2.6	30
14	Extraction of protein from distiller's grain. Bioresource Technology, 2009, 100, 2012-2017.	9.6	66
15	Predicting protein retention time in ion-exchange chromatography based on three-dimensional protein characterization. Journal of Chromatography A, 2009, 1216, 274-280.	3.7	22
16	Purification and Characterization of a 44-kDa Recombinant Collagen I $\hat{l}\pm 1$ Fragment from Corn Grain. Journal of Agricultural and Food Chemistry, 2009, 57, 880-887.	5.2	21
17	Improving permeate flux and product transmission in the microfiltration of a bacterial cell suspension by flocculation with cationic polyelectrolytes. Journal of Membrane Science, 2008, 324, 198-208.	8.2	20
18	Destabilization of the Emulsion Formed during Aqueous Extraction of Soybean Oil. JAOCS, Journal of the American Oil Chemists' Society, 2008, 85, 383-390.	1.9	72

#	Article	IF	CITATIONS
19	Antibody Capture from Corn Endosperm Extracts by Packed Bed and Expanded Bed Adsorption. Biotechnology Progress, 2008, 21, 473-485.	2.6	24
20	Recovery of Recombinant Dog Gastric Lipase from Corn Endosperm Extract. Separation Science and Technology, 2007, 42, 1195-1213.	2.5	3
21	A method for three-dimensional protein characterization and its application to a complex plant (corn) extract. Biotechnology and Bioengineering, 2007, 97, 1158-1169.	3.3	33
22	Aqueous two-phase extraction for protein recovery from corn extracts. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2007, 845, 38-50.	2.3	77
23	Purification of recombinant aprotinin from transgenic corn germ fraction using ion exchange and hydrophobic interaction chromatography. Applied Microbiology and Biotechnology, 2007, 76, 607-613.	3.6	22
24	Extraction of Recombinant Dog Gastric Lipase from Transgenic Corn Seed. Journal of Agricultural and Food Chemistry, 2006, 54, 8086-8092.	5.2	30
25	Enzymatic Assay Method for Evaluating the Lipase Activity in Complex Extracts from Transgenic Corn Seed. Journal of Agricultural and Food Chemistry, 2006, 54, 3181-3185.	5.2	13
26	Broth conditions determining specific cake resistance during microfiltration of Bacillus subtilis. Biotechnology and Bioengineering, 2006, 94, 346-352.	3.3	8
27	Applicability of the stoichiometric displacement model to description of the retention behavior of charged-fusion proteins during fast protein liquid chromatography. Journal of Chromatography A, 2005, 1069, 113-118.	3.7	4
28	Considerations for the recovery of recombinant proteins from plants. Biotechnology Progress, 2004, 20, 1001-1014.	2.6	152
29	Recombinant protein purification from pea. Biotechnology and Bioengineering, 2004, 86, 108-114.	3.3	18
30	Zeta potential as a measure of polyelectrolyte flocculation and the effect of polymer dosing conditions on cell removal from fermentation broth. Biotechnology and Bioengineering, 2004, 87, 54-60.	3.3	15
31	Extracellular enzyme loss during polyelectrolyte flocculation of cells from fermentation broth. Biotechnology and Bioengineering, 2004, 87, 61-68.	3.3	8
32	Compatibility of column inlet and adsorbent designs for processing of corn endosperm extract by expanded bed adsorption. Biotechnology and Bioengineering, 2004, 87, 324-336.	3.3	14
33	Bioprocess considerations for expanded-bed chromatography of crude canola extract: Sample preparation and adsorbent reuse. Biotechnology and Bioengineering, 2003, 81, 775-782.	3.3	33
34	Capture of a recombinant protein from unclarified canola extract using streamline expanded bed anion exchange. Biotechnology and Bioengineering, 2003, 81, 855-864.	3.3	27
35	Subtilisin surface properties and crystal growth kinetics. Journal of Crystal Growth, 2003, 254, 492-502.	1.5	5
36	Recovery of enzyme byproducts from potential plant hosts for recombinant protein production. Enzyme and Microbial Technology, 2003, 33, 596-605.	3.2	4

#	Article	IF	CITATIONS
37	Solvent Role in Protein Crystallization as Determined by Pressure Dependence of Nucleation Rate and Solubility. Crystal Growth and Design, 2002, 2, 45-50.	3.0	15
38	Host selection as a downstream strategy: Polyelectrolyte precipitation of ?-glucuronidase from plant extracts. Biotechnology and Bioengineering, 2002, 77, 148-154.	3.3	33
39	Aqueous Extraction of \hat{I}^2 -Glucuronidase from Transgenic Canola: Kinetics and Microstructure. Biotechnology Progress, 2002, 18, 1301-1305.	2.6	13
40	Solvent effects on the growth kinetics of subtilisin crystals. Journal of Crystal Growth, 2002, 240, 549-559.	1.5	7
41	Harvest time effects on membrane cake resistance of Escherichia coli broth. Journal of Membrane Science, 2001, 190, 93-106.	8.2	21
42	Genetic Engineering Strategies for Purification of Recombinant Proteins from Canola by Anion Exchange Chromatography: An Example of \hat{l}^2 -Glucuronidase. Biotechnology Progress, 2001, 17, 161-167.	2.6	26
43	Water reuse in the L-lysine fermentation process. , 2000, 49, 341-347.		9
44	Suitability of immobilized metal affinity chromatography for protein purification from canola., 2000, 68, 52-58.		33
45	Pressure dependence of subtilisin crystallization kinetics. Journal of Crystal Growth, 2000, 208, 678-686.	1.5	27
46	Effect of carbon source on microfiltration of Corynebacterium glutamicum. Journal of Membrane Science, 2000, 171, 263-271.	8.2	8
47	Effects of pH and ionic strength on microfiltration of C. glutamicum. Journal of Membrane Science, 1999, 153, 23-32.	8.2	40
48	Process Engineering Strategy for Recombinant Protein Recovery from Canola by Cation Exchange Chromatography. Biotechnology Progress, 1999, 15, 12-18.	2.6	25
49	Strategies for Recombinant Protein Recovery from Canolaby Precipitation. Biotechnology Progress, 1999, 15, 488-492.	2.6	15
50	Charged Protein Partitioning in Aqueous Polyethylene Glycol–Dextran Two-Phase Systems: Salt Effects. Separation Science and Technology, 1999, 34, 423-438.	2.5	14
51	Propionic acid production by extractive fermentation. I. Solvent considerations. , 1998, 57, 454-461.		81
52	Contribution of protein charge to partitioning in aqueous two-phase systems., 1998, 59, 461-470.		22
53	Propionic acid production by extractive fermentation. I. Solvent considerations. Biotechnology and Bioengineering, 1998, 57, 454-461.	3.3	1
54	Extraction of Charged Fusion Proteins in Reversed Micelles: Comparison between Different Surfactant Systems. Biotechnology Progress, 1995, 11, 260-264.	2.6	39

#	Article	IF	Citations
55	Genetically engineered charge modifications to enhance protein separation in aqueous two-phase systems: Charge directed partitioning. Biotechnology and Bioengineering, 1995, 46, 62-68.	3.3	16
56	Genetic engineering to enhance the selectivity of protein separations. Applied Biochemistry and Biotechnology, 1995, 54, 173-191.	2.9	2
57	Genetically engineered charge modifications to enhance protein separation in aqueous two-phase systems: Electrochemical partitioning. Biotechnology and Bioengineering, 1994, 44, 147-153.	3.3	37
58	lon exchange immobilization of changed ?-galactosidase fusions for lactose hydrolysis. Biotechnology and Bioengineering, 1994, 44, 745-752.	3.3	27
59	Characterization and Polyelectrolyte Precipitation of .betaGalactosidase Containing Genetic Fusions of Charged Polypeptides. Biotechnology Progress, 1994, 10, 237-245.	2.6	24
60	Reversed micellar extraction of charged fusion proteins. Biotechnology Progress, 1994, 10, 499-502.	2.6	12
61	Charged fusions for selective recovery of ?-galactosidase from cell extract using hollow fiber ion-exchange membrane adsorption. Biotechnology and Bioengineering, 1993, 42, 333-338.	3.3	33
62	Enhanced recovery and purification of Aspergillus glucoamylase from Saccharomyces cerevisiae by the addition of poly(aspartic acid) tails. Enzyme and Microbial Technology, 1993, 15, 593-600.	3.2	22
63	Recovery of propionic and acetic acids from fermentation broth by electrodialysis. Biotechnology Progress, 1992, 8, 479-485.	2.6	39
64	Separation of proteins from polyelectrolytes by ultrafiltration. Journal of Membrane Science, 1991, 55, 181-198.	8.2	31
65	Precipitation of nucleic acids with poly(ethyleneimine). Biotechnology Progress, 1990, 6, 283-285.	2.6	51
66	Recovery of a charged-fusion protein from cell extracts by polyelectrolyte precipitation. Biotechnology and Bioengineering, 1990, 36, 467-475.	3.3	37
67	Polyelectrolyte precipitation of \hat{l}^2 -galactosidase fusions containing poly-aspartic acid tails. Journal of Biotechnology, 1990, 14, 273-283.	3.8	44
68	Flux enhancement in hollow fiber ultrafiltration for the recovery of acid cheese whey precipitates. Biotechnology Progress, 1990, 6, 129-134.	2.6	2
69	Protein Fractionation by Precipitation with Carboxymethyl Cellulose. ACS Symposium Series, 1990 , , $170-187$.	0.5	16
70	Polyelectrolyte precipitation of proteins: I. The effect of reactor conditions. Biotechnology and Bioengineering, 1988, 32, 777-785.	3.3	48
71	Polyelectrolyte precipitation of proteins: II. Models of the particle size distributions. Biotechnology and Bioengineering, 1988, 32, 786-796.	3.3	22
72	Isoelectric precipitation of soy protein: I. Factors affecting particle size distribution. Biotechnology and Bioengineering, 1983, 25, 3049-3058.	3.3	30

#	Article	IF	CITATION
73	Isoelectric precipitation of soy protein. II. Kinetics of protein aggregate growth and breakage. Biotechnology and Bioengineering, 1983, 25, 3059-3078.	3.3	39
74	PROTEIN PRECIPITATION-ANALYSIS OF PARTICLE SIZE DISTRIBUTION AND KINETICS. Chemical Engineering Communications, 1981, 12, 203-219.	2.6	41