

Donald K Blumenthal

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6517785/publications.pdf>

Version: 2024-02-01

65
papers

2,510
citations

185998

28
h-index

189595

50
g-index

68
all docs

68
docs citations

68
times ranked

1860
citing authors

#	ARTICLE	IF	CITATIONS
1	Activation of skeletal muscle myosin light chain kinase by calcium(2+) and calmodulin. <i>Biochemistry</i> , 1980, 19, 5608-5614.	1.2	331
2	Identification of the calmodulin-binding domain of skeletal muscle myosin light chain kinase.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1985, 82, 3187-3191.	3.3	310
3	Interaction of calmodulin and a calmodulin-binding peptide from myosin light chain kinase: major spectral changes in both occur as the result of complex formation. <i>Biochemistry</i> , 1985, 24, 8152-8157.	1.2	142
4	Effects of pH, ionic strength, and temperature on activation by calmodulin and catalytic activity of myosin light-chain kinase. <i>Biochemistry</i> , 1982, 21, 2386-2391.	1.2	118
5	Amino acid sequence of an active fragment of rabbit skeletal muscle myosin light chain kinase. <i>Biochemistry</i> , 1985, 24, 6028-6037.	1.2	115
6	Evidence for domain organization within the 61-kDa calmodulin-dependent cyclic nucleotide phosphodiesterase from bovine brain. <i>Biochemistry</i> , 1991, 30, 7931-7940.	1.2	87
7	A new crystal form of human acetylcholinesterase for exploratory room-temperature crystallography studies. <i>Chemico-Biological Interactions</i> , 2019, 309, 108698.	1.7	82
8	Regulation of contraction by myosin phosphorylation. <i>Biochemical Pharmacology</i> , 1980, 29, 2537-2543.	2.0	66
9	Cellular and morphological changes during neointimal hyperplasia development in a porcine arteriovenous graft model. <i>Nephrology Dialysis Transplantation</i> , 2007, 22, 3139-3146.	0.4	64
10	PDGF-induced proliferation in human arterial and venous smooth muscle cells: Molecular basis for differential effects of PDGF isoforms. <i>Journal of Cellular Biochemistry</i> , 2011, 112, 289-298.	1.2	59
11	Conformational Differences Among Solution Structures of the Type I β , II β and III β Protein Kinase A Regulatory Subunit Homodimers: Role of the Linker Regions. <i>Journal of Molecular Biology</i> , 2004, 337, 1183-1194.	2.0	56
12	Differential Effects of Substrate on Type I and Type II PKA Holoenzyme Dissociation. <i>Biochemistry</i> , 2004, 43, 5629-5636.	1.2	55
13	Localization and quaternary structure of the PKA RI β holoenzyme. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 12443-12448.	3.3	54
14	Myosin light chain kinases and myosin phosphorylation in skeletal muscle. <i>Advances in Enzyme Regulation</i> , 1985, 23, 123-140.	2.9	50
15	Antibody-Mediated Fluorescence Enhancement Based on Shifting the Intramolecular Dimer Monomer Equilibrium of Fluorescent Dyes. <i>Analytical Chemistry</i> , 1994, 66, 1500-1506.	3.2	50
16	C Subunits Binding to the Protein Kinase A RI β Dimer Induce a Large Conformational Change. <i>Journal of Biological Chemistry</i> , 2004, 279, 19084-19090.	1.6	44
17	Light chain phosphorylation alters the conformation of skeletal muscle myosin. <i>Biochemical and Biophysical Research Communications</i> , 1980, 93, 209-214.	1.0	42
18	Calmodulin Binding to Myosin Light Chain Kinase Begins at Substoichiometric Ca ²⁺ Concentrations: A Small-Angle Scattering Study of Binding and Conformational Transitions. <i>Biochemistry</i> , 1998, 37, 17810-17817.	1.2	39

#	ARTICLE	IF	CITATIONS
19	PKA R1± Homodimer Structure Reveals an Intermolecular Interface with Implications for Cooperative cAMP Binding and Carney Complex Disease. <i>Structure</i> , 2014, 22, 59-69.	1.6	37
20	[10] Preparation and properties of the calmodulin-binding domain of skeletal muscle myosin light chain kinase. <i>Methods in Enzymology</i> , 1987, 139, 115-126.	0.4	35
21	Mechanism of Epac Activation. <i>Journal of Biological Chemistry</i> , 2009, 284, 23644-23651.	1.6	35
22	Solution Scattering Reveals Large Differences in the Global Structures of Type II Protein Kinase A Isoforms. <i>Journal of Molecular Biology</i> , 2006, 357, 880-889.	2.0	34
23	A kinase interacting protein (AKIP1) is a key regulator of cardiac stress. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, E387-96.	3.3	33
24	Proteins at Work. <i>Journal of Biological Chemistry</i> , 2010, 285, 36121-36128.	1.6	32
25	Efficacy of local dipyridamole therapy in a porcine model of arteriovenous graft stenosis. <i>Kidney International</i> , 2006, 69, 2179-2185.	2.6	31
26	Synthetic peptides based on the calmodulin-binding domain of myosin light chain kinase inhibit activation of other calmodulin-dependent enzymes. <i>Biochemical and Biophysical Research Communications</i> , 1988, 156, 860-865.	1.0	29
27	Characterization of the Regulatory Domain of the \hat{I}^3 -Subunit of Phosphorylase Kinase. <i>Journal of Biological Chemistry</i> , 1995, 270, 22283-22289.	1.6	29
28	Differential effects of imatinib on PDGF-induced proliferation and PDGF receptor signaling in human arterial and venous smooth muscle cells. <i>Journal of Cellular Biochemistry</i> , 2006, 99, 1553-1563.	1.2	29
29	In vivo evaluation of the delivery and efficacy of a sirolimus-laden polymer gel for inhibition of hyperplasia in a porcine model of arteriovenous hemodialysis graft stenosis. <i>Journal of Controlled Release</i> , 2012, 160, 459-467.	4.8	29
30	Identification of the Substrate and Pseudosubstrate Binding Sites of Phosphorylase Kinase \hat{I}^3 -Subunit. <i>Journal of Biological Chemistry</i> , 1995, 270, 7183-7188.	1.6	26
31	Common components of patch-clamp internal recording solutions can significantly affect protein kinase A activity. <i>Brain Research</i> , 1999, 828, 169-173.	1.1	26
32	Rational design, synthesis, and evaluation of uncharged, \hat{I}^3 -bis-oxime antidotes of organophosphate-inhibited human acetylcholinesterase. <i>Journal of Biological Chemistry</i> , 2020, 295, 4079-4092.	1.6	24
33	Troponin I Inhibitory Peptide (96 \hat{I}^3 115) Has an Extended Conformation When Bound to Skeletal Muscle Troponin C. <i>Biochemistry</i> , 1999, 38, 6911-6917.	1.2	23
34	Isoform Specific Differences in Binding of a Dual-Specificity A-Kinase Anchoring Protein to Type I and Type II Regulatory Subunits of PKA \hat{I}^3 . <i>Biochemistry</i> , 2003, 42, 5754-5763.	1.2	23
35	Mechanism of Dipyridamole's Action in Inhibition of Venous and Arterial Smooth Muscle Cell Proliferation. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2006, 99, 431-439.	1.2	23
36	The Conformationally Dynamic C Helix of the R1± Subunit of Protein Kinase A Mediates Isoform-specific Domain Reorganization upon C Subunit Binding. <i>Journal of Biological Chemistry</i> , 2005, 280, 35521-35527.	1.6	21

#	ARTICLE	IF	CITATIONS
37	Sensing Domain Dynamics in Protein Kinase A- β Complexes by Solution X-ray Scattering. <i>Journal of Biological Chemistry</i> , 2009, 284, 35916-35925.	1.6	21
38	Defective internal allosteric network imparts dysfunctional ATP/substrate-binding cooperativity in oncogenic chimera of protein kinase A. <i>Communications Biology</i> , 2021, 4, 321.	2.0	21
39	Structure of a PKA R11 \pm Recurrent Acrodysostosis Mutant Explains Defective cAMP-Dependent Activation. <i>Journal of Molecular Biology</i> , 2016, 428, 4890-4904.	2.0	19
40	Longitudinal Assessment of Hyperplasia Using Magnetic Resonance Imaging without Contrast in a Porcine Arteriovenous Graft Model. <i>Academic Radiology</i> , 2009, 16, 96-107.	1.3	17
41	Limitations in current acetylcholinesterase structure-based design of oxime antidotes for organophosphate poisoning. <i>Annals of the New York Academy of Sciences</i> , 2016, 1378, 41-49.	1.8	17
42	Multi-state recognition pathway of the intrinsically disordered protein kinase inhibitor by protein kinase A. <i>ELife</i> , 2020, 9, .	2.8	16
43	Evaluation of histological techniques for quantifying haemodialysis arteriovenous (AV) graft hyperplasia*. <i>Nephrology Dialysis Transplantation</i> , 2006, 21, 3172-3179.	0.4	14
44	Productive reorientation of a bound oxime reactivator revealed in room temperature X-ray structures of native and VX-inhibited human acetylcholinesterase. <i>Journal of Biological Chemistry</i> , 2019, 294, 10607-10618.	1.6	13
45	Properties of a monoclonal antibody directed to the calmodulin-binding domain of rabbit skeletal muscle myosin light chain kinase. <i>Biochemistry</i> , 1987, 26, 5885-5890.	1.2	11
46	Activation and Inhibition of Phosphorylase Kinase by Monospecific Antibodies Raised against Peptides from the Regulatory Domain of the β -Subunit. <i>Journal of Biological Chemistry</i> , 1996, 271, 21126-21133.	1.6	11
47	An N-terminally truncated form of cyclic GMP-dependent protein kinase β (PKG β) is monomeric and autoinhibited and provides a model for activation. <i>Journal of Biological Chemistry</i> , 2018, 293, 7916-7929.	1.6	11
48	Different signaling responses to anti-proliferative agents in human aortic and venous smooth muscle cells. <i>Journal of Cellular Biochemistry</i> , 2006, 99, 835-844.	1.2	9
49	Covalent inhibition of hAChE by organophosphates causes homodimer dissociation through long-range allosteric effects. <i>Journal of Biological Chemistry</i> , 2021, 297, 101007.	1.6	8
50	The PKA regulatory subunit from yeast forms a homotetramer: Low-resolution structure of the N-terminal oligomerization domain. <i>Journal of Structural Biology</i> , 2016, 193, 141-154.	1.3	7
51	Prevention of Venous Neointimal Hyperplasia by a Multitarget Receptor Tyrosine Kinase Inhibitor. <i>Journal of Vascular Research</i> , 2015, 52, 244-256.	0.6	6
52	The Roles of the R11 β Linker and N-terminal Cyclic Nucleotide-binding Domain in Determining the Unique Structures of the Type III β Protein Kinase A. <i>Journal of Biological Chemistry</i> , 2014, 289, 28505-28512.	1.6	5
53	Antipeptide Antibodies as Probes of Subunit-Dependent Structural Changes in the Regulatory Domain of the Gamma-Subunit of Phosphorylase Kinase. <i>Biochemical and Biophysical Research Communications</i> , 1997, 230, 179-183.	1.0	4
54	Adaptation of the Protein Kinase Filter Paper Assay to a 96-Well Microtiter Format. <i>Analytical Biochemistry</i> , 1999, 267, 235-238.	1.1	4

#	ARTICLE	IF	CITATIONS
55	Differential gene expression patterns in vein regions susceptible versus resistant to neointimal hyperplasia. <i>Physiological Genomics</i> , 2018, 50, 615-627.	1.0	4
56	Development and characterization of fluorescently-labeled myosin light chain kinase calmodulin-binding domain peptides. <i>Molecular and Cellular Biochemistry</i> , 1993, 127-128, 45-50.	1.4	2
57	Board 391 - Research Abstract Development and Construct Validation of the Interprofessional Attitudes Scale (IPAS) for Assessing the Impact of Interprofessional Simulations (Submission #1233). <i>Simulation in Healthcare</i> , 2013, 8, 571-572.	0.7	1
58	Aberrant Soluble Epoxide Hydrolase and Oxylipin Levels in a Porcine Arteriovenous Graft Stenosis Model. <i>Journal of Vascular Research</i> , 2014, 51, 269-282.	0.6	1
59	ORGANIZATION OF MYOSIN LIGHT CHAIN KINASE FROM RABBIT SKELETAL MUSCLE. , 1987, , 494-504.		1
60	Architecture of the PKA RII ² Holoenzyme. <i>FASEB Journal</i> , 2009, 23, 709.11.	0.2	0
61	Resolving the structure of Bcy1, the Regulatory Subunit of Yeast Protein Kinase A. <i>FASEB Journal</i> , 2012, 26, 768.3.	0.2	0
62	Development and characterization of fluorescently-labeled myosin light chain kinase calmodulin-binding domain peptides. , 1993, , 45-50.		0
63	The Effect of Organophosphate (OP)-Induced Structural Changes in Acetylcholinesterase on Kinetics of OP Inhibition and Oxime Reactivation. <i>FASEB Journal</i> , 2018, 32, 526.40.	0.2	0
64	Impact of Organophosphate (OP) Conjugation on Structure and Dynamics of Human Acetylcholinesterase. <i>FASEB Journal</i> , 2018, 32, 527.8.	0.2	0
65	Dynamics of Organophosphate-Induced Structural Changes in Acetylcholinesterase Revealed by Time-Resolved Small-Angle X-Ray Scattering and Inelastic Neutron Scattering. <i>FASEB Journal</i> , 2018, 32, 527.7.	0.2	0