

# Dajun Chen

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/6519086/dajun-chen-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

78  
papers

3,177  
citations

26  
h-index

55  
g-index

81  
ext. papers

3,469  
ext. citations

3.8  
avg. IF

5.83  
L-index

#	Paper	IF	Citations
78	Natural Clay-Based Materials for Energy Storage and Conversion Applications. <i>Advanced Science</i> , <b>2021</b> , 8, e2004036	13.6	20
77	Surface deacetylation of chitin nano-whiskers. <i>Polymer Bulletin</i> , <b>2020</b> , 77, 5345-5355	2.4	3
76	Fabrication of Attapulgite/Multi-walled Carbon Nanotube Aerogels As Anode Material for Lithium Ion Batteries. <i>Journal of Electronic Materials</i> , <b>2020</b> , 49, 2058-2065	1.9	2
75	The effects of carbonization conditions on electrochemical performance of attapulgite-based anode material for lithium-ion batteries. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2019</b> , 30, 10342-10351	2.1	1
74	Electrosorption of uranium(VI) by highly porous phosphate-functionalized graphene hydrogel. <i>Applied Surface Science</i> , <b>2019</b> , 484, 83-96	6.7	51
73	Synthesis and characterization of waterborne polyurethane based on aliphatic diamine sulphonate and liquefiable dimethylol propionic acid. <i>Progress in Organic Coatings</i> , <b>2018</b> , 118, 116-121	4.8	12
72	A facile co-solvent-free process for waterborne polyurethane preparation. <i>Polymer Bulletin</i> , <b>2018</b> , 75, 4913-4928	2.4	6
71	Production of three-dimensional porous polydopamine-functionalized attapulgite/chitosan aerogel for uranium(VI) adsorption. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , <b>2018</b> , 316, 635-647	1.5	36
70	Mechanical enhancement of self-healing waterborne polyurethane by graphene oxide. <i>Progress in Organic Coatings</i> , <b>2018</b> , 121, 73-79	4.8	56
69	Shape memory-assisted self-healing polyurethane inspired by a suture technique. <i>Journal of Materials Science</i> , <b>2018</b> , 53, 10582-10592	4.3	26
68	Fabrication of nano-sized attapulgite-based aerogels as anode material for lithium ion batteries. <i>Journal of Materials Science</i> , <b>2018</b> , 53, 2054-2064	4.3	9
67	Clay-based nanofibrous membranes reinforced by multi-walled carbon nanotubes. <i>Ceramics International</i> , <b>2018</b> , 44, 15873-15879	5.1	8
66	Preparation of Polydopamine-Modified Graphene Oxide/Chitosan Aerogel for Uranium(VI) Adsorption. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2018</b> , 57, 8472-8483	3.9	80
65	In Situ Reduction of Graphene Oxide in Waterborne Polyurethane Matrix and the Healing Behavior of Nanocomposites by Multiple Ways. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , <b>2018</b> , 57, 202	2.6	4
64	Fabrication of silver doped attapulgite aerogels as anode material for lithium ion batteries. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2018</b> , 29, 19873-19879	2.1	4
63	Preparation of Cyclodextrin reinforced waterborne polyurethane nanocomposites with excellent mechanical and self-healing property. <i>Composites Science and Technology</i> , <b>2018</b> , 168, 55-62	8.6	10
62	Self-healing polyurethane/attapulgite nanocomposites based on disulfide bonds and shape memory effect. <i>Materials Chemistry and Physics</i> , <b>2017</b> , 195, 40-48	4.4	38

61	Novel clay-based nanofibrous membranes for effective oil/water emulsion separation. <i>Ceramics International</i> , <b>2017</b> , 43, 9465-9471	5.1	31
60	Fabrication and photocatalytic behavior of a novel nanocomposite hydrogels containing Fe-octacarboxylic acid phthalocyanine. <i>Journal of Applied Polymer Science</i> , <b>2017</b> , 134, 45428	2.9	1
59	Preparation of magnetically recyclable palygorskite Fe-octacarboxylic acid phthalocyanine nano-composites and their photocatalytic behavior for degradation of Rhodamine B. <i>Applied Clay Science</i> , <b>2017</b> , 147, 153-159	5.2	7
58	Synthesis and properties of self-healing waterborne polyurethanes containing disulfide bonds in the main chain. <i>Journal of Materials Science</i> , <b>2017</b> , 52, 197-207	4.3	76
57	Preparation and characterization of attapulgite-based nanofibrous membranes. <i>Materials and Design</i> , <b>2017</b> , 113, 60-67	8.1	22
56	Preparation and characterization of chitosan based injectable hydrogels enhanced by chitin nano-whiskers. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , <b>2017</b> , 65, 466-477	4.1	40
55	Characterization of the hydrogen bond in polyurethane/attapulgite nanocomposites. <i>Journal of Applied Polymer Science</i> , <b>2016</b> , 133, n/a-n/a	2.9	13
54	Synthesis and characterization of waterborne polyurethane based on covalently bound dimethylol propionic acid to e-caprolactone based polyester polyol. <i>Progress in Organic Coatings</i> , <b>2016</b> , 97, 203-209	4.8	12
53	A Novel Self-Healing Polyurethane Based on Disulfide Bonds. <i>Macromolecular Chemistry and Physics</i> , <b>2016</b> , 217, 1191-1196	2.6	115
52	Synthesis and characterization of a chitosan based nanocomposite injectable hydrogel. <i>Carbohydrate Polymers</i> , <b>2016</b> , 136, 1228-37	10.3	29
51	Preparation and relative properties of dope-dyed polyurethane modified by $\beta$ -cyclodextrin. <i>Dyes and Pigments</i> , <b>2016</b> , 129, 18-23	4.6	18
50	The adsorption behaviors of the multiple stimulus-responsive poly(ethylene glycol)-based hydrogels for removal of RhB dye. <i>Journal of Applied Polymer Science</i> , <b>2015</b> , 132, n/a-n/a	2.9	15
49	Preparation of Cu(II)-Imprinted Smart Microgels for Selective Separation of Copper Ions. <i>Separation Science and Technology</i> , <b>2015</b> , 50, 1480-1486	2.5	8
48	Preparation and characterization of thermo-, pH-, and magnetic-field-responsive organic/inorganic hybrid microgels based on poly(ethylene glycol). <i>Journal of Materials Science</i> , <b>2014</b> , 49, 3287-3296	4.3	21
47	The preparation and characterization of Fe-octacarboxyl acid phthalocyanine/polyethylene glycol/polyurethane blends. <i>Journal of Polymer Research</i> , <b>2014</b> , 21, 1	2.7	2
46	Thermal Properties of Fe-octacarboxyl Acid Phthalocyanine/Polyurethane Blends. <i>Journal of Macromolecular Science - Physics</i> , <b>2014</b> , 53, 1654-1664	1.4	
45	Singlet oxygen generation properties of Fe-OCAP and its influence on the antibacterial and mechanical properties of Fe-OCAP/PU blends. <i>Journal of Materials Science</i> , <b>2014</b> , 49, 8116-8122	4.3	4
44	Mechanical and dynamic mechanical properties of polyurethane/Fe-octacarboxyl acid phthalocyanine blends. <i>Progress in Organic Coatings</i> , <b>2013</b> , 76, 119-124	4.8	11

43	Temperature dependence of hydrogen bond in Fe-OCAP/polyurethane blends. <i>Journal of Applied Polymer Science</i> , <b>2013</b> , 130, 2265-2271	2.9	8
42	Study on the thermal effects of rubbers during loading/unloading cycles by infrared thermography. <i>Polymer Bulletin</i> , <b>2013</b> , 70, 171-180	2.4	7
41	Preparation of ZnO nanopowder by a novel ultrasound assisted non-hydrolytic sol-gel process and its application in photocatalytic degradation of C.I. Acid Red 249. <i>Powder Technology</i> , <b>2013</b> , 233, 325-330	5.2	41
40	Attapulgite-supported aluminum oxide hydroxide catalyst for synthesis of poly(ethylene terephthalate). <i>Journal of Applied Polymer Science</i> , <b>2013</b> , 129, 2571-2579	2.9	6
39	Mechanical Properties of Natural Rubber Nanocomposites Filled with Thermally Treated Attapulgite. <i>Journal of Nanomaterials</i> , <b>2013</b> , 2013, 1-11	3.2	12
38	Preparation and characterization of a novel stimuli-responsive nanocomposite hydrogel with improved mechanical properties. <i>Journal of Colloid and Interface Science</i> , <b>2012</b> , 372, 245-51	9.3	42
37	Enhancement in photovoltaic performance of phthalocyanine-sensitized solar cells by attapulgite nanoparticles. <i>Electrochimica Acta</i> , <b>2012</b> , 72, 40-45	6.7	18
36	Fabrication and characterization of temperature-, pH- and magnetic-field-sensitive organic/inorganic hybrid poly (ethylene glycol)-based hydrogels. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2012</b> , 415, 68-76	5.1	47
35	Enhanced electrochemical performance of polyaniline/sulfonated polyhedral oligosilsesquioxane nanocomposites with porous and ordered hierarchical nanostructure. <i>Journal of Materials Chemistry</i> , <b>2012</b> , 22, 1884-1892		54
34	Silica-modified SBR/BR blends. <i>Journal of Applied Polymer Science</i> , <b>2011</b> , 120, 3695-3700	2.9	7
33	Alternate Multilayer Films of Poly(vinyl alcohol) and Exfoliated Graphene Oxide Fabricated via a Facial Layer-by-Layer Assembly. <i>Macromolecules</i> , <b>2010</b> , 43, 9411-9416	5.5	184
32	Preparation and characterization of hydroxybutyl chitosan. <i>E-Polymers</i> , <b>2010</b> , 10,	2.7	5
31	Enhanced Mechanical Properties of Graphene-Based Poly(vinyl alcohol) Composites. <i>Macromolecules</i> , <b>2010</b> , 43, 2357-2363	5.5	1173
30	Morphology and mechanical properties of polyacrylonitrile/attapulgite nanocomposite. <i>Journal of Materials Science</i> , <b>2010</b> , 45, 2372-2380	4.3	24
29	A novel catalyst of Fe-octacarboxylic acid phthalocyanine supported by attapulgite for degradation of Rhodamine B. <i>Materials Research Bulletin</i> , <b>2010</b> , 45, 1728-1731	5.1	26
28	Study of the necking phenomenon in fiber drawing by infrared thermography. <i>Polymer Testing</i> , <b>2010</b> , 29, 674-678	4.5	11
27	Viscoelastic behavior of poly(acrylonitrile)/attapulgite nanocomposite solution. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2010</b> , 367, 52-59	5.1	10
26	Hydrogen bond interaction in poly(acrylonitrile-co-methylacrylate)/attapulgite nanocomposites. <i>Polymer Engineering and Science</i> , <b>2010</b> , 50, 312-319	2.3	21

25	Preparation and characterization of alkylated carbon nanotube/polyimide nanocomposites. <i>Polymer International</i> , <b>2009</b> , 58, 557-563	3.3	24
24	Orientation behavior of attapulgite nanoparticles in poly(acrylonitrile)/attapulgite solutions by rheological analysis. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , <b>2009</b> , 47, 945-954	2.6	15
23	Fabrication and characterization of silver/polystyrene nanospheres with more complete coverage of silver nano-shell. <i>Materials Letters</i> , <b>2008</b> , 62, 2153-2156	3.3	16
22	Use of dynamic rheological behavior to estimate the dispersion of carbon nanotubes in carbon nanotube/polymer composites. <i>Journal of Physical Chemistry B</i> , <b>2008</b> , 112, 12606-11	3.4	125
21	Electrical conductivity and rheological behavior of multiphase polymer composites containing conducting carbon black. <i>Polymer Engineering and Science</i> , <b>2008</b> , 48, 2090-2097	2.3	29
20	Preparation and performances of ethylene-propylene-diene terpolymer/acrylic rubber reinforced with a dough-modeling compound. <i>Journal of Applied Polymer Science</i> , <b>2008</b> , 107, 1803-1808	2.9	1
19	Viscoelastic behaviors of poly( $\epsilon$ -caprolactone)/attapulgite nanocomposites. <i>European Polymer Journal</i> , <b>2008</b> , 44, 2046-2050	5.2	39
18	Surface dyeability of cotton and nylon fabrics coated with a novel porous silk fibroin/silica nanohybrid. <i>Journal of Applied Polymer Science</i> , <b>2007</b> , 106, 1670-1676	2.9	3
17	Preparation and characterization of waterborne polyurethane/attapulgite nanocomposites. <i>European Polymer Journal</i> , <b>2007</b> , 43, 3766-3772	5.2	72
16	Nonisothermal crystallization behavior of poly( $\epsilon$ -caprolactone)/attapulgite nanocomposites by DSC analysis. <i>Polymer Engineering and Science</i> , <b>2007</b> , 47, 460-466	2.3	17
15	Analysis of glycolysis products of polyurethane fiber waste with diethylene glycol. <i>Fibers and Polymers</i> , <b>2007</b> , 8, 13-18	2	5
14	Thermal and mechanical properties of silicon rubber/cis-polybutadiene rubber/ethylene-propylene-diene monomer blends. <i>Journal of Applied Polymer Science</i> , <b>2006</b> , 101, 4462-4467	2.9	12
13	Expanded conformation of macromolecular chain in polyaniline with one-dimensional nanostructure prepared by interfacial polymerization. <i>Applied Physics Letters</i> , <b>2006</b> , 89, 103110	3.4	35
12	Properties of Compatibilized Nylon 6/ABS Polymer Blends. <i>Journal of Macromolecular Science - Physics</i> , <b>2006</b> , 45, 557-561	1.4	11
11	Study on Nanofibers of Polyaniline via Interfacial Polymerization. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , <b>2006</b> , 43, 1815-1824	2.2	17
10	A Preliminary Study on Preparation of the Aromatic/Aliphatic Co-polyurea as Spun Fibers. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , <b>2006</b> , 43, 1703-1709	2.2	0
9	Studies on the Particle Morphology of Waterborne Cationic Polyurethane/Polyacrylate Microemulsions. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , <b>2006</b> , 43, 1793-1800	2.2	4
8	Synthesis, Structures and Properties of Polyimide Based on 2,2'-Bis(4-aminophenoxy phenyl) Propane. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , <b>2006</b> , 43, 1825-1833	2.2	8

7	Thermal and mechanical properties of dough modeling compound reinforced ethylene propylene diene monomer/silicon rubber composites. <i>Polymer Composites</i> , <b>2006</b> , 27, 621-626	3	8
6	Study on the nonisothermal crystallization behavior of poly(vinyl alcohol)/attapulgate nanocomposites by DSC analysis. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , <b>2006</b> , 44, 534-540	2.6	49
5	Alignment effect of attapulgate on the mechanical properties of poly(vinyl alcohol)/attapulgate nanocomposite fibers. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , <b>2006</b> , 44, 1995-2000	2.6	11
4	A new polymer/clay nano-composite hydrogel with improved response rate and tensile mechanical properties. <i>European Polymer Journal</i> , <b>2006</b> , 42, 2125-2132	5.2	141
3	Studies on the Glycolysis Behavior of Polyurethane Fiber Waste with Diethylene Glycol. <i>Journal of Polymers and the Environment</i> , <b>2006</b> , 14, 191-194	4.5	8
2	A one-pot approach to the preparation of silver-PMMA shell-core nanocomposite. <i>Colloid and Polymer Science</i> , <b>2006</b> , 284, 449-454	2.4	26
1	One-pot Fabrication of Ag/PMMA shell/core Nanocomposites by Chemical Reduction Method. <i>Chemistry Letters</i> , <b>2004</b> , 33, 1010-1011	1.7	14