
Leigh F Callahan

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/651994/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	2019 American College of Rheumatology/Arthritis Foundation Guideline for the Management of Osteoarthritis of the Hand, Hip, and Knee. Arthritis Care and Research, 2020, 72, 149-162.	3.4	1,034
2	2019 American College of Rheumatology/Arthritis Foundation Guideline for the Management of Osteoarthritis of the Hand, Hip, and Knee. Arthritis and Rheumatology, 2020, 72, 220-233.	5.6	871
3	Development of a PROMIS item bank to measure pain interference. Pain, 2010, 150, 173-182.	4.2	787
4	Severe functional declines, work disability, and increased mortality in seventy-five rheumatoid arthritis patients studied over nine years. Arthritis and Rheumatism, 1984, 27, 864-872.	6.7	657
5	Prevalence of knee symptoms and radiographic and symptomatic knee osteoarthritis in African Americans and Caucasians: the Johnston County Osteoarthritis Project. Journal of Rheumatology, 2007, 34, 172-80.	2.0	434
6	Special article the economic cost and social and psychological impact of musculoskeletal conditions. Arthritis and Rheumatism, 1995, 38, 1351-1362.	6.7	426
7	Prevalence of Hip Symptoms and Radiographic and Symptomatic Hip Osteoarthritis in African Americans and Caucasians: The Johnston County Osteoarthritis Project. Journal of Rheumatology, 2009, 36, 809-815.	2.0	388
8	A Genomewide Screen in Multiplex Rheumatoid Arthritis Families Suggests Genetic Overlap with Other Autoimmune Diseases. American Journal of Human Genetics, 2001, 68, 927-936.	6.2	338
9	Prediction of Long-Term Mortality in Patients with Rheumatoid Arthritis according to Simple Questionnaire and Joint Count Measures. Annals of Internal Medicine, 1994, 120, 26.	3.9	262
10	Developing and testing the health literacy universal precautions toolkit. Nursing Outlook, 2011, 59, 85-94.	2.6	219
11	Screening the genome for rheumatoid arthritis susceptibility genes: A replication study and combined analysis of 512 multicase families. Arthritis and Rheumatism, 2003, 48, 906-916.	6.7	216
12	A simplified twenty-eight–joint quantitative articular index in rheumatoid arthritis. Arthritis and Rheumatism, 1989, 32, 531-537.	6.7	214
13	Most chronic diseases are reported more frequently by individuals with fewer than 12 years of formal education in the age 18–64 United States population. Journal of Chronic Diseases, 1987, 40, 865-874.	1.2	207
14	A randomized, double-blind, crossover clinical trial of diclofenac plus misoprostol versus acetaminophen in patients with osteoarthritis of the hip or knee. Arthritis and Rheumatism, 2001, 44, 1587-1598.	6.7	206
15	Social Conditions and Self-Management Are More Powerful Determinants of Health Than Access to Care. Annals of Internal Medicine, 1998, 129, 406.	3.9	202
16	Development and psychometric analysis of the PROMIS pain behavior item bank. Pain, 2009, 146, 158-169.	4.2	190
17	Formal education as a marker for increased mortality and morbidity in rheumatoid arthritis. Journal of Chronic Diseases, 1985, 38, 973-984.	1.2	180
18	Formal education level as a significant marker of clinical status in rheumatoid arthritis. Arthritis and Rheumatism, 1988, 31, 1346-1357.	6.7	164

#	Article	IF	CITATIONS
19	WHAT IS THE NATURAL HISTORY OF RHEUMATOID ARTHRITIS?. Rheumatic Disease Clinics of North America, 1993, 19, 123-151.	1.9	163
20	Elevated MMPI scores for hypochondriasis, depression, and hysteria in patients with rheumatoid arthritis reflect disease rather than psychological status. Arthritis and Rheumatism, 1986, 29, 1456-1466.	6.7	143
21	Identification of work disability in rheumatoid arthritis: Physical, radiographic and laboratory variables do not add explanatory power to demographic and functional variables. Journal of Clinical Epidemiology, 1992, 45, 127-138.	5.0	140
22	Measures of activity and damage in rheumatoid arthritis: Depiction of changes and prediction of mortality over five years. Arthritis and Rheumatism, 1997, 10, 381-394.	6.7	116
23	Self-report questionnaires in five rheumatic diseases comparisons of health status constructs and associations with formal education level. Arthritis and Rheumatism, 1989, 2, 122-131.	6.7	111
24	Health status reports in the care of patients with rheumatoid arthritis. Journal of Clinical Epidemiology, 1990, 43, 1243-1253.	5.0	111
25	Immunologic studies of rheumatoid arthritis patients treated with methotrexate. Arthritis and Rheumatism, 1987, 30, 481-488.	6.7	108
26	Quantitative pain assessment for routine care of rheumatoid arthritis patients, using a pain scale based on activities of daily living and a visual analog pain scale. Arthritis and Rheumatism, 1987, 30, 630-636.	6.7	105
27	Intervention Programs for Arthritis and Other Rheumatic Diseases. Health Education and Behavior, 2003, 30, 44-63.	2.5	105
28	Vitamin D Status and Its Associations with Disease Activity and Severity in African Americans with Recent-onset Rheumatoid Arthritis. Journal of Rheumatology, 2010, 37, 275-281.	2.0	97
29	Formal education and five-year mortality in rheumatoid arthritis: Mediation by helplessness scale scores. Arthritis and Rheumatism, 1996, 9, 463-472.	6.7	94
30	Associations of low formal education level and poor health status: Behavioral, in addition to demographic and medical, explanations?. Journal of Clinical Epidemiology, 1994, 47, 355-361.	5.0	93
31	Use of the trust in physician scale in patients with rheumatic disease: Psychometric properties and correlates of trust in the rheumatologist. Arthritis and Rheumatism, 2003, 49, 51-58.	6.7	93
32	A randomized controlled trial of the people with arthritis can exercise program: Symptoms, function, physical activity, and psychosocial outcomes. Arthritis and Rheumatism, 2008, 59, 92-101.	6.7	88
33	Physical therapy vs internet-based exercise training for patients with knee osteoarthritis: results of a randomized controlled trial. Osteoarthritis and Cartilage, 2018, 26, 383-396.	1.3	87
34	Radiographic and joint count findings of the hand in rheumatoid arthritis. related and unrelated findings. Arthritis and Rheumatism, 1988, 31, 44-51.	6.7	85
35	Social determinants and osteoarthritis outcomes. Aging Health, 2012, 8, 413-437.	0.3	84
36	Psychometric properties of the Centers for Disease Control and Prevention Health-Related Quality of Life (CDC HRQOL) items in adults with arthritis. Health and Quality of Life Outcomes, 2006, 4, 66.	2.4	82

#	Article	IF	CITATIONS
37	Learned helplessness in systemic lupus erythematosus: analysis using the rheumatology attitudes index. Arthritis and Rheumatism, 1990, 33, 281-286.	6.7	81
38	A Randomized, Controlled Trial of Acupuncture for Chronic Daily Headache. Headache, 2005, 45, 1113-1123.	3.9	79
39	The HLA–DRB1 shared epitope is associated with susceptibility to rheumatoid arthritis in African Americans through European genetic admixture. Arthritis and Rheumatism, 2008, 58, 349-358.	6.7	77
40	Associations of HLA-DR4 with rheumatoid factor and radiographic severity in rheumatoid arthritis. American Journal of Medicine, 1988, 84, 257-264.	1.5	75
41	Associations of Occupational Tasks with Knee and Hip Osteoarthritis: The Johnston County Osteoarthritis Project. Journal of Rheumatology, 2010, 37, 842-850.	2.0	75
42	Evaluation of group and selfâ€directed formats of the Arthritis Foundation's Walk With Ease Program. Arthritis Care and Research, 2011, 63, 1098-1107.	3.4	75
43	The beck depression inventory, center for epidemiological studies depression scale (CES-D), and general well-being schedule depression subscale in rheumatoid arthritis criterion contamination of responses. Arthritis and Rheumatism, 1991, 4, 3-11.	6.7	74
44	Early-Onset Arthritis in Retired National Football League Players. Journal of Physical Activity and Health, 2009, 6, 638-643.	2.0	74
45	Physical Activity as a Vital Sign: A Systematic Review. Preventing Chronic Disease, 2017, 14, E123.	3.4	74
46	The sense of coherence scale in patients with rheumatoid arthritis. Arthritis and Rheumatism, 1995, 8, 28-35.	6.7	73
47	Mortality in the rheumatic diseases. Arthritis and Rheumatism, 1995, 8, 229-241.	6.7	71
48	Independent associations of socioeconomic factors with disability and pain in adults with knee osteoarthritis. BMC Musculoskeletal Disorders, 2013, 14, 297.	1.9	67
49	Self-reported Arthritis-Related Disruptions in Sleep and Daily Life and the Use of Medical, Complementary, and Self-care Strategies for Arthritis: The National Survey of Self-care and Aging. Archives of Family Medicine, 2000, 9, 143-149.	1.2	61
50	A clue from a self-report questionnaire to distinguish rheumatoid arthritis from noninflammatory diffuse musculoskeletal pain. Arthritis and Rheumatism, 1990, 33, 1317-1322.	6.7	56
51	Cigarette smoking, disease severity and autoantibody expression in African Americans with recent-onset rheumatoid arthritis. Annals of the Rheumatic Diseases, 2008, 67, 1529-1534.	0.9	56
52	Most common singleâ€nucleotide polymorphisms associated with rheumatoid arthritis in persons of European ancestry confer risk of rheumatoid arthritis in African Americans. Arthritis and Rheumatism, 2010, 62, 3547-3553.	6.7	56
53	Cost-effectiveness of the Arthritis Self-Help Course. Archives of Internal Medicine, 1998, 158, 1245.	3.8	53
54	Use of complementary and alternative medicine among patients with arthritis. Preventing Chronic Disease, 2009, 6, A44.	3.4	51

#	Article	IF	CITATIONS
55	A National Public Health Agenda for Osteoarthritis 2010. Seminars in Arthritis and Rheumatism, 2010, 39, 323-326.	3.4	50
56	Associations of educational attainment, occupation and community poverty with knee osteoarthritis in the Johnston County (North Carolina) osteoarthritis project. Arthritis Research and Therapy, 2011, 13, R169.	3.5	49
57	Fear of Movement and Associated Factors Among Adults With Symptomatic Knee Osteoarthritis. Arthritis Care and Research, 2017, 69, 1826-1833.	3.4	49
58	Patient questionnaires and formal education level as prospective predictors of mortality over 10 years in 97% of 1416 patients with rheumatoid arthritis from 15 United States private practices. Journal of Rheumatology, 2004, 31, 229-34.	2.0	49
59	Knee osteoarthritis and time-to all-cause mortality in six community-based cohorts: an international meta-analysis of individual participant-level data. Aging Clinical and Experimental Research, 2021, 33, 529-545.	2.9	48
60	Limited educational attainment and radiographic and symptomatic knee osteoarthritis: a cross-sectional analysis using data from the Johnston County (North Carolina) Osteoarthritis Project. Arthritis Research and Therapy, 2010, 12, R46.	3.5	47
61	Randomized Controlled Trial of a Home-Based Walking Program to Reduce Moderate to Severe Aromatase Inhibitor-Associated Arthralgia in Breast Cancer Survivors. Oncologist, 2017, 22, 1238-1249.	3.7	47
62	Race and Sex Differences in Willingness to Undergo Total Joint Replacement: The Johnston County Osteoarthritis Project. Arthritis Care and Research, 2014, 66, 1193-1202.	3.4	46
63	Development and Testing of a Self-report Instrument to Measure Actions: Outpatient Physical Therapy Improvement in Movement Assessment Log (OPTIMAL). Physical Therapy, 2005, 85, 515-530.	2.4	45
64	Associations of cigarette smoking with rheumatoid arthritis in African Americans. Arthritis and Rheumatism, 2010, 62, 3560-3568.	6.7	44
65	Depression scales in rheumatoid arthritis: criterion contamination in interpretation of patient responses. Patient Education and Counseling, 1993, 20, 133-143.	2.2	43
66	Differences by sex in correlates of work status in rheumatoid arthritis patients. Arthritis and Rheumatism, 1999, 12, 381-391.	6.7	43
67	Patients' Perceptions of Primary Care Physicians' Participatory Decision-Making Style and Communication About Complementary and Alternative Medicine for Arthritis. Journal of Alternative and Complementary Medicine, 2005, 11, 449-453.	2.1	42
68	Racial/Ethnic, Socioeconomic, and Geographic Disparities in the Epidemiology of Knee and Hip Osteoarthritis. Rheumatic Disease Clinics of North America, 2021, 47, 1-20.	1.9	41
69	Arthritis and Women's Health: Prevalence, Impact, and Prevention. American Journal of Preventive Medicine, 1996, 12, 401-409.	3.0	39
70	Associations of Educational Attainment, Occupation, and Community Poverty With Hip Osteoarthritis. Arthritis Care and Research, 2013, 65, 954-961.	3.4	39
71	OARSI Clinical Trials Recommendations: Design and conduct of clinical trials of lifestyle diet and exercise interventions for osteoarthritis. Osteoarthritis and Cartilage, 2015, 23, 787-797.	1.3	39
72	Observer Variation in Quantitative Assessment of Rheumatoid Arthritis Part II. A Simplified Scoring System. Investigative Radiology, 1987, 22, 41-46.	6.2	38

#	Article	IF	CITATIONS
73	Feasibility and promise of a 6-week program to encourage physical activity and reduce joint symptoms among elderly breast cancer survivors on aromatase inhibitor therapy. Journal of Geriatric Oncology, 2014, 5, 148-155.	1.0	38
74	The Association of Disability and Pain with Individual and Community Socioeconomic Status in People with Hip Osteoarthritis. Open Rheumatology Journal, 2011, 5, 51-58.	0.2	38
75	Performance of a generic health-related quality of life measure in a clinic population with rheumatic disease. Arthritis and Rheumatism, 2003, 49, 658-664.	6.7	37
76	Education, self-care, and outcomes of rheumatic diseases: Further challenges to the "biomedical model―paradigm. Arthritis and Rheumatism, 1997, 10, 283-288.	6.7	36
77	Associations of perceived neighborhood environment on health status outcomes in persons with arthritis. Arthritis Care and Research, 2010, 62, 1602-1611.	3.4	36
78	Comparison of the Disease Activity Score Using Erythrocyte Sedimentation Rate and C-reactive Protein in African Americans with Rheumatoid Arthritis. Journal of Rheumatology, 2013, 40, 1812-1822.	2.0	34
79	Observer Variation in Quantitative Assessment of Rheumatoid Arthritis Part I. Scoring Erosions and Joint Space Narrowing. Investigative Radiology, 1986, 21, 922-927.	6.2	33
80	Radiographic severity of Rheumatoid Arthritis in African Americans: Results from a multicenter observational study. Arthritis Care and Research, 2010, 62, 624-631.	3.4	33
81	Associations among neighborhood poverty, perceived neighborhood environment, and depressed mood are mediated by physical activity, perceived individual control, and loneliness. Health and Place, 2020, 62, 102278.	3.3	33
82	PROGNOSTIC MARKERS OF ACTIVITY AND DAMAGE IN RHEUMATOID ARTHRITIS: WHY CLINICAL TRIALS AND INCEPTION COHORT STUDIES INDICATE MORE FAVOURABLE OUTCOMES THAN STUDIES OF PATIENTS WITH ESTABLISHED DISEASE. Rheumatology, 1995, 34, 196-199.	1.9	32
83	Anti–cyclic citrullinated peptide antibody and rheumatoid factor isotypes in African Americans with early rheumatoid arthritis. Arthritis and Rheumatism, 2006, 54, 3057-3059.	6.7	31
84	Defining multiple joint osteoarthritis, its frequency and impact in a community-based cohort. Seminars in Arthritis and Rheumatism, 2019, 48, 950-957.	3.4	31
85	Development of a practice-based patient cohort for primary care research. Family Medicine, 2006, 38, 50-7.	0.5	31
86	Physical activity programs for chronic arthritis. Current Opinion in Rheumatology, 2009, 21, 177-182.	4.3	30
87	Occurrence of Radiographic Osteoarthritis of the Knee and Hip Among African Americans and Whites: A Populationâ€Based Prospective Cohort Study. Arthritis Care and Research, 2013, 65, 928-935.	3.4	30
88	Bony Ankylosis in Rheumatoid Arthritis. Investigative Radiology, 1987, 22, 303-309.	6.2	28
89	Generalized bone loss as a predictor of threeâ€year radiographic damage in African American patients with recentâ€onset rheumatoid arthritis. Arthritis and Rheumatism, 2010, 62, 2219-2226.	6.7	28
90	Physical therapy vs. internet-based exercise training (PATH-IN) for patients with knee osteoarthritis: study protocol of a randomized controlled trial. BMC Musculoskeletal Disorders, 2015, 16, 264.	1.9	28

#	Article	IF	CITATIONS
91	Demographic and Clinical Factors Associated With Nonsurgical Osteoarthritis Treatment Among Patients in Outpatient Clinics. Arthritis Care and Research, 2018, 70, 1141-1149.	3.4	28
92	Arthritis patients' perceptions of rheumatologists' participatory decisionâ€making style and communication about complementary and alternative medicine. Arthritis and Rheumatism, 2008, 59, 416-421.	6.7	27
93	The Role of Symptoms and Self-Efficacy in Predicting Physical Activity Change Among Older Adults With Arthritis. Journal of Physical Activity and Health, 2014, 11, 528-535.	2.0	27
94	Community-deliverable exercise and anxiety in adults with arthritis and other rheumatic diseases: a systematic review with meta-analysis of randomised controlled trials. BMJ Open, 2018, 8, e019138.	1.9	27
95	What Community Resources Do Older Community-Dwelling Adults Use to Manage Their Osteoarthritis? A Formative Examination. Journal of Applied Gerontology, 2012, 31, 661-684.	2.0	26
96	Racial Differences in Knee Osteoarthritis Pain: Potential Contribution of Occupational and Household Tasks. Journal of Rheumatology, 2012, 39, 337-344.	2.0	26
97	Impact of interactions of cigarette smoking with <i>NAT2</i> polymorphisms on rheumatoid arthritis risk in African Americans. Arthritis and Rheumatism, 2012, 64, 655-664.	6.7	26
98	Adaptation of the health literacy universal precautions toolkit for rheumatology and cardiology – Applications for pharmacy professionals to improve self-management and outcomes in patients with chronic disease. Research in Social and Administrative Pharmacy, 2013, 9, 597-608.	3.0	26
99	Complementary and Alternative Medicine Use in African Americans With Rheumatoid Arthritis. Arthritis Care and Research, 2014, 66, 180-189.	3.4	26
100	Quantitative measures to assess, monitor and predict morbidity and mortality in rheumatoid arthritis. Bailliere's Clinical Rheumatology, 1992, 6, 161-191.	1.0	24
101	Criterion Contamination of Depression Scales in Patients with Rheumatoid Arthritis: The Need for Interpretation of Patient Questionnaires (as All Clinical Measures) in the Context of All Information About the Patient. Rheumatic Disease Clinics of North America, 2009, 35, 861-864.	1.9	22
102	Genetic variants of STAT4 associated with rheumatoid arthritis in persons of Asian and European ancestry do not replicate in African Americans. Annals of the Rheumatic Diseases, 2010, 69, 625-626.	0.9	22
103	Development and validation of a new self-report measure of pain behaviors. Pain, 2013, 154, 2867-2876.	4.2	22
104	Evaluation of Tai Chi Program Effectiveness for People with Arthritis in the Community: A Randomized Controlled Trial. Journal of Aging and Physical Activity, 2016, 24, 101-110.	1.0	22
105	Sociodemographic and Clinical Correlates of Physical Therapy Utilization in Adults With Symptomatic Knee Osteoarthritis. Physical Therapy, 2018, 98, 670-678.	2.4	22
106	Associations between clinical status questionnaire scores and formal education level in persons with systemic lupus erythematosus. Arthritis and Rheumatism, 1990, 33, 407-411.	6.7	21
107	Workplace policies and prevalence of knee osteoarthritis: the Johnston County Osteoarthritis Project. Occupational and Environmental Medicine, 2007, 64, 798-805.	2.8	21
108	Independent and combined influence of homeownership, occupation, education, income, and community poverty on physical health in persons with arthritis. Arthritis Care and Research, 2011, 63, 643-653.	3.4	21

#	Article	IF	CITATIONS
109	The History of Patient-Reported Outcomes in Rheumatology. Rheumatic Disease Clinics of North America, 2016, 42, 205-217.	1.9	21
110	Arthritis in the family practice setting: Associations with education and community poverty. Arthritis and Rheumatism, 2008, 59, 1002-1008.	6.7	20
111	Association of IL4Rsingle-nucleotide polymorphisms with rheumatoid nodules in African Americans with rheumatoid arthritis. Arthritis Research and Therapy, 2010, 12, R75.	3.5	20
112	Aromatase inhibitor associated arthralgia: the importance of oncology provider-patient communication about side effects and potential management through physical activity. Supportive Care in Cancer, 2016, 24, 2643-2650.	2.2	20
113	In vitro rheumatoid factor synthesis in patients taking second-line drugs for rheumatoid arthritis. Arthritis and Rheumatism, 1988, 31, 1090-1096.	6.7	19
114	The National Arthritis Action Plan: A public health strategy for a looming epidemic. Arthritis and Rheumatism, 1999, 12, 79-81.	6.7	19
115	Evaluation of Active Living Every Day in Adults With Arthritis. Journal of Physical Activity and Health, 2014, 11, 285-296.	2.0	18
116	Use of self-report activities of daily living questionnaires in osteoarthritis. Arthritis and Rheumatism, 1988, 1, 23-32.	6.7	17
117	Problems with the Steinbrocker Staging System for Radiographic Assessment of the Rheumatoid Hand and Wrist. Investigative Radiology, 1990, 25, 536-544.	6.2	17
118	Acute Promyelocytic Leukemia. New England Journal of Medicine, 1994, 330, 140-141.	27.0	17
119	Social epidemiology and rheumatic disease. Current Opinion in Rheumatology, 2003, 15, 110-115.	4.3	17
120	Effect of a sixâ€week walking program on work place activity limitations among adults with arthritis. Arthritis Care and Research, 2011, 63, 1773-1776.	3.4	17
121	Item response theory analysis of Centers for Disease Control and Prevention Health-Related Quality of Life (CDC HRQOL) items in adults with arthritis. Health and Quality of Life Outcomes, 2016, 14, 43.	2.4	17
122	Physical activity and osteoarthritis: a consensus study to harmonise self-reporting methods of physical activity across international cohorts. Rheumatology International, 2017, 37, 469-478.	3.0	17
123	The role of helplessness, outcome expectation for exercise and literacy in predicting disability and	2.2	16
	symptoms in older adults with arthritis. Patient Education and Counseling, 2010, 81, 73-78.		
124	Association of Self-Efficacy and Outcome Expectations with Physical Activity in Adults with Arthritis. Arthritis, 2013, 2013, 1-8.	2.0	16
124 125	Association of Self-Efficacy and Outcome Expectations with Physical Activity in Adults with Arthritis.	2.0 2.0	16 16

#	Article	IF	CITATIONS
127	Impact of the Arthritis Foundation's Walk With Ease Program on arthritis symptoms in African Americans. Preventing Chronic Disease, 2014, 11, E199.	3.4	15
128	Evaluation of the Arthritis Foundation's <i>Camine Con Gusto Program</i> for Hispanic Adults With Arthritis. Hispanic Health Care International, 2016, 14, 132-140.	0.9	14
129	Weight-loss and exercise for communities with arthritis in North Carolina (we-can): design and rationale of a pragmatic, assessor-blinded, randomized controlled trial. BMC Musculoskeletal Disorders, 2017, 18, 91.	1.9	14
130	Osteoporosis Preventive Care in White and Black Women in Community Family Medicine Settings. Southern Medical Journal, 2007, 100, 677-682.	0.7	14
131	Socioeconomic Disparities in the Health of African Americans With Rheumatoid Arthritis From the Southeastern United States. Arthritis Care and Research, 2014, 66, 1808-1817.	3.4	13
132	Adaptation of an Evidence-Based Arthritis Program for Breast Cancer Survivors on Aromatase Inhibitor Therapy Who Experience Joint Pain. Preventing Chronic Disease, 2015, 12, E91.	3.4	13
133	Socioeconomic factors and self-reported health outcomes in African Americans with rheumatoid arthritis from the Southeastern United States: the contribution of childhood socioeconomic status. BMC Musculoskeletal Disorders, 2016, 17, 10.	1.9	13
134	Medical Skepticism and the Use of Complementary and Alternative Health Care Providers by Patients Followed by Rheumatologists. Journal of Clinical Rheumatology, 2008, 14, 143-147.	0.9	12
135	Independent Influences of Current and Childhood Socioeconomic Status on Health Outcomes in a North Carolina Family Practice Sample of Arthritis Patients. Arthritis Care and Research, 2013, 65, 1334-1342.	3.4	12
136	Endorsement of the domains of knee and hip osteoarthritis (OA) flare: A report from the OMERACT 2020 inaugural virtual consensus vote from the flares in OA working group. Seminars in Arthritis and Rheumatism, 2021, 51, 618-622.	3.4	12
137	Perceived barriers to physical activity among North Carolinians with arthritis: findings from a mixed-methodology approach. North Carolina Medical Journal, 2007, 68, 404-12.	0.2	12
138	An African Ancestry-Specific Allele of CTLA4 Confers Protection against Rheumatoid Arthritis in African Americans. PLoS Genetics, 2009, 5, e1000424.	3.5	11
139	Comorbid conditions and the transition among states of hip osteoarthritis and symptoms in a community-based study: a multi-state time-to-event model approach. Arthritis Research and Therapy, 2020, 22, 12.	3.5	11
140	Development and testing of a self-report instrument to measure actions: outpatient physical therapy improvement in movement assessment log (OPTIMAL). Physical Therapy, 2005, 85, 515-30.	2.4	11
141	Patient-reported outcomes to initiate a provider–patient dialog for the management of hip and knee osteoarthritis. Seminars in Arthritis and Rheumatism, 2015, 45, 123-131.	3.4	10
142	Level of participation in physical therapy or an internet-based exercise training program: associations with outcomes for patients with knee osteoarthritis. BMC Musculoskeletal Disorders, 2018, 19, 238.	1.9	10
143	Health and Gender Inequalities of the COVID-19 Pandemic: Adverse Impacts on Women's Health, Wealth and Social Welfare. Frontiers in Global Women S Health, 2021, 2, 670310.	2.3	10
144	Recreational Physical Activity and Risk of Incident Knee Osteoarthritis: An International <scp>Metaâ€Analysis</scp> of Individual Participant–Level Data. Arthritis and Rheumatology, 2022, 74, 612-622.	5.6	10

#	Article	IF	CITATIONS
145	Use of Conventional and Nonconventional Treatments for Osteoarthritis in the Family Medicine Setting. Southern Medical Journal, 2008, 101, 252-259.	0.7	9
146	Recruiting and retaining hard-to-reach populations: Lessons learned and targeted strategies from arthritis physical activity intervention studies. Arthritis Care and Research, 2011, 63, 927-928.	3.4	9
147	Methodological Tips for Overcoming Formative Evaluation Challenges. Health Promotion Practice, 2012, 13, 198-203.	1.6	9
148	Physical activity and osteoarthritis – considerations at the population and clinical level. Osteoarthritis and Cartilage, 2015, 23, 31-33.	1.3	9
149	Four Methods of Recruiting Couples Into a Longitudinal Study of Physical Activity in People With Osteoarthritis: Recruitment, Retention, and Lessons Learned. Frontiers in Public Health, 2018, 6, 197.	2.7	9
150	Perceived Barriers to Physical Activity Among North Carolinians With Arthritis: Findings From a Mixed-Methodology Approach. North Carolina Medical Journal, 2007, 68, 404-412.	0.2	9
151	Critical review of arthritis self-management strategy use. Arthritis and Rheumatism, 2003, 49, 724-731.	6.7	8
152	Skeletal health among African Americans with recentâ€onset rheumatoid arthritis. Arthritis and Rheumatism, 2009, 61, 1379-1386.	6.7	8
153	Independent associations of childhood and current socioeconomic status with risk of self-reported doctor-diagnosed arthritis in a family-medicine cohort of North-Carolinians. BMC Musculoskeletal Disorders, 2013, 14, 327.	1.9	8
154	Achievement of Exercise Objectives and Satisfaction with the Walk with Ease Program—Group and Self-Directed Participants. American Journal of Health Promotion, 2014, 28, 228-230.	1.7	8
155	The role of genetic variants in CRP in radiographic severity in African Americans with early and established rheumatoid arthritis. Genes and Immunity, 2015, 16, 446-451.	4.1	8
156	Self-Management of Arthritis Symptoms by Complementary and Alternative Medicine Movement Therapies. Journal of Alternative and Complementary Medicine, 2016, 22, 404-407.	2.1	8
157	Osteoarthritis physical activity care pathway (OA-PCP): results of a feasibility trial. BMC Musculoskeletal Disorders, 2020, 21, 308.	1.9	8
158	Health-related quality of life in adults from 17 family practice clinics in North Carolina. Preventing Chronic Disease, 2009, 6, A05.	3.4	8
159	Associations Between Low Literacy and Health Status Measures: Cross-Sectional Analyses of Two Physical Activity Trials. Journal of Health Communication, 2012, 17, 230-245.	2.4	7
160	Racial Differences in Performanceâ€Based Function and Potential Explanatory Factors Among Individuals With Knee Osteoarthritis. Arthritis Care and Research, 2020, 72, 1196-1204.	3.4	7
161	Predominant lifetime occupation and associations with painful and structural knee osteoarthritis: An international participant-level cohort collaboration. Osteoarthritis and Cartilage Open, 2020, 2, 100085.	2.0	7
162	How Are Neighborhood Characteristics Associated With Mental and Physical Functioning Among Older Adults With Radiographic Knee Osteoarthritis?. Arthritis Care and Research, 2021, 73, 308-317.	3.4	7

#	Article	IF	CITATIONS
163	Modifications to the Active Living Every Day (ALED) course for adults with arthritis. Preventing Chronic Disease, 2007, 4, A58.	3.4	7
164	Realizing Health and Well-being Outcomes for People with Osteoarthritis Beyond Health Service Delivery. Clinics in Geriatric Medicine, 2022, 38, 433-448.	2.6	7
165	Arthritis as a women's health issue. Arthritis and Rheumatism, 1996, 9, 159-162.	6.7	6
166	Behavioral Aspects of Arthritis and Rheumatic Disease Self-Management. Disease Management and Health Outcomes, 2001, 9, 89-98.	0.4	6
167	Clues on the MDHAQ to Identify Patients with Fibromyalgia and Similar Chronic Pain Conditions. Rheumatic Disease Clinics of North America, 2009, 35, 865-869.	1.9	6
168	First item response theory analysis on Tampa Scale for Kinesiophobia (fear of movement) in arthritis. Journal of Clinical Epidemiology, 2010, 63, 315-320.	5.0	6
169	Coping with Prescription Medication Costs: a Cross-sectional Look at Strategies Used and Associations with the Physical and Psychosocial Health of Individuals with Arthritis. Annals of Behavioral Medicine, 2012, 44, 236-247.	2.9	6
170	Can Osteoarthritis Predict Mortality?. North Carolina Medical Journal, 2017, 78, 322-325.	0.2	6
171	Public Health Interventions for Osteoarthritis - updates on the Osteoarthritis Action Alliance's efforts to address the 2010 OA Public Health Agenda Recommendations. Clinical and Experimental Rheumatology, 2019, 37 Suppl 120, 31-39.	0.8	6
172	Clinical relevance of Tai Chi on pain and physical function in adults with knee osteoarthritis: An ancillary meta-analysis of randomized controlled trials. Science Progress, 2022, 105, 003685042210883.	1.9	6
173	Explaining the Connection between Privilege and Health. New England Journal of Medicine, 1994, 330, 139-140.	27.0	5
174	Item Response Theory Analysis of Two Questionnaire Measures of Arthritis-Related Self-Efficacy Beliefs from Community-Based US Samples. Arthritis, 2010, 2010, 1-8.	2.0	5
175	Complementary and Alternative Medicine Use in Musculoskeletal Disorders: Does Medical Skepticism Matter?. Open Rheumatology Journal, 2007, 1, 5-11.	0.2	5
176	Socioeconomic burden of pain in rheumatic disease. Clinical and Experimental Rheumatology, 2017, 35 Suppl 107, 26-31.	0.8	5
177	Dietary and allergic associations with rheumatoid arthritis: Self-report of 704 patients. Arthritis and Rheumatism, 1990, 3, 189-195.	6.7	4
178	Awareness of the prevalence and impact of arthritis: The role of health professionals. Arthritis and Rheumatism, 1995, 8, 63-65.	6.7	4
179	The Performance and Association Between Patient-reported and Performance-based Measures of Physical Functioning in Research on Individuals with Arthritis. Journal of Rheumatology, 2016, 43, 131-137.	2.0	4
180	Associations of Comorbid Conditions and Transitions Across States of Knee Osteoarthritis in a Communityâ€Based Cohort. ACR Open Rheumatology, 2021, 3, 512-521.	2.1	4

#	Article	IF	CITATIONS
181	Application of Heterogeneity of <scp>Treatmentâ€Effects</scp> Methods: Exploratory Analyses of a Trial of <scp>Exerciseâ€Based</scp> Interventions for Knee Osteoarthritis. Arthritis Care and Research, 2022, 74, 1359-1368.	3.4	4
182	Racial/Ethnic Differences in Quality of Life for People Living with Arthritis Who See a Primary Care Physician. Open Rheumatology Journal, 2011, 5, 24-29.	0.2	4
183	Are There Interindividual Differences in Anxiety as a Result of Aerobic Exercise Training in Adults With Fibromyalgia? An Ancillary Meta-analysis of Randomized Controlled Trials. Archives of Physical Medicine and Rehabilitation, 2022, 103, 1858-1865.	0.9	4
184	Comparison and sensitivity to change of self-report scales to assess difficulty, dissatisfaction, and pain in performing activities of daily living over one and five years in rheumatoid arthritis. Arthritis and Rheumatism, 1992, 5, 137-145.	6.7	3
185	Behavioral and social research in rheumatology. Current Opinion in Rheumatology, 1997, 9, 126-132.	4.3	3
186	Item-Response-Theory Analysis of Two Scales for Self-Efficacy for Exercise Behavior in People With Arthritis. Journal of Aging and Physical Activity, 2011, 19, 239-248.	1.0	3
187	Differences in Effectiveness of the Active Living Every Day Program for Older Adults With Arthritis. Journal of Aging and Physical Activity, 2013, 21, 387-401.	1.0	3
188	Community-deliverable exercise and anxiety in adults with arthritis and other rheumatic diseases: a protocol for a systematic review and meta-analysis of randomised controlled trials. BMJ Open, 2017, 7, e014957.	1.9	3
189	Which aspects of neighbourhood environment are most associated with meeting physical activity recommendations in American adults: an NHIS study. BMJ Open, 2020, 10, e038473.	1.9	3
190	Association of Disease Activity and Disability With Rehabilitation Utilization in African American Adults With Rheumatoid Arthritis. Arthritis Care and Research, 2022, 74, 16-21.	3.4	3
191	Knee and hip osteoarthritis as predictors of premature death: a review of the evidence. Clinical and Experimental Rheumatology, 2019, 37 Suppl 120, 24-30.	0.8	3
192	Community and environmental factors and arthritis outcomes. North Carolina Medical Journal, 2007, 68, 439-43.	0.2	3
193	Overcoming Barriers to <i>Walk With Ease</i> Implementation in Community Organizations. Health Promotion Practice, 2022, 23, 708-717.	1.6	2
194	Factor Structure of the Arthritis Body Experience Scale (ABES) in a U.S. Population of People with Osteoarthritis (OA), Rheumatoid Arthritis (RA), Fibromyalgia (FM) and Other Rheumatic Conditions. Open Rheumatology Journal, 2009, 2, 64-70.	0.2	2
195	Dietary and allergic associations with rheumatoid arthritis: Self-report of 704 patients. Arthritis and Rheumatism, 1990, 3, 189-195.	6.7	2
196	Point prevalence of hip symptoms, radiographic, and symptomatic OA at five time points: The Johnston County Osteoarthritis Project, 1991–2018. Osteoarthritis and Cartilage Open, 2022, 4, 100251.	2.0	2
197	Mind the Gap: Exploring Nutritional Health Compared With Weight Management Interests of Individuals with Osteoarthritis. Current Developments in Nutrition, 2022, 6, nzac084.	0.3	2
198	A contrasting view on rheumatoid arthritis American Journal of Public Health, 1989, 79, 1308-1308.	2.7	1

#	Article	IF	CITATIONS
199	Arthritis care and research. A quality/needs assessment. Arthritis and Rheumatism, 1991, 4, 141-142.	6.7	1
200	Arthritis health professions association president's address. Arthritis and Rheumatism, 1991, 4, 1-2.	6.7	1
201	The transition to managed care: Implications for the rheumatology community. Arthritis and Rheumatism, 1995, 8, 129-131.	6.7	1
202	The arthritis foundation 1948–1998: 50 years of arthritis care and research. Arthritis and Rheumatism, 1998, 11, 309-314.	6.7	1
203	Reviewers 1999. Arthritis and Rheumatism, 1999, 12, 438-438.	6.7	1
204	A Standard Protocol to Evaluate Rheumatoid Arthritis (SPERA) for Efficient Capture of Essential Data from a Patient and a Health Professional in a Uniform "Scientific―Format. Rheumatic Disease Clinics of North America, 2009, 35, 843-850.	1.9	1
205	Average vs item response theory scores: an illustration using neighbourhood measures in relation to physical activity in adults with arthritis. Public Health, 2017, 142, 15-21.	2.9	1
206	Educational Attainment, Health Status, and Program Outcomes in Latino Adults With Arthritis Participating in a Walking Program. Preventing Chronic Disease, 2018, 15, E128.	3.4	1
207	A qualitative exploration of dyadic influence on physical activity between Latinas with osteoarthritis and a supporter of their physical activity. Arthritis Care and Research, 2020, , .	3.4	1
208	Brief Report: State‣evel Number of Physically InactiveUSAdults With Arthritis Who can Improve Their Anxiety and Depression by Exercising. ACR Open Rheumatology, 2020, 2, 92-96.	2.1	1
209	Rheumatoid Arthritis. New England Journal of Medicine, 1990, 323, 994-996.	27.0	0
210	Goodbye ?. Arthritis and Rheumatism, 1999, 12, 365-366.	6.7	0
211	Brief Report: Exercise and Anxiety in Adults with Arthritis and Other Rheumatic Diseases: Support for Evidential Value. BioMed Research International, 2018, 2018, 1-5.	1.9	0
212	Brief communication: use of the minimal important difference for a meta-analysis on exercise and anxiety in adults with arthritis. Clinical Rheumatology, 2018, 37, 1997-2000.	2.2	0
213	Access to Health Care, Socioeconomic Status, and Health. Annals of Internal Medicine, 1999, 130, 453.	3.9	0
214	Socioeconomic Disparities in Arthritis. , 2016, , 97-115.		0
215	Age, gender, race/ethnicity, and socioeconomic status in osteoarthritis and its outcomes. , 2016, , .		0
216	The National Arthritis Action Plan: A public health strategy for a looming epidemic. Arthritis and Rheumatism, 1999, 12, 79.	6.7	0

#	Article	IF	CITATIONS
217	Complementary and Alternative Medicine Use in Musculoskeletal Disorders: Does Medical Skepticism Matter?. Open Rheumatology Journal, 2007, 1, 5-11.	0.2	0