

Leigh F Callahan

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/651994/leigh-f-callahan-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

197
papers

9,415
citations

49
h-index

92
g-index

222
ext. papers

10,950
ext. citations

4.8
avg, IF

5.71
L-index

#	Paper	IF	Citations
197	Clinical relevance of Tai Chi on pain and physical function in adults with knee osteoarthritis: An ancillary meta-analysis of randomized controlled trials.. <i>Science Progress</i> , 2022 , 105, 368504221088375	1.1	2
196	Realizing Health and Well-being Outcomes for People with Osteoarthritis Beyond Health Service Delivery.. <i>Clinics in Geriatric Medicine</i> , 2022 , 38, 433-448	3.8	2
195	Point prevalence of hip symptoms, radiographic, and symptomatic OA at five time points: The Johnston County Osteoarthritis Project, 1991-2018. <i>Osteoarthritis and Cartilage Open</i> , 2022 , 4, 100251	1.5	
194	Overcoming Barriers to Implementation in Community Organizations. <i>Health Promotion Practice</i> , 2021 , 15248399211002851	1.8	1
193	Endorsement of the domains of knee and hip osteoarthritis (OA) flare: A report from the OMERACT 2020 inaugural virtual consensus vote from the flares in OA working group. <i>Seminars in Arthritis and Rheumatism</i> , 2021 , 51, 618-622	5.3	1
192	Associations of Comorbid Conditions and Transitions Across States of Knee Osteoarthritis in a Community-Based Cohort. <i>ACR Open Rheumatology</i> , 2021 , 3, 512-521	3.5	0
191	Health and Gender Inequalities of the COVID-19 Pandemic: Adverse Impacts on Women's Health, Wealth and Social Welfare. <i>Frontiers in Global Women S Health</i> , 2021 , 2, 670310	8.4	2
190	How Are Neighborhood Characteristics Associated With Mental and Physical Functioning Among Older Adults With Radiographic Knee Osteoarthritis?. <i>Arthritis Care and Research</i> , 2021 , 73, 308-317	4.7	3
189	Racial/Ethnic, Socioeconomic, and Geographic Disparities in the Epidemiology of Knee and Hip Osteoarthritis. <i>Rheumatic Disease Clinics of North America</i> , 2021 , 47, 1-20	2.4	10
188	Knee osteoarthritis and time-to all-cause mortality in six community-based cohorts: an international meta-analysis of individual participant-level data. <i>Aging Clinical and Experimental Research</i> , 2021 , 33, 529-545	4.8	17
187	Application of Heterogeneity of Treatment Effect Methods: Exploratory Analyses of a Trial of Exercise-Based Interventions for Knee OA. <i>Arthritis Care and Research</i> , 2021 ,	4.7	1
186	Osteoarthritis physical activity care pathway (OA-PCP): results of a feasibility trial. <i>BMC Musculoskeletal Disorders</i> , 2020 , 21, 308	2.8	0
185	Brief Report: State-Level Number of Physically Inactive US Adults With Arthritis Who can Improve Their Anxiety and Depression by Exercising. <i>ACR Open Rheumatology</i> , 2020 , 2, 92-96	3.5	1
184	Comorbid conditions and the transition among states of hip osteoarthritis and symptoms in a community-based study: a multi-state time-to-event model approach. <i>Arthritis Research and Therapy</i> , 2020 , 22, 12	5.7	6
183	Associations among neighborhood poverty, perceived neighborhood environment, and depressed mood are mediated by physical activity, perceived individual control, and loneliness. <i>Health and Place</i> , 2020 , 62, 102278	4.6	14
182	2019 American College of Rheumatology/Arthritis Foundation Guideline for the Management of Osteoarthritis of the Hand, Hip, and Knee. <i>Arthritis and Rheumatology</i> , 2020 , 72, 220-233	9.5	386
181	2019 American College of Rheumatology/Arthritis Foundation Guideline for the Management of Osteoarthritis of the Hand, Hip, and Knee. <i>Arthritis Care and Research</i> , 2020 , 72, 149-162	4.7	306

180	Predominant lifetime occupation and associations with painful and structural knee osteoarthritis: An international participant-level cohort collaboration. <i>Osteoarthritis and Cartilage Open</i> , 2020 , 2, 100085	1.5	3
179	Which aspects of neighbourhood environment are most associated with meeting physical activity recommendations in American adults: an NHIS study. <i>BMJ Open</i> , 2020 , 10, e038473	3	1
178	Racial Differences in Performance-Based Function and Potential Explanatory Factors Among Individuals With Knee Osteoarthritis. <i>Arthritis Care and Research</i> , 2020 , 72, 1196-1204	4.7	3
177	Knee and hip osteoarthritis as predictors of premature death: a review of the evidence. <i>Clinical and Experimental Rheumatology</i> , 2019 , 37 Suppl 120, 24-30	2.2	3
176	Defining multiple joint osteoarthritis, its frequency and impact in a community-based cohort. <i>Seminars in Arthritis and Rheumatism</i> , 2019 , 48, 950-957	5.3	13
175	Public Health Interventions for Osteoarthritis - updates on the Osteoarthritis Action Alliance's efforts to address the 2010 OA Public Health Agenda Recommendations. <i>Clinical and Experimental Rheumatology</i> , 2019 , 37 Suppl 120, 31-39	2.2	6
174	Physical therapy vs internet-based exercise training for patients with knee osteoarthritis: results of a randomized controlled trial. <i>Osteoarthritis and Cartilage</i> , 2018 , 26, 383-396	6.2	33
173	Sociodemographic and Clinical Correlates of Physical Therapy Utilization in Adults With Symptomatic Knee Osteoarthritis. <i>Physical Therapy</i> , 2018 , 98, 670-678	3.3	13
172	Level of participation in physical therapy or an internet-based exercise training program: associations with outcomes for patients with knee osteoarthritis. <i>BMC Musculoskeletal Disorders</i> , 2018 , 19, 238	2.8	4
171	Four Methods of Recruiting Couples Into a Longitudinal Study of Physical Activity in People With Osteoarthritis: Recruitment, Retention, and Lessons Learned. <i>Frontiers in Public Health</i> , 2018 , 6, 197	6	5
170	Demographic and Clinical Factors Associated With Nonsurgical Osteoarthritis Treatment Among Patients in Outpatient Clinics. <i>Arthritis Care and Research</i> , 2018 , 70, 1141-1149	4.7	16
169	Educational Attainment, Health Status, and Program Outcomes in Latino Adults With Arthritis Participating in a Walking Program. <i>Preventing Chronic Disease</i> , 2018 , 15, E128	3.7	1
168	Community-deliverable exercise and anxiety in adults with arthritis and other rheumatic diseases: a systematic review with meta-analysis of randomised controlled trials. <i>BMJ Open</i> , 2018 , 8, e019138	3	17
167	Brief Report: Exercise and Anxiety in Adults with Arthritis and Other Rheumatic Diseases: Support for Evidential Value. <i>BioMed Research International</i> , 2018 , 2018, 2984671	3	
166	Brief communication: use of the minimal important difference for a meta-analysis on exercise and anxiety in adults with arthritis. <i>Clinical Rheumatology</i> , 2018 , 37, 1997-2000	3.9	
165	Average vs item response theory scores: an illustration using neighbourhood measures in relation to physical activity in adults with arthritis. <i>Public Health</i> , 2017 , 142, 15-21	4	1
164	Physical activity and osteoarthritis: a consensus study to harmonise self-reporting methods of physical activity across international cohorts. <i>Rheumatology International</i> , 2017 , 37, 469-478	3.6	13
163	Weight-loss and exercise for communities with arthritis in North Carolina (we-can): design and rationale of a pragmatic, assessor-blinded, randomized controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2017 , 18, 91	2.8	9

162	Fear of Movement and Associated Factors Among Adults With Symptomatic Knee Osteoarthritis. <i>Arthritis Care and Research</i> , 2017 , 69, 1826-1833	4.7	25
161	Community-deliverable exercise and anxiety in adults with arthritis and other rheumatic diseases: a protocol for a systematic review and meta-analysis of randomised controlled trials. <i>BMJ Open</i> , 2017 , 7, e014957	3	1
160	Randomized Controlled Trial of a Home-Based Walking Program to Reduce Moderate to Severe Aromatase Inhibitor-Associated Arthralgia in Breast Cancer Survivors. <i>Oncologist</i> , 2017 , 22, 1238-1249	5.7	33
159	Physical Activity as a Vital Sign: A Systematic Review. <i>Preventing Chronic Disease</i> , 2017 , 14, E123	3.7	46
158	Can Osteoarthritis Predict Mortality?. <i>North Carolina Medical Journal</i> , 2017 , 78, 322-325	0.6	6
157	Socioeconomic burden of pain in rheumatic disease. <i>Clinical and Experimental Rheumatology</i> , 2017 , 35 Suppl 107, 26-31	2.2	4
156	Evaluation of Tai Chi Program Effectiveness for People with Arthritis in the Community: A Randomized Controlled Trial. <i>Journal of Aging and Physical Activity</i> , 2016 , 24, 101-110	1.6	16
155	Evaluation of the Arthritis Foundation's Camine Con Gusto Program for Hispanic Adults With Arthritis. <i>Hispanic Health Care International</i> , 2016 , 14, 132-40	1	7
154	Item response theory analysis of Centers for Disease Control and Prevention Health-Related Quality of Life (CDC HRQOL) items in adults with arthritis. <i>Health and Quality of Life Outcomes</i> , 2016 , 14, 43	3	9
153	Socioeconomic factors and self-reported health outcomes in African Americans with rheumatoid arthritis from the Southeastern United States: the contribution of childhood socioeconomic status. <i>BMC Musculoskeletal Disorders</i> , 2016 , 17, 10	2.8	9
152	Aromatase inhibitor associated arthralgia: the importance of oncology provider-patient communication about side effects and potential management through physical activity. <i>Supportive Care in Cancer</i> , 2016 , 24, 2643-50	3.9	17
151	The Performance and Association Between Patient-reported and Performance-based Measures of Physical Functioning in Research on Individuals with Arthritis. <i>Journal of Rheumatology</i> , 2016 , 43, 131-7	4.1	2
150	Socioeconomic Disparities in Arthritis 2016 , 97-115		
149	The History of Patient-Reported Outcomes in Rheumatology. <i>Rheumatic Disease Clinics of North America</i> , 2016 , 42, 205-17	2.4	15
148	Self-Management of Arthritis Symptoms by Complementary and Alternative Medicine Movement Therapies. <i>Journal of Alternative and Complementary Medicine</i> , 2016 , 22, 404-7	2.4	7
147	OARSI Clinical Trials Recommendations: Design and conduct of clinical trials of lifestyle diet and exercise interventions for osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2015 , 23, 787-97	6.2	30
146	The role of genetic variants in CRP in radiographic severity in African Americans with early and established rheumatoid arthritis. <i>Genes and Immunity</i> , 2015 , 16, 446-51	4.4	6
145	Patient-reported outcomes to initiate a provider-patient dialog for the management of hip and knee osteoarthritis. <i>Seminars in Arthritis and Rheumatism</i> , 2015 , 45, 123-31	5.3	9

144	Physical therapy vs. internet-based exercise training (PATH-IN) for patients with knee osteoarthritis: study protocol of a randomized controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2015 , 16, 264	2.8	20
143	Adaptation of an Evidence-Based Arthritis Program for Breast Cancer Survivors on Aromatase Inhibitor Therapy Who Experience Joint Pain. <i>Preventing Chronic Disease</i> , 2015 , 12, E91	3.7	12
142	Comparisons of Body Image Perceptions of a Sample of Black and White Women with Rheumatoid Arthritis and Fibromyalgia in the US. <i>Open Rheumatology Journal</i> , 2015 , 9, 1-7	0.2	11
141	Evaluation of Active Living Every Day in Adults With Arthritis. <i>Journal of Physical Activity and Health</i> , 2014 , 11, 285-296	2.5	12
140	The role of symptoms and self-efficacy in predicting physical activity change among older adults with arthritis. <i>Journal of Physical Activity and Health</i> , 2014 , 11, 528-35	2.5	22
139	Achievement of exercise objectives and satisfaction with the walk with ease program-group and self-directed participants. <i>American Journal of Health Promotion</i> , 2014 , 28, 228-30	2.5	6
138	Socioeconomic disparities in the health of african americans with rheumatoid arthritis from the southeastern United States. <i>Arthritis Care and Research</i> , 2014 , 66, 1808-17	4.7	8
137	Complementary and alternative medicine use in African Americans with rheumatoid arthritis. <i>Arthritis Care and Research</i> , 2014 , 66, 180-9	4.7	20
136	Race and sex differences in willingness to undergo total joint replacement: the Johnston County Osteoarthritis Project. <i>Arthritis Care and Research</i> , 2014 , 66, 1193-202	4.7	34
135	Individual and community socioeconomic status: impact on mental health in individuals with arthritis. <i>Arthritis</i> , 2014 , 2014, 256498		14
134	Feasibility and promise of a 6-week program to encourage physical activity and reduce joint symptoms among elderly breast cancer survivors on aromatase inhibitor therapy. <i>Journal of Geriatric Oncology</i> , 2014 , 5, 148-55	3.6	29
133	Impact of the Arthritis Foundation's Walk With Ease Program on arthritis symptoms in African Americans. <i>Preventing Chronic Disease</i> , 2014 , 11, E199	3.7	12
132	Independent influences of current and childhood socioeconomic status on health outcomes in a North Carolina family practice sample of arthritis patients. <i>Arthritis Care and Research</i> , 2013 , 65, 1334-42	4.7	10
131	Independent associations of childhood and current socioeconomic status with risk of self-reported doctor-diagnosed arthritis in a family-medicine cohort of North-Carolinians. <i>BMC Musculoskeletal Disorders</i> , 2013 , 14, 327	2.8	5
130	Associations of educational attainment, occupation, and community poverty with hip osteoarthritis. <i>Arthritis Care and Research</i> , 2013 , 65, 954-61	4.7	29
129	Adaptation of the health literacy universal precautions toolkit for rheumatology and cardiology - applications for pharmacy professionals to improve self-management and outcomes in patients with chronic disease. <i>Research in Social and Administrative Pharmacy</i> , 2013 , 9, 597-608	2.9	17
128	Development and validation of a new self-report measure of pain behaviors. <i>Pain</i> , 2013 , 154, 2867-2876	8	18
127	Comparison of the disease activity score using erythrocyte sedimentation rate and C-reactive protein in African Americans with rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2013 , 40, 1812-22	4.1	27

126	Association of self-efficacy and outcome expectations with physical activity in adults with arthritis. <i>Arthritis</i> , 2013 , 2013, 621396		15
125	Occurrence of radiographic osteoarthritis of the knee and hip among African Americans and whites: a population-based prospective cohort study. <i>Arthritis Care and Research</i> , 2013 , 65, 928-35	4.7	25
124	Differences in effectiveness of the active living every day program for older adults with arthritis. <i>Journal of Aging and Physical Activity</i> , 2013 , 21, 387-401	1.6	2
123	Independent associations of socioeconomic factors with disability and pain in adults with knee osteoarthritis. <i>BMC Musculoskeletal Disorders</i> , 2013 , 14, 297	2.8	55
122	Impact of interactions of cigarette smoking with NAT2 polymorphisms on rheumatoid arthritis risk in African Americans. <i>Arthritis and Rheumatism</i> , 2012 , 64, 655-64		24
121	Coping with prescription medication costs: a cross-sectional look at strategies used and associations with the physical and psychosocial health of individuals with arthritis. <i>Annals of Behavioral Medicine</i> , 2012 , 44, 236-47	4.5	5
120	What community resources do older community-dwelling adults use to manage their osteoarthritis? A formative examination. <i>Journal of Applied Gerontology</i> , 2012 , 31, 661-684	3.3	19
119	Social determinants and osteoarthritis outcomes. <i>Aging Health</i> , 2012 , 8, 413-437		49
118	Associations between low literacy and health status measures: cross-sectional analyses of two physical activity trials. <i>Journal of Health Communication</i> , 2012 , 17, 230-45	2.5	6
117	Racial differences in knee osteoarthritis pain: potential contribution of occupational and household tasks. <i>Journal of Rheumatology</i> , 2012 , 39, 337-44	4.1	22
116	Methodological tips for overcoming formative evaluation challenges: the case of the Arthritis Foundation Walk With Ease program. <i>Health Promotion Practice</i> , 2012 , 13, 198-203	1.8	7
115	Associations of educational attainment, occupation and community poverty with knee osteoarthritis in the Johnston County (North Carolina) osteoarthritis project. <i>Arthritis Research and Therapy</i> , 2011 , 13, R169	5.7	37
114	Developing and testing the health literacy universal precautions toolkit. <i>Nursing Outlook</i> , 2011 , 59, 85-94.	4.7	169
113	Item-response-theory analysis of two scales for self-efficacy for exercise behavior in people with arthritis. <i>Journal of Aging and Physical Activity</i> , 2011 , 19, 239-48	1.6	3
112	Independent and combined influence of homeownership, occupation, education, income, and community poverty on physical health in persons with arthritis. <i>Arthritis Care and Research</i> , 2011 , 63, 643-53	4.7	17
111	Evaluation of group and self-directed formats of the Arthritis Foundation's Walk With Ease Program. <i>Arthritis Care and Research</i> , 2011 , 63, 1098-107	4.7	57
110	Effect of a six-week walking program on work place activity limitations among adults with arthritis. <i>Arthritis Care and Research</i> , 2011 , 63, 1773-6	4.7	15
109	Racial/Ethnic differences in quality of life for people living with arthritis who see a primary care physician. <i>Open Rheumatology Journal</i> , 2011 , 5, 24-9	0.2	4

108	The association of disability and pain with individual and community socioeconomic status in people with hip osteoarthritis. <i>Open Rheumatology Journal</i> , 2011 , 5, 51-8	0.2	29
107	Item Response Theory Analysis of Two Questionnaire Measures of Arthritis-Related Self-Efficacy Beliefs from Community-Based US Samples. <i>Arthritis</i> , 2010 , 2010, 416796		4
106	Genetic variants of STAT4 associated with rheumatoid arthritis in persons of Asian and European ancestry do not replicate in African Americans. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 625-6	2.4	19
105	Associations of occupational tasks with knee and hip osteoarthritis: the Johnston County Osteoarthritis Project. <i>Journal of Rheumatology</i> , 2010 , 37, 842-50	4.1	69
104	First item response theory analysis on Tampa Scale for Kinesiophobia (fear of movement) in arthritis. <i>Journal of Clinical Epidemiology</i> , 2010 , 63, 315-20	5.7	5
103	Association of IL4R single-nucleotide polymorphisms with rheumatoid nodules in African Americans with rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2010 , 12, R75	5.7	17
102	Limited educational attainment and radiographic and symptomatic knee osteoarthritis: a cross-sectional analysis using data from the Johnston County (North Carolina) Osteoarthritis Project. <i>Arthritis Research and Therapy</i> , 2010 , 12, R46	5.7	35
101	Vitamin D status and its associations with disease activity and severity in African Americans with recent-onset rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2010 , 37, 275-81	4.1	82
100	The role of helplessness, outcome expectation for exercise and literacy in predicting disability and symptoms in older adults with arthritis. <i>Patient Education and Counseling</i> , 2010 , 81, 73-8	3.1	14
99	Development of a PROMIS item bank to measure pain interference. <i>Pain</i> , 2010 , 150, 173-182	8	550
98	A National Public Health Agenda for Osteoarthritis 2010. <i>Seminars in Arthritis and Rheumatism</i> , 2010 , 39, 323-6	5.3	40
97	Radiographic severity of rheumatoid arthritis in African Americans: results from a multicenter observational study. <i>Arthritis Care and Research</i> , 2010 , 62, 624-31	4.7	26
96	Associations of perceived neighborhood environment on health status outcomes in persons with arthritis. <i>Arthritis Care and Research</i> , 2010 , 62, 1602-11	4.7	30
95	Generalized bone loss as a predictor of three-year radiographic damage in African American patients with recent-onset rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2010 , 62, 2219-26		25
94	Associations of cigarette smoking with rheumatoid arthritis in African Americans. <i>Arthritis and Rheumatism</i> , 2010 , 62, 3560-8		42
93	Most common single-nucleotide polymorphisms associated with rheumatoid arthritis in persons of European ancestry confer risk of rheumatoid arthritis in African Americans. <i>Arthritis and Rheumatism</i> , 2010 , 62, 3547-53		47
92	An African ancestry-specific allele of CTLA4 confers protection against rheumatoid arthritis in African Americans. <i>PLoS Genetics</i> , 2009 , 5, e1000424	6	9
91	Prevalence of hip symptoms and radiographic and symptomatic hip osteoarthritis in African Americans and Caucasians: the Johnston County Osteoarthritis Project. <i>Journal of Rheumatology</i> , 2009 , 36, 809-15	4.1	160

90	Development and psychometric analysis of the PROMIS pain behavior item bank. <i>Pain</i> , 2009 , 146, 158-69	156
89	Skeletal health among African Americans with recent-onset rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2009 , 61, 1379-86	6
88	A Standard Protocol to Evaluate Rheumatoid Arthritis (SPERA) for efficient capture of essential data from a patient and a health professional in a uniform "scientific" format. <i>Rheumatic Disease Clinics of North America</i> , 2009 , 35, 843-50, xi	2.4 1
87	Clues on the MDHAQ to identify patients with fibromyalgia and similar chronic pain conditions. <i>Rheumatic Disease Clinics of North America</i> , 2009 , 35, 865-9, xii	2.4 5
86	Criterion contamination of depression scales in patients with rheumatoid arthritis: the need for interpretation of patient questionnaires (as all clinical measures) in the context of all information about the patient. <i>Rheumatic Disease Clinics of North America</i> , 2009 , 35, 861-4, xi-xii	2.4 13
85	Physical activity programs for chronic arthritis. <i>Current Opinion in Rheumatology</i> , 2009 , 21, 177-82	5.3 24
84	Early-onset arthritis in retired National Football League players. <i>Journal of Physical Activity and Health</i> , 2009 , 6, 638-43	2.5 67
83	Health-related quality of life in adults from 17 family practice clinics in North Carolina. <i>Preventing Chronic Disease</i> , 2009 , 6, A05	3.7 8
82	Use of complementary and alternative medicine among patients with arthritis. <i>Preventing Chronic Disease</i> , 2009 , 6, A44	3.7 48
81	Cigarette smoking, disease severity and autoantibody expression in African Americans with recent-onset rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2008 , 67, 1529-34	2.4 49
80	Medical skepticism and the use of complementary and alternative health care providers by patients followed by rheumatologists. <i>Journal of Clinical Rheumatology</i> , 2008 , 14, 143-7	1.1 9
79	Use of conventional and nonconventional treatments for osteoarthritis in the family medicine setting. <i>Southern Medical Journal</i> , 2008 , 101, 252-9	0.6 9
78	The HLA-DRB1 shared epitope is associated with susceptibility to rheumatoid arthritis in African Americans through European genetic admixture. <i>Arthritis and Rheumatism</i> , 2008 , 58, 349-58	68
77	A randomized controlled trial of the people with arthritis can exercise program: symptoms, function, physical activity, and psychosocial outcomes. <i>Arthritis and Rheumatism</i> , 2008 , 59, 92-101	79
76	Arthritis patients' perceptions of rheumatologists' participatory decision-making style and communication about complementary and alternative medicine. <i>Arthritis and Rheumatism</i> , 2008 , 59, 416-21	23
75	Arthritis in the family practice setting: associations with education and community poverty. <i>Arthritis and Rheumatism</i> , 2008 , 59, 1002-8	19
74	Factor structure of the arthritis body experience scale (ABES) in a U.S. population of people with osteoarthritis (OA), rheumatoid arthritis (RA), fibromyalgia (FM) and other rheumatic conditions. <i>Open Rheumatology Journal</i> , 2008 , 2, 64-70	0.2 2
73	Workplace policies and prevalence of knee osteoarthritis: the Johnston County Osteoarthritis Project. <i>Occupational and Environmental Medicine</i> , 2007 , 64, 798-805	2.1 21

72	Perceived Barriers to Physical Activity Among North Carolinians With Arthritis: Findings From a Mixed-Methodology Approach. <i>North Carolina Medical Journal</i> , 2007 , 68, 404-412	0.6	5
71	Modifications to the Active Living Every Day (ALED) course for adults with arthritis. <i>Preventing Chronic Disease</i> , 2007 , 4, A58	3.7	6
70	Complementary and alternative medicine use in musculoskeletal disorders: does medical skepticism matter?. <i>Open Rheumatology Journal</i> , 2007 , 1, 5-11	0.2	5
69	Osteoporosis preventive care in white and black women in community family medicine settings. <i>Southern Medical Journal</i> , 2007 , 100, 677-82	0.6	12
68	Prevalence of knee symptoms and radiographic and symptomatic knee osteoarthritis in African Americans and Caucasians: the Johnston County Osteoarthritis Project. <i>Journal of Rheumatology</i> , 2007 , 34, 172-80	4.1	395
67	Perceived barriers to physical activity among North Carolinians with arthritis: findings from a mixed-methodology approach. <i>North Carolina Medical Journal</i> , 2007 , 68, 404-12	0.6	12
66	Community and environmental factors and arthritis outcomes. <i>North Carolina Medical Journal</i> , 2007 , 68, 439-43	0.6	2
65	Anti-cyclic citrullinated peptide antibody and rheumatoid factor isotypes in African Americans with early rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2006 , 54, 3057-9		29
64	Psychometric properties of the Centers for Disease Control and Prevention Health-Related Quality of Life (CDC HRQOL) items in adults with arthritis. <i>Health and Quality of Life Outcomes</i> , 2006 , 4, 66	3	69
63	Development of a practice-based patient cohort for primary care research. <i>Family Medicine</i> , 2006 , 38, 50-7	0.8	28
62	Development and Testing of a Self-report Instrument to Measure Actions: Outpatient Physical Therapy Improvement in Movement Assessment Log (OPTIMAL). <i>Physical Therapy</i> , 2005 , 85, 515-530	3.3	42
61	A randomized, controlled trial of acupuncture for chronic daily headache. <i>Headache</i> , 2005 , 45, 1113-23	4.2	65
60	Patients' perceptions of primary care physicians' participatory decision-making style and communication about complementary and alternative medicine for arthritis. <i>Journal of Alternative and Complementary Medicine</i> , 2005 , 11, 449-53	2.4	36
59	Development and testing of a self-report instrument to measure actions: outpatient physical therapy improvement in movement assessment log (OPTIMAL). <i>Physical Therapy</i> , 2005 , 85, 515-30	3.3	11
58	Patient questionnaires and formal education level as prospective predictors of mortality over 10 years in 97% of 1416 patients with rheumatoid arthritis from 15 United States private practices. <i>Journal of Rheumatology</i> , 2004 , 31, 229-34	4.1	49
57	Social epidemiology and rheumatic disease. <i>Current Opinion in Rheumatology</i> , 2003 , 15, 110-5	5.3	14
56	Use of the Trust in Physician Scale in patients with rheumatic disease: psychometric properties and correlates of trust in the rheumatologist. <i>Arthritis and Rheumatism</i> , 2003 , 49, 51-8		76
55	Screening the genome for rheumatoid arthritis susceptibility genes: a replication study and combined analysis of 512 multicase families. <i>Arthritis and Rheumatism</i> , 2003 , 48, 906-16		200

54	Critical review of arthritis self-management strategy use. <i>Arthritis and Rheumatism</i> , 2003 , 49, 724-31		6
53	Performance of a generic health-related quality of life measure in a clinic population with rheumatic disease. <i>Arthritis and Rheumatism</i> , 2003 , 49, 658-64		29
52	Intervention programs for arthritis and other rheumatic diseases. <i>Health Education and Behavior</i> , 2003 , 30, 44-63	4.2	95
51	A randomized, double-blind, crossover clinical trial of diclofenac plus misoprostol versus acetaminophen in patients with osteoarthritis of the hip or knee. <i>Arthritis and Rheumatism</i> , 2001 , 44, 1587-98		173
50	Behavioral Aspects of Arthritis and Rheumatic Disease Self-Management. <i>Disease Management and Health Outcomes</i> , 2001 , 9, 89-98		5
49	A genomewide screen in multiplex rheumatoid arthritis families suggests genetic overlap with other autoimmune diseases. <i>American Journal of Human Genetics</i> , 2001 , 68, 927-36	11	307
48	Self-reported arthritis-related disruptions in sleep and daily life and the use of medical, complementary, and self-care strategies for arthritis: the National Survey of Self-care and Aging. <i>Archives of Family Medicine</i> , 2000 , 9, 143-9		60
47	The National Arthritis Action Plan: A public health strategy for a looming epidemic. <i>Arthritis and Rheumatism</i> , 1999 , 12, 79-81		14
46	Differences by sex in correlates of work status in rheumatoid arthritis patients. <i>Arthritis and Rheumatism</i> , 1999 , 12, 381-91		35
45	Social conditions and self-management are more powerful determinants of health than access to care. <i>Annals of Internal Medicine</i> , 1998 , 129, 406-11	8	146
44	Cost-effectiveness of the arthritis self-help course. <i>Archives of Internal Medicine</i> , 1998 , 158, 1245-9		41
43	Behavioral and social research in rheumatology. <i>Current Opinion in Rheumatology</i> , 1997 , 9, 126-32	5.3	2
42	Measures of activity and damage in rheumatoid arthritis: depiction of changes and prediction of mortality over five years. <i>Arthritis and Rheumatism</i> , 1997 , 10, 381-94		92
41	Arthritis and Women's Health: Prevalence, Impact, and Prevention. <i>American Journal of Preventive Medicine</i> , 1996 , 12, 401-409	6.1	31
40	Formal education and five-year mortality in rheumatoid arthritis: mediation by helplessness scale score. <i>Arthritis and Rheumatism</i> , 1996 , 9, 463-72		76
39	The sense of coherence scale in patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 1995 , 8, 28-35		61
38	Mortality in the rheumatic diseases. <i>Arthritis and Rheumatism</i> , 1995 , 8, 229-41		59
37	The economic cost and social and psychological impact of musculoskeletal conditions. National Arthritis Data Work Groups. <i>Arthritis and Rheumatism</i> , 1995 , 38, 1351-62		375

36	Explaining the Connection between Privilege and Health. <i>New England Journal of Medicine</i> , 1994 , 330, 139-140	59.2	4
35	Explaining the connection between privilege and health. <i>New England Journal of Medicine</i> , 1994 , 330, 140	59.2	14
34	Associations of low formal education level and poor health status: behavioral, in addition to demographic and medical, explanations?. <i>Journal of Clinical Epidemiology</i> , 1994 , 47, 355-61	5.7	77
33	Prediction of long-term mortality in patients with rheumatoid arthritis according to simple questionnaire and joint count measures. <i>Annals of Internal Medicine</i> , 1994 , 120, 26-34	8	218
32	Depression scales in rheumatoid arthritis: criterion contamination in interpretation of patient responses. <i>Patient Education and Counseling</i> , 1993 , 20, 133-43	3.1	34
31	WHAT IS THE NATURAL HISTORY OF RHEUMATOID ARTHRITIS?. <i>Rheumatic Disease Clinics of North America</i> , 1993 , 19, 123-151	2.4	114
30	Comparison and sensitivity to change of self-report scales to assess difficulty, dissatisfaction, and pain in performing activities of daily living over one and five years in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 1992 , 5, 137-45		3
29	Identification of work disability in rheumatoid arthritis: physical, radiographic and laboratory variables do not add explanatory power to demographic and functional variables. <i>Journal of Clinical Epidemiology</i> , 1992 , 45, 127-38	5.7	126
28	Quantitative measures to assess, monitor and predict morbidity and mortality in rheumatoid arthritis. <i>Baillieres Clinical Rheumatology</i> , 1992 , 6, 161-91		20
27	Arthritis health professions association president's address. <i>Arthritis and Rheumatism</i> , 1991 , 4, 1-2		1
26	The Beck Depression Inventory, Center for Epidemiological Studies Depression Scale (CES-D), and General Well-Being Schedule depression subscale in rheumatoid arthritis. Criterion contamination of responses. <i>Arthritis and Rheumatism</i> , 1991 , 4, 3-11		65
25	Problems with the Steinbrocker staging system for radiographic assessment of the rheumatoid hand and wrist. <i>Investigative Radiology</i> , 1990 , 25, 536-44	10.1	15
24	Rheumatoid arthritis. <i>New England Journal of Medicine</i> , 1990 , 323, 994-6	59.2	
23	Dietary and allergic associations with rheumatoid arthritis: Self-report of 704 patients. <i>Arthritis and Rheumatism</i> , 1990 , 3, 189-195		3
22	Learned helplessness in systemic lupus erythematosus: analysis using the Rheumatology Attitudes Index. <i>Arthritis and Rheumatism</i> , 1990 , 33, 281-6		69
21	Associations between clinical status questionnaire scores and formal education level in persons with systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 1990 , 33, 407-11		18
20	A clue from a self-report questionnaire to distinguish rheumatoid arthritis from noninflammatory diffuse musculoskeletal pain. The P-VAS:D-ADL ratio. <i>Arthritis and Rheumatism</i> , 1990 , 33, 1317-22		47
19	Health status reports in the care of patients with rheumatoid arthritis. <i>Journal of Clinical Epidemiology</i> , 1990 , 43, 1243-53	5.7	99

18	Dietary and allergic associations with rheumatoid arthritis: Self-report of 704 patients. <i>Arthritis and Rheumatism</i> , 1990 , 3, 189-195		1
17	A simplified twenty-eight-joint quantitative articular index in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 1989 , 32, 531-7		179
16	Self-report questionnaires in five rheumatic diseases: comparisons of health status constructs and associations with formal education level. <i>Arthritis and Rheumatism</i> , 1989 , 2, 122-31		100
15	A contrasting view on rheumatoid arthritis. <i>American Journal of Public Health</i> , 1989 , 79, 1308	5.1	1
14	Radiographic and joint count findings of the hand in rheumatoid arthritis. Related and unrelated findings. <i>Arthritis and Rheumatism</i> , 1988 , 31, 44-51		77
13	In vitro rheumatoid factor synthesis in patients taking second-line drugs for rheumatoid arthritis. Independent associations with disease activity. <i>Arthritis and Rheumatism</i> , 1988 , 31, 1090-6		17
12	Formal education level as a significant marker of clinical status in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 1988 , 31, 1346-57		151
11	Associations of HLA-DR4 with rheumatoid factor and radiographic severity in rheumatoid arthritis. <i>American Journal of Medicine</i> , 1988 , 84, 257-64	2.4	71
10	Use of self-report activities of daily living questionnaires in osteoarthritis. <i>Arthritis and Rheumatism</i> , 1988 , 1, 23-32		16
9	Bony Ankylosis in Rheumatoid Arthritis. <i>Investigative Radiology</i> , 1987 , 22, 303-309	10.1	27
8	Observer variation in quantitative assessment of rheumatoid arthritis Part II. A simplified scoring system. <i>Investigative Radiology</i> , 1987 , 22, 41-6	10.1	32
7	Most chronic diseases are reported more frequently by individuals with fewer than 12 years of formal education in the age 18-64 United States population. <i>Journal of Chronic Diseases</i> , 1987 , 40, 865-74		179
6	Immunologic studies of rheumatoid arthritis patients treated with methotrexate. <i>Arthritis and Rheumatism</i> , 1987 , 30, 481-8		104
5	Quantitative pain assessment for routine care of rheumatoid arthritis patients, using a pain scale based on activities of daily living and a visual analog pain scale. <i>Arthritis and Rheumatism</i> , 1987 , 30, 630-6		89
4	Observer variation in quantitative assessment of rheumatoid arthritis. Part I. Scoring erosions and joint space narrowing. <i>Investigative Radiology</i> , 1986 , 21, 922-7	10.1	30
3	Elevated MMPI scores for hypochondriasis, depression, and hysteria in patients with rheumatoid arthritis reflect disease rather than psychological status. <i>Arthritis and Rheumatism</i> , 1986 , 29, 1456-66		126
2	Formal education as a marker for increased mortality and morbidity in rheumatoid arthritis. <i>Journal of Chronic Diseases</i> , 1985 , 38, 973-84		163
1	Severe functional declines, work disability, and increased mortality in seventy-five rheumatoid arthritis patients studied over nine years. <i>Arthritis and Rheumatism</i> , 1984 , 27, 864-72		582

