

Sren Nielsen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6522730/soren-nielsen-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

91
papers

2,712
citations

28
h-index

50
g-index

91
ext. papers

3,052
ext. citations

5.4
avg, IF

4.91
L-index

#	Paper	IF	Citations
91	Localization of aquaglyceroporins in human and murine white adipose tissue.. <i>Histochemistry and Cell Biology</i> , 2022 , 1	2.4	1
90	Stain Quality Management and Biomarker Analysis 2022 , 33-69		
89	Cost-Effectiveness of PD-L1 Testing in Non-Small Cell Lung Cancer (NSCLC) Using In Vitro Diagnostic (IVD) Versus Laboratory-Developed Test (LDT).. <i>Oncology and Therapy</i> , 2022 , 1	2.7	
88	Insulin-Stimulated Muscle Glucose Uptake and Insulin Signaling in Lean and Obese Humans. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, e1631-e1646	5.6	8
87	Ki-67 Proliferation Index in Breast Cancer as a Function of Assessment Method: A NordiQC Experience. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2021 , 29, 99-104	1.9	5
86	No effect of 10 weeks erythropoietin treatment on lipid oxidation in healthy men. <i>Endocrine Connections</i> , 2020 , 9, 1148-1155	3.5	0
85	Estrogen Receptor- α Quantification in Breast Cancer: Concordance Between Immunohistochemical Assays and mRNA-In Situ Hybridization for ESR1 Gene. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2020 , 28, 347-353	1.9	5
84	p57 in Hydatidiform Moles: Evaluation of Antibodies and Expression in Various Cell Types. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2020 , 28, 694-701	1.9	1
83	Increased lipolysis after infusion of acylated ghrelin: a randomized, double-blinded placebo-controlled trial in hypopituitary patients. <i>Clinical Endocrinology</i> , 2020 , 93, 672-677	3.4	1
82	NordiQC Assessments of Keratin 5 Immunoassays. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2020 , 28, 566-570	1.9	
81	Metformin increases endogenous glucose production in non-diabetic individuals and individuals with recent-onset type 2 diabetes. <i>Diabetologia</i> , 2019 , 62, 1251-1256	10.3	24
80	Impact of Primary Antibody Clone, Format, and Stainer Platform on Ki67 Proliferation Indices in Breast Carcinomas. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2019 , 27, 732-739	1.9	8
79	NordiQC Assessments of PAX8 Immunoassays. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2018 , 26, 221-224	1.9	3
78	Metformin does not affect postabsorptive hepatic free fatty acid uptake, oxidation or resecretion in humans: A 3-month placebo-controlled clinical trial in patients with type 2 diabetes and healthy controls. <i>Diabetes, Obesity and Metabolism</i> , 2018 , 20, 1435-1444	6.7	10
77	Uneven Staining in Automated Immunohistochemistry: Cold and Hot Zones and Implications for Immunohistochemical Analysis of Biopsy Specimens. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2018 , 26, 299-304	1.9	2
76	No effect of resveratrol on VLDL-TG kinetics and insulin sensitivity in obese men with nonalcoholic fatty liver disease. <i>Diabetes, Obesity and Metabolism</i> , 2018 , 20, 2504-2509	6.7	15
75	Oral mucosa tissue gene expression profiling before, during, and after radiation therapy for tonsil squamous cell carcinoma. <i>PLoS ONE</i> , 2018 , 13, e0190709	3.7	7

74	VLDL triglyceride accumulation in skeletal muscle and adipose tissue in type 2 diabetes. <i>Current Opinion in Lipidology</i> , 2018 , 29, 42-47	4.4	3
73	Attenuated suppression of lipolysis explains the increases in triglyceride secretion and concentration associated with basal insulin peglispro relative to insulin glargine treatment in patients with type 1 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2018 , 20, 419-426	6.7	4
72	Increased AQP7 abundance in skeletal muscle from obese men with type 2 diabetes. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2018 , 315, E367-E373	6	7
71	Dysregulation of a novel miR-23b/27b-p53 axis impairs muscle stem cell differentiation of humans with type 2 diabetes. <i>Molecular Metabolism</i> , 2017 , 6, 770-779	8.8	22
70	Increased VLDL-TG Fatty Acid Storage in Skeletal Muscle in Men With Type 2 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017 , 102, 831-839	5.6	11
69	Molecular Characteristics of High-Dose Melphalan Associated Oral Mucositis in Patients with Multiple Myeloma: A Gene Expression Study on Human Mucosa. <i>PLoS ONE</i> , 2017 , 12, e0169286	3.7	7
68	Postprandial VLDL-TG metabolism in type 2 diabetes. <i>Metabolism: Clinical and Experimental</i> , 2017 , 75, 25-35	12.7	13
67	Measuring VLDL1-Triglyceride and VLDL2-Triglyceride Kinetics in Men: Effects of Dietary Control on Day-to-Day Variability. <i>Hormone and Metabolic Research</i> , 2017 , 49, 604-611	3.1	1
66	Whole-Body Biodistribution, Dosimetry, and Metabolite Correction of [C]Palmitate: A PET Tracer for Imaging of Fatty Acid Metabolism. <i>Molecular Imaging</i> , 2017 , 16, 1536012117734485	3.7	12
65	Proliferation assessment in breast carcinomas using digital image analysis based on virtual Ki67/cytokeratin double staining. <i>Breast Cancer Research and Treatment</i> , 2016 , 158, 11-19	4.4	30
64	Impaired Insulin Suppression of VLDL-Triglyceride Kinetics in Nonalcoholic Fatty Liver Disease. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016 , 101, 1637-46	5.6	18
63	Aquaporin-9 facilitates membrane transport of hydrogen peroxide in mammalian cells. <i>Biochemical and Biophysical Research Communications</i> , 2016 , 471, 191-7	3.4	80
62	Proficiency testing in immunohistochemistry--experiences from Nordic Immunohistochemical Quality Control (NordiQC). <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2016 , 468, 19-29	5.1	51
61	A Systematic Characterization of Aquaporin-9 Expression in Human Normal and Pathological Tissues. <i>Journal of Histochemistry and Cytochemistry</i> , 2016 , 64, 287-300	3.4	26
60	Basal and insulin-regulated VLDL1 and VLDL2 kinetics in men with type 2 diabetes. <i>Diabetologia</i> , 2016 , 59, 833-43	10.3	11
59	A mixed diet supplemented with L-arabinose does not alter glycaemic or insulinaemic responses in healthy human subjects. <i>British Journal of Nutrition</i> , 2015 , 113, 82-8	3.6	5
58	Getting controls under control: the time is now for immunohistochemistry. <i>Journal of Clinical Pathology</i> , 2015 , 68, 879-82	3.9	51
57	Immunohistochemical expression of HER2 in breast cancer: socioeconomic impact of inaccurate tests. <i>BMC Health Services Research</i> , 2015 , 15, 352	2.9	11

56	Lean body mass, not FFA, predicts VLDL-TG secretion rate in healthy men. <i>Obesity</i> , 2015 , 23, 1379-85	8	6
55	Complete recovery after severe myxoedema coma complicated by status epilepticus. <i>BMJ Case Reports</i> , 2015 , 2015,	0.9	4
54	Visceral obesity is associated with increased soluble CD163 concentration in men with type 2 diabetes mellitus. <i>Endocrine Connections</i> , 2015 , 4, 27-36	3.5	19
53	Isolated hyperglycaemia does not increase VLDL-triacylglycerol secretion in type 1 diabetic men. <i>Diabetologia</i> , 2015 , 58, 355-62	10.3	2
52	Dynamic subcellular localization of aquaporin-7 in white adipocytes. <i>FEBS Letters</i> , 2015 , 589, 608-14	3.8	24
51	Kinetics and utilization of lipid sources during acute exercise and acipimox. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2014 , 307, E199-208	6	14
50	Acute changes in lipoprotein subclasses during exercise. <i>Metabolism: Clinical and Experimental</i> , 2014 , 63, 61-8	12.7	9
49	Ten weeks of aerobic training does not result in persistent changes in VLDL triglyceride turnover or oxidation in healthy men. <i>European Journal of Endocrinology</i> , 2014 , 171, 603-13	6.5	7
48	Carb-3 is the superior anti-CD15 monoclonal antibody for immunohistochemistry. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2014 , 22, 449-58	1.9	7
47	Long-term vasopressin-V2-receptor stimulation induces regulation of aquaporin 4 protein in renal inner medulla and cortex of Brattleboro rats. <i>Nephrology Dialysis Transplantation</i> , 2013 , 28, 2058-65	4.3	24
46	Independent effects of testosterone on lipid oxidation and VLDL-TG production: a randomized, double-blind, placebo-controlled, crossover study. <i>Diabetes</i> , 2013 , 62, 1409-16	0.9	20
45	Whole body metabolic effects of prolonged endurance training in combination with erythropoietin treatment in humans: a randomized placebo controlled trial. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2013 , 305, E879-89	6	21
44	AQP9 expression in glioblastoma multiforme tumors is limited to a small population of astrocytic cells and CD15(+)/CalB(+) leukocytes. <i>PLoS ONE</i> , 2013 , 8, e75764	3.7	23
43	Impaired insulin-mediated antilipolysis and lactate release in adipose tissue of upper-body obese women. <i>Obesity</i> , 2012 , 20, 57-64	8	12
42	Gender-specific effect of physical training on AQP7 protein expression in human adipose tissue. <i>Acta Diabetologica</i> , 2012 , 49 Suppl 1, S215-26	3.9	30
41	Determinants of VLDL-triglycerides production. <i>Current Opinion in Lipidology</i> , 2012 , 23, 321-6	4.4	52
40	Estradiol acutely inhibits whole body lipid oxidation and attenuates lipolysis in subcutaneous adipose tissue: a randomized, placebo-controlled study in postmenopausal women. <i>European Journal of Endocrinology</i> , 2012 , 167, 543-51	6.5	28
39	Increased VLDL-triglyceride secretion precedes impaired control of endogenous glucose production in obese, normoglycemic men. <i>Diabetes</i> , 2011 , 60, 2257-64	0.9	32

38	Basal and insulin mediated VLDL-triglyceride kinetics in type 2 diabetic men. <i>Diabetes</i> , 2011 , 60, 88-96	0.9	44
37	Aquaporin-9 protein is the primary route of hepatocyte glycerol uptake for glycerol gluconeogenesis in mice. <i>Journal of Biological Chemistry</i> , 2011 , 286, 44319-25	5.4	86
36	Similar VLDL-TG storage in visceral and subcutaneous fat in obese and lean women. <i>Diabetes</i> , 2011 , 60, 2787-91	0.9	11
35	Effects of exercise on VLDL-triglyceride oxidation and turnover. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2011 , 300, E939-44	6	41
34	Reply to Russell: VLDL-TG kinetics: how to interpret a dual-isotope study. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2011 , 300, E253-E253	6	
33	Postabsorptive VLDL-TG fatty acid storage in adipose tissue in lean and obese women. <i>Obesity</i> , 2010 , 18, 1304-11	8	18
32	Acute estrogen exposure does not affect basal very low-density lipoprotein-triglyceride production or oxidation in postmenopausal women. <i>European Journal of Endocrinology</i> , 2010 , 163, 421-6	6.5	2
31	Decreased lipid intermediate levels and lipid oxidation rates despite normal lipolysis in patients with hypothyroidism. <i>Thyroid</i> , 2010 , 20, 843-9	6.2	16
30	Impact of body composition on very-low-density lipoprotein-triglycerides kinetics. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2009 , 296, E165-73	6	25
29	VLDL-TG kinetics: a dual isotope study for quantifying VLDL-TG pool size, production rates, and fractional oxidation in humans. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2009 , 297, E1324-30	6	27
28	A current view of the mammalian aquaglyceroporins. <i>Annual Review of Physiology</i> , 2008 , 70, 301-27	23.1	268
27	Acute effects of ghrelin administration on glucose and lipid metabolism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 438-44	5.6	74
26	Insulin dose response analysis of free fatty acid kinetics. <i>Metabolism: Clinical and Experimental</i> , 2007 , 56, 68-76	12.7	60
25	Growth hormone-induced insulin resistance is associated with increased intramyocellular triglyceride content but unaltered VLDL-triglyceride kinetics. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2007 , 292, E920-7	6	72
24	Simvastatin reduces plasma osteoprotegerin in type 2 diabetic patients with microalbuminuria. <i>Diabetes Care</i> , 2007 , 30, 3122-4	14.6	26
23	Defective glycerol metabolism in aquaporin 9 (AQP9) knockout mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 3609-14	11.5	226
22	AQP7 is localized in capillaries of adipose tissue, cardiac and striated muscle: implications in glycerol metabolism. <i>American Journal of Physiology - Renal Physiology</i> , 2007 , 292, F956-65	4.3	109
21	Measuring VLDL-triglyceride turnover in humans using ex vivo-prepared VLDL tracer. <i>Journal of Lipid Research</i> , 2006 , 47, 99-106	6.3	30

20	Energy expenditure, insulin, and VLDL-triglyceride production in humans. <i>Journal of Lipid Research</i> , 2006 , 47, 2325-32	6.3	28
19	Antibody Selection in Immunohistochemical Detection of Cyclin D1 in Mantle Cell Lymphoma. <i>American Journal of Clinical Pathology</i> , 2005 , 124, 782-789	1.9	13
18	Vascular response to angiotensin II in upper body obesity. <i>Hypertension</i> , 2004 , 44, 435-41	8.5	28
17	Evidence of increased visceral obesity and reduced physical fitness in healthy insulin-resistant first-degree relatives of type 2 diabetic patients. <i>European Journal of Endocrinology</i> , 2004 , 150, 207-14	6.5	44
16	Muscle strength in type 2 diabetes. <i>Diabetes</i> , 2004 , 53, 1543-8	0.9	242
15	Effects of GH on urea, glucose and lipid metabolism, and insulin sensitivity during fasting in GH-deficient patients. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2003 , 285, E737-43	6	30
14	AQP1 and AQP3, psoriasin, and nitric oxide synthases 1-3 are inflammatory mediators in erythema toxicum neonatorum. <i>Pediatric Dermatology</i> , 2003 , 20, 377-84	1.9	42
13	Energy expenditure, sex, and endogenous fuel availability in humans. <i>Journal of Clinical Investigation</i> , 2003 , 111, 981-8	15.9	100
12	Downregulation of AQP1, -2, and -3 after ureteral obstruction is associated with a long-term urine-concentrating defect. <i>American Journal of Physiology - Renal Physiology</i> , 2001 , 281, F163-71	4.3	100
11	The Clinical Course of Renal Disease in Caucasian NIDDM Patients 2000 , 81-94		
10	Muscle mass and function in thyrotoxic patients before and during medical treatment. <i>Clinical Endocrinology</i> , 1999 , 51, 693-9	3.4	42
9	Combination of enalapril and low-dose thiazide reduces normoalbuminuria in essential hypertension. <i>Journal of Hypertension</i> , 1998 , 16, 1539-44	1.9	6
8	The Clinical Course of Renal Disease in Caucasian NIDDM Patients 1998 , 73-83		
7	Glucose turnover, fuel oxidation and forearm substrate exchange in patients with thyrotoxicosis before and after medical treatment. <i>Clinical Endocrinology</i> , 1996 , 44, 453-9	3.4	18
6	Albuminuria and 24-h ambulatory blood pressure in normoalbuminuric and microalbuminuric NIDDM patients. A longitudinal study. <i>Diabetes Care</i> , 1995 , 18, 1434-41	14.6	35
5	Prorenin and renal function in NIDDM patients with normo- and microalbuminuria. <i>Journal of Internal Medicine</i> , 1995 , 238, 499-505	10.8	4
4	The Clinical Course of Renal Disease in Caucasian NIDDM-Patients 1994 , 111-121		
3	Systolic blood pressure relates to the rate of decline of glomerular filtration rate in type II diabetes. <i>Diabetes Care</i> , 1993 , 16, 1427-32	14.6	53

- 2 Validity of rapid estimation of erythrocyte volume in the diagnosis of polycytemia vera. *European Journal of Nuclear Medicine and Molecular Imaging*, **1989**, 15, 32-7 5
- 1 Immunohistochemical Detection of Tissue and Cellular Antigens1-9 0