

Amany K Elshorbagy

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6522883/amany-k-elshorbagy-publications-by-citations.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

47 papers	1,162 citations	19 h-index	33 g-index
48 ext. papers	1,388 ext. citations	4.8 avg, IF	4.2 L-index

#	Paper	IF	Citations
47	Brain atrophy in cognitively impaired elderly: the importance of long-chain Ω fatty acids and B vitamin status in a randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2015 , 102, 215-21	7	115
46	Homocysteine, cysteine, and body composition in the Hordaland Homocysteine Study: does cysteine link amino acid and lipid metabolism?. <i>American Journal of Clinical Nutrition</i> , 2008 , 88, 738-46	7	110
45	Cysteine supplementation reverses methionine restriction effects on rat adiposity: significance of stearoyl-coenzyme A desaturase. <i>Journal of Lipid Research</i> , 2011 , 52, 104-12	6.3	109
44	Cysteine and obesity: consistency of the evidence across epidemiologic, animal and cellular studies. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2012 , 15, 49-57	3.8	72
43	Sulfur amino acids in methionine-restricted rats: hyperhomocysteinemia. <i>Nutrition</i> , 2010 , 26, 1201-4	4.8	65
42	The association of cysteine with obesity, inflammatory cytokines and insulin resistance in Hispanic children and adolescents. <i>PLoS ONE</i> , 2012 , 7, e44166	3.7	51
41	The association of plasma cysteine and gamma-glutamyltransferase with BMI and obesity. <i>Obesity</i> , 2009 , 17, 1435-40	8	46
40	Cysteine and obesity. <i>Obesity</i> , 2012 , 20, 473-81	8	45
39	The association of fasting plasma sulfur-containing compounds with BMI, serum lipids and apolipoproteins. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2012 , 22, 1031-8	4.5	43
38	Dietary cystine level affects metabolic rate and glycaemic control in adult mice. <i>Journal of Nutritional Biochemistry</i> , 2012 , 23, 332-40	6.3	42
37	Plasma stearoyl-CoA desaturase indices: association with lifestyle, diet, and body composition. <i>Obesity</i> , 2013 , 21, E294-302	8	39
36	Serum S-adenosylmethionine, but not methionine, increases in response to overfeeding in humans. <i>Nutrition and Diabetes</i> , 2016 , 6, e192	4.7	32
35	Amino acid changes during transition to a vegan diet supplemented with fish in healthy humans. <i>European Journal of Nutrition</i> , 2017 , 56, 1953-1962	5.2	31
34	Monosodium glutamate neurotoxicity increases beta amyloid in the rat hippocampus: a potential role for cyclic AMP protein kinase. <i>NeuroToxicology</i> , 2014 , 42, 76-82	4.4	30
33	S-adenosylmethionine is associated with fat mass and truncal adiposity in older adults. <i>Journal of Nutrition</i> , 2013 , 143, 1982-8	4.1	29
32	Evaluation of the body adiposity index in a Caucasian population: the Hordaland health study. <i>American Journal of Epidemiology</i> , 2013 , 177, 586-92	3.8	29
31	Dietary intake of protein is positively associated with percent body fat in middle-aged and older adults. <i>Journal of Nutrition</i> , 2011 , 141, 440-6	4.1	28

30	Effect of taurine and N-acetylcysteine on methionine restriction-mediated adiposity resistance. <i>Metabolism: Clinical and Experimental</i> , 2013 , 62, 509-17	12.7	23
29	Effect of bariatric surgery on sulphur amino acids and glutamate. <i>British Journal of Nutrition</i> , 2011 , 106, 432-40	3.6	20
28	Perturbed adipose tissue hydrogen peroxide metabolism in centrally obese men: Association with insulin resistance. <i>PLoS ONE</i> , 2017 , 12, e0177268	3.7	19
27	Circulating amino acids are associated with bone mineral density decline and ten-year major osteoporotic fracture risk in older community-dwelling adults. <i>Bone</i> , 2019 , 129, 115082	4.7	19
26	Cysteine, homocysteine and bone mineral density: a role for body composition?. <i>Bone</i> , 2009 , 44, 954-8	4.7	19
25	Plasma creatinine as a determinant of plasma total homocysteine concentrations in the Hordaland Homocysteine Study: use of statistical modeling to determine reference limits. <i>Clinical Biochemistry</i> , 2007 , 40, 1209-18	3.5	16
24	Body composition in gene knockouts of sulfur amino acid-metabolizing enzymes. <i>Mammalian Genome</i> , 2014 , 25, 455-63	3.2	15
23	The first international mini-symposium on methionine restriction and lifespan. <i>Frontiers in Genetics</i> , 2014 , 5, 122	4.5	15
22	The relation of CUN-BAE index and BMI with body fat, cardiovascular events and diabetes during a 6-year follow-up: the Hordaland Health Study. <i>Clinical Epidemiology</i> , 2017 , 9, 555-566	5.9	14
21	Associations between plasma polyunsaturated fatty acids, plasma stearoyl-CoA desaturase indices and body fat. <i>Obesity</i> , 2013 , 21, E512-9	8	13
20	Exploring the Lean Phenotype of Glutathione-Depleted Mice: Thiol, Amino Acid and Fatty Acid Profiles. <i>PLoS ONE</i> , 2016 , 11, e0163214	3.7	12
19	Food Overconsumption in Healthy Adults Triggers Early and Sustained Increases in Serum Branched-Chain Amino Acids and Changes in Cysteine Linked to Fat Gain. <i>Journal of Nutrition</i> , 2018 , 148, 1073-1080	4.1	10
18	Circulating linoleic acid and alpha-linolenic acid and glucose metabolism: the Hoorn Study. <i>European Journal of Nutrition</i> , 2017 , 56, 2171-2180	5.2	10
17	Protective effect of melatonin versus montelukast in cisplatin-induced seminiferous tubule damage in rats. <i>Andrologia</i> , 2018 , 50, e13077	2.4	8
16	Associations of serum n-3 and n-6 polyunsaturated fatty acids with echocardiographic measures among older adults: the Hoorn Study. <i>European Journal of Clinical Nutrition</i> , 2013 , 67, 1277-83	5.2	5
15	Genome-wide association reveals that common genetic variation in the kallikrein-kinin system is associated with serum L-arginine levels. <i>Thrombosis and Haemostasis</i> , 2016 , 116, 1041-1049	7	5
14	Comment on Sergeant et al.: Impact of methods used to express levels of circulating fatty acids on the degree and direction of associations with blood lipids in humans. <i>British Journal of Nutrition</i> , 2016 , 115, 2077-8	3.6	4
13	Body mass index determines the response of plasma sulfur amino acids to methionine loading. <i>Biochimie</i> , 2020 , 173, 107-113	4.6	3

12	Circulating Polyunsaturated Fatty Acids as Biomarkers for Dietary Intake across Subgroups: The CODAM and Hoorn Studies. <i>Annals of Nutrition and Metabolism</i> , 2018 , 72, 117-125	4.5	3
11	Cortical tau burden and behavioural dysfunctions in mice exposed to monosodium glutamate in early life. <i>PLoS ONE</i> , 2019 , 14, e0220720	3.7	3
10	Association of Maternal Plasma Total Cysteine and Growth among Infants in Nepal: A Cohort Study. <i>Nutrients</i> , 2020 , 12,	6.7	3
9	Blood pressure measurement protocol determines hypertension phenotypes in a Middle Eastern population. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 1995-2003	2.3	2
8	Sulfur amino acid restriction, energy metabolism and obesity: a study protocol of an 8-week randomized controlled dietary intervention with whole foods and amino acid supplements. <i>Journal of Translational Medicine</i> , 2021 , 19, 153	8.5	2
7	Response to Sulfur amino acids in methionine-restricted rats: Hyperhomocysteinemia. <i>Nutrition</i> , 2010 , 26, 1205-1206	4.8	1
6	Extracellular cystine influences human preadipocyte differentiation and correlates with fat mass in healthy adults. <i>Amino Acids</i> , 2021 , 53, 1623-1634	3.5	1
5	Changes in plasma fatty acids and related biomarkers during transition to an exclusively plant- and fish-based diet in healthy adults. <i>Nutrition</i> , 2021 , 90, 111306	4.8	1
4	Resveratrol ameliorates long-term structural, functional and metabolic perturbations in a rat model of donor nephrectomy: Implication of SIRT1. <i>Journal of Functional Foods</i> , 2019 , 58, 34-43	5.1	0
3	Development of Primary Percutaneous Coronary Intervention as a National Reperfusion Strategy for Patients with ST-Elevation Myocardial Infarction and Assessment of Its Use in Egypt. <i>Cardiovascular Innovations and Applications</i> , 2020 , 4, 269-278	0.1	0
2	The association of serum sulfur amino acids and related metabolites with incident diabetes: a prospective cohort study.. <i>European Journal of Nutrition</i> , 2022 , 1	5.2	0
1	Omega-3 Fatty Acids Modify Treatment Effect of High-Dose B Vitamins in Cognitively Impaired Elderly. <i>FASEB Journal</i> , 2015 , 29, 401.1	0.9	