

Deborah P M Symmons

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6523001/deborah-p-m-symmons-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

281
papers

32,462
citations

80
h-index

177
g-index

308
ext. papers

37,156
ext. citations

4.7
avg, IF

6.65
L-index

#	Paper	IF	Citations
281	2010 Rheumatoid arthritis classification criteria: an American College of Rheumatology/European League Against Rheumatism collaborative initiative. <i>Arthritis and Rheumatism</i> , 2010 , 62, 2569-81		4825
280	2010 rheumatoid arthritis classification criteria: an American College of Rheumatology/European League Against Rheumatism collaborative initiative. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 1580-8	2.4	2158
279	Replication of genome-wide association signals in UK samples reveals risk loci for type 2 diabetes. <i>Science</i> , 2007 , 316, 1336-41	33.3	1823
278	The development and initial validation of the Systemic Lupus International Collaborating Clinics/American College of Rheumatology damage index for systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 1996 , 39, 363-9		1688
277	Global epidemiology of psoriasis: a systematic review of incidence and prevalence. <i>Journal of Investigative Dermatology</i> , 2013 , 133, 377-85	4.3	1392
276	Association scan of 14,500 nonsynonymous SNPs in four diseases identifies autoimmunity variants. <i>Nature Genetics</i> , 2007 , 39, 1329-37	36.3	1130
275	EULAR evidence-based recommendations for cardiovascular risk management in patients with rheumatoid arthritis and other forms of inflammatory arthritis. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 325-31	2.4	945
274	Genome-wide association study of CNVs in 16,000 cases of eight common diseases and 3,000 shared controls. <i>Nature</i> , 2010 , 464, 713-20	50.4	639
273	EULAR recommendations for cardiovascular disease risk management in patients with rheumatoid arthritis and other forms of inflammatory joint disorders: 2015/2016 update. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 17-28	2.4	590
272	Rates of serious infection, including site-specific and bacterial intracellular infection, in rheumatoid arthritis patients receiving anti-tumor necrosis factor therapy: results from the British Society for Rheumatology Biologics Register. <i>Arthritis and Rheumatism</i> , 2006 , 54, 2368-76		587
271	Drug-specific risk of tuberculosis in patients with rheumatoid arthritis treated with anti-TNF therapy: results from the British Society for Rheumatology Biologics Register (BSRBR). <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 522-8	2.4	501
270	Anti-TNF therapy is associated with an increased risk of serious infections in patients with rheumatoid arthritis especially in the first 6 months of treatment: updated results from the British Society for Rheumatology Biologics Register with special emphasis on risks in the elderly. <i>Rheumatology</i> , 2011 , 50, 124-31	3.9	463
269	Predictors of response to anti-TNF-alpha therapy among patients with rheumatoid arthritis: results from the British Society for Rheumatology Biologics Register. <i>Rheumatology</i> , 2006 , 45, 1558-65	3.9	437
268	High-density genetic mapping identifies new susceptibility loci for rheumatoid arthritis. <i>Nature Genetics</i> , 2012 , 44, 1336-40	36.3	436
267	Reduction in the incidence of myocardial infarction in patients with rheumatoid arthritis who respond to anti-tumor necrosis factor alpha therapy: results from the British Society for Rheumatology Biologics Register. <i>Arthritis and Rheumatism</i> , 2007 , 56, 2905-12		427
266	Outcomes after switching from one anti-tumor necrosis factor alpha agent to a second anti-tumor necrosis factor alpha agent in patients with rheumatoid arthritis: results from a large UK national cohort study. <i>Arthritis and Rheumatism</i> , 2007 , 56, 13-20		328
265	Rheumatoid arthritis association at 6q23. <i>Nature Genetics</i> , 2007 , 39, 1431-3	36.3	328

264	The incidence of rheumatoid arthritis in the United Kingdom: results from the Norfolk Arthritis Register. <i>Rheumatology</i> , 1994 , 33, 735-9	3.9	301
263	Blood transfusion, smoking, and obesity as risk factors for the development of rheumatoid arthritis: results from a primary care-based incident case-control study in Norfolk, England. <i>Arthritis and Rheumatism</i> , 1997 , 40, 1955-61		300
262	Mortality in early inflammatory polyarthritis: cardiovascular mortality is increased in seropositive patients. <i>Arthritis and Rheumatism</i> , 2002 , 46, 2010-9		295
261	Specific interaction between genotype, smoking and autoimmunity to citrullinated alpha-enolase in the etiology of rheumatoid arthritis. <i>Nature Genetics</i> , 2009 , 41, 1319-24	36.3	254
260	Epidemiology of CVD in rheumatic disease, with a focus on RA and SLE. <i>Nature Reviews Rheumatology</i> , 2011 , 7, 399-408	8.1	253
259	Serious infection following anti-tumor necrosis factor alpha therapy in patients with rheumatoid arthritis: lessons from interpreting data from observational studies. <i>Arthritis and Rheumatism</i> , 2007 , 56, 2896-904		245
258	Baseline levels of C-reactive protein and prediction of death from cardiovascular disease in patients with inflammatory polyarthritis: a ten-year followup study of a primary care-based inception cohort. <i>Arthritis and Rheumatism</i> , 2005 , 52, 2293-9		223
257	Low back pain in schoolchildren: occurrence and characteristics. <i>Pain</i> , 2002 , 97, 87-92	8	221
256	Association of rheumatoid factor and anti-cyclic citrullinated peptide positivity, but not carriage of shared epitope or PTPN22 susceptibility variants, with anti-tumour necrosis factor response in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2009 , 68, 69-74	2.4	210
255	Predictors of low back pain in British schoolchildren: a population-based prospective cohort study. <i>Pediatrics</i> , 2003 , 111, 822-8	7.4	201
254	Cancer risk with tumor necrosis factor alpha (TNF) inhibitors: meta-analysis of randomized controlled trials of adalimumab, etanercept, and infliximab using patient level data. <i>Pharmacoepidemiology and Drug Safety</i> , 2011 , 20, 119-30	2.6	199
253	Association between serum vitamin D metabolite levels and disease activity in patients with early inflammatory polyarthritis. <i>Arthritis and Rheumatism</i> , 2007 , 56, 2143-9		185
252	Cardiovascular comorbidities in patients with psoriatic arthritis: a systematic review. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 211-6	2.4	183
251	The 2010 American College of Rheumatology/European League Against Rheumatism classification criteria for rheumatoid arthritis: Phase 2 methodological report. <i>Arthritis and Rheumatism</i> , 2010 , 62, 2582-91		182
250	Cause of death in rheumatoid arthritis. <i>Rheumatology</i> , 1984 , 23, 92-9	3.9	177
249	Epidemiology of rheumatoid arthritis: determinants of onset, persistence and outcome. <i>Best Practice and Research in Clinical Rheumatology</i> , 2002 , 16, 707-22	5.3	171
248	Rates of new-onset psoriasis in patients with rheumatoid arthritis receiving anti-tumour necrosis factor alpha therapy: results from the British Society for Rheumatology Biologics Register. <i>Annals of the Rheumatic Diseases</i> , 2009 , 68, 209-15	2.4	165
247	The effectiveness of five strategies for the prevention of gastrointestinal toxicity induced by non-steroidal anti-inflammatory drugs: systematic review. <i>BMJ, The</i> , 2004 , 329, 948	5.9	164

246	Low back pain in schoolchildren: the role of mechanical and psychosocial factors. <i>Archives of Disease in Childhood</i> , 2003 , 88, 12-7	2.2	158
245	Impact of concomitant use of DMARDs on the persistence with anti-TNF therapies in patients with rheumatoid arthritis: results from the British Society for Rheumatology Biologics Register. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 583-9	2.4	155
244	Neoplasms of the immune system in rheumatoid arthritis. <i>American Journal of Medicine</i> , 1985 , 78, 22-8	2.4	155
243	Influence of anti-TNF therapy on mortality in patients with rheumatoid arthritis-associated interstitial lung disease: results from the British Society for Rheumatology Biologics Register. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 1086-91	2.4	147
242	Association of the HLA-DRB1 gene with premature death, particularly from cardiovascular disease, in patients with rheumatoid arthritis and inflammatory polyarthritis. <i>Arthritis and Rheumatism</i> , 2008 , 58, 359-69		146
241	Rheumatoid factor is the major predictor of increasing severity of radiographic erosions in rheumatoid arthritis: results from the Norfolk Arthritis Register Study, a large inception cohort. <i>Arthritis and Rheumatism</i> , 2002 , 46, 906-12		146
240	Active exercise, education, and cognitive behavioral therapy for persistent disabling low back pain: a randomized controlled trial. <i>Spine</i> , 2007 , 32, 1578-85	3.3	141
239	Persistence with anti-tumour necrosis factor therapies in patients with psoriatic arthritis: observational study from the British Society of Rheumatology Biologics Register. <i>Arthritis Research and Therapy</i> , 2009 , 11, R52	5.7	138
238	Risk of septic arthritis in patients with rheumatoid arthritis and the effect of anti-TNF therapy: results from the British Society for Rheumatology Biologics Register. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 1810-4	2.4	137
237	Anti-TNF therapies and pregnancy: outcome of 130 pregnancies in the British Society for Rheumatology Biologics Register. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 823-6	2.4	131
236	Influence of anti-tumor necrosis factor therapy on cancer incidence in patients with rheumatoid arthritis who have had a prior malignancy: results from the British Society for Rheumatology Biologics Register. <i>Arthritis Care and Research</i> , 2010 , 62, 755-63	4.7	129
235	Risk of skin and soft tissue infections (including shingles) in patients exposed to anti-tumour necrosis factor therapy: results from the British Society for Rheumatology Biologics Register. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 229-34	2.4	128
234	Influence of disease-modifying therapy on radiographic outcome in inflammatory polyarthritis at five years: results from a large observational inception study. <i>Arthritis and Rheumatism</i> , 2003 , 48, 46-53		128
233	ICF Core Sets for rheumatoid arthritis. <i>Journal of Rehabilitation Medicine</i> , 2004 , 87-93	3.4	123
232	Estimating the incidence of rheumatoid arthritis: trying to hit a moving target?. <i>Arthritis and Rheumatism</i> , 1999 , 42, 1339-46		123
231	Mortality in established rheumatoid arthritis. <i>Best Practice and Research in Clinical Rheumatology</i> , 2007 , 21, 871-83	5.3	119
230	The 2010 American College of Rheumatology/European League Against Rheumatism classification criteria for rheumatoid arthritis: methodological report phase I. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 1589-95	2.4	117
229	Comparison of the response to infliximab or etanercept monotherapy with the response to cotherapy with methotrexate or another disease-modifying antirheumatic drug in patients with rheumatoid arthritis: results from the British Society for Rheumatology Biologics Register. <i>Arthritis and Rheumatism</i> , 2006 , 54, 1706-14		114

228	Anti-tumour necrosis factor alpha therapy in rheumatoid arthritis: an update on safety. <i>Annals of the Rheumatic Diseases</i> , 2004 , 63, 1538-43	2.4	111
227	Dietary risk factors for the development of inflammatory polyarthritis: evidence for a role of high level of red meat consumption. <i>Arthritis and Rheumatism</i> , 2004 , 50, 3804-12		108
226	Statin use in rheumatoid arthritis in relation to actual cardiovascular risk: evidence for substantial undertreatment of lipid-associated cardiovascular risk?. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 683-8	3.4	106
225	National study of cause-specific mortality in rheumatoid arthritis, juvenile chronic arthritis, and other rheumatic conditions: a 20 year followup study. <i>Journal of Rheumatology</i> , 2003 , 30, 958-65	4.1	105
224	Risk of solid cancer in patients exposed to anti-tumour necrosis factor therapy: results from the British Society for Rheumatology Biologics Register for Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 1087-93	2.4	102
223	Risk and predictors of infection leading to hospitalisation in a large primary-care-derived cohort of patients with inflammatory polyarthritis. <i>Annals of the Rheumatic Diseases</i> , 2007 , 66, 308-12	2.4	99
222	Psoriasis and the Risk of Major Cardiovascular Events: Cohort Study Using the Clinical Practice Research Datalink. <i>Journal of Investigative Dermatology</i> , 2015 , 135, 2189-2197	4.3	96
221	The association of cigarette smoking with disease outcome in patients with early inflammatory polyarthritis. <i>Arthritis and Rheumatism</i> , 2001 , 44, 323-30		94
220	Association of HLA-DRB1 haplotypes with rheumatoid arthritis severity, mortality, and treatment response. <i>JAMA - Journal of the American Medical Association</i> , 2015 , 313, 1645-56	27.4	92
219	Efficacy and safety of anti-TNF therapies in psoriatic arthritis: an observational study from the British Society for Rheumatology Biologics Register. <i>Rheumatology</i> , 2010 , 49, 697-705	3.9	91
218	Risk of cancer in patients receiving non-biologic disease-modifying therapy for rheumatoid arthritis compared with the UK general population. <i>Rheumatology</i> , 2013 , 52, 91-8	3.9	90
217	The incidence of rheumatoid arthritis in the UK: comparisons using the 2010 ACR/EULAR classification criteria and the 1987 ACR classification criteria. Results from the Norfolk Arthritis Register. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 1315-20	2.4	90
216	Quantifying the exact role of HLA-DRB1 alleles in susceptibility to inflammatory polyarthritis: results from a large, population-based study. <i>Arthritis and Rheumatism</i> , 1999 , 42, 757-62		90
215	Cognitive behavior therapy, exercise, or both for treating chronic widespread pain. <i>Archives of Internal Medicine</i> , 2012 , 172, 48-57		89
214	What effects might anti-TNFalpha treatment be expected to have on cardiovascular morbidity and mortality in rheumatoid arthritis? A review of the role of TNFalpha in cardiovascular pathophysiology. <i>Annals of the Rheumatic Diseases</i> , 2007 , 66, 1132-6	2.4	89
213	The influence of anti-TNF therapy upon incidence of keratinocyte skin cancer in patients with rheumatoid arthritis: longitudinal results from the British Society for Rheumatology Biologics Register. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, 869-74	2.4	87
212	Beneficial effects of a 3-week course of intramuscular glucocorticoid injections in patients with very early inflammatory polyarthritis: results of the STIVEA trial. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 503-9	2.4	86
211	Natural remission in inflammatory polyarthritis: issues of definition and prediction. <i>Rheumatology</i> , 1996 , 35, 1096-100	3.9	86

210	Mortality trends in patients with early rheumatoid arthritis over 20 years: results from the Norfolk Arthritis Register. <i>Arthritis Care and Research</i> , 2014 , 66, 1296-301	4.7	85
209	Oral contraceptives and rheumatoid arthritis: results from a primary care-based incident case-control study. <i>Seminars in Arthritis and Rheumatism</i> , 1997 , 26, 817-23	5.3	85
208	Pregnancy outcome in women who were exposed to anti-tumor necrosis factor agents: results from a national population register. <i>Arthritis and Rheumatism</i> , 2006 , 54, 2701-2		85
207	European biologicals registers: methodology, selected results and perspectives. <i>Annals of the Rheumatic Diseases</i> , 2009 , 68, 1240-6	2.4	83
206	Vitamin C and the risk of developing inflammatory polyarthritis: prospective nested case-control study. <i>Annals of the Rheumatic Diseases</i> , 2004 , 63, 843-7	2.4	83
205	Dietary Cryptoxanthin and inflammatory polyarthritis: results from a population-based prospective study. <i>American Journal of Clinical Nutrition</i> , 2005 , 82, 451-455	7	83
204	Relationship between exposure to tumour necrosis factor inhibitor therapy and incidence and severity of myocardial infarction in patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 654-660	2.4	82
203	The prevalence and incidence of biopsy-proven lupus nephritis in the UK: Evidence of an ethnic gradient. <i>Arthritis and Rheumatism</i> , 2006 , 54, 2963-9		82
202	Predictors of response to anti-TNF therapy in ankylosing spondylitis: results from the British Society for Rheumatology Biologics Register. <i>Rheumatology</i> , 2010 , 49, 563-70	3.9	81
201	Risks and benefits of tumor necrosis factor-alpha inhibitors in the management of psoriatic arthritis: systematic review and metaanalysis of randomized controlled trials. <i>Journal of Rheumatology</i> , 2008 , 35, 883-90	4.1	80
200	Modifiable risk factors for RA: prevention, better than cure?. <i>Rheumatology</i> , 2012 , 51, 499-512	3.9	76
199	Dietary beta-cryptoxanthin and inflammatory polyarthritis: results from a population-based prospective study. <i>American Journal of Clinical Nutrition</i> , 2005 , 82, 451-5	7	73
198	The 2012 BSR and BHPR guideline for the treatment of psoriatic arthritis with biologics. <i>Rheumatology</i> , 2013 , 52, 1754-7	3.9	72
197	The influence of HLA-DRB1 alleles and rheumatoid factor on disease outcome in an inception cohort of patients with early inflammatory arthritis. <i>Arthritis and Rheumatism</i> , 1999 , 42, 2174-83		70
196	Rituximab or a second anti-tumor necrosis factor therapy for rheumatoid arthritis patients who have failed their first anti-tumor necrosis factor therapy? Comparative analysis from the British Society for Rheumatology Biologics Register. <i>Arthritis Care and Research</i> , 2012 , 64, 1108-15	4.7	69
195	Non-steroidal anti-inflammatory drug use does not appear to be associated with increased cardiovascular mortality in patients with inflammatory polyarthritis: results from a primary care based inception cohort of patients. <i>Annals of the Rheumatic Diseases</i> , 2009 , 68, 367-72	2.4	67
194	Morbidity and mortality in rheumatoid arthritis patients with prolonged and profound therapy-induced lymphopenia. <i>Arthritis and Rheumatism</i> , 2001 , 44, 1998-2008		67
193	Changes in disease characteristics and response rates among patients in the United Kingdom starting anti-tumour necrosis factor therapy for rheumatoid arthritis between 2001 and 2008. <i>Rheumatology</i> , 2011 , 50, 117-23	3.9	66

192	Using lifestyle factors to identify individuals at higher risk of inflammatory polyarthritis (results from the European Prospective Investigation of Cancer-Norfolk and the Norfolk Arthritis Register--the EPIC-2-NOAR Study). <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 219-26	2.4	64
191	Risk of lymphoma in patients exposed to antitumour necrosis factor therapy: results from the British Society for Rheumatology Biologics Register for Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 497-503	2.4	63
190	Reduced disability at five years with early treatment of inflammatory polyarthritis: results from a large observational cohort, using propensity models to adjust for disease severity. <i>Arthritis and Rheumatism</i> , 2001 , 44, 1033-42		63
189	Can clinical factors at presentation be used to predict outcome of treatment with methotrexate in patients with early inflammatory polyarthritis?. <i>Annals of the Rheumatic Diseases</i> , 2009 , 68, 57-62	2.4	61
188	Effects of switching between anti-TNF therapies on HAQ response in patients who do not respond to their first anti-TNF drug. <i>Rheumatology</i> , 2008 , 47, 1000-5	3.9	61
187	Modest association of joint hypermobility with disabling and limiting musculoskeletal pain: results from a large-scale general population-based survey. <i>Arthritis Care and Research</i> , 2013 , 65, 1325-33	4.7	60
186	Evidence for common genetic control in pathways of inflammation for Crohn's disease and psoriatic arthritis. <i>Arthritis and Rheumatism</i> , 2005 , 52, 3596-602		60
185	Different methods of balancing covariates leading to different effect estimates in the presence of effect modification. <i>American Journal of Epidemiology</i> , 2009 , 169, 909-17	3.8	59
184	No evidence of association between anti-tumor necrosis factor treatment and mortality in patients with rheumatoid arthritis: results from the British Society for Rheumatology Biologics Register. <i>Arthritis and Rheumatism</i> , 2010 , 62, 3145-53		58
183	Time to first occurrence of erosions in inflammatory polyarthritis: results from a prospective community-based study. <i>Arthritis and Rheumatism</i> , 2001 , 44, 1248-53		58
182	Early functional disability predicts both all-cause and cardiovascular mortality in people with inflammatory polyarthritis: results from the Norfolk Arthritis Register. <i>Annals of the Rheumatic Diseases</i> , 2007 , 66, 486-92	2.4	56
181	The influence of behavioural and psychological factors on medication adherence over time in rheumatoid arthritis patients: a study in the biologics era. <i>Rheumatology</i> , 2015 , 54, 1780-91	3.9	55
180	Effectiveness of rituximab in patients with rheumatoid arthritis: observational study from the British Society for Rheumatology Biologics Register. <i>Journal of Rheumatology</i> , 2012 , 39, 240-6	4.1	54
179	Working status in patients with rheumatoid arthritis, ankylosing spondylitis and psoriatic arthritis: results from the British Society for Rheumatology Biologics Register. <i>Rheumatology</i> , 2010 , 49, 1570-7	3.9	52
178	Predicting persistent disabling low back pain in general practice: a prospective cohort study. <i>British Journal of General Practice</i> , 2006 , 56, 334-41	1.6	52
177	The validity and responsiveness of generic utility measures in rheumatoid arthritis: a review. <i>Journal of Rheumatology</i> , 2008 , 35, 592-602	4.1	51
176	The influence of age at symptom onset and length of followup on mortality in patients with recent-onset inflammatory polyarthritis. <i>Arthritis and Rheumatism</i> , 2008 , 58, 985-9		50
175	The prevalence of diagnosed systemic lupus erythematosus in whites and Indian Asian immigrants in Leicester city, UK. <i>Rheumatology</i> , 1992 , 31, 679-82	3.9	50

174	The role of diet in susceptibility to rheumatoid arthritis: a systematic review. <i>Journal of Rheumatology</i> , 2004 , 31, 1310-9	4.1	50
173	The relationship between social deprivation, disease outcome measures, and response to treatment in patients with stable, long-standing rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2005 , 32, 2330-6	4.1	50
172	Are lipid ratios less susceptible to change with systemic inflammation than individual lipid components in patients with rheumatoid arthritis?. <i>Angiology</i> , 2011 , 62, 167-75	2.1	48
171	Health Assessment Questionnaire disability progression in early rheumatoid arthritis: systematic review and analysis of two inception cohorts. <i>Seminars in Arthritis and Rheumatism</i> , 2014 , 44, 131-44	5.3	46
170	Venous thrombotic events are not increased in patients with rheumatoid arthritis treated with anti-TNF therapy: results from the British Society for Rheumatology Biologics Register. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 1831-4	2.4	46
169	The incidence of cancer in patients with rheumatoid arthritis and a prior malignancy who receive TNF inhibitors or rituximab: results from the British Society for Rheumatology Biologics Register-Rheumatoid Arthritis. <i>Rheumatology</i> , 2016 , 55, 2033-2039	3.9	45
168	Benefit of anti-TNF therapy in rheumatoid arthritis patients with moderate disease activity. <i>Rheumatology</i> , 2009 , 48, 1323-7	3.9	44
167	Antibodies to citrullinated Enolase peptide 1 and clinical and radiological outcomes in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 1095-8	2.4	44
166	Multivariate meta-analysis of mixed outcomes: a Bayesian approach. <i>Statistics in Medicine</i> , 2013 , 32, 3926-43	4.3	43
165	Rheumatoid factor and anti-citrullinated protein antibody positivity, but not level, are associated with increased mortality in patients with rheumatoid arthritis: results from two large independent cohorts. <i>Arthritis Research and Therapy</i> , 2014 , 16, 483	5.7	41
164	The comparative responsiveness of the EQ-5D and SF-6D to change in patients with inflammatory arthritis. <i>Quality of Life Research</i> , 2009 , 18, 1195-205	3.7	41
163	Morbidity and mortality in rheumatoid arthritis patients with prolonged therapy-induced lymphopenia: twelve-year outcomes. <i>Arthritis and Rheumatism</i> , 2008 , 58, 370-5		38
162	Opportunities for prevention of clinically significant knee pain: results from a population-based cross sectional survey. <i>Journal of Public Health</i> , 2004 , 26, 277-84	3.5	38
161	Environmental factors and the outcome of rheumatoid arthritis. <i>Best Practice and Research in Clinical Rheumatology</i> , 2003 , 17, 717-27	5.3	38
160	The incidence of rheumatoid vasculitis in the Norwich Health Authority. <i>Rheumatology</i> , 1994 , 33, 832-3	3.9	38
159	What is the natural history of rheumatoid arthritis?. <i>Best Practice and Research in Clinical Rheumatology</i> , 2001 , 15, 27-48	5.3	37
158	Systematic review of the predictors of statin adherence for the primary prevention of cardiovascular disease. <i>PLoS ONE</i> , 2019 , 14, e0201196	3.7	37
157	Twenty-Year Outcome and Association Between Early Treatment and Mortality and Disability in an Inception Cohort of Patients With Rheumatoid Arthritis: Results From the Norfolk Arthritis Register. <i>Arthritis and Rheumatology</i> , 2017 , 69, 1566-1575	9.5	36

156	Prediction of primary non-response to methotrexate therapy using demographic, clinical and psychosocial variables: results from the UK Rheumatoid Arthritis Medication Study (RAMS). <i>Arthritis Research and Therapy</i> , 2018 , 20, 147	5.7	36
155	Increasing age at symptom onset is associated with worse radiological damage at presentation in patients with early inflammatory polyarthritis. <i>Annals of the Rheumatic Diseases</i> , 2007 , 66, 389-93	2.4	35
154	Influence of inflammatory polyarthritis on cancer incidence and survival: results from a community-based prospective study. <i>Arthritis and Rheumatism</i> , 2007 , 56, 790-8		34
153	Looking back: rheumatoid arthritis--aetiology, occurrence and mortality. <i>Rheumatology</i> , 2005 , 44 Suppl 4, iv14-iv17	3.9	34
152	Mortality in patients with interstitial lung disease treated with rituximab or TNFi as a first biologic. <i>RMD Open</i> , 2017 , 3, e000473	5.9	33
151	Anticarbamylated protein antibodies are associated with long-term disability and increased disease activity in patients with early inflammatory arthritis: results from the Norfolk Arthritis Register. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 1139-44	2.4	33
150	Traditional cardiovascular risk factors measured prior to the onset of inflammatory polyarthritis. <i>Rheumatology</i> , 2004 , 43, 731-6	3.9	33
149	Associations between demographic and disease-related variables and disability over the first five years of inflammatory polyarthritis: a longitudinal analysis using generalized estimating equations. <i>Journal of Clinical Epidemiology</i> , 2000 , 53, 988-96	5.7	33
148	Smoking is associated with the concurrent presence of multiple autoantibodies in rheumatoid arthritis rather than with anti-citrullinated protein antibodies per se: a multicenter cohort study. <i>Arthritis Research and Therapy</i> , 2016 , 18, 285	5.7	33
147	Early treatment with, and time receiving, first disease-modifying antirheumatic drug predicts long-term function in patients with inflammatory polyarthritis. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 689-95	2.4	32
146	The risk of serious infections in patients receiving anakinra for rheumatoid arthritis: results from the British Society for Rheumatology Biologics Register. <i>Rheumatology</i> , 2011 , 50, 1341-2	3.9	31
145	. <i>Spine</i> , 2003 , 28, 1195-1202	3.3	31
144	Does diet have a role in the aetiology of rheumatoid arthritis?. <i>Proceedings of the Nutrition Society</i> , 2004 , 63, 137-43	2.9	31
143	Disease assessment indices: activity, damage and severity. <i>Baillieres Clinical Rheumatology</i> , 1995 , 9, 267-85		31
142	Improvements in quality of life and functional status in patients with psoriatic arthritis receiving anti-tumor necrosis factor therapies. <i>Arthritis Care and Research</i> , 2010 , 62, 345-53	4.7	30
141	The role of rheumatoid arthritis genetic susceptibility markers in the prediction of erosive disease in patients with early inflammatory polyarthritis: results from the Norfolk Arthritis Register. <i>Rheumatology</i> , 2011 , 50, 78-84	3.9	29
140	Benefit of early treatment in inflammatory polyarthritis patients with anti-cyclic citrullinated peptide antibodies versus those without antibodies. <i>Arthritis Care and Research</i> , 2010 , 62, 664-75	4.7	29
139	Association of functional outcome with both personal- and area-level socioeconomic inequalities in patients with inflammatory polyarthritis. <i>Arthritis and Rheumatism</i> , 2009 , 61, 1297-304		28

138	Development of EULAR recommendations for the reporting of clinical trial extension studies in rheumatology. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 963-9	2.4	27
137	Early remission is associated with improved survival in patients with inflammatory polyarthritis: results from the Norfolk Arthritis Register. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 1677-82	2.4	27
136	Association between socioeconomic status, learned helplessness, and disease outcome in patients with inflammatory polyarthritis. <i>Arthritis Care and Research</i> , 2012 , 64, 1225-32	4.7	27
135	Reduction of long-term disability in inflammatory polyarthritis by early and persistent suppression of joint inflammation: results from the Norfolk Arthritis Register. <i>Arthritis Care and Research</i> , 2011 , 63, 945-52	4.7	27
134	Long-term persistence of TNF-inhibitor treatment in patients with psoriatic arthritis. Data from the British Society for Rheumatology Biologics Register. <i>RMD Open</i> , 2018 , 4, e000596	5.9	26
133	Outcome in patients hospitalised for psoriatic arthritis. <i>Clinical Rheumatology</i> , 1989 , 8, 261-5	3.9	26
132	Body Fat Percentage, Waist Circumference, and Obesity As Risk Factors for Rheumatoid Arthritis: A Danish Cohort Study. <i>Arthritis Care and Research</i> , 2019 , 71, 777-786	4.7	25
131	What is early rheumatoid arthritis?: definition and diagnosis. <i>Baillieres Clinical Rheumatology</i> , 1997 , 11, 13-26		25
130	Patient-reported improvements in health are maintained 2 years after completing a short course of cognitive behaviour therapy, exercise or both treatments for chronic widespread pain: long-term results from the MUSICIAN randomised controlled trial. <i>RMD Open</i> , 2015 , 1, e000026	5.9	24
129	Anti-TNF therapy in women with rheumatoid arthritis with a history of carcinoma in situ of the cervix. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 143-4	2.4	24
128	Influence of anti-TNF patient warning regarding avoidance of high risk foods on rates of listeria and salmonella infections in the UK. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 461-2	2.4	24
127	Why do patients with inflammatory arthritis often score states "worse than death" on the EQ-5D? An Investigation of the EQ-5D classification system. <i>Value in Health</i> , 2009 , 12, 1026-34	3.3	24
126	Exploring the validity of estimating EQ-5D and SF-6D utility values from the health assessment questionnaire in patients with inflammatory arthritis. <i>Health and Quality of Life Outcomes</i> , 2010 , 8, 21	3	24
125	Risk of lymphoma in patients with RA treated with anti-TNFalpha agents. <i>Annals of the Rheumatic Diseases</i> , 2005 , 64, 657-8	2.4	24
124	Erosions in inflammatory polyarthritis are symmetrical regardless of rheumatoid factor status: results from a primary care-based inception cohort of patients. <i>Rheumatology</i> , 2002 , 41, 246-52	3.9	24
123	Smoking-Related Mortality in Patients With Early Rheumatoid Arthritis: A Retrospective Cohort Study Using the Clinical Practice Research Datalink. <i>Arthritis Care and Research</i> , 2016 , 68, 1598-1606	4.7	24
122	Use and effectiveness of tocilizumab among patients with rheumatoid arthritis: an observational study from the British Society for Rheumatology Biologics Register for rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2017 , 36, 241-250	3.9	23
121	N-terminal pro-brain-type natriuretic peptide (NT-pro-BNP) and mortality risk in early inflammatory polyarthritis: results from the Norfolk Arthritis Registry (NOAR). <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 684-90	2.4	23

120	Aspects of early arthritis. What determines the evolution of early undifferentiated arthritis and rheumatoid arthritis? An update from the Norfolk Arthritis Register. <i>Arthritis Research and Therapy</i> , 2006 , 8, 214	5.7	23
119	Association Between Genetic Variation in FOXO3 and Reductions in Inflammation and Disease Activity in Inflammatory Polyarthritis. <i>Arthritis and Rheumatology</i> , 2016 , 68, 2629-2636	9.5	23
118	Has the severity of rheumatoid arthritis at presentation diminished over time?. <i>Journal of Rheumatology</i> , 2014 , 41, 1590-9	4.1	22
117	Investigation of rheumatoid arthritis genetic susceptibility markers in the early rheumatoid arthritis study further replicates the TRAF1 association with radiological damage. <i>Journal of Rheumatology</i> , 2013 , 40, 144-56	4.1	22
116	Biologic treatment response among adults with juvenile idiopathic arthritis: results from the British Society for Rheumatology Biologics Register. <i>Rheumatology</i> , 2013 , 52, 1905-13	3.9	22
115	What is the outcome of RA in 2011 and can we predict it?. <i>Best Practice and Research in Clinical Rheumatology</i> , 2011 , 25, 485-96	5.3	22
114	Bone health in adult men and women with a history of juvenile idiopathic arthritis. <i>Journal of Rheumatology</i> , 2011 , 38, 1689-93	4.1	22
113	The world of biologics. <i>Lupus</i> , 2006 , 15, 122-6	2.6	22
112	Drug-specific risk and characteristics of lupus and vasculitis-like events in patients with rheumatoid arthritis treated with TNFi: results from BSRBR-RA. <i>RMD Open</i> , 2017 , 3, e000314	5.9	21
111	Knee pain in older adults: the latest musculoskeletal "epidemic". <i>Annals of the Rheumatic Diseases</i> , 2001 , 60, 89-90	2.4	21
110	Total costs and predictors of costs in individuals with early inflammatory polyarthritis: a community-based prospective study. <i>British Journal of Rheumatology</i> , 2002 , 41, 767-74		21
109	HLA-DRB1 Amino Acid Positions 11/13, 71, and 74 Are Associated With Inflammation Level, Disease Activity, and the Health Assessment Questionnaire Score in Patients With Inflammatory Polyarthritis. <i>Arthritis and Rheumatology</i> , 2016 , 68, 2618-2628	9.5	21
108	Primary care-based screening for cardiovascular risk factors in patients with psoriasis. <i>British Journal of Dermatology</i> , 2016 , 175, 348-56	4	19
107	Malignancy and mortality rates in patients with severe psoriatic arthritis requiring tumour-necrosis factor alpha inhibition: results from the British Society for Rheumatology Biologics Register. <i>Rheumatology</i> , 2019 , 58, 80-85	3.9	19
106	Learned helplessness predicts functional disability, pain and fatigue in patients with recent-onset inflammatory polyarthritis. <i>Rheumatology</i> , 2013 , 52, 1233-8	3.9	19
105	Influence of age and sex on functional outcome over time in a cohort of patients with recent-onset inflammatory polyarthritis: results from the Norfolk Arthritis Register. <i>Arthritis Care and Research</i> , 2011 , 63, 1745-52	4.7	19
104	The relationship between oral contraceptive use and functional outcome in women with recent-onset inflammatory polyarthritis: results from the Norfolk Arthritis Register. <i>Arthritis and Rheumatism</i> , 2011 , 63, 2183-91		19
103	Disease activity and severity in early inflammatory arthritis predict hand cortical bone loss. <i>Rheumatology</i> , 2010 , 49, 1943-8	3.9	19

102	Life events and the onset of rheumatoid arthritis. <i>Journal of Psychosomatic Research</i> , 1994 , 38, 837-47	4.1	19
101	Seropositivity is associated with insulin resistance in patients with early inflammatory polyarthritis: results from the Norfolk Arthritis Register (NOAR): an observational study. <i>Arthritis Research and Therapy</i> , 2011 , 13, R159	5.7	18
100	Health state utility values: a description of their development and application for rheumatic diseases. <i>Arthritis and Rheumatism</i> , 2008 , 59, 1018-26		18
99	Genetic variation in CCR5 does not predict clinical outcome in inflammatory arthritis. <i>Arthritis and Rheumatism</i> , 2003 , 48, 3615-6		18
98	Does early rheumatoid arthritis exist?. <i>Best Practice and Research in Clinical Rheumatology</i> , 2005 , 19, 37-53		18
97	Vasculitis of the gall bladder in rheumatoid arthritis and systemic lupus erythematosus. <i>Clinical Rheumatology</i> , 1987 , 6, 287-9	3.9	18
96	Predictors and outcomes of sustained, intermittent or never achieving remission in patients with recent onset inflammatory polyarthritis: results from the Norfolk Arthritis Register. <i>Rheumatology</i> , 2016 , 55, 1601-9	3.9	18
95	Polymorphisms in the mannose binding lectin (MBL) gene are not associated with radiographic erosions in rheumatoid or inflammatory polyarthritis. <i>Journal of Rheumatology</i> , 2004 , 31, 442-7	4.1	18
94	Long-term persistence with rituximab in patients with rheumatoid arthritis. <i>Rheumatology</i> , 2018 , 57, 1089-1096	3.9	17
93	Have the 10-year outcomes of patients with early inflammatory arthritis improved in the new millennium compared with the decade before? Results from the Norfolk Arthritis Register. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 848-854	2.4	17
92	Association of morbid obesity with disability in early inflammatory polyarthritis: results from the Norfolk Arthritis Register. <i>Arthritis Care and Research</i> , 2013 , 65, 122-6	4.7	17
91	Rheumatoid factor, smoking, and disease severity: associations with mortality in rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2008 , 35, 945-9	4.1	17
90	Long-term stability of anti-cyclic citrullinated peptide antibody status in patients with early inflammatory polyarthritis. <i>Arthritis Research and Therapy</i> , 2012 , 14, R109	5.7	16
89	The relationship between post-onset pregnancy and functional outcome in women with recent onset inflammatory polyarthritis: results from the Norfolk Arthritis Register. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 1834-7	2.4	16
88	In patients with early inflammatory polyarthritis, ACPA positivity, younger age and inefficacy of the first non-biological DMARD are predictors for receiving biological therapy: results from the Norfolk Arthritis Register. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 1428-32	2.4	16
87	Detection and evaluation of a drug safety signal concerning pancreatic cancer: lessons from a joint approach of three European biologics registers. <i>Rheumatology</i> , 2011 , 50, 146-51	3.9	16
86	Methodological issues when measuring paid productivity loss in patients with arthritis using biologic therapies: an overview of the literature. <i>Rheumatology</i> , 2012 , 51, 216-29	3.9	16
85	Serious infection risk after 1 year between patients with rheumatoid arthritis treated with rituximab or with a second TNFi after initial TNFi failure: results from The British Society for Rheumatology Biologics Register for Rheumatoid Arthritis. <i>Rheumatology</i> , 2018 , 57, 1533-1540	3.9	15

84	Practical Management of Respiratory Comorbidities in Patients with Rheumatoid Arthritis. <i>Rheumatology and Therapy</i> , 2017 , 4, 309-332	4.4	15
83	Infection rates in patients from five rheumatoid arthritis (RA) registries: contextualising an RA clinical trial programme. <i>RMD Open</i> , 2017 , 3, e000498	5.9	15
82	Postpublication validation of the 2010 American College of Rheumatology/European League Against Rheumatism classification criteria for rheumatoid arthritis: where do we stand?. <i>Current Opinion in Rheumatology</i> , 2013 , 25, 157-63	5.3	15
81	Excess risk of hospital admission for cardiovascular disease within the first 7 years from onset of inflammatory polyarthritis. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 1660-4	2.4	15
80	Risk factors for oral methotrexate failure in patients with inflammatory polyarthritis: results from a UK prospective cohort study. <i>Arthritis Research and Therapy</i> , 2018 , 20, 50	5.7	14
79	Can rheumatoid arthritis (RA) registries provide contextual safety data for modern RA clinical trials? The case for mortality and cardiovascular disease. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 1797-805	7.4	14
78	An evaluation of the decision tree format of the American College of Rheumatology 1987 classification criteria for rheumatoid arthritis: performance over five years in a primary care-based prospective study. <i>Arthritis and Rheumatism</i> , 2005 , 52, 2277-83		14
77	Self-reported pain severity is associated with a history of coronary heart disease. <i>European Journal of Pain</i> , 2015 , 19, 167-75	3.7	13
76	Methodological Challenges When Comparing Demographic and Clinical Characteristics of International Observational Registries. <i>Arthritis Care and Research</i> , 2015 , 67, 1637-45	4.7	13
75	What is the impact of biologic therapies on common co-morbidities in patients with rheumatoid arthritis?. <i>Arthritis Research and Therapy</i> , 2016 , 18, 282	5.7	12
74	Five-year outcome of a primary-care-based inception cohort of patients with inflammatory polyarthritis plus psoriasis. <i>Rheumatology</i> , 2007 , 46, 1819-23	3.9	12
73	How comparable are rates of malignancies in patients with rheumatoid arthritis across the world? A comparison of cancer rates, and means to optimise their comparability, in five RA registries. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 1789-96	2.4	12
72	The humanistic and economic burden of juvenile idiopathic arthritis in the era of biologic medication. <i>Current Rheumatology Reports</i> , 2015 , 17, 31	4.9	11
71	Use of Bayesian multivariate meta-analysis to estimate the HAQ for mapping onto the EQ-5D questionnaire in rheumatoid arthritis. <i>Value in Health</i> , 2014 , 17, 109-15	3.3	11
70	Parity, time since last live birth and long-term functional outcome: a study of women participating in the Norfolk Arthritis Register. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 642-5	2.4	11
69	Association Between Ischemic Stroke and Tumor Necrosis Factor Inhibitor Therapy in Patients With Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2016 , 68, 1337-45	9.5	11
68	Developing classification criteria for peripheral joint psoriatic arthritis. Step I. Establishing whether the rheumatologist's opinion on the diagnosis can be used as the "gold standard". <i>Journal of Rheumatology</i> , 2006 , 33, 552-7	4.1	11
67	Predictors of and outcomes following orthopaedic joint surgery in patients with early rheumatoid arthritis followed for 20 years. <i>Rheumatology</i> , 2017 , 56, 1510-1517	3.9	10

66	Loci associated with N-glycosylation of human IgG are not associated with rheumatoid arthritis: a Mendelian randomisation study. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 317-20	2.4	10
65	Including adverse drug events in economic evaluations of anti-tumour necrosis factor- β drugs for adult rheumatoid arthritis: a systematic review of economic decision analytic models. <i>Pharmacoeconomics</i> , 2014 , 32, 109-34	4.4	10
64	Same question, different answers: a comparison of global health assessments using visual analogue scales. <i>Quality of Life Research</i> , 2009 , 18, 1285-92	3.7	10
63	Association of a rheumatoid arthritis susceptibility variant at the CCL21 locus with premature mortality in inflammatory polyarthritis patients. <i>Arthritis Care and Research</i> , 2010 , 62, 676-82	4.7	10
62	Risk of <i>Pneumocystis jirovecii</i> pneumonia in patients with rheumatoid arthritis treated with inhibitors of tumour necrosis factor β results from the British Society for Rheumatology Biologics Register for Rheumatoid Arthritis. <i>Rheumatology</i> , 2016 , 55, 1336-7	3.9	10
61	Cardiovascular risk and its modification in patients with connective tissue diseases. <i>Best Practice and Research in Clinical Rheumatology</i> , 2016 , 30, 81-94	5.3	9
60	UK rheumatology consultant workforce provision 2007-9: results from the BSR/Arthritis Research UK Consultant Workforce Register. <i>Clinical Medicine</i> , 2011 , 11, 119-24	1.9	9
59	Is shared care with annual hospital review better value for money than predominantly hospital-based care in patients with established stable rheumatoid arthritis?. <i>Annals of the Rheumatic Diseases</i> , 2007 , 66, 658-63	2.4	9
58	Risks of smoking and benefits of smoking cessation on hospitalisations for cardiovascular events and respiratory infection in patients with rheumatoid arthritis: a retrospective cohort study using the Clinical Practice Research Datalink. <i>RMD Open</i> , 2017 , 3, e000506	5.9	8
57	Baseline patient reported outcomes are more consistent predictors of long-term functional disability than laboratory, imaging or joint count data in patients with early inflammatory arthritis: A systematic review. <i>Seminars in Arthritis and Rheumatism</i> , 2018 , 48, 384-398	5.3	8
56	An update on UK rheumatology consultant workforce provision: the BSR/ARC Workforce Register 2005-07: assessing the impact of recent changes in NHS provision. <i>Rheumatology</i> , 2008 , 47, 1065-9	3.9	8
55	Developments in rheumatology consultant manpower provision: the BSR/arc Workforce Register 2003-05. <i>Rheumatology</i> , 2006 , 45, 1416-21	3.9	8
54	Short-term effects of antirheumatic drugs. <i>Baillieres Clinical Rheumatology</i> , 1992 , 6, 117-40		8
53	Epidemiology research in rheumatology-progress and pitfalls. <i>Nature Reviews Rheumatology</i> , 2015 , 11, 631-8	8.1	7
52	Association of anti-carbamylated protein antibodies with long-term disability and increased disease activity in patients with early inflammatory arthritis: results from the Norfolk Arthritis Register. <i>Lancet, The</i> , 2015 , 385 Suppl 1, S44	4.0	7
51	Investigation of an interleukin-6 receptor gene polymorphism (rs2228145) as a predictor of cardiovascular mortality in inflammatory polyarthritis: results from the Norfolk Arthritis Register. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 787-8	2.4	7
50	The role of genetic polymorphisms regulating vitamin D levels in rheumatoid arthritis outcome: a Mendelian randomisation approach. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 1430-3	2.4	7
49	The NOAR Damaged Joint Count (NOAR-DJC): a clinical measure for assessing articular damage in patients with early inflammatory polyarthritis including rheumatoid arthritis. <i>British Journal of Rheumatology</i> , 2004 , 43, 1519-25		7

48	Methodological issues in conducting and analyzing longitudinal observational studies in rheumatoid arthritis. <i>Journal of rheumatology Supplement, The</i> , 2004 , 69, 30-4		7
47	Using epidemiological registry data to provide background rates as context for adverse events in a rheumatoid arthritis drug development program: a coordinated approach. <i>Pharmacoepidemiology and Drug Safety</i> , 2015 , 24, 1121-32	2.6	6
46	Delivery of paediatric rheumatology care in the UK--the projected shortfall. <i>Clinical Rheumatology</i> , 2011 , 30, 679-83	3.9	6
45	The burden of rheumatic disease. <i>Medicine</i> , 2006 , 34, 333-335	0.6	6
44	The overall status in rheumatoid arthritis (OSRA) measure--further evidence to support its use in clinical practice. <i>Rheumatology</i> , 2007 , 46, 849-55	3.9	6
43	Changing patterns of rheumatology manpower and practice in the UK in the 1990s. <i>Rheumatology</i> , 1996 , 35, 483-8	3.9	6
42	Not all moderate disease is the same - Identification of disability trajectories among patients with rheumatoid arthritis and moderate disease activity. <i>PLoS ONE</i> , 2019 , 14, e0215999	3.7	5
41	The burden of musculoskeletal conditions. <i>Medicine</i> , 2014 , 42, 190-192	0.6	5
40	Demographic and disease-related predictors of abnormal lung function in patients with established inflammatory polyarthritis and a comparison with the general population. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 1517-23	2.4	5
39	Multiple adverse pregnancy outcomes before symptom onset are associated with a worse disease outcome in women with recent-onset inflammatory polyarthritis. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, 528-33	2.4	5
38	The burden of musculoskeletal conditions. <i>Medicine</i> , 2010 , 38, 126-128	0.6	5
37	Anti-tumour necrosis factor alpha therapy: can we afford it?. <i>Annals of the Rheumatic Diseases</i> , 2005 , 64, 969-70	2.4	5
36	Rheumatology manpower in the 1990s. <i>Rheumatology</i> , 1991 , 30, 119-22	3.9	5
35	A patient with rheumatoid arthritis and lymphoma. <i>Rheumatology</i> , 1992 , 31, 107-12	3.9	5
34	Joint sepsis as a complication of sero-negative arthritis. <i>Clinical Rheumatology</i> , 1985 , 4, 51-4	3.9	5
33	Effectiveness and safety of TNF inhibitors in adults with juvenile idiopathic arthritis. <i>RMD Open</i> , 2016 , 2, e000273	5.9	5
32	Direct health costs of inflammatory polyarthritis 10 years after disease onset: results from the Norfolk Arthritis Register. <i>Journal of Rheumatology</i> , 2015 , 42, 794-8	4.1	4
31	Association of chemokine CXC ligand 12 gene polymorphism (rs1746048) with cardiovascular mortality in patients with rheumatoid arthritis: results from the Norfolk Arthritis Register. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 2099-102	2.4	4

30	P2. Incidence and Severity of Myocardial Infarction in Subjects Receiving Anti-Tumour Necrosis Factor Drugs for Rheumatoid Arthritis: Results from Linking the British Society for Rheumatology Biologics Register for Rheumatoid Arthritis and Myocardial Ischaemia National Audit Project. <i>Rheumatology</i> , 2014 , 53, i34-i35	3.9	4
29	2010 ACR/EULAR classification criteria for rheumatoid arthritis predict increased mortality in patients with early arthritis: results from the Norfolk Arthritis Register. <i>Rheumatology</i> , 2013 , 52, 1141-2	3.9	4
28	Selection of study population in the development of rheumatic disease criteria: comment on the article by the American College of Rheumatology Diagnostic and Therapeutic Criteria Committee. <i>Arthritis and Rheumatism</i> , 1995 , 38, 722-3		4
27	A study of lymph node lymphocytes in rheumatoid arthritis. <i>Advances in Experimental Medicine and Biology</i> , 1985 , 186, 1027-32	3.6	4
26	A threshold hazard model for estimating serious infection risk following anti-tumor necrosis factor therapy in rheumatoid arthritis patients. <i>Journal of Biopharmaceutical Statistics</i> , 2013 , 23, 461-76	1.3	3
25	The role of anti-tumor necrosis factor receptor agents in cancer survivors: does the risk justify the benefit?. <i>Seminars in Oncology</i> , 2010 , 37, 11-9	5.5	3
24	Reply to letter by Lippi et al commenting on the relationship between serum vitamin D levels and levels of inflammation markers. <i>Arthritis and Rheumatism</i> , 2008 , 58, 1882		3
23	Reconciling subject differences in recruitment to clinical trials and clinical practice. <i>Journal of Rheumatology</i> , 2005 , 32, 2475-6	4.1	3
22	Response to: Does the risk of lymphoma in patients with RA treated with TNF inhibitors differ according to the histological subtype and the type of TNF inhibitor? By Nocturne et al. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, e4	2.4	2
21	Investigation of C reactive protein gene polymorphisms as predictors of cardiovascular mortality in inflammatory polyarthritis: results from the Norfolk Arthritis Register. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 1429-30	2.4	2
20	Disease activity, smoking, and reproductive-related predictors of poor prognosis in patients with very early inflammatory polyarthritis. <i>Journal of Rheumatology</i> , 2011 , 38, 429-33	4.1	2
19	Influence of arthritis and non-arthritis related factors on areal bone mineral density (BMDa) in women with longstanding inflammatory polyarthritis: a primary care based inception cohort. <i>BMC Musculoskeletal Disorders</i> , 2010 , 11, 106	2.8	2
18	153. ASSESSMENT OF PREDICTORS OF AND OUTCOMES FOLLOWING ORTHOPAEDIC JOINT SURGERY OVER 20 YEARS IN PATIENTS WITH EARLY RHEUMATOID ARTHRITIS RECRUITED TO THE NORFOLK ARTHRITIS REGISTER. <i>Rheumatology</i> , 2017 , 56,	3.9	1
17	Cervical screening uptake and rates of cervical dysplasia in the British Society for Rheumatology Biologics Register for Rheumatoid Arthritis. <i>Rheumatology</i> , 2020 , 59, 559-567	3.9	1
16	How Do We Classify Rheumatoid Arthritis in Established Disease [Can We Apply the 2010 American College of Rheumatology/European League Against Rheumatism Classification Criteria?]. <i>Journal of Rheumatology</i> , 2014 , 41, 2347-2351	4.1	1
15	Influence of inflammatory polyarthritis on quantitative heel ultrasound measurements. <i>BMC Musculoskeletal Disorders</i> , 2012 , 13, 133	2.8	1
14	Response to: Evaluation of the association between anticarbamylated protein antibodies and longitudinal course of functional ability in rheumatoid arthritis By Ajeganova et al. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, e15	2.4	1
13	Response to: The influence of inflammation in the development of subclinical atherosclerosis in psoriatic arthritis By Gonzalez-Gay et al. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, e28	2.4	

12	Biologics registers in rheumatoid arthritis. <i>Medicine</i> , 2014 , 42, 262-265	0.6
11	Reply. <i>Arthritis and Rheumatology</i> , 2017 , 69, 2402-2403	9.5
10	O23. The Influence of Anti-TNF or Rituximab on Cancer Incidence in Patients with Rheumatoid Arthritis who Have Had a Prior Malignancy. <i>Rheumatology</i> , 2014 , 53, i38-i38	3.9
9	OP0232 Long-Term Effects of Cognitive Behaviour Therapy and Exercise for Chronic Widespread Pain. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, A131.1-A131	2.4
8	Comment on: Efficacy and safety of anti-TNF therapies in psoriatic arthritis: an observational study from the British Society for Rheumatology Biologics Register: reply. <i>Rheumatology</i> , 2010 , 49, 1794-1794 ^{3.9}	
7	Ischemic stroke: another feature of accelerated atherosclerosis in rheumatoid arthritis?. <i>Arthritis and Rheumatism</i> , 2008 , 59, 1051-3	
6	Commentary: Juvenile idiopathic arthritis--issues of definition and causation. <i>International Journal of Epidemiology</i> , 2005 , 34, 671-2	7.8
5	Epidemiology and health-related services. <i>Current Opinion in Rheumatology</i> , 2002 , 14, 87-88	5.3
4	Epidemiologic concepts and classification of rheumatic and musculoskeletal conditions 2015 , 1-8	
3	Cardiovascular Risk in Rheumatic Disease 2013 , 505-514	
2	Does sex or ethnicity impact anti-tumour necrosis factor agent use in rheumatoid arthritis?. <i>Rheumatology</i> , 2017 , 56, 663-665	3.9
1	Identifying and managing psoriasis-associated comorbidities: the IMPACT research programme. <i>Programme Grants for Applied Research</i> , 2022 , 10, 1-240	1.5