

Andrzej WiÄcek

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6523131/publications.pdf>

Version: 2024-02-01

178
papers

6,971
citations

136950
32
h-index

66911
78
g-index

180
all docs

180
docs citations

180
times ranked

10297
citing authors

#	ARTICLE	IF	CITATIONS
1	Study design and baseline characteristics of patients on dialysis in the ASCEND-D trial. Nephrology Dialysis Transplantation, 2022, 37, 960-972.	0.7	10
2	The molecular phenotypes of injury, steatohepatitis, and fibrosis in liver transplant biopsies in the INTERLIVER study. American Journal of Transplantation, 2022, 22, 909-926.	4.7	4
3	Acute kidney injury in patients with COVID-19: Epidemiology, pathogenesis and treatment. Advances in Clinical and Experimental Medicine, 2022, 31, 317-326.	1.4	17
4	Clonal Hematopoiesis of Indeterminate Potential and Diabetic Kidney Disease: A Nested Case-Control Study. Kidney International Reports, 2022, 7, 876-888.	0.8	13
5	Impaired fertility in women and men with chronic kidney disease. Advances in Clinical and Experimental Medicine, 2022, 31, 187-195.	1.4	6
6	Efficacy and Safety of Daprodustat for Treatment of Anemia of Chronic Kidney Disease in Incident Dialysis Patients. JAMA Internal Medicine, 2022, 182, 592.	5.1	28
7	The ASCEND-ND trial: study design and participant characteristics. Nephrology Dialysis Transplantation, 2022, 37, 2157-2170.	0.7	5
8	Kidney Graft Failure and Patient Survival Modelling Based on Competing Risks Under Nonproportional Hazards. Transplantation Proceedings, 2022, , .	0.6	0
9	COVID-19 infection in solid organ transplant recipients: A single-center experience with patients immediately after transplantation. Transplant Infectious Disease, 2021, 23, e13381.	1.7	26
10	Clostridioides difficile Infection in Chronic Kidney Disease—An Overview for Clinicians. Journal of Clinical Medicine, 2021, 10, 196.	2.4	6
11	Acidosis, cognitive dysfunction and motor impairments in patients with kidney disease. Nephrology Dialysis Transplantation, 2021, 37, ii4-ii12.	0.7	16
12	Chronic kidney disease and neurological disorders: are uraemic toxins the missing piece of the puzzle?. Nephrology Dialysis Transplantation, 2021, 37, ii33-ii44.	0.7	26
13	Nephrology in Poland. , 2021, , 593-606.		0
14	EDTAKI: a Nephrology and Public Policy Committee platform call for more European involvement in acute kidney injury. Nephrology Dialysis Transplantation, 2021, , .	0.7	4
15	Why albuminuria should be assessed more frequently in everyday clinical practice? Position statement. Polish Archives of Internal Medicine, 2021, 131, 396-406.	0.4	2
16	The Effects of Short-Term Changes in Sodium Intake on Plasma Marinobufagenin Levels in Patients with Primary Salt-Sensitive and Salt-Insensitive Hypertension. Nutrients, 2021, 13, 1502.	4.1	1
17	Prevalence of hypokalemia in older persons: results from the PolSenior national survey. European Geriatric Medicine, 2021, 12, 981-987.	2.8	7
18	A urinary peptidomic profile predicts outcome in SARS-CoV-2-infected patients. EClinicalMedicine, 2021, 36, 100883.	7.1	28

#	ARTICLE	IF	CITATIONS
19	Beneficial Effect of Successful Simultaneous Pancreas-Kidney Transplantation on Plasma Profile of Metalloproteinases in Type 1 Diabetes Mellitus Patients. Journal of Clinical Medicine, 2021, 10, 3800.	2.4	0
20	Serum testosterone concentrations in male patients with end-stage kidney disease treated with haemodialysis. Endokrynologia Polska, 2021, 72, 347-352.	1.0	3
21	A randomized multicenter trial on a lung ultrasoundâ€‘guided treatment strategy in patients on chronic hemodialysis with high cardiovascular risk. Kidney International, 2021, 100, 1325-1333.	5.2	45
22	Causes of Anemia in Polish Older Populationâ€‘Results from the PolSenior Study. Cells, 2021, 10, 2167.	4.1	8
23	Safety of Antithymocyte Globulin Use in Kidney Graft Recipients During the COVID-19 Pandemic. Annals of Transplantation, 2021, 26, e933001.	0.9	6
24	Cognitive disorders in patients with chronic kidney disease: specificities of clinical assessment. Nephrology Dialysis Transplantation, 2021, 37, ii23-ii32.	0.7	25
25	Brain dysfunction in tubular and tubulointerstitial kidney diseases. Nephrology Dialysis Transplantation, 2021, 37, ii46-ii55.	0.7	6
26	A roadmap for optimizing chronic kidney disease patient care and patient-oriented research in the Eastern European nephrology community. CKJ: Clinical Kidney Journal, 2021, 14, 23-35.	2.9	10
27	Type 1 Diabetic Patients After Simultaneous Pancreas and Kidney Transplantation Have Less Intense Periodontal Inflammation Compared to Kidney Recipients Treated with Insulin. Annals of Transplantation, 2021, 26, e932426.	0.9	0
28	Daprodustat for the Treatment of Anemia in Patients Not Undergoing Dialysis. New England Journal of Medicine, 2021, 385, 2313-2324.	27.0	108
29	Daprodustat for the Treatment of Anemia in Patients Undergoing Dialysis. New England Journal of Medicine, 2021, 385, 2325-2335.	27.0	112
30	Difficulties in the diagnostics of chronic hyponatremia based on the case study of a 66-year old female patient during antihypertensive therapy. Polski Merkuriusz Lekarski, 2021, 49, 303-305.	0.3	1
31	The Relationship between Initial Tacrolimus Metabolism Rate and Recipients Body Composition in Kidney Transplantation. Journal of Clinical Medicine, 2021, 10, 5793.	2.4	4
32	Mild cognitive impairment and kidney disease: clinical aspects. Nephrology Dialysis Transplantation, 2020, 35, 10-17.	0.7	38
33	Food Products That May Cause an Increase in Blood Pressure. Current Hypertension Reports, 2020, 22, 2.	3.5	10
34	Vitamin D and Arterial Hypertension: Facts and Myths. Current Hypertension Reports, 2020, 22, 57.	3.5	18
35	Intra-individual variability of eGFR trajectories in early diabetic kidney disease and lack of performance of prognostic biomarkers. Scientific Reports, 2020, 10, 19743.	3.3	15
36	The Prevalence of Metabolic Acidosis in Patients with Different Stages of Chronic Kidney Disease: Single-Centre Study. Kidney and Blood Pressure Research, 2020, 45, 863-872.	2.0	13

#	ARTICLE	IF	CITATIONS
37	Is Metabolic Acidosis a Novel Risk Factor for a Long-Term Graft Survival in Patients after Kidney Transplantation?. Kidney and Blood Pressure Research, 2020, 45, 702-712.	2.0	7
38	Early graft function and intrarenal resistant index after kidney transplantation using Biolasolâ€”A new solid organ preservation fluid. Artificial Organs, 2020, 44, 1211-1219.	1.9	1
39	Simultaneously Transplanted Pancreas Improves Salivation and Reduces Oral Fungal Infections Incidence in Type 1 Diabetic Renal Transplant Recipients. Transplantation Proceedings, 2020, 52, 2067-2073.	0.6	1
40	The effect of Maintenance Treatment with Twice-daily or Prolonged Once-daily Tacrolimus Formulation on Visual Evoked Potentials in Stable Kidney Transplant Recipients. Journal of Clinical Medicine, 2020, 9, 1827.	2.4	2
41	The Preliminary Results of Bortezomib Used as A Primary Treatment for An Early Acute Antibody-Mediated Rejection after Kidney Transplantationâ€”A Single-Center Case Series. Journal of Clinical Medicine, 2020, 9, 529.	2.4	7
42	Influence of Chronic Periodontitis on the Long-Term Mortality and Cardiovascular Events in Kidney Transplant Recipients. Journal of Clinical Medicine, 2020, 9, 1968.	2.4	5
43	Number of Regularly Prescribed Drugs and Inpatient Tacrolimus Trough Levels Variability in Stable Kidney Transplant Recipients. Journal of Clinical Medicine, 2020, 9, 1926.	2.4	5
44	The molecular diagnosis of rejection in liver transplant biopsies: First results of the INTERLIVER study. American Journal of Transplantation, 2020, 20, 2156-2172.	4.7	30
45	Early Complications After Kidney Transplantation in Patients Aged 60 Years and Older: A Single-Center, Paired-Kidney Analysis. Transplantation Proceedings, 2020, 52, 2376-2381.	0.6	4
46	Changes in Office Blood Pressure Control, Augmentation Index, and Liver Steatosis in Kidney Transplant Patients after Successful Hepatitis C Infection Treatment with Direct Antiviral Agents. Journal of Clinical Medicine, 2020, 9, 948.	2.4	1
47	Chronic Kidney Disease in Patients After Liver Transplantation: A Long-Term Retrospective Analysis From 1 Transplantation Center. Transplantation Proceedings, 2020, 52, 2492-2496.	0.6	10
48	Diagnosis and treatment of type 2 diabetes mellitus in patients with chronic kidney disease and eGFR < 60 mL/min â€” a position statement of the Polish Society of Nephrology Working Group on Metabolic and Endocrine Disorders in Kidney Diseases. Endokrynologia Polska, 2020, 71, 3-14.	1.0	2
49	Clostridium difficile infection in patients after solid organ transplantations. Postepy Higieny i Medycyny Doswiadczalnej, 2020, 74, 198-204.	0.1	0
50	Health status and its socio-economic covariates in the older population in Poland â€” the assumptions and methods of the nationwide, cross-sectional PolSenior2 survey. Archives of Medical Science, 2020, 18, 92-102.	0.9	7
51	Effectiveness and safety of two different antithymocyte globulins used in induction therapy in kidney transplant recipients: A single-center experience. Clinical Transplantation, 2019, 33, e13680.	1.6	5
52	SP041INFLUENCE OF DIFFERENTIATED DIETARY PHOSPHATE BURDEN ON EXPRESSION OF FIBROBLAST GROWTH FACTOR 23 (FGF23) IN HYPERTENSIVE PATIENTS. Nephrology Dialysis Transplantation, 2019, 34, .	0.7	0
53	SP137CHRONIC KIDNEY DISEASE IN PATIENTS AFTER LIVER TRANSPLANTATION. Nephrology Dialysis Transplantation, 2019, 34, .	0.7	0
54	A journey from microenvironment to macroenvironment: the role of metaflammation and epigenetic changes in cardiorenal disease. CKJ: Clinical Kidney Journal, 2019, 12, 861-870.	2.9	14

#	ARTICLE	IF	CITATIONS
55	Integrative analysis of prognostic biomarkers derived from multiomics panels helps discrimination of chronic kidney disease trajectories in people with type 2 diabetes. <i>Kidney International</i> , 2019, 96, 1381-1388.	5.2	29
56	Effectiveness and safety of sofosbuvir-based therapy against chronic hepatitis C infection after successful kidney transplantation. <i>Transplant Infectious Disease</i> , 2019, 21, e13090.	1.7	5
57	SGLT-2 inhibitors and GLP-1 receptor agonists for nephroprotection and cardioprotection in patients with diabetes mellitus and chronic kidney disease. A consensus statement by the EURECA-m and the DIABESITY working groups of the ERA-EDTA. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 208-230.	0.7	147
58	Cardiotonic Steroids—A Possible Link Between High-Salt Diet and Organ Damage. <i>International Journal of Molecular Sciences</i> , 2019, 20, 590.	4.1	14
59	Relationship between plasma levels of sclerostin, calcium-phosphate disturbances, established markers of bone turnover, and inflammation in haemodialysis patients. <i>International Urology and Nephrology</i> , 2019, 51, 519-526.	1.4	17
60	Guidelines and clinical practice at the primary level of healthcare in patients with type 2 diabetes mellitus with and without kidney disease in five European countries. <i>Diabetes and Vascular Disease Research</i> , 2019, 16, 47-56.	2.0	17
61	Intra-renal blood flow parameters assessed by doppler sonography in hypertensive patients with fibromuscular dysplasia—relationship to renal function and target organ damage. <i>The ARCADIA-POL study. Polish Archives of Internal Medicine</i> , 2019, 129, 234-241.	0.4	3
62	A Prospective Cohort Study in Patients with Type 2 Diabetes Mellitus for Validation of Biomarkers (PROVALID)—Study Design and Baseline Characteristics. <i>Kidney and Blood Pressure Research</i> , 2018, 43, 181-190.	2.0	27
63	Socio-economic determinants of vitamin D deficiency in the older Polish population: results from the PolSenior study. <i>Public Health Nutrition</i> , 2018, 21, 1995-2003.	2.2	9
64	Type 1 diabetic patients have better endothelial function after simultaneous pancreas-kidney transplantation than after kidney transplantation with continued insulin therapy. <i>Diabetes and Vascular Disease Research</i> , 2018, 15, 122-130.	2.0	4
65	Health status of older cancer survivors—results of the PolSenior study. <i>Journal of Cancer Survivorship</i> , 2018, 12, 326-333.	2.9	11
66	Contributions of mean and shape of blood pressure distribution to worldwide trends and variations in raised blood pressure: a pooled analysis of 1018 population-based measurement studies with 88.6 million participants. <i>International Journal of Epidemiology</i> , 2018, 47, 872-883i.	1.9	65
67	Components of metabolic syndrome in relation to plasma levels of retinol binding protein 4 (RBP4) in a cohort of people aged 65 years and older. <i>Journal of Endocrinological Investigation</i> , 2018, 41, 1211-1219.	3.3	26
68	Effect of renin-angiotensin-aldosterone system blockade in adults with diabetes mellitus and advanced chronic kidney disease not on dialysis: a systematic review and meta-analysis. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 12-22.	0.7	39
69	Lowering LDL cholesterol reduces cardiovascular risk independently of presence of inflammation. <i>Kidney International</i> , 2018, 93, 1000-1007.	5.2	32
70	SP280CENTRAL BLOOD PRESSURE AND NIGHTTIME BLOOD PRESSURE AND THE PROGRESSION OF CHRONIC KIDNEY DISEASE IN PATIENTS WITH MILD, OR NO- PROTEINURIA. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i437-i437.	0.7	0
71	Arterial stiffness but not endothelial dysfunction is associated with multidrug antihypertensive therapy and nondipper blood pressure pattern in kidney transplant recipients. <i>Medicine (United Tj ETQq1 1 0.7843104 rgBT /Overlock</i>	1.4	10
72	Lactobacillus plantarum 299v Reduces the Incidence of Clostridium difficile Infection in Nephrology and Transplantation Ward—Results of One Year Extended Study. <i>Nutrients</i> , 2018, 10, 1574.	4.1	26

#	ARTICLE	IF	CITATIONS
73	The Pre-Transplant Drop in Panel-Reactive Antibodies Titer Evaluated Using Complement-Dependent Cytotoxicity (PRA-CDC) and the Risk of Early Acute Rejection in Sensitized Kidney Transplant Recipients. <i>Medicina (Lithuania)</i> , 2018, 54, 66.	2.0	1
74	Atrial fibrillation independently linked with depression in community-dwelling older population. Results from the nationwide PolSenior project. <i>Experimental Gerontology</i> , 2018, 112, 88-91.	2.8	9
75	Different Relevance of Peripheral, Central or Nighttime Blood Pressure Measurements in the Prediction of Chronic Kidney Disease Progression in Patients with Mild or No-Proteinuria. <i>Kidney and Blood Pressure Research</i> , 2018, 43, 735-743.	2.0	7
76	FP143LACTOBACILLUS PLANTARUM 299V PREVENTS CLOSTRIDIUM DIFFICILE INFECTION IN PATIENTS HOSPITALIZED IN NEPHROLOGY AND TRANSPLANTATION DEPARTMENT. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i24-i24.	0.7	0
77	Plasma Level of Retinol-Binding Protein 4, N-Terminal proBNP and Renal Function in Older Patients Hospitalized for Heart Failure. <i>CardioRenal Medicine</i> , 2018, 8, 237-248.	1.9	10
78	Possible association of the TERT promoter polymorphisms rs2735940, rs7712562 and rs2853669 with diabetes mellitus in obese elderly Polish population: results from the national PolSenior study. <i>Journal of Applied Genetics</i> , 2018, 59, 291-299.	1.9	5
79	Which Kidney Transplant Recipients Can Benefit from the Initial Tacrolimus Dose Reduction?. <i>BioMed Research International</i> , 2018, 2018, 1-9.	1.9	6
80	Plasma marinobufagenin immunoreactivity in patients with chronic kidney disease: a case control study. <i>American Journal of Physiology - Renal Physiology</i> , 2018, 315, F637-F643.	2.7	9
81	Validation of Plasma Biomarker Candidates for the Prediction of eGFR Decline in Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2018, 41, 1947-1954.	8.6	36
82	Pentoxifylline and Methylprednisolone Additively Alleviate Kidney Failure and Prolong Survival of Rats after Renal Warm Ischemia-Reperfusion. <i>International Journal of Molecular Sciences</i> , 2018, 19, 221.	4.1	8
83	Plasma concentration of Retinol Binding Protein 4 (RBP4) in relation to nutritional status and kidney function in older population of PolSenior Study. <i>Advances in Medical Sciences</i> , 2018, 63, 323-328.	2.1	4
84	Lower soluble Klotho and higher fibroblast growth factor 23 serum levels are associated with episodes of atrial fibrillation. <i>Cytokine</i> , 2018, 111, 106-111.	3.2	15
85	Diagnosis and Treatment of Metabolic Acidosis in Patients with Chronic Kidney Disease – Position Statement of the Working Group of the Polish Society of Nephrology. <i>Kidney and Blood Pressure Research</i> , 2018, 43, 959-969.	2.0	22
86	Clinical factors increasing discrepancies of renal function assessment with MDRD and Cockcroft–Gault equations in old individuals. <i>European Geriatric Medicine</i> , 2018, 9, 713-720.	2.8	7
87	Treatment Based on Cinacalcet Reduces Oxidative Stress in Hemodialysis Patients with Secondary Hyperparathyroidism. <i>Nephron</i> , 2018, 139, 286-292.	1.8	3
88	Nutrient intake assessed with Diet History Questionnaire II, in relation to long-term calcium-phosphate control in hemodialysis patients with end-stage renal failure. <i>Advances in Clinical and Experimental Medicine</i> , 2018, 27, 217-224.	1.4	4
89	Renalase is associated with adverse left atrial remodelling and disease burden in patients with atrial fibrillation undergoing pulmonary vein isolation. <i>Kardiologia Polska</i> , 2018, 76, 1232-1241.	0.6	5
90	Unexpected characteristics of cirrhotic liver tumors. <i>Polish Archives of Internal Medicine</i> , 2018, 128, 187-188.	0.4	0

#	ARTICLE	IF	CITATIONS
91	Metabolic acidosis in patients after kidney transplantation. Polish Archives of Internal Medicine, 2018, 128, 587-593.	0.4	6
92	The History of the European Renal Association - European Dialysis and Transplant Association. Giornale Italiano Di Nefrologia: Organo Ufficiale Della Società Italiana Di Nefrologia, 2018, 35, 61-64.	0.3	0
93	History of the Polish Society of Nephrology. Giornale Italiano Di Nefrologia: Organo Ufficiale Della Società Italiana Di Nefrologia, 2018, 35, 65-68.	0.3	0
94	C-C motif-ligand 2 inhibition with emapticap pegol (NOX-E36) in type 2 diabetic patients with albuminuria. Nephrology Dialysis Transplantation, 2017, 32, gfv459.	0.7	128
95	Global kidney health 2017 and beyond: a roadmap for closing gaps in care, research, and policy. Lancet, The, 2017, 390, 1888-1917.	13.7	662
96	The systemic nature of CKD. Nature Reviews Nephrology, 2017, 13, 344-358.	9.6	265
97	Nonâ€œalcoholic fatty liver and advanced fibrosis in the elderly: Results from a communityâ€œbased Polish survey. Liver International, 2017, 37, 1706-1714.	3.9	28
98	Hypertension in dialysis patients. Journal of Hypertension, 2017, 35, 657-676.	0.5	56
99	Increased plasma RBP4 concentration in older hypertensives is related to the decreased kidney function and the number of antihypertensive drugsâ€œresults from the PolSenior substudy. Journal of the American Society of Hypertension, 2017, 11, 71-80.	2.3	12
100	Evidence for Reverse Causality in the Association Between Blood Pressure and Cardiovascular Risk in Patients With Chronic Kidney Disease. Hypertension, 2017, 69, 314-322.	2.7	30
101	Relationship between plasma levels of zonulin, bacterial lipopolysaccharides, d-lactate and markers of inflammation in haemodialysis patients. International Urology and Nephrology, 2017, 49, 717-725.	1.4	26
102	Action plan for determining and monitoring the prevalence of chronic kidney disease. Kidney International Supplements, 2017, 7, 63-70.	14.2	16
103	Strategies to improve monitoring disease progression, assessing cardiovascular risk, and defining prognostic biomarkers in chronic kidney disease. Kidney International Supplements, 2017, 7, 107-113.	14.2	19
104	Pharmacological stroke prevention in the elderly with atrial fibrillation in Poland â€œ Results of PolSenior study. Neurologia I Neurochirurgia Polska, 2017, 51, 382-387.	1.2	1
105	Catheter-based renal denervation and renal function: no evidence of harm but is there a hope of nephroprotection?. Nephrology Dialysis Transplantation, 2017, 32, 1437-1439.	0.7	2
106	N-Terminal Prohormone of Brain Natriuretic Peptide but not C-Terminal Pre-Pro Vasopressin (Copeptin) Level is Associated with the Response to Antihypertensive Therapy in Haemodialysis Patients. Kidney and Blood Pressure Research, 2017, 42, 1013-1022.	2.0	4
107	Clostridium Difficile Infection in the Nephrology Ward. Kidney and Blood Pressure Research, 2017, 42, 844-852.	2.0	9
108	Serum NGAL and copeptin levels as predictors of acute kidney injury in asphyxiated neonates. Clinical and Experimental Nephrology, 2017, 21, 658-664.	1.6	23

#	ARTICLE	IF	CITATIONS
109	Clinicopathologic correlations of renal pathology in the adult population of Poland. Nephrology Dialysis Transplantation, 2017, 32, ii209-ii218.	0.7	28
110	Antiplatelet and anticoagulant therapy in elderly people with type 2 diabetes mellitus in Poland (based) Tj ETQq0 0 0 rgBT /Overlock 10	0.9	5
111	Composing a new song for trials: the Standardized Outcomes in Nephrology (SONG) initiative. Nephrology Dialysis Transplantation, 2017, 32, 1963-1966.	0.7	50
112	Guidelines for the diagnosis and management of osteoporosis in Poland : Update 2017. Endokrynologia Polska, 2017, 68, 604-609.	1.0	30
113	Socioeconomic determinants of prostate-specific antigen testing and estimation of the prevalence of undiagnosed prostate cancer in an elderly Polish population based on the PolSenior study. Archives of Medical Science, 2016, 5, 1028-1035.	0.9	10
114	Fibroblast Growth Factor-23â€”A Potential Uremic Toxin. Toxins, 2016, 8, 369.	3.4	29
115	MP062PLASMA RENALASE CONCENTRATION BEFORE AND AFTER RADIOFREQUENCY RENAL DENERVATION IN PATIENTS WITH RESISTANT HYPERTENSION: PRELIMINARY RESULTS. Nephrology Dialysis Transplantation, 2016, 31, i363-i363.	0.7	0
116	MP427BASELINE DATA FROM THE MULTINATIONAL PROSPECTIVE COHORT STUDY FOR VALIDATION OF BIOMARKERS (PROVALID). Nephrology Dialysis Transplantation, 2016, 31, i482-i482.	0.7	2
117	MP578INCREASED PLASMA SCLEROSTIN CONCENTRATION IN HEMODIALYSIS PATIENTS WITH SECONDARY HYPERPARATHYROIDISM TREATED WITH CINACALCET. Nephrology Dialysis Transplantation, 2016, 31, i533-i533.	0.7	1
118	Prevalence, awareness, and control of hypertension in elderly and very elderly in Poland. Journal of Hypertension, 2016, 34, 532-538.	0.5	31
119	Functional deficiency of vitamin K in hemodialysis patients in Upper Silesia in Poland. International Urology and Nephrology, 2016, 48, 765-771.	1.4	12
120	Long-term follow-up of renal arteries after radio-frequency catheter-based denervation using optical coherence tomography and angiography. International Journal of Cardiovascular Imaging, 2016, 32, 855-862.	1.5	8
121	Clinical management of the uraemic syndrome in chronic kidney disease. Lancet Diabetes and Endocrinology,the, 2016, 4, 360-373.	11.4	78
122	Hypertension in Chronic Kidney Disease Part 1. Hypertension, 2016, 67, 1093-1101.	2.7	63
123	Hypertension in Chronic Kidney Disease Part 2. Hypertension, 2016, 67, 1102-1110.	2.7	86
124	Associations between cardiovascular disease risk factors and IL-6 and hsCRP levels in the elderly. Experimental Gerontology, 2016, 85, 112-117.	2.8	42
125	The relationship between circulating visfatin/nicotinamide phosphoribosyltransferase, obesity, inflammation and lipids profile in elderly population, determined by structural equation modeling. Scandinavian Journal of Clinical and Laboratory Investigation, 2016, 76, 632-640.	1.2	13
126	The Agreement between Auscultation and Lung Ultrasound in Hemodialysis Patients: The LUST Study. Clinical Journal of the American Society of Nephrology: CJASN, 2016, 11, 2005-2011.	4.5	124

#	ARTICLE	IF	CITATIONS
127	C-Terminal to Intact Fibroblast Growth Factor 23 Ratio in Relation to Estimated Glomerular Filtration Rate in Elderly Population. <i>Kidney and Blood Pressure Research</i> , 2016, 41, 519-526.	2.0	22
128	Treatment with cinacalcet increases plasma sclerostin concentration in hemodialysis patients with secondary hyperparathyroidism. <i>BMC Nephrology</i> , 2016, 17, 176.	1.8	6
129	Methodology used in studies reporting chronic kidney disease prevalence: a systematic literature review. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 680-680.	0.7	6
130	Clinical value of ambulatory blood pressure: Is it time to recommend for all patients with hypertension?. <i>Clinical and Experimental Nephrology</i> , 2016, 20, 14-22.	1.6	15
131	The role of endogenous cardiotonic steroids in pathogenesis of cardiovascular and renal complications of arterial hypertension. <i>Postepy Higieny I Medycyny Doswiadczalnej</i> , 2016, 70, 243-250.	0.1	6
132	Analysis of Clostridium difficile infections in patients hospitalized at the nephrological ward in Poland. <i>Postepy Higieny I Medycyny Doswiadczalnej</i> , 2016, 70, 505-513.	0.1	5
133	SP668IS THERE RELATIONSHIP BETWEEN BLOOD PRESSURE AND PLASMA FGF-23 CONCENTRATION CHANGES AFTER CINACALCET TREATMENT IN HEMODIALYSED PATIENTS WITH CHRONIC KIDNEY DISEASE AND SECONDARY HYPERPARATHYROIDISM?. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, iii599-iii599.	0.7	0
134	The Use of Calcimimetics for the Treatment of Secondary Hyperparathyroidism: A 10 Year Evidence Review. <i>Seminars in Dialysis</i> , 2015, 28, 497-507.	1.3	23
135	The Effect of Lactobacillus plantarum 299v on the Incidence of Clostridium difficile Infection in High Risk Patients Treated with Antibiotics. <i>Nutrients</i> , 2015, 7, 10179-10188.	4.1	38
136	Umbilical Neutrophil Gelatinase-Associated Lipocalin Level as an Early Predictor of Acute Kidney Injury in Neonates with Hypoplastic Left Heart Syndrome. <i>BioMed Research International</i> , 2015, 2015, 1-6.	1.9	6
137	Treatment With Cinacalcet Increases Plasma Adiponectin Concentration in Hemodialyzed Patients With Chronic Kidney Disease and Secondary Hyperparathyroidism. <i>Endocrine Practice</i> , 2015, 21, 743-749.	2.1	2
138	Plasma visfatin/nicotinamide phosphoribosyltransferase levels in hypertensive elderly – results from the PolSenior substudy. <i>Journal of the American Society of Hypertension</i> , 2015, 9, 1-8.	2.3	15
139	Plasma fibroblast growth factor 23 concentration and iron status. Does the relationship exist in the elderly population?. <i>Clinical Biochemistry</i> , 2015, 48, 431-436.	1.9	29
140	Inflammation but not obesity or insulin resistance is associated with increased plasma fibroblast growth factor 23 concentration in the elderly. <i>Clinical Endocrinology</i> , 2015, 82, 900-909.	2.4	42
141	Diagnosis and treatment of early renal disease in patients with type 2 diabetes mellitus: what are the clinical needs?. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, iv1-iv5.	0.7	9
142	Methodology used in studies reporting chronic kidney disease prevalence: a systematic literature review. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, iv6-iv16.	0.7	69
143	Initial kidney graft resistance index and the long-term cardiovascular mortality in transplanted patients: a paired grafts analysis. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, 1218-1224.	0.7	9
144	Validity of Vascular Calcification as a Screening Tool and as a Surrogate End Point in Clinical Research. <i>Hypertension</i> , 2015, 66, 3-9.	2.7	23

#	ARTICLE	IF	CITATIONS
145	Clinical Practice Guideline on management of patients with diabetes and chronic kidney disease stage 3b or higher (eGFR <45 mL/min). Nephrology Dialysis Transplantation, 2015, 30, ii1-ii142.	0.7	113
146	Is haemodiafiltration more favourable than haemodialysis for treatment of renal anaemia?. Nephrology Dialysis Transplantation, 2015, 30, 523-525.	0.7	4
147	Smaller caliber renal arteries are a novel feature of uromodulin-associated kidney disease. Kidney International, 2015, 88, 160-166.	5.2	5
148	The double challenge of resistant hypertension and chronic kidney disease. Lancet, The, 2015, 386, 1588-1598.	13.7	147
149	Daily intake and serum concentration of menaquinone-4 (MK-4) in haemodialysis patients with chronic kidney disease. Clinical Biochemistry, 2015, 48, 1246-1251.	1.9	11
150	Treatment with cinacalcet decreases systolic blood pressure in haemodialysed patients with chronic kidney disease and secondary hyperparathyroidism. Arterial Hypertension, 2015, 19, 129-134.	0.3	1
151	The Association of Long-Functioning Hemodialysis Vascular Access with Prevalence of Left Ventricular Hypertrophy in Kidney Transplant Recipients. BioMed Research International, 2014, 2014, 1-6.	1.9	11
152	Vitamin K1 to slow vascular calcification in haemodialysis patients (VitaVasK trial): a rationale and study protocol. Nephrology Dialysis Transplantation, 2014, 29, 1633-1638.	0.7	68
153	Cinacalcet treatment decreases plasma fibroblast growth factor 23 concentration in haemodialysed patients with chronic kidney disease and secondary hyperparathyroidism. Clinical Endocrinology, 2014, 80, 607-612.	2.4	12
154	Fibroblast growth factor 23 (FGF23) and early chronic kidney disease in the elderly. Nephrology Dialysis Transplantation, 2014, 29, 1757-1763.	0.7	26
155	Reduced functionality in everyday activities of patients with self-reported heart failure hospitalization – Population-based study results. International Journal of Cardiology, 2014, 176, 423-429.	1.7	23
156	Relationship between circulating visfatin/NAMPT, nutritional status and insulin resistance in an elderly population – results from the PolSenior substudy. Metabolism: Clinical and Experimental, 2014, 63, 1409-1418.	3.4	18
157	Secondary prevention of stroke in elderly people in Poland – Results of PolSenior study. Neurologia i Neurochirurgia Polska, 2014, 48, 85-90.	1.2	5
158	The Peptidic Middle Molecules: Is Molecular Weight Doing the Trick?. Seminars in Nephrology, 2014, 34, 118-134.	1.6	32
159	Epidemiology, contributors to, and clinical trials of mortality risk in chronic kidney failure. Lancet, The, 2014, 383, 1831-1843.	13.7	341
160	Low plasma renalase concentration in hypertensive patients after surgical repair of coarctation of aorta. Journal of the American Society of Hypertension, 2014, 8, 464-474.	2.3	23
161	Acute myeloid leukemia in a 38-year-old hemodialyzed patient with von Hippel-Lindau disease. Hereditary Cancer in Clinical Practice, 2013, 11, 11.	1.5	5
162	The 50th anniversary of haemodialysis in Krakow, Poland. CKJ: Clinical Kidney Journal, 2013, 6, 246-249.	2.9	0

#	ARTICLE	IF	CITATIONS
163	Telomere Length in Elderly Caucasians Weakly Correlates with Blood Cell Counts. Scientific World Journal, The, 2013, 2013, 1-8.	2.1	13
164	Safety and efficiency of treatment with cinacalcet of haemodialysed patients with chronic kidney disease and secondary hyperparathyroidism. Endokrynologia Polska, 2013, 64, 176-81.	1.0	6
165	The effects of lowering LDL cholesterol with simvastatin plus ezetimibe in patients with chronic kidney disease (Study of Heart and Renal Protection): a randomised placebo-controlled trial. Lancet, The, 2011, 377, 2181-2192.	13.7	2,087
166	Medical, psychological and socioeconomic aspects of aging in Poland. Experimental Gerontology, 2011, 46, 1003-1009.	2.8	99
167	The dysfunctional endothelium in CKD and in cardiovascular disease: mapping the origin(s) of cardiovascular problems in CKD and of kidney disease in cardiovascular conditions for a research agenda. Kidney International Supplements, 2011, 1, 6-9.	14.2	57
168	The lingering dilemma of arterial pressure in CKD: what do we know, where do we go?. Kidney International Supplements, 2011, 1, 17-20.	14.2	9
169	Major pathways of the renal cardiovascular link: the sympathetic and renin-angiotensin systems. Kidney International Supplements, 2011, 1, 13-16.	14.2	11
170	The complexity of the cardio-renal link: taxonomy, syndromes, and diseases. Kidney International Supplements, 2011, 1, 2-5.	14.2	24
171	Arterial aging and arterial disease: interplay between central hemodynamics, cardiac work, and organ flow-implications for CKD and cardiovascular disease. Kidney International Supplements, 2011, 1, 10-12.	14.2	44
172	Cardiovascular and non-cardiovascular mortality in dialysis patients: where is the link?. Kidney International Supplements, 2011, 1, 21-23.	14.2	37
173	Switching epoetin alfa and epoetin zeta in patients with Renal Anemia on Dialysis: Posthoc analysis. Advances in Therapy, 2010, 27, 941-952.	2.9	33
174	Early Detection of Chronic Kidney Disease: Results of the PolNef Study. American Journal of Nephrology, 2009, 29, 264-273.	3.1	60
175	Renal Anemia: Comparing Current Eastern and Western European Management Practice (ORAMA). Renal Failure, 2008, 30, 267-276.	2.1	11
176	Indapamide Decreases Plasma Adiponectin Concentration in Patients with Essential Hypertension. Kidney and Blood Pressure Research, 2007, 30, 187-194.	2.0	25
177	European regulatory guidelines for biosimilars. Nephrology Dialysis Transplantation, 2006, 21, v17-v20.	0.7	31
178	Diagnostic Difficulties in a Patient with Reverse Diastolic Intrarenal Doppler Flow Caused by Tacrolimus Nephrotoxicity: A Case Report. Medical Science Case Reports, 0, 2, 78-82.	0.0	0