

# Roberto Hbler

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/6523205/roberto-hubler-publications-by-year.pdf>

**Version:** 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

59  
papers

841  
citations

18  
h-index

26  
g-index

62  
ext. papers

951  
ext. citations

3  
avg. IF

4.13  
L-index

#	Paper	IF	Citations
59	Investigation on Different TiCn Duplex Treatments Applied to Cold Work Tool Steel for Surface Properties Improvement. <i>Journal of Materials Engineering and Performance</i> , <b>2021</b> , 30, 4445-4457	1.6	0
58	Influence of saliva interaction on surface properties manufactured for rapid osseointegration in dental implants. <i>Biofouling</i> , <b>2021</b> , 37, 757-766	3.3	0
57	Extension of hydrophilicity stability by reactive plasma treatment and wet storage on TiO nanotube surfaces for biomedical implant applications. <i>Journal of the Royal Society Interface</i> , <b>2020</b> , 17, 20200650	4.1	9
56	Influence of titanium and zirconia modified surfaces for rapid healing on adhesion and biofilm formation of Staphylococcus epidermidis. <i>Archives of Oral Biology</i> , <b>2020</b> , 117, 104824	2.8	14
55	DESEMPENHO FOTOELETROQUÍMICO DE NANOESTRUTURAS DE NIOBIO OBTENIDAS POR ANODIZAÇÃO: EFEITO DE LA CONCENTRACIÓN DE GLICEROL / DESEMPENHO FOTOELETROQUÍMICO DAS NANOESTRUTURAS DE NIOBIO OBTIDAS POR ANODIZAÇÃO: EFEITO DA CONCENTRAÇÃO DE GLICEROL. <i>Brazilian Journal of Development</i> , <b>2020</b> , 6, 73586-73597	0	0
54	Effect of hafnium contaminant present in zirconium targets on sputter deposited ZrN thin films. <i>Nuclear Instruments &amp; Methods in Physics Research B</i> , <b>2020</b> , 462, 90-94	1.2	9
53	Osteoblastic Cell Behavior and Early Bacterial Adhesion on Macro-, Micro-, and Nanostructured Titanium Surfaces for Biomedical Implant Applications. <i>International Journal of Oral and Maxillofacial Implants</i> , <b>2020</b> , 35, 773-781	2.8	16
52	Antibacterial potential associated with drug-delivery built TiO nanotubes in biomedical implants. <i>AMB Express</i> , <b>2019</b> , 9, 51	4.1	26
51	Influence of WS2 content on high temperature wear performance of magnetron sputtered TiN-WSx thin films. <i>Ceramics International</i> , <b>2019</b> , 45, 19918-19924	5.1	7
50	Elasto-Plastic materials behavior evaluation according to different models applied in indentation hardness tests. <i>Measurement: Journal of the International Measurement Confederation</i> , <b>2019</b> , 139, 134-139	4.6	10
49	Interrelation Among Morphology, Mechanical Properties and Oxidation Behavior of NbxAlyNz Thin Films. <i>Materials Research</i> , <b>2019</b> , 22,	1.5	1
48	A bone preservation protocol that enables evaluation of osseointegration of implants with micro- and nanotextured surfaces. <i>Biotechnic and Histochemistry</i> , <b>2019</b> , 94, 261-270	1.8	11
47	Crystalline phases involved in the hydration of calcium silicate-based cements: Semi-quantitative Rietveld X-ray diffraction analysis. <i>Australian Endodontic Journal</i> , <b>2019</b> , 45, 26-32	1.7	10
46	Application of TiO2 Nanotubes as a Drug Delivery System for Biomedical Implants: A Critical Overview. <i>ChemistrySelect</i> , <b>2018</b> , 3, 11180-11189	1.8	18
45	Investigation of microstructure and properties of magnetron sputtered Zr-Si-N thin films with different Si content. <i>Surface and Coatings Technology</i> , <b>2018</b> , 353, 355-363	4.4	12
44	Freeze-casting for PLGA/carbonated apatite composite scaffolds: Structure and properties. <i>Materials Science and Engineering C</i> , <b>2017</b> , 77, 731-738	8.3	26
43	Tuning the Crystalline Structure and Properties of TiOx Thin Films Deposited by DC Reactive Magnetron Sputtering by Adjusting the Ar/O2 Ratio. <i>Journal of Nanoscience and Nanotechnology</i> , <b>2017</b> , 17, 8967-8974	1.3	2

42	Changes in the Young Modulus of hafnium oxide thin films. <i>Nuclear Instruments &amp; Methods in Physics Research B</i> , <b>2015</b> , 365, 362-366	1.2	7
41	Effect of calcium carbonate on low carbon steel corrosion behavior in saline CO2 high pressure environments. <i>Applied Surface Science</i> , <b>2015</b> , 359, 143-152	6.7	44
40	Effect of Recombinant Human Growth Hormone on Osseointegration of Titanium Implants: A Histologic and Biomechanical Study in Rabbits. <i>Journal of Oral Implantology</i> , <b>2015</b> , 41, e102-9	1.2	2
39	Structural and Mechanical Properties of Zr-Si-N Thin Films Prepared by Reactive Magnetron Sputtering. <i>Materials Research</i> , <b>2015</b> , 18, 30-34	1.5	9
38	Use of ion-assisted techniques for determining the structure of TiO2 nanotubes. <i>Nuclear Instruments &amp; Methods in Physics Research B</i> , <b>2015</b> , 365, 3-7	1.2	2
37	Osseointegration of atmospheric plasma-sprayed titanium implants: Influence of the native oxide layer. <i>Journal of Biomedical Materials Research - Part A</i> , <b>2014</b> , 102, 30-6	5.4	11
36	Effect of bismuth oxide on white mineral trioxide aggregate: chemical characterization and physical properties. <i>International Endodontic Journal</i> , <b>2014</b> , 47, 520-33	5.4	35
35	Diphosphonate immobilization on hydroxyapatite-coated titanium--method description. <i>Implant Dentistry</i> , <b>2013</b> , 22, 356-9	2.4	4
34	Electrodeposition of diamond-like carbon films on titanium alloy using organic liquids: Corrosion and wear resistance. <i>Applied Surface Science</i> , <b>2012</b> , 263, 18-24	6.7	22
33	A preliminary study of hardness and modulus of elasticity in sheep mandibles submitted to distraction osteogenesis and low-level laser therapy. <i>Medicina Oral, Patologia Oral Y Cirugia Bucal</i> , <b>2012</b> , 17, e102-7	2.6	11
32	Structure, composition, and mechanical characterization of dc sputtered TiN-MoS2 nanocomposite thin films. <i>Surface and Coatings Technology</i> , <b>2011</b> , 205, 3810-3815	4.4	22
31	Polyaniline/Graphite Nanocomposites: Synthesis and Characterization. <i>Macromolecular Symposia</i> , <b>2011</b> , 299-300, 74-80	0.8	17
30	Low-level laser therapy for implants without initial stability. <i>Photomedicine and Laser Surgery</i> , <b>2010</b> , 28, 365-9		29
29	Self-drilling and self-tapping screws: an ultrastructural study. <i>Journal of Craniofacial Surgery</i> , <b>2010</b> , 21, 513-5	1.2	6
28	Effects of low-level laser therapy on bone formed after distraction osteogenesis. <i>Lasers in Medical Science</i> , <b>2010</b> , 25, 213-9	3.1	37
27	Deposition of hard and adherent diamond-like carbon films inside steel tubes using a pulsed-DC discharge. <i>Journal of Nanoscience and Nanotechnology</i> , <b>2009</b> , 9, 3891-7	1.3	18
26	Effect of high pressure and high temperature on the mechanical behavior of diamond coated WC-Co. <i>Surface and Coatings Technology</i> , <b>2009</b> , 203, 3344-3347	4.4	
25	Deposition and characterization of non-isostructural (Ti0.7Al0.3N)/(Ti0.3Al0.7N) multilayers. <i>Surface and Coatings Technology</i> , <b>2009</b> , 203, 1176-1181	4.4	13

24	The influence of mineralogical, chemical and physical properties on grindability of commercial clinkers with high MgO level. <i>Cement and Concrete Research</i> , <b>2008</b> , 38, 1119-1125	10.3	16
23	Study of mechanical degradation of UHMWPE acetabular components due to clinical X-ray procedures. <i>Journal of Materials Science: Materials in Medicine</i> , <b>2007</b> , 18, 1659-63	4.5	1
22	DLC film properties obtained by a low cost and modified pulsed-DC discharge. <i>Thin Solid Films</i> , <b>2007</b> , 516, 272-276	2.2	39
21	Strong dependence of the Fe thin-film magnetic anisotropy on the Si(111) substrate preparation. <i>Journal of Applied Physics</i> , <b>2003</b> , 94, 1490-1494	2.5	11
20	Transition metal nitrides thin films deposition using a dynamically controlled magnetron sputtering apparatus. <i>Surface and Coatings Technology</i> , <b>2002</b> , 158-159, 680-684	4.4	20
19	Microhardness characterization of superlattices formed by reactive magnetron sputtering and ion beam assisted deposition. <i>Surface and Coatings Technology</i> , <b>2002</b> , 158-159, 685-689	4.4	7
18	Wear and corrosion protection of 316-L femoral implants by deposition of thin films. <i>Surface and Coatings Technology</i> , <b>2001</b> , 142-144, 1078-1083	4.4	59
17	Metallic thin film thickness determination using electron probe microanalysis. <i>X-Ray Spectrometry</i> , <b>2001</b> , 30, 253-259	0.9	13
16	Microhardness characterization of multilayers modified by ion beam mixing. <i>Nuclear Instruments &amp; Methods in Physics Research B</i> , <b>2001</b> , 175-177, 620-625	1.2	1
15	Ion beam mixing of Ti/TiN multilayers for tribological and corrosion protection. <i>Nuclear Instruments &amp; Methods in Physics Research B</i> , <b>2001</b> , 175-177, 630-636	1.2	9
14	TiN structural modifications induced by bias voltage in a new dynamic controlled magnetron sputtering apparatus. <i>Nuclear Instruments &amp; Methods in Physics Research B</i> , <b>2001</b> , 175-177, 626-629	1.2	9
13	Characterisation of gradient interfaces in thin film multilayers used to protect orthopaedic implants. <i>Surface and Coatings Technology</i> , <b>1999</b> , 116-119, 1116-1122	4.4	22
12	Hardness and corrosion protection enhancement behaviour of surgical implant surfaces treated with ceramic thin films. <i>Surface and Coatings Technology</i> , <b>1999</b> , 116-119, 1111-1115	4.4	30
11	The energy dependence on microstructure of (TiAlN) nitrides deposited by dual ion beam sputtering. <i>Surface and Coatings Technology</i> , <b>1999</b> , 116-119, 969-972	4.4	6
10	Corrosion behavior of steel coated with thin film TiN/Ti composites. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , <b>1993</b> , 11, 451-453	2.9	36
9	Plasma and ion-beam-assisted deposition of multilayers for tribological and corrosion protection. <i>Surface and Coatings Technology</i> , <b>1993</b> , 60, 561-565	4.4	51
8	IBAD growing of magnetic iron nitride thin films. <i>Nuclear Instruments &amp; Methods in Physics Research B</i> , <b>1993</b> , 80-81, 1392-1396	1.2	2
7	Ion beam mixing of Al <sub>2</sub> AlN multilayers for tribological and corrosion protection. <i>Nuclear Instruments &amp; Methods in Physics Research B</i> , <b>1993</b> , 80-81, 1415-1418	1.2	9

6	Ion beam mixing of Fe/Al multilayers: a CEMS study. <i>Nuclear Instruments &amp; Methods in Physics Research B</i> , <b>1993</b> , 80-81, 436-441	1.2	4
5	The dependence of hardness and corrosion protection power of ion- beam-assisted deposition TiN coatings on the ion beam impact angle. <i>Surface and Coatings Technology</i> , <b>1993</b> , 60, 549-555	4.4	27
4	The growth of magnetic Fe <sub>x</sub> N thin films under ion bombardment. <i>Radiation Effects and Defects in Solids</i> , <b>1992</b> , 124, 271-279	0.9	1
3	Composition and magnetic properties of Fe/Fe x N thin film multilayers. <i>Applied Physics A: Solids and Surfaces</i> , <b>1992</b> , 54, 437-441		2
2	NRA and RBS analyses of silicon, aluminium and iron nitride thin films. <i>Nuclear Instruments &amp; Methods in Physics Research B</i> , <b>1992</b> , 64, 756-759	1.2	3
1	A new and simple ion source for ion beam assisted deposition of thin films. <i>Physica Status Solidi A</i> , <b>1991</b> , 127, K19-K23		2