

Chunsheng Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6523753/publications.pdf>

Version: 2024-02-01

348
papers

62,327
citations

466

130
h-index

962

238
g-index

358
all docs

358
docs citations

358
times ranked

26377
citing authors

#	ARTICLE	IF	CITATIONS
1	Water-in-salt electrolyte enables high-voltage aqueous lithium-ion chemistries. <i>Science</i> , 2015, 350, 938-943.	6.0	2,553
2	Nano- and bulk-silicon-based insertion anodes for lithium-ion secondary cells. <i>Journal of Power Sources</i> , 2007, 163, 1003-1039.	4.0	2,249
3	Highly reversible zinc metal anode for aqueous batteries. <i>Nature Materials</i> , 2018, 17, 543-549.	13.3	2,080
4	Expanded graphite as superior anode for sodium-ion batteries. <i>Nature Communications</i> , 2014, 5, 4033.	5.8	1,472
5	Zn/MnO ₂ Battery Chemistry With H ⁺ and Zn ²⁺ Coinsertion. <i>Journal of the American Chemical Society</i> , 2017, 139, 9775-9778.	6.6	1,375
6	Sulfur-Impregnated Disordered Carbon Nanotubes Cathode for Lithium-Sulfur Batteries. <i>Nano Letters</i> , 2011, 11, 4288-4294.	4.5	1,210
7	High electronic conductivity as the origin of lithium dendrite formation within solid electrolytes. <i>Nature Energy</i> , 2019, 4, 187-196.	19.8	1,099
8	Non-flammable electrolyte enables Li-metal batteries with aggressive cathode chemistries. <i>Nature Nanotechnology</i> , 2018, 13, 715-722.	15.6	964
9	Electrochemical Stability of Li ₁₀ GeP ₂ S ₁₂ and Li ₇ La ₃ Zr ₂ O ₁₂ Solid Electrolytes. <i>Advanced Energy Materials</i> , 2016, 6, 1501590.	10.2	781
10	Electrochemical Performance of Porous Carbon/Tin Composite Anodes for Sodium-Ion and Lithium-Ion Batteries. <i>Advanced Energy Materials</i> , 2013, 3, 128-133.	10.2	773
11	Anisotropic Swelling and Fracture of Silicon Nanowires during Lithiation. <i>Nano Letters</i> , 2011, 11, 3312-3318.	4.5	691
12	Highly Fluorinated Interphases Enable High-Voltage Li-Metal Batteries. <i>CheM</i> , 2018, 4, 174-185.	5.8	682
13	Solvation Structure Design for Aqueous Zn Metal Batteries. <i>Journal of the American Chemical Society</i> , 2020, 142, 21404-21409.	6.6	680
14	Realizing high zinc reversibility in rechargeable batteries. <i>Nature Energy</i> , 2020, 5, 743-749.	19.8	658
15	Electrolyte design for LiF-rich solid electrolyte interfaces to enable high-performance micro-sized alloy anodes for batteries. <i>Nature Energy</i> , 2020, 5, 386-397.	19.8	621
16	Electrospun Sb/C Fibers for a Stable and Fast Sodium-Ion Battery Anode. <i>ACS Nano</i> , 2013, 7, 6378-6386.	7.3	610
17	Designing Dendrite-Free Zinc Anodes for Advanced Aqueous Zinc Batteries. <i>Advanced Functional Materials</i> , 2020, 30, 2001263.	7.8	598
18	Aqueous Li-ion battery enabled by halogen conversion intercalation chemistry in graphite. <i>Nature</i> , 2019, 569, 245-250.	13.7	590

#	ARTICLE	IF	CITATIONS
19	Advanced High-Voltage Aqueous Lithium-Ion Battery Enabled by "Water-in-Salt" Electrolyte. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 7136-7141.	7.2	571
20	Fluorinated interphase enables reversible aqueous zinc battery chemistries. <i>Nature Nanotechnology</i> , 2021, 16, 902-910.	15.6	560
21	All-temperature batteries enabled by fluorinated electrolytes with non-polar solvents. <i>Nature Energy</i> , 2019, 4, 882-890.	19.8	557
22	New Concepts in Electrolytes. <i>Chemical Reviews</i> , 2020, 120, 6783-6819.	23.0	554
23	A rechargeable zinc-air battery based on zinc peroxide chemistry. <i>Science</i> , 2021, 371, 46-51.	6.0	551
24	Electrochemical Intercalation of Potassium into Graphite. <i>Advanced Functional Materials</i> , 2016, 26, 8103-8110.	7.8	545
25	Uniform Nano-Sn/C Composite Anodes for Lithium Ion Batteries. <i>Nano Letters</i> , 2013, 13, 470-474.	4.5	531
26	Fluorinated solid electrolyte interphase enables highly reversible solid-state Li metal battery. <i>Science Advances</i> , 2018, 4, eaau9245.	4.7	521
27	"Water-in-Salt" Electrolyte Makes Aqueous Sodium-Ion Battery Safe, Green, and Long-Lasting. <i>Advanced Energy Materials</i> , 2017, 7, 1701189.	10.2	487
28	Advanced High-Voltage Aqueous Lithium-Ion Battery Enabled by "Water-in-Salt" Electrolyte. <i>Angewandte Chemie</i> , 2016, 128, 7252-7257.	1.6	459
29	4.0 V Aqueous Li-Ion Batteries. <i>Joule</i> , 2017, 1, 122-132.	11.7	441
30	Comparison of electrochemical performances of olivine NaFePO ₄ in sodium-ion batteries and olivine LiFePO ₄ in lithium-ion batteries. <i>Nanoscale</i> , 2013, 5, 780-787.	2.8	420
31	A critical review of cathodes for rechargeable Mg batteries. <i>Chemical Society Reviews</i> , 2018, 47, 8804-8841.	18.7	420
32	Selenium@Mesoporous Carbon Composite with Superior Lithium and Sodium Storage Capacity. <i>ACS Nano</i> , 2013, 7, 8003-8010.	7.3	393
33	High-voltage liquid electrolytes for Li batteries: progress and perspectives. <i>Chemical Society Reviews</i> , 2021, 50, 10486-10566.	18.7	391
34	An Advanced MoS ₂ /Carbon Anode for High-Performance Sodium-Ion Batteries. <i>Small</i> , 2015, 11, 473-481.	5.2	390
35	Interphase Engineering Enabled All-Ceramic Lithium Battery. <i>Joule</i> , 2018, 2, 497-508.	11.7	378
36	Interdispersed Amorphous MnO _x "Carbon Nanocomposites with Superior Electrochemical Performance as Lithium Storage Material. <i>Advanced Functional Materials</i> , 2012, 22, 803-811.	7.8	376

#	ARTICLE	IF	CITATIONS
37	Cyclability study of silicon-carbon composite anodes for lithium-ion batteries using electrochemical impedance spectroscopy. <i>Electrochimica Acta</i> , 2011, 56, 3981-3987.	2.6	374
38	How Solid-Electrolyte Interphase Forms in Aqueous Electrolytes. <i>Journal of the American Chemical Society</i> , 2017, 139, 18670-18680.	6.6	365
39	Red Phosphorus-Single-Walled Carbon Nanotube Composite as a Superior Anode for Sodium Ion Batteries. <i>ACS Nano</i> , 2015, 9, 3254-3264.	7.3	359
40	Extremely stable antimony-carbon composite anodes for potassium-ion batteries. <i>Energy and Environmental Science</i> , 2019, 12, 615-623.	15.6	358
41	Lithium/Sulfide All-Solid-State Batteries using Sulfide Electrolytes. <i>Advanced Materials</i> , 2021, 33, e2000751.	11.1	356
42	An artificial interphase enables reversible magnesium chemistry in carbonate electrolytes. <i>Nature Chemistry</i> , 2018, 10, 532-539.	6.6	347
43	High-Performance All-Solid-State Lithium-Sulfur Battery Enabled by a Mixed-Conductive Li_2S Nanocomposite. <i>Nano Letters</i> , 2016, 16, 4521-4527.	4.5	333
44	High-Performance All-Solid-State Lithium-Sulfur Batteries Enabled by Amorphous Sulfur-Coated Reduced Graphene Oxide Cathodes. <i>Advanced Energy Materials</i> , 2017, 7, 1602923.	10.2	331
45	Identifying the components of the solid-electrolyte interphase in Li-ion batteries. <i>Nature Chemistry</i> , 2019, 11, 789-796.	6.6	331
46	Understanding and Calibration of Charge Storage Mechanism in Cyclic Voltammetry Curves. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 21310-21318.	7.2	318
47	An Inorganic-Rich Solid Electrolyte Interphase for Advanced Lithium-Metal Batteries in Carbonate Electrolytes. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 3661-3671.	7.2	317
48	Galvanostatic Intermittent Titration Technique for Phase-Transformation Electrodes. <i>Journal of Physical Chemistry C</i> , 2010, 114, 2830-2841.	1.5	314
49	High-Energy All-Solid-State Lithium Batteries with Ultralong Cycle Life. <i>Nano Letters</i> , 2016, 16, 7148-7154.	4.5	309
50	Uncharted Waters: Super-Concentrated Electrolytes. <i>Joule</i> , 2020, 4, 69-100.	11.7	305
51	Suppressing Li Dendrite Formation in Li_2S - P_2S_5 Solid Electrolyte by LiI Incorporation. <i>Advanced Energy Materials</i> , 2018, 8, 1703644.	10.2	303
52	Hybrid Aqueous/Non-aqueous Electrolyte for Safe and High-Energy Li-Ion Batteries. <i>Joule</i> , 2018, 2, 927-937.	11.7	303
53	Progress in Aqueous Rechargeable Sodium-Ion Batteries. <i>Advanced Energy Materials</i> , 2018, 8, 1703008.	10.2	297
54	A Battery Made from a Single Material. <i>Advanced Materials</i> , 2015, 27, 3473-3483.	11.1	291

#	ARTICLE	IF	CITATIONS
55	Tin-Coated Viral Nanoforests as Sodium-Ion Battery Anodes. <i>ACS Nano</i> , 2013, 7, 3627-3634.	7.3	287
56	Hydrophobic Organicâ€œElectrolyteâ€œProtected Zinc Anodes for Aqueous Zinc Batteries. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 19292-19296.	7.2	287
57	Aqueous Mg-Ion Battery Based on Polyimide Anode and Prussian Blue Cathode. <i>ACS Energy Letters</i> , 2017, 2, 1115-1121.	8.8	283
58	Liquid Structure with Nano-Heterogeneity Promotes Cationic Transport in Concentrated Electrolytes. <i>ACS Nano</i> , 2017, 11, 10462-10471.	7.3	283
59	Flexible ReS ₂ nanosheets/N-doped carbon nanofibers-based paper as a universal anode for alkali (Li, Na, K) ion batteries. <i>ACS Nano</i> , 2017, 11, 10784-10791.	8.2	280
60	Confined Sulfur in Microporous Carbon Renders Superior Cycling Stability in Li/S Batteries. <i>Advanced Functional Materials</i> , 2015, 25, 4312-4320.	7.8	279
61	Pipe-Wire TiO ₂ @Sn@Carbon Nanofibers Paper Anodes for Lithium and Sodium Ion Batteries. <i>Nano Letters</i> , 2017, 17, 3830-3836.	4.5	272
62	In Situ Transmission Electron Microscopy Study of Electrochemical Sodiation and Potassiation of Carbon Nanofibers. <i>Nano Letters</i> , 2014, 14, 3445-3452.	4.5	263
63	Copper-coordinated cellulose ion conductors for solid-state batteries. <i>Nature</i> , 2021, 598, 590-596.	13.7	262
64	A rechargeable aqueous Zn ²⁺ -battery with high power density and a long cycle-life. <i>Energy and Environmental Science</i> , 2018, 11, 3168-3175.	15.6	258
65	High-Voltage Aqueous Magnesium Ion Batteries. <i>ACS Central Science</i> , 2017, 3, 1121-1128.	5.3	256
66	Micro-sized nano-porous Si/C anodes for lithium ion batteries. <i>Nano Energy</i> , 2015, 11, 490-499.	8.2	253
67	High power rechargeable magnesium/iodine battery chemistry. <i>Nature Communications</i> , 2017, 8, 14083.	5.8	251
68	3D Si/C Fiber Paper Electrodes Fabricated Using a Combined Electrospray/Electrospinning Technique for Li-ion Batteries. <i>Advanced Energy Materials</i> , 2015, 5, 1400753.	10.2	247
69	Design of a Solid Electrolyte Interphase for Aqueous Zn Batteries. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 13035-13041.	7.2	239
70	Solvation sheath reorganization enables divalent metal batteries with fast interfacial charge transfer kinetics. <i>Science</i> , 2021, 374, 172-178.	6.0	238
71	Virus-Enabled Silicon Anode for Lithium-Ion Batteries. <i>ACS Nano</i> , 2010, 4, 5366-5372.	7.3	228
72	Challenges for and Pathways toward Li-Metal-Based All-Solid-State Batteries. <i>ACS Energy Letters</i> , 0, , 1399-1404.	8.8	228

#	ARTICLE	IF	CITATIONS
73	Interface engineering of sulfide electrolytes for all-solid-state lithium batteries. <i>Nano Energy</i> , 2018, 53, 958-966.	8.2	227
74	Highly Fluorinated Electrolytes for Li-S Batteries. <i>Advanced Energy Materials</i> , 2019, 9, 1803774.	10.2	227
75	Local electronic structure variation resulting in Li ⁻ filament TM formation within solid electrolytes. <i>Nature Materials</i> , 2021, 20, 1485-1490.	13.3	226
76	Enhancing the Reversibility of Mg/S Battery Chemistry through Li ⁺ Mediation. <i>Journal of the American Chemical Society</i> , 2015, 137, 12388-12393.	6.6	225
77	Solid-State Electrolyte Design for Lithium Dendrite Suppression. <i>Advanced Materials</i> , 2020, 32, e2002741.	11.1	219
78	Lithium Nitrate Regulated Sulfone Electrolytes for Lithium Metal Batteries. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 22194-22201.	7.2	219
79	Porous Amorphous FePO ₄ Nanoparticles Connected by Single-Wall Carbon Nanotubes for Sodium Ion Battery Cathodes. <i>Nano Letters</i> , 2012, 12, 5664-5668.	4.5	215
80	<i>In Situ</i> Formed Lithium Sulfide/Microporous Carbon Cathodes for Lithium-Ion Batteries. <i>ACS Nano</i> , 2013, 7, 10995-11003.	7.3	215
81	A Rechargeable Al/S Battery with an Ionic-Liquid Electrolyte. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 9898-9901.	7.2	215
82	Intercalation of Bi nanoparticles into graphite results in an ultra-fast and ultra-stable anode material for sodium-ion batteries. <i>Energy and Environmental Science</i> , 2018, 11, 1218-1225.	15.6	212
83	Ionic/Electronic Conducting Characteristics of LiFePO ₄ Cathode Materials. <i>Electrochemical and Solid-State Letters</i> , 2007, 10, A65.	2.2	210
84	Critical Review on Low-Temperature Li-Ion/Metal Batteries. <i>Advanced Materials</i> , 2022, 34, e2107899.	11.1	204
85	Copper-Stabilized Sulfur-Microporous Carbon Cathodes for Li-S Batteries. <i>Advanced Functional Materials</i> , 2014, 24, 4156-4163.	7.8	200
86	Countersolvent Electrolytes for Lithium-Metal Batteries. <i>Advanced Energy Materials</i> , 2020, 10, 1903568.	10.2	200
87	Lithium Metal Batteries Enabled by Synergetic Additives in Commercial Carbonate Electrolytes. <i>ACS Energy Letters</i> , 2021, 6, 1839-1848.	8.8	200
88	Electrospun FeS ₂ @Carbon Fiber Electrode as a High Energy Density Cathode for Rechargeable Lithium Batteries. <i>ACS Nano</i> , 2016, 10, 1529-1538.	7.3	199
89	Superior Stable Self-Healing SnP ₃ Anode for Sodium-Ion Batteries. <i>Advanced Energy Materials</i> , 2015, 5, 1500174.	10.2	197
90	A 63 <i>m</i> Superconcentrated Aqueous Electrolyte for High-Energy Li-Ion Batteries. <i>ACS Energy Letters</i> , 2020, 5, 968-974.	8.8	197

#	ARTICLE	IF	CITATIONS
91	Reactivation of dissolved polysulfides in Li-S batteries based on atomic layer deposition of Al ₂ O ₃ in nanoporous carbon cloth. <i>Nano Energy</i> , 2013, 2, 1197-1206.	8.2	195
92	High Interfacial-Energy Interphase Promoting Safe Lithium Metal Batteries. <i>Journal of the American Chemical Society</i> , 2020, 142, 2438-2447.	6.6	195
93	Stabilizing high voltage LiCoO ₂ cathode in aqueous electrolyte with interphase-forming additive. <i>Energy and Environmental Science</i> , 2016, 9, 3666-3673.	15.6	190
94	Self-Assembled Organic Nanowires for High Power Density Lithium Ion Batteries. <i>Nano Letters</i> , 2014, 14, 1596-1602.	4.5	187
95	Graphene-Bonded and Encapsulated Si Nanoparticles for Lithium Ion Battery Anodes. <i>Small</i> , 2013, 9, 2810-2816.	5.2	183
96	Electrolytes and Interphases in Potassium Ion Batteries. <i>Advanced Materials</i> , 2021, 33, e2003741.	11.1	181
97	A Universal Organic Cathode for Ultrafast Lithium and Multivalent Metal Batteries. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 7146-7150.	7.2	177
98	Solid-State Fabrication of SnS ₂ /C Nanospheres for High-Performance Sodium Ion Battery Anode. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 11476-11481.	4.0	176
99	Flexible Aqueous Li-ion Battery with High Energy and Power Densities. <i>Advanced Materials</i> , 2017, 29, 1701972.	11.1	175
100	A Pyrazine-Based Polymer for Fast-Charge Batteries. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 17820-17826.	7.2	173
101	Water-in-Salt electrolytes enable green and safe Li-ion batteries for large scale electric energy storage applications. <i>Journal of Materials Chemistry A</i> , 2016, 4, 6639-6644.	5.2	172
102	Revitalising sodium-sulfur batteries for non-high-temperature operation: a crucial review. <i>Energy and Environmental Science</i> , 2020, 13, 3848-3879.	15.6	172
103	Identification of LiH and nanocrystalline LiF in the solid electrolyte interphase of lithium metal anodes. <i>Nature Nanotechnology</i> , 2021, 16, 549-554.	15.6	171
104	Electrochemical impedance study of initial lithium ion intercalation into graphite powders. <i>Electrochimica Acta</i> , 2001, 46, 1793-1813.	2.6	169
105	Azo compounds as a family of organic electrode materials for alkali-ion batteries. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 2004-2009.	3.3	168
106	A Highly Reversible, Dendrite-Free Lithium Metal Anode Enabled by a Lithium-Fluoride-Enriched Interphase. <i>Advanced Materials</i> , 2020, 32, e1906427.	11.1	168
107	Self-Templated Formation of P2-type K _{0.6} CoO ₂ Microspheres for High Reversible Potassium-Ion Batteries. <i>Nano Letters</i> , 2018, 18, 1522-1529.	4.5	167
108	Designing In-Situ-Formed Interphases Enables Highly Reversible Cobalt-Free LiNiO ₂ Cathode for Li-ion and Li-metal Batteries. <i>Joule</i> , 2019, 3, 2550-2564.	11.7	167

#	ARTICLE	IF	CITATIONS
109	Carbonized Polyacrylonitrileâ€Stabilized SeS _x Cathodes for Long Cycle Life and High Power Density Lithium Ion Batteries. <i>Advanced Functional Materials</i> , 2014, 24, 4082-4089.	7.8	165
110	Electrochemical performance of lithium ion battery, nano-silicon-based, disordered carbon composite anodes with different microstructures. <i>Journal of Power Sources</i> , 2004, 125, 206-213.	4.0	161
111	High-Energy Li Metal Battery with Lithiated Host. <i>Joule</i> , 2019, 3, 732-744.	11.7	160
112	Reversible Redox Chemistry of Azo Compounds for Sodiumâ€Ion Batteries. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 2879-2883.	7.2	159
113	Sponge-like porous carbon/tin composite anode materials for lithium ion batteries. <i>Journal of Materials Chemistry</i> , 2012, 22, 9562.	6.7	158
114	Layered P2â€Type K _{0.65} Fe _{0.5} Mn _{0.5} O ₂ Microspheres as Superior Cathode for Highâ€Energy Potassiumâ€Ion Batteries. <i>Advanced Functional Materials</i> , 2018, 28, 1800219.	7.8	157
115	Tuning the Anodeâ€Electrolyte Interface Chemistry for Garnetâ€Based Solidâ€State Li Metal Batteries. <i>Advanced Materials</i> , 2020, 32, e2000030.	11.1	156
116	Mn ₃ O ₄ hollow spheres for lithium-ion batteries with high rate and capacity. <i>Journal of Materials Chemistry A</i> , 2014, 2, 4627-4632.	5.2	155
117	Hybrid Mg ²⁺ /Li ⁺ Battery with Long Cycle Life and High Rate Capability. <i>Advanced Energy Materials</i> , 2015, 5, 1401507.	10.2	155
118	A polymer scaffold binder structure for high capacity silicon anode of lithium-ion battery. <i>Chemical Communications</i> , 2010, 46, 1428.	2.2	154
119	Unique aqueous Li-ion/sulfur chemistry with high energy density and reversibility. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 6197-6202.	3.3	151
120	An Organic Anode for High Temperature Potassiumâ€Ion Batteries. <i>Advanced Energy Materials</i> , 2019, 9, 1802986.	10.2	151
121	Structure and Interface Design Enable Stable Li-Rich Cathode. <i>Journal of the American Chemical Society</i> , 2020, 142, 8918-8927.	6.6	151
122	Highly Reversible Aqueous Zinc Batteries enabled by Zincophilicâ€Zincophobic Interfacial Layers and Interrupted Hydrogenâ€Bond Electrolytes. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 18845-18851.	7.2	150
123	Reversible S ⁰ /MgS _x Redox Chemistry in a MgTFSI ₂ /MgCl ₂ /DME Electrolyte for Rechargeable Mg/S Batteries. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 13526-13530.	7.2	149
124	Cathode-Supported All-Solid-State Lithiumâ€Sulfur Batteries with High Cell-Level Energy Density. <i>ACS Energy Letters</i> , 2019, 4, 1073-1079.	8.8	148
125	Electrolyte/Electrode Interfaces in All-Solid-State Lithium Batteries: A Review. <i>Electrochemical Energy Reviews</i> , 2021, 4, 169-193.	13.1	147
126	Achieving High Energy Density through Increasing the Output Voltage: A Highly Reversible 5.3V Battery. <i>CheM</i> , 2019, 5, 896-912.	5.8	145

#	ARTICLE	IF	CITATIONS
127	Ultrastable All-Solid-State Sodium Rechargeable Batteries. ACS Energy Letters, 2020, 5, 2835-2841.	8.8	142
128	Realizing Complete Solid-Solution Reaction in High Sodium Content P2-Type Cathode for High-Performance Sodium-Ion Batteries. Angewandte Chemie - International Edition, 2020, 59, 14511-14516.	7.2	142
129	Electrolyte design for Li metal-free Li batteries. Materials Today, 2020, 39, 118-126.	8.3	138
130	Carbon scaffold structured silicon anodes for lithium-ion batteries. Journal of Materials Chemistry, 2010, 20, 5035.	6.7	136
131	Block Copolymer Solid Battery Electrolyte with High Li-Ion Transference Number. Journal of the Electrochemical Society, 2010, 157, A846.	1.3	136
132	High energy-density and reversibility of iron fluoride cathode enabled via an intercalation-extrusion reaction. Nature Communications, 2018, 9, 2324.	5.8	136
133	Carbon coated hollow Na ₂ FePO ₄ F spheres for Na-ion battery cathodes. Journal of Power Sources, 2013, 223, 62-67.	4.0	134
134	Graphene oxide wrapped croconic acid disodium salt for sodium ion battery electrodes. Journal of Power Sources, 2014, 250, 372-378.	4.0	134
135	Azo Compounds Derived from Electrochemical Reduction of Nitro Compounds for High Performance Li-Ion Batteries. Advanced Materials, 2018, 30, e1706498.	11.1	134
136	Manipulating electrolyte and solid electrolyte interphase to enable safe and efficient Li-S batteries. Nano Energy, 2018, 50, 431-440.	8.2	134
137	Charge/discharge stability of graphite anodes for lithium-ion batteries. Journal of Electroanalytical Chemistry, 2001, 497, 33-46.	1.9	133
138	High-Performance All-Inorganic Solid-State Sodium-Sulfur Battery. ACS Nano, 2017, 11, 4885-4891.	7.3	133
139	Water-Activated VOPO ₄ for Magnesium Ion Batteries. Nano Letters, 2018, 18, 6441-6448.	4.5	127
140	Kinetic characteristics of mixed conductive electrodes for lithium ion batteries. Journal of Power Sources, 2007, 164, 849-856.	4.0	126
141	A universal strategy towards high-energy aqueous multivalent-ion batteries. Nature Communications, 2021, 12, 2857.	5.8	126
142	A Patterned 3D Silicon Anode Fabricated by Electrodeposition on a Virus-Structured Current Collector. Advanced Functional Materials, 2011, 21, 380-387.	7.8	125
143	Superior electrochemical performance and structure evolution of mesoporous Fe ₂ O ₃ anodes for lithium-ion batteries. Nano Energy, 2014, 3, 26-35.	8.2	124
144	Mechanism and Kinetics of HER and OER on NiFe LDH Films in an Alkaline Electrolyte. Journal of the Electrochemical Society, 2018, 165, J3395-J3404.	1.3	123

#	ARTICLE	IF	CITATIONS
145	How Water Accelerates Bivalent Ion Diffusion at the Electrolyte/Electrode Interface. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 11978-11981.	7.2	123
146	Superior reversible tin phosphide-carbon spheres for sodium ion battery anode. <i>Nano Energy</i> , 2017, 38, 350-357.	8.2	122
147	Thermodynamics and Kinetics of Sulfur Cathode during Discharge in MgTFSI ₂ •DME Electrolyte. <i>Advanced Materials</i> , 2018, 30, 1704313.	11.1	122
148	Perspective—Fluorinating Interphases. <i>Journal of the Electrochemical Society</i> , 2019, 166, A5184-A5186.	1.3	122
149	Aqueous electrolyte design for super-stable 2.5% V LiMn ₂ O ₄ Li ₄ Ti ₅ O ₁₂ pouch cells. <i>Nature Energy</i> , 2022, 7, 186-193.	19.8	122
150	Lithium-tellurium batteries based on tellurium/porous carbon composite. <i>Journal of Materials Chemistry A</i> , 2014, 2, 12201-12207.	5.2	121
151	Ether-based electrolyte enabled Na/FeS ₂ rechargeable batteries. <i>Electrochemistry Communications</i> , 2015, 54, 18-22.	2.3	121
152	Recent Progress on Spray Pyrolysis for High Performance Electrode Materials in Lithium and Sodium Rechargeable Batteries. <i>Advanced Energy Materials</i> , 2017, 7, 1601578.	10.2	120
153	Electrochemical study on nano-Sn, Li _{4.4} Sn and AlSi _{0.1} powders used as secondary lithium battery anodes. <i>Journal of Power Sources</i> , 2001, 93, 174-185.	4.0	119
154	In Situ Atomic-Scale Imaging of Phase Boundary Migration in FePO ₄ Microparticles During Electrochemical Lithiation. <i>Advanced Materials</i> , 2013, 25, 5461-5466.	11.1	119
155	In Situ Sulfur Reduction and Intercalation of Graphite Oxides for Li-S Battery Cathodes. <i>Advanced Energy Materials</i> , 2014, 4, 1400482.	10.2	118
156	Hierarchical Three-Dimensional Microbattery Electrodes Combining Bottom-Up Self-Assembly and Top-Down Micromachining. <i>ACS Nano</i> , 2012, 6, 6422-6432.	7.3	116
157	In situ formed carbon bonded and encapsulated selenium composites for Li-Se and Na-Se batteries. <i>Journal of Materials Chemistry A</i> , 2015, 3, 555-561.	5.2	115
158	Bi Nanoparticles Anchored in N-Doped Porous Carbon as Anode of High Energy Density Lithium Ion Battery. <i>Nano-Micro Letters</i> , 2018, 10, 56.	14.4	115
159	Bifunctional Interphase-Enabled Li ₁₀ GeP ₂ S ₁₂ Electrolytes for Lithium-Sulfur Battery. <i>ACS Energy Letters</i> , 2021, 6, 862-868.	8.8	115
160	Antimony Nanorod Encapsulated in Cross-Linked Carbon for High-Performance Sodium Ion Battery Anodes. <i>Nano Letters</i> , 2019, 19, 538-544.	4.5	113
161	Lithium-Assisted Electrochemical Welding in Silicon Nanowire Battery Electrodes. <i>Nano Letters</i> , 2012, 12, 1392-1397.	4.5	110
162	Critical Factors Dictating Reversibility of the Zinc Metal Anode. <i>Energy and Environmental Materials</i> , 2020, 3, 516-521.	7.3	110

#	ARTICLE	IF	CITATIONS
163	Scalable synthesis of Na ₃ V ₂ (PO ₄) ₃ /C porous hollow spheres as a cathode for Na-ion batteries. <i>Journal of Materials Chemistry A</i> , 2015, 3, 10378-10385.	5.2	109
164	Reducing Mg Anode Overpotential via Ion Conductive Surface Layer Formation by Iodine Additive. <i>Advanced Energy Materials</i> , 2018, 8, 1701728.	10.2	107
165	Localized Water-in-Salt Electrolyte for Aqueous Lithium-ion Batteries. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 19965-19973.	7.2	107
166	Hollow porous nanoparticles with Pt skin on a Ag-Pt alloy structure as a highly active electrocatalyst for the oxygen reduction reaction. <i>Journal of Materials Chemistry A</i> , 2016, 4, 8803-8811.	5.2	105
167	Electrochemical Techniques for Intercalation Electrode Materials in Rechargeable Batteries. <i>Accounts of Chemical Research</i> , 2017, 50, 1022-1031.	7.6	105
168	Quaternized poly(methyl methacrylate-co-butyl acrylate-co-vinylbenzyl chloride) membrane for alkaline fuel cells. <i>Journal of Power Sources</i> , 2010, 195, 3765-3771.	4.0	103
169	Spinel LiNi _{0.5} Mn _{1.5} O ₄ Cathode for High-Energy Aqueous Lithium-ion Batteries. <i>Advanced Energy Materials</i> , 2017, 7, 1600922.	10.2	103
170	Solid-State Electrolyte Anchored with a Carboxylated Azo Compound for All-Solid-State Lithium Batteries. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 8567-8571.	7.2	103
171	High-Performance All-Solid-State Na-S Battery Enabled by Casting-Annealing Technology. <i>ACS Nano</i> , 2018, 12, 3360-3368.	7.3	102
172	A chemically stabilized sulfur cathode for lean electrolyte lithium sulfur batteries. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 14712-14720.	3.3	102
173	Water-in-Salt Oligomers Enable Supersoluble Electrolytes for High-Performance Aqueous Batteries. <i>Advanced Materials</i> , 2021, 33, e2007470.	11.1	102
174	A tin-plated copper substrate for efficient cycling of lithium metal in an anode-free rechargeable lithium battery. <i>Electrochimica Acta</i> , 2017, 258, 1201-1207.	2.6	102
175	High-Energy Aqueous Sodium-ion Batteries. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 11943-11948.	7.2	100
176	Self-Healing Chemistry between Organic Material and Binder for Stable Sodium-Ion Batteries. <i>Chem</i> , 2017, 3, 1050-1062.	5.8	99
177	Water-in-Salt electrolyte enabled LiMn ₂ O ₄ /TiS ₂ Lithium-ion batteries. <i>Electrochemistry Communications</i> , 2017, 82, 71-74.	2.3	99
178	Existence of Solid Electrolyte Interphase in Mg Batteries: Mg/S Chemistry as an Example. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 14767-14776.	4.0	99
179	A self-regulated gradient interphase for dendrite-free solid-state Li batteries. <i>Energy and Environmental Science</i> , 2022, 15, 1325-1333.	15.6	98
180	Interfacial Design for a 4.6 V High-Voltage Single-Crystalline LiCoO ₂ Cathode. <i>Advanced Materials</i> , 2022, 34, e2108353.	11.1	98

#	ARTICLE	IF	CITATIONS
181	Batteries: Widening voltage windows. <i>Nature Energy</i> , 2016, 1, .	19.8	97
182	PEDOT Encapsulated FeOF Nanorod Cathodes for High Energy Lithium-Ion Batteries. <i>Nano Letters</i> , 2015, 15, 7650-7656.	4.5	96
183	Structure-Property Relationships of Organic Electrolytes and Their Effects on Li/S Battery Performance. <i>Advanced Materials</i> , 2017, 29, 1700449.	11.1	96
184	Tailoring Surface Acidity of Metal Oxide for Better Polysulfide Entrapment in Li- S Batteries. <i>Advanced Functional Materials</i> , 2016, 26, 7164-7169.	7.8	95
185	P2-type transition metal oxides for high performance Na-ion battery cathodes. <i>Journal of Materials Chemistry A</i> , 2017, 5, 18214-18220.	5.2	93
186	Scalable Synthesis of Defect Abundant Si Nanorods for High-Performance Li-Ion Battery Anodes. <i>ACS Nano</i> , 2015, 9, 6576-6586.	7.3	92
187	Building Self-Healing Alloy Architecture for Stable Sodium-Ion Battery Anodes: A Case Study of Tin Anode Materials. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 7147-7155.	4.0	92
188	Nanostructuring versus microstructuring in battery electrodes. <i>Nature Reviews Materials</i> , 2022, 7, 736-746.	23.3	92
189	Roll-to-roll fabrication of organic nanorod electrodes for sodium ion batteries. <i>Nano Energy</i> , 2015, 13, 537-545.	8.2	91
190	Tuning Anionic Chemistry To Improve Kinetics of Mg Intercalation. <i>Chemistry of Materials</i> , 2019, 31, 3183-3191.	3.2	91
191	Both cationic and anionic redox chemistry in a P2-type sodium layered oxide. <i>Nano Energy</i> , 2020, 69, 104474.	8.2	91
192	Stabilizing high sulfur loading Li- S batteries by chemisorption of polysulfide on three-dimensional current collector. <i>Nano Energy</i> , 2016, 30, 700-708.	8.2	90
193	Formation of LiF-rich Cathode-Electrolyte Interphase by Electrolyte Reduction. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	7.2	90
194	Pomegranate-Structured Conversion-Reaction Cathode with a Built-in Li Source for High-Energy Li-Ion Batteries. <i>ACS Nano</i> , 2016, 10, 5567-5577.	7.3	88
195	A High-Performance Li- B -H Electrolyte for All-Solid-State Li Batteries. <i>Advanced Functional Materials</i> , 2019, 29, 1809219.	7.8	88
196	Novel CV for Phase Transformation Electrodes. <i>Journal of Physical Chemistry C</i> , 2011, 115, 823-832.	1.5	87
197	Low-Temperature Characterization of Lithium-Ion Carbon Anodes via Microperturbation Measurement. <i>Journal of the Electrochemical Society</i> , 2002, 149, A754.	1.3	86
198	A Discharge Model for Phase Transformation Electrodes: Formulation, Experimental Validation, and Analysis. <i>Journal of Physical Chemistry C</i> , 2007, 111, 16656-16663.	1.5	85

#	ARTICLE	IF	CITATIONS
199	Insight into the Capacity Fading Mechanism of Amorphous Se ₂ S ₅ Confined in Micro/Mesoporous Carbon Matrix in Ether-Based Electrolytes. <i>Nano Letters</i> , 2016, 16, 2663-2673.	4.5	83
200	A porous silicon-carbon anode with high overall capacity on carbon fiber current collector. <i>Electrochemistry Communications</i> , 2010, 12, 981-984.	2.3	81
201	Activation of Oxygen-stabilized Sulfur for Li and Na Batteries. <i>Advanced Functional Materials</i> , 2016, 26, 745-752.	7.8	80
202	Interface engineering on cathode side for solid garnet batteries. <i>Chemical Engineering Journal</i> , 2020, 387, 124089.	6.6	80
203	In situ healing of dendrites in a potassium metal battery. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 5588-5594.	3.3	79
204	Discharge Model for LiFePO ₄ Accounting for the Solid Solution Range. <i>Journal of the Electrochemical Society</i> , 2008, 155, A866.	1.3	78
205	Mesoporous carbon/silicon composite anodes with enhanced performance for lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2014, 2, 9751-9757.	5.2	78
206	Self-Regulated Phenomenon of Inorganic Artificial Solid Electrolyte Interphase for Lithium Metal Batteries. <i>Nano Letters</i> , 2020, 20, 4029-4037.	4.5	78
207	Effect of Co content on the kinetic properties of the MnNi ₄ Co _x Al _{0.7} hydride electrodes. <i>Electrochimica Acta</i> , 1999, 44, 3977-3987.	2.6	77
208	Atomic-Layer-Deposition Functionalized Carbonized Mesoporous Wood Fiber for High Sulfur Loading Lithium Sulfur Batteries. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 14801-14807.	4.0	77
209	Grain-boundary-resistance-less Na ₃ SbS ₄ -Se solid electrolytes for all-solid-state sodium batteries. <i>Nano Energy</i> , 2019, 66, 104109.	8.2	77
210	Carbon cage encapsulating nano-cluster Li ₂ S by ionic liquid polymerization and pyrolysis for high performance Li-S batteries. <i>Nano Energy</i> , 2015, 13, 467-473.	8.2	76
211	Sulfur-Embedded FeS ₂ as a High-Performance Cathode for Room Temperature All-Solid-State Lithium-Sulfur Batteries. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 18519-18525.	4.0	76
212	In situ formation of polymer-inorganic solid-electrolyte interphase for stable polymeric solid-state lithium-metal batteries. <i>CheM</i> , 2021, 7, 3052-3068.	5.8	76
213	Water-in-salt-polymer electrolyte for Li-ion batteries. <i>Energy and Environmental Science</i> , 2020, 13, 2878-2887.	15.6	74
214	Kinetic behavior of LiFeMgPO ₄ cathode material for Li-ion batteries. <i>Journal of Power Sources</i> , 2006, 162, 1289-1296.	4.0	73
215	Reverse Microemulsion Synthesis of Sulfur/Graphene Composite for Lithium/Sulfur Batteries. <i>ACS Nano</i> , 2017, 11, 9048-9056.	7.3	73
216	In situ investigation of electrochemical lithium intercalation into graphite powder. <i>Journal of Electroanalytical Chemistry</i> , 2000, 489, 55-67.	1.9	72

#	ARTICLE	IF	CITATIONS
217	Mechanism Study on the Interfacial Stability of a Lithium Garnet-Type Oxide Electrolyte against Cathode Materials. <i>ACS Applied Energy Materials</i> , 2018, 1, 5968-5976.	2.5	72
218	A Covalent Organic Framework for Fast-Charge and Durable Rechargeable Mg Storage. <i>Nano Letters</i> , 2020, 20, 3880-3888.	4.5	72
219	Enabling safe aqueous lithium ion open batteries by suppressing oxygen reduction reaction. <i>Nature Communications</i> , 2020, 11, 2638.	5.8	71
220	Identifying soft breakdown in all-solid-state lithium battery. <i>Joule</i> , 2022, 6, 1770-1781.	11.7	71
221	Construction of 3D Electronic/Ionic Conduction Networks for All-Solid-State Lithium Batteries. <i>Small</i> , 2019, 15, e1905849.	5.2	69
222	Functionalized Phosphonium Cations Enable Zinc Metal Reversibility in Aqueous Electrolytes. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 12438-12445.	7.2	69
223	Interfacial-engineering-enabled practical low-temperature sodium metal battery. <i>Nature Nanotechnology</i> , 2022, 17, 269-277.	15.6	69
224	Architecturing Hierarchical Function Layers on Self-Assembled Viral Templates as 3D Nano-Array Electrodes for Integrated Li-Ion Microbatteries. <i>Nano Letters</i> , 2013, 13, 293-300.	4.5	68
225	Strain accommodation and potential hysteresis of LiFePO ₄ cathodes during lithium ion insertion/extraction. <i>Journal of Power Sources</i> , 2011, 196, 1442-1448.	4.0	67
226	Bio-inspired Nanoscaled Electronic/Ionic Conduction Networks for Room-Temperature All-Solid-State Sodium-Sulfur Battery. <i>Nano Today</i> , 2020, 33, 100860.	6.2	67
227	Kinetic Behavior of Metal Hydride Electrode by Means of AC Impedance. <i>Journal of the Electrochemical Society</i> , 1998, 145, 1801-1812.	1.3	66
228	Realizing Complete Solid-Solution Reaction in High Sodium Content P ₂ -Type Cathode for High-Performance Sodium-Ion Batteries. <i>Angewandte Chemie</i> , 2020, 132, 14619-14624.	1.6	65
229	Optimization of fluorinated orthoformate based electrolytes for practical high-voltage lithium metal batteries. <i>Energy Storage Materials</i> , 2021, 34, 76-84.	9.5	65
230	Nano-structured carbon-coated CuO hollow spheres as stable and high rate anodes for lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2013, 1, 15486.	5.2	64
231	In situ synthesis of SnO ₂ nanoparticles encapsulated in micro/mesoporous carbon foam as a high-performance anode material for lithium ion batteries. <i>Journal of Materials Chemistry A</i> , 2014, 2, 18367-18374.	5.2	64
232	A Rechargeable Al/S Battery with an Ionic-Liquid Electrolyte. <i>Angewandte Chemie</i> , 2016, 128, 10052-10055.	1.6	64
233	In situ lithiated Fe ₃ C nanocomposite as high energy conversion-reaction cathode for lithium-ion batteries. <i>Journal of Power Sources</i> , 2016, 307, 435-442.	4.0	64
234	Architectural design and fabrication approaches for solid-state batteries. <i>MRS Bulletin</i> , 2018, 43, 775-781.	1.7	64

#	ARTICLE	IF	CITATIONS
235	Solid-State Lithium/Selenium-Sulfur Chemistry Enabled via a Robust Solid-Electrolyte Interphase. <i>Advanced Energy Materials</i> , 2019, 9, 1802235.	10.2	63
236	Solvent-Free Composite PEO-Ceramic Fiber/Mat Electrolytes for Lithium Secondary Cells. <i>Journal of the Electrochemical Society</i> , 2005, 152, A205.	1.3	60
237	Self-assembled Ni/TiO ₂ nanocomposite anodes synthesized via electroless plating and atomic layer deposition on biological scaffolds. <i>Chemical Communications</i> , 2010, 46, 7349.	2.2	60
238	Lithium Nitrate Regulated Sulfone Electrolytes for Lithium Metal Batteries. <i>Angewandte Chemie</i> , 2020, 132, 22378-22385.	1.6	60
239	Characterization and Performance of LiFePO ₄ Thin-Film Cathodes Prepared with Radio-Frequency Magnetron-Sputter Deposition. <i>Journal of the Electrochemical Society</i> , 2007, 154, A805.	1.3	59
240	Preventing lithium dendrite-related electrical shorting in rechargeable batteries by coating separator with a Li-killing additive. <i>Journal of Materials Chemistry A</i> , 2018, 6, 10755-10760.	5.2	59
241	High-Energy-Density Rechargeable Mg Battery Enabled by a Displacement Reaction. <i>Nano Letters</i> , 2019, 19, 6665-6672.	4.5	59
242	Integrating Multiredox Centers into One Framework for High-Performance Organic Li-Ion Battery Cathodes. <i>ACS Energy Letters</i> , 2020, 5, 224-231.	8.8	59
243	Reversible S ⁰ /MgS ₂ Redox Chemistry in a MgTFSI ₂ /MgCl ₂ /DME Electrolyte for Rechargeable Mg/S Batteries. <i>Angewandte Chemie</i> , 2017, 129, 13711-13715.	1.6	58
244	Tuning Interface Lithiophobicity for Lithium Metal Solid-State Batteries. <i>ACS Energy Letters</i> , 2022, 7, 131-139.	8.8	56
245	Fuel cell durability enhancement by crosslinking alkaline anion exchange membrane electrolyte. <i>Electrochemistry Communications</i> , 2012, 16, 65-68.	2.3	55
246	Understanding and Calibration of Charge Storage Mechanism in Cyclic Voltammetry Curves. <i>Angewandte Chemie</i> , 2021, 133, 21480-21488.	1.6	55
247	Irreversible capacities of graphite anode for lithium-ion batteries. <i>Journal of Electroanalytical Chemistry</i> , 2002, 519, 9-17.	1.9	53
248	Hoop-Strong Nanotubes for Battery Electrodes. <i>ACS Nano</i> , 2013, 7, 8295-8302.	7.3	52
249	Studies on the electrochemical properties of MnNi _{4.3} xCo _x Al _{0.7} hydride alloy electrodes. <i>Journal of Alloys and Compounds</i> , 1999, 293-295, 648-652.	2.8	51
250	A Universal Organic Cathode for Ultrafast Lithium and Multivalent Metal Batteries. <i>Angewandte Chemie</i> , 2018, 130, 7264-7268.	1.6	51
251	Epitaxial Welding of Carbon Nanotube Networks for Aqueous Battery Current Collectors. <i>ACS Nano</i> , 2018, 12, 5266-5273.	7.3	51
252	An Oxide Ion and Proton Co-Ion Conducting Sn _{0.9} In _{0.1} P ₂ O ₇ Electrolyte for Intermediate-Temperature Fuel Cells. <i>Journal of the Electrochemical Society</i> , 2008, 155, B1264.	1.3	50

#	ARTICLE	IF	CITATIONS
253	Long cycle life of sodium-ion pouch cell achieved by using multiple electrolyte additives. <i>Journal of Power Sources</i> , 2018, 407, 173-179.	4.0	50
254	Quantifying and Suppressing Proton Intercalation to Enable High-Voltage Zn-Ion Batteries. <i>Advanced Energy Materials</i> , 2021, 11, 2102016.	10.2	48
255	Synergistic Gelation of Silica Nanoparticles and a Sorbitol-Based Molecular Gelator to Yield Highly-Conductive Free-Standing Gel Electrolytes. <i>ACS Applied Materials & Interfaces</i> , 2013, 5, 262-267.	4.0	47
256	A lithiation/delithiation mechanism of monodispersed MSn_5 (M = Fe, Co and FeCo) nanospheres. <i>Journal of Materials Chemistry A</i> , 2015, 3, 7170-7178.	5.2	47
257	Enhanced Electrochemical Performance of Ni-Rich Layered Cathode Materials by using $LiPF_6$ as a Cathode Additive. <i>ChemElectroChem</i> , 2019, 6, 1536-1541.	1.7	47
258	Dual-template synthesis of ordered mesoporous carbon/ Fe_2O_3 nanowires: high porosity and structural stability for supercapacitors. <i>Journal of Materials Chemistry A</i> , 2015, 3, 21501-21510.	5.2	46
259	High rate performance of virus enabled 3D n-type Si anodes for lithium-ion batteries. <i>Electrochimica Acta</i> , 2011, 56, 5210-5213.	2.6	45
260	Long Cycle Life All-Solid-State Sodium Ion Battery. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 39645-39650.	4.0	44
261	An in-situ enabled lithium metal battery by plating lithium on a copper current collector. <i>Electrochemistry Communications</i> , 2018, 89, 23-26.	2.3	42
262	Effect of alloys modified by an alkaline solution containing potassium borohydride on the kinetic properties of $MNi_3.7Co_0.6Mn_0.4Al_0.3$ hydride electrode. <i>Electrochimica Acta</i> , 1999, 44, 2263-2269.	2.6	41
263	Highly Reversible Conversion-Type FeOF Composite Electrode with Extended Lithium Insertion by Atomic Layer Deposition LiPON Protection. <i>Chemistry of Materials</i> , 2017, 29, 8780-8791.	3.2	41
264	Efficient Water Splitting System Enabled by Multifunctional Platinum-Free Electrocatalysts. <i>Advanced Functional Materials</i> , 2021, 31, 2009853.	7.8	41
265	Sodium Alginate Binders for Bivalency Aqueous Batteries. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 20681-20688.	4.0	41
266	Highly reversible Zn metal anode enabled by sustainable hydroxyl chemistry. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, .	3.3	41
267	Elucidation of the Jahn-Teller effect in a pair of sodium isomer. <i>Nano Energy</i> , 2020, 77, 105167.	8.2	40
268	Water-in-salt electrolyte Zn/LiFePO ₄ batteries. <i>Journal of Electroanalytical Chemistry</i> , 2020, 867, 114193.	1.9	38
269	Novel Low-Temperature Electrolyte Using Isoxazole as the Main Solvent for Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 24995-25001.	4.0	38
270	Perspective "Electrolyte Design for Aqueous Batteries: From Ultra-High Concentration to Low Concentration". <i>Journal of the Electrochemical Society</i> , 2022, 169, 030530.	1.3	38

#	ARTICLE	IF	CITATIONS
271	3D tin anodes prepared by electrodeposition on a virus scaffold. <i>Journal of Power Sources</i> , 2012, 211, 129-132.	4.0	37
272	Reversible Alloying of Phosphorene with Potassium and Its Stabilization Using Reduced Graphene Oxide Buffer Layers. <i>ACS Nano</i> , 2019, 13, 14094-14106.	7.3	36
273	PVP-induced synergistic engineering of interlayer, self-doping, active surface and vacancies in VS ₄ for enhancing magnesium ions storage and durability. <i>Energy Storage Materials</i> , 2022, 47, 211-222.	9.5	36
274	Water-pillared Sodium Vanadium Bronze Nanowires for Enhanced Rechargeable Magnesium Ion Storage. <i>Small</i> , 2020, 16, e2000741.	5.2	34
275	High-energy and low-cost membrane-free chlorine flow battery. <i>Nature Communications</i> , 2022, 13, 1281.	5.8	34
276	Self-discharge of secondary lithium-ion graphite anodes. <i>Journal of Power Sources</i> , 2002, 112, 98-104.	4.0	33
277	Reversible Redox Chemistry of Azo Compounds for Sodium-ion Batteries. <i>Angewandte Chemie</i> , 2018, 130, 2929-2933.	1.6	33
278	Improvement in electrochemical properties of nano-tin-polyaniline lithium-ion composite anodes by control of electrode microstructure. <i>Journal of Power Sources</i> , 2002, 109, 136-141.	4.0	30
279	Hydrophobic Organic-electrolyte-protected Zinc Anodes for Aqueous Zinc Batteries. <i>Angewandte Chemie</i> , 2020, 132, 19454-19458.	1.6	30
280	Ni (II) Coordination Supramolecular Grids for Aqueous Nickel-zinc Battery Cathodes. <i>Advanced Functional Materials</i> , 2021, 31, 2100443.	7.8	30
281	Understanding LiI-LiBr Catalyst Activity for Solid State Li ₂ S/S Reactions in an All-Solid-State Lithium Battery. <i>Nano Letters</i> , 2021, 21, 8488-8494.	4.5	30
282	F and N Rich Solid Electrolyte for Stable All-solid-state Battery. <i>Advanced Functional Materials</i> , 2022, 32, .	7.8	30
283	Solid-state Electrolyte Anchored with a Carboxylated Azo Compound for All-solid-state Lithium Batteries. <i>Angewandte Chemie</i> , 2018, 130, 8703-8707.	1.6	29
284	An Inorganic-rich Solid Electrolyte Interphase for Advanced Lithium-metal Batteries in Carbonate Electrolytes. <i>Angewandte Chemie</i> , 2021, 133, 3705-3715.	1.6	29
285	Elemental Sulfur as a Cathode Additive for Enhanced Rate Capability of Layered Lithium Transition Metal Oxides. <i>Journal of the Electrochemical Society</i> , 2019, 166, A487-A492.	1.3	28
286	The origin of the two-plateaued or one-plateaued open circuit voltage in Li-S batteries. <i>Nano Energy</i> , 2020, 75, 104915.	8.2	28
287	Electrochemical study of the SnO ₂ lithium-insertion anode using microperturbation techniques. <i>Solid State Ionics</i> , 2002, 147, 13-22.	1.3	27
288	The self-discharge mechanism of AB ₅ AB ₅ -type hydride electrodes in Ni/MH batteries. <i>International Journal of Hydrogen Energy</i> , 2006, 31, 603-611.	3.8	27

#	ARTICLE	IF	CITATIONS
289	Tunable High-Molecular-Weight Anion-Exchange Membranes for Alkaline Fuel Cells. <i>Macromolecular Chemistry and Physics</i> , 2011, 212, 2094-2102.	1.1	27
290	Compositions and Formation Mechanisms of Solid-Electrolyte Interphase on Microporous Carbon/Sulfur Cathodes. <i>Chemistry of Materials</i> , 2020, 32, 3765-3775.	3.2	27
291	Colloidal spray pyrolysis: A new fabrication technology for nanostructured energy storage materials. <i>Energy Storage Materials</i> , 2018, 13, 8-18.	9.5	25
292	A lithium-sulfur battery with a solution-mediated pathway operating under lean electrolyte conditions. <i>Nano Energy</i> , 2020, 76, 105041.	8.2	25
293	Antifreezing Zwitterionic-Based Hydrogel Electrolyte for Aqueous Zn Ion Batteries. <i>ACS Applied Energy Materials</i> , 2022, 5, 7530-7537.	2.5	24
294	An Acrylate-Polymer-Based Electrolyte Membrane for Alkaline Fuel Cell Applications. <i>ChemSusChem</i> , 2011, 4, 1557-1560.	3.6	23
295	Electrochemical compressor driven metal hydride heat pump. <i>International Journal of Refrigeration</i> , 2015, 60, 278-288.	1.8	23
296	The Role of Electron Localization in Covalency and Electrochemical Properties of Lithium-Ion Battery Cathode Materials. <i>Advanced Functional Materials</i> , 2021, 31, 2001633.	7.8	21
297	High-Efficiency Zinc-Metal Anode Enabled by Liquefied Gas Electrolytes. <i>ACS Energy Letters</i> , 2021, 6, 4426-4430.	8.8	21
298	High-Peak-Power Polymer Electrolyte Membrane Fuel Cells. <i>Journal of the Electrochemical Society</i> , 2003, 150, A493.	1.3	20
299	Gel electrolyte for a 4V flexible aqueous lithium-ion battery. <i>Journal of Power Sources</i> , 2020, 469, 228378.	4.0	20
300	Intrinsic borohydride fuel cell/battery hybrid power sources. <i>Journal of Power Sources</i> , 2006, 161, 753-760.	4.0	19
301	A Pyrazine-Based Polymer for Fast-Charge Batteries. <i>Angewandte Chemie</i> , 2019, 131, 17984-17990.	1.6	19
302	Determination of reaction resistances for metal-hydride electrodes during anodic polarization. <i>Journal of Power Sources</i> , 2000, 85, 212-223.	4.0	17
303	How Water Accelerates Bivalent Ion Diffusion at the Electrolyte/Electrode Interface. <i>Angewandte Chemie</i> , 2018, 130, 12154-12157.	1.6	17
304	Design of a Solid Electrolyte Interphase for Aqueous Zn Batteries. <i>Angewandte Chemie</i> , 2021, 133, 13145-13151.	1.6	16
305	Formation of LiF-rich Cathode-Electrolyte Interphase by Electrolyte Reduction. <i>Angewandte Chemie</i> , 2022, 134, .	1.6	16
306	In situ synthesis of cadmium germanates (Cd ₂ Ge ₂ O ₆)/reduced graphene oxide nanocomposites as novel high capacity anode materials for advanced lithium-ion batteries. <i>Materials Letters</i> , 2014, 122, 327-330.	1.3	15

#	ARTICLE	IF	CITATIONS
307	Suppression of hydrogen evolution at catalytic surfaces in aqueous lithium ion batteries. <i>Journal of Materials Chemistry A</i> , 2020, 8, 14921-14926.	5.2	15
308	Isotope Effect between H ₂ O and D ₂ O in Hydrothermal Synthesis. <i>Chemistry of Materials</i> , 2020, 32, 769-775.	3.2	15
309	Experimental study on electrochemical compression of ammonia and carbon dioxide for vapor compression refrigeration system. <i>International Journal of Refrigeration</i> , 2019, 104, 180-188.	1.8	14
310	Revealing Reaction Pathways of Collective Substituted Iron Fluoride Electrode for Lithium Ion Batteries. <i>ACS Nano</i> , 2020, 14, 10276-10283.	7.3	14
311	Operando probing ion and electron transport in porous electrodes. <i>Nano Energy</i> , 2020, 67, 104254.	8.2	13
312	High-Energy Aqueous Sodium-Ion Batteries. <i>Angewandte Chemie</i> , 2021, 133, 12050-12055.	1.6	13
313	Hydrogen storage properties of M ₁ Ca Ni ₅ pseudobinary intermetallic compounds. <i>Journal of Alloys and Compounds</i> , 1996, 232, 192-196.	2.8	12
314	Influence of amorphization on electrode performances of AB ₂ type hydrogen storage alloys. <i>Journal of Alloys and Compounds</i> , 1998, 265, 264-268.	2.8	12
315	In Situ Ionic/Electric Conductivity Measurement of La _{0.55} Li _{0.35} TiO ₃ Ceramic at Different Li Insertion Levels. <i>Journal of the Electrochemical Society</i> , 2004, 151, A1196.	1.3	12
316	Electrochemical ammonia compression. <i>Chemical Communications</i> , 2017, 53, 5637-5640.	2.2	12
317	Hybrid Aqueous/Non-aqueous Electrolyte for Safe and High-Energy Li-Ion Batteries. <i>Joule</i> , 2018, 2, 2178.	11.7	12
318	Rational Designed Mixed-Conductive Sulfur Cathodes for All-Solid-State Lithium Batteries. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 36066-36071.	4.0	12
319	Carbon-Nanotube-Encapsulated-Sulfur Cathodes for Lithium-Sulfur Batteries: Integrated Computational Design and Experimental Validation. <i>Nano Letters</i> , 2022, 22, 441-447.	4.5	12
320	Virus-Assembled Flexible Electrode-Electrolyte Interfaces for Enhanced Polymer-Based Battery Applications. <i>Journal of Nanomaterials</i> , 2012, 2012, 1-6.	1.5	11
321	Copolymerization of methyl methacrylate and vinylbenzyl chloride towards alkaline anion exchange membrane for fuel cell applications. <i>Journal of Membrane Science</i> , 2012, 423-424, 209-214.	4.1	11
322	Sodium-Ion Batteries: An Advanced MoS ₂ /Carbon Anode for High-Performance Sodium-Ion Batteries (<i>Small</i> 4/2015). <i>Small</i> , 2015, 11, 472-472.	5.2	11
323	Functionalized Phosphonium Cations Enable Zinc Metal Reversibility in Aqueous Electrolytes. <i>Angewandte Chemie</i> , 2021, 133, 12546-12553.	1.6	11
324	Highly Reversible Aqueous Zinc Batteries enabled by Zincophilic-Zincophobic Interfacial Layers and Interrupted Hydrogen-Bond Electrolytes. <i>Angewandte Chemie</i> , 2021, 133, 18993-18999.	1.6	11

#	ARTICLE	IF	CITATIONS
325	Improvement in the cycle life of LaB5 metal hydride electrodes by addition of ZnO to alkaline electrolyte. <i>Electrochimica Acta</i> , 2002, 47, 1069-1078.	2.6	10
326	Improving low-temperature performance of Li-alloy anodes by optimization of the electrolyte-electrode interface. <i>Journal of Power Sources</i> , 2003, 114, 121-126.	4.0	10
327	Criteria for Reliable Electrochemical Impedance Measurements on Li-Ion Battery Anodes. <i>Journal of the Electrochemical Society</i> , 2003, 150, A143.	1.3	10
328	Alkaline Fuel Cell with Intrinsic Energy Storage. <i>Journal of the Electrochemical Society</i> , 2004, 151, A260.	1.3	10
329	Cut-and-stack nanofiber paper toward fast transient energy storage. <i>Inorganic Chemistry Frontiers</i> , 2016, 3, 681-688.	3.0	10
330	Ammonium enables reversible aqueous Zn battery chemistries by tailoring the interphase. <i>One Earth</i> , 2022, 5, 413-421.	3.6	10
331	Characterization of Metal Hydride Electrodes via Microperturbation and In Situ Intrinsic Resistance Measurement. <i>Journal of the Electrochemical Society</i> , 2000, 147, 4432.	1.3	9
332	Comparison of the Electrochemical Impedance Spectroscopy Characteristics of Insertion Electrode Materials Used in Secondary Metal Hydride and Lithium-Ion Electrodes. <i>Journal of the Electrochemical Society</i> , 2001, 148, A762.	1.3	9
333	Efficient and stable cycling of lithium metal enabled by a conductive carbon primer layer. <i>Sustainable Energy and Fuels</i> , 2018, 2, 163-168.	2.5	9
334	Electrochemical performance of patterned LiFePO4 nano-electrode with a pristine amorphous layer. <i>Applied Physics Letters</i> , 2014, 104, .	1.5	8
335	Enhanced Pulse Power Polymer Electrolyte Membrane Fuel Cell Using Internal Hybrid Catalyst Layer Electrodes. <i>Journal of the Electrochemical Society</i> , 2006, 153, A1795.	1.3	7
336	Water Domain Enabled Transport in Polymer Electrolytes for Lithium-Ion Batteries. <i>Macromolecules</i> , 2021, 54, 2882-2891.	2.2	6
337	Localized Water-in-Salt Electrolyte for Aqueous Lithium-Ion Batteries. <i>Angewandte Chemie</i> , 2021, 133, 20118-20126.	1.6	6
338	Elastic Modulus Measurements on Large Diameter Nanowires Using a Nano-Assembled Platform. <i>Journal of Nanotechnology in Engineering and Medicine</i> , 2014, 5, .	0.8	5
339	Influence of concentration of KOH solution containing 0.02 M borohydride on the kinetic properties of hydrogen storage alloys. <i>Journal of Alloys and Compounds</i> , 1999, 293-295, 680-683.	2.8	4
340	Nafion-Bimevox Composite Membrane for Fuel Cell Applications. <i>Journal of the Electrochemical Society</i> , 2007, 154, B48.	1.3	3
341	Quality monitoring for resistance spot welding using dynamic signals. , 2009, , .		3
342	Nanostructured Metal Oxides for Li-Ion Batteries. <i>Springer Series in Materials Science</i> , 2012, , 337-363.	0.4	2

#	ARTICLE	IF	CITATIONS
343	In-Situ Analytical Transmission Electron Microscopy Study of Electrochemical Lithiation of a Sulfur - Carbon Nanotube Composite Cathode. <i>Microscopy and Microanalysis</i> , 2015, 21, 1513-1514.	0.2	1
344	Bi-layer carbon design for microparticulate silicon anodes. <i>National Science Review</i> , 2021, 8, nwab057.	4.6	1
345	Interface Lithiophobicity Regulation for Lithium Metal Solid-State Batteries. <i>ECS Meeting Abstracts</i> , 2022, MA2022-01, 87-87.	0.0	1
346	Multimodal Analysis of Reaction Pathways of Cathode Materials for Lithium Ion Batteries. <i>Microscopy and Microanalysis</i> , 2020, 26, 906-908.	0.2	0
347	High Energy and Low-Cost Membrane-Free Chlorine Flow Battery. <i>ECS Meeting Abstracts</i> , 2022, MA2022-01, 488-488.	0.0	0
348	Fast Interfacial Kinetics for Multivalent Metal Batteries Enabled By Solvation Sheath Reorganization. <i>ECS Meeting Abstracts</i> , 2022, MA2022-01, 123-123.	0.0	0