

# Chunsheng Wang

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/6523753/chunsheng-wang-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

336  
papers

40,785  
citations

106  
h-index

193  
g-index

358  
ext. papers

50,960  
ext. citations

15.4  
avg, IF

8  
L-index

#	Paper	IF	Citations
336	High-energy and low-cost membrane-free chlorine flow battery.. <i>Nature Communications</i> , <b>2022</b> , 13, 1281-1287	17.4	1
335	Perspective Electrolyte Design for Aqueous Batteries: From Ultra-High Concentration to Low Concentration?. <i>Journal of the Electrochemical Society</i> , <b>2022</b> , 169, 030530	3.9	5
334	Tuning Interface Lithiophobicity for Lithium Metal Solid-State Batteries. <i>ACS Energy Letters</i> , <b>2022</b> , 7, 131-139	20.1	14
333	Ammonium enables reversible aqueous Zn battery chemistries by tailoring the interphase. <i>One Earth</i> , <b>2022</b> , 5, 413-421	8.1	2
332	Interfacial Design for 4.6V High-Voltage Single-Crystalline LiCoO Cathode. <i>Advanced Materials</i> , <b>2021</b> , e2108353	24	19
331	Critical review on low-temperature Li-ion/metal batteries. <i>Advanced Materials</i> , <b>2021</b> , e2107899	24	37
330	Copper-coordinated cellulose ion conductors for solid-state batteries. <i>Nature</i> , <b>2021</b> , 598, 590-596	50.4	49
329	Understanding LiI-LiBr Catalyst Activity for Solid State Li/S Reactions in an All-Solid-State Lithium Battery. <i>Nano Letters</i> , <b>2021</b> , 21, 8488-8494	11.5	6
328	Solvation sheath reorganization enables divalent metal batteries with fast interfacial charge transfer kinetics. <i>Science</i> , <b>2021</b> , 374, 172-178	33.3	43
327	Quantifying and Suppressing Proton Intercalation to Enable High-Voltage Zn-Ion Batteries. <i>Advanced Energy Materials</i> , <b>2021</b> , 11, 2102016	21.8	8
326	Efficient Water Splitting System Enabled by Multifunctional Platinum-Free Electrocatalysts. <i>Advanced Functional Materials</i> , <b>2021</b> , 31, 2009853	15.6	14
325	Ni (II) Coordination Supramolecular Grids for Aqueous Nickel-Zinc Battery Cathodes. <i>Advanced Functional Materials</i> , <b>2021</b> , 31, 2100443	15.6	7
324	Water Domain Enabled Transport in Polymer Electrolytes for Lithium-Ion Batteries. <i>Macromolecules</i> , <b>2021</b> , 54, 2882-2891	5.5	2
323	Functionalized Phosphonium Cations Enable Zinc Metal Reversibility in Aqueous Electrolytes. <i>Angewandte Chemie - International Edition</i> , <b>2021</b> , 60, 12438-12445	16.4	23
322	Lithium Metal Batteries Enabled by Synergetic Additives in Commercial Carbonate Electrolytes. <i>ACS Energy Letters</i> , <b>2021</b> , 6, 1839-1848	20.1	53
321	High-Energy Aqueous Sodium-Ion Batteries. <i>Angewandte Chemie - International Edition</i> , <b>2021</b> , 60, 11943-11948	16.48	24
320	High-Energy Aqueous Sodium-Ion Batteries. <i>Angewandte Chemie</i> , <b>2021</b> , 133, 12050-12055	3.6	2

319	Functionalized Phosphonium Cations Enable Zinc Metal Reversibility in Aqueous Electrolytes. <i>Angewandte Chemie</i> , <b>2021</b> , 133, 12546-12553	3.6	1
318	Sodium Alginate Binders for Bivalency Aqueous Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2021</b> , 13, 20681-20688	9.5	11
317	Bi-layer carbon design for microparticulate silicon anodes. <i>National Science Review</i> , <b>2021</b> , 8, nwab057	10.8	0
316	Electrolyte/Electrode Interfaces in All-Solid-State Lithium Batteries: A Review. <i>Electrochemical Energy Reviews</i> , <b>2021</b> , 4, 169-193	29.3	26
315	Design of a Solid Electrolyte Interphase for Aqueous Zn Batteries. <i>Angewandte Chemie</i> , <b>2021</b> , 133, 13145-13151	5.6	15
314	Design of a Solid Electrolyte Interphase for Aqueous Zn Batteries. <i>Angewandte Chemie - International Edition</i> , <b>2021</b> , 60, 13035-13041	16.4	66
313	Novel Low-Temperature Electrolyte Using Isoxazole as the Main Solvent for Lithium-Ion Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2021</b> , 13, 24995-25001	9.5	11
312	A universal strategy towards high-energy aqueous multivalent-ion batteries. <i>Nature Communications</i> , <b>2021</b> , 12, 2857	17.4	29
311	Local electronic structure variation resulting in Li 'filament' formation within solid electrolytes. <i>Nature Materials</i> , <b>2021</b> , 20, 1485-1490	27	54
310	Fluorinated interphase enables reversible aqueous zinc battery chemistries. <i>Nature Nanotechnology</i> , <b>2021</b> , 16, 902-910	28.7	133
309	Highly Reversible Aqueous Zinc Batteries enabled by Zincophilic-Zincophobic Interfacial Layers and Interrupted Hydrogen-Bond Electrolytes. <i>Angewandte Chemie - International Edition</i> , <b>2021</b> , 60, 18845-18851	16.4	37
308	Localized Water-In-Salt Electrolyte for Aqueous Lithium-Ion Batteries. <i>Angewandte Chemie</i> , <b>2021</b> , 133, 20118-20126	3.6	0
307	Highly Reversible Aqueous Zinc Batteries enabled by Zincophilic-Zincophobic Interfacial Layers and Interrupted Hydrogen-Bond Electrolytes. <i>Angewandte Chemie</i> , <b>2021</b> , 133, 18993-18999	3.6	3
306	The Role of Electron Localization in Covalency and Electrochemical Properties of Lithium-Ion Battery Cathode Materials. <i>Advanced Functional Materials</i> , <b>2021</b> , 31, 2001633	15.6	9
305	An Inorganic-Rich Solid Electrolyte Interphase for Advanced Lithium-Metal Batteries in Carbonate Electrolytes. <i>Angewandte Chemie - International Edition</i> , <b>2021</b> , 60, 3661-3671	16.4	103
304	Optimization of fluorinated orthoformate based electrolytes for practical high-voltage lithium metal batteries. <i>Energy Storage Materials</i> , <b>2021</b> , 34, 76-84	19.4	23
303	An Inorganic-Rich Solid Electrolyte Interphase for Advanced Lithium-Metal Batteries in Carbonate Electrolytes. <i>Angewandte Chemie</i> , <b>2021</b> , 133, 3705-3715	3.6	17
302	Lithium/Sulfide All-Solid-State Batteries using Sulfide Electrolytes. <i>Advanced Materials</i> , <b>2021</b> , 33, e2000751	7.4	105

301	High-voltage liquid electrolytes for Li batteries: progress and perspectives. <i>Chemical Society Reviews</i> , <b>2021</b> , 50, 10486-10566	58.5	77
300	Electrolytes and Interphases in Potassium Ion Batteries. <i>Advanced Materials</i> , <b>2021</b> , 33, e2003741	24	63
299	Identification of LiH and nanocrystalline LiF in the solid-electrolyte interphase of lithium metal anodes. <i>Nature Nanotechnology</i> , <b>2021</b> , 16, 549-554	28.7	64
298	A rechargeable zinc-air battery based on zinc peroxide chemistry. <i>Science</i> , <b>2021</b> , 371, 46-51	33.3	185
297	Bifunctional Interphase-Enabled Li <sub>10</sub> GeP <sub>2</sub> S <sub>12</sub> Electrolytes for Lithium Sulfur Battery. <i>ACS Energy Letters</i> , <b>2021</b> , 6, 862-868	20.1	29
296	Water-Salt Oligomers Enable Supersoluble Electrolytes for High-Performance Aqueous Batteries. <i>Advanced Materials</i> , <b>2021</b> , 33, e2007470	24	25
295	In situ formation of polymer-inorganic solid-electrolyte interphase for stable polymeric solid-state lithium-metal batteries. <i>Chem</i> , <b>2021</b> ,	16.2	16
294	Localized Water-In-Salt Electrolyte for Aqueous Lithium-Ion Batteries. <i>Angewandte Chemie - International Edition</i> , <b>2021</b> , 60, 19965-19973	16.4	16
293	Understanding and Calibration of Charge Storage Mechanism in Cyclic Voltammetry Curves. <i>Angewandte Chemie - International Edition</i> , <b>2021</b> , 60, 21310-21318	16.4	55
292	Understanding and Calibration of Charge Storage Mechanism in Cyclic Voltammetry Curves. <i>Angewandte Chemie</i> , <b>2021</b> , 133, 21480-21488	3.6	13
291	Interfacial-engineering-enabled practical low-temperature sodium metal battery.. <i>Nature Nanotechnology</i> , <b>2021</b> ,	28.7	9
290	Solvation Structure Design for Aqueous Zn Metal Batteries. <i>Journal of the American Chemical Society</i> , <b>2020</b> , 142, 21404-21409	16.4	215
289	Tuning the Anode-Electrolyte Interface Chemistry for Garnet-Based Solid-State Li Metal Batteries. <i>Advanced Materials</i> , <b>2020</b> , 32, e2000030	24	81
288	Enabling safe aqueous lithium ion open batteries by suppressing oxygen reduction reaction. <i>Nature Communications</i> , <b>2020</b> , 11, 2638	17.4	37
287	Water-Pillared Sodium Vanadium Bronze Nanowires for Enhanced Rechargeable Magnesium Ion Storage. <i>Small</i> , <b>2020</b> , 16, e2000741	11	17
286	Designing Dendrite-Free Zinc Anodes for Advanced Aqueous Zinc Batteries. <i>Advanced Functional Materials</i> , <b>2020</b> , 30, 2001263	15.6	269
285	Realizing Complete Solid-Solution Reaction in High Sodium Content P2-Type Cathode for High-Performance Sodium-Ion Batteries. <i>Angewandte Chemie - International Edition</i> , <b>2020</b> , 59, 14511-14516	16.4	55
284	A chemically stabilized sulfur cathode for lean electrolyte lithium sulfur batteries. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2020</b> , 117, 14712-14720	11.5	49

283	Realizing Complete Solid-Solution Reaction in High Sodium Content P2-Type Cathode for High-Performance Sodium-Ion Batteries. <i>Angewandte Chemie</i> , <b>2020</b> , 132, 14619-14624	3.6	28
282	Gel electrolyte for a 4V flexible aqueous lithium-ion battery. <i>Journal of Power Sources</i> , <b>2020</b> , 469, 228378.9	8.9	11
281	Critical Factors Dictating Reversibility of the Zinc Metal Anode. <i>Energy and Environmental Materials</i> , <b>2020</b> , 3, 516-521	13	46
280	Sulfur-Embedded FeS as a High-Performance Cathode for Room Temperature All-Solid-State Lithium-Sulfur Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2020</b> , 12, 18519-18525	9.5	30
279	Compositions and Formation Mechanisms of Solid-Electrolyte Interphase on Microporous Carbon/Sulfur Cathodes. <i>Chemistry of Materials</i> , <b>2020</b> , 32, 3765-3775	9.6	17
278	Revealing Reaction Pathways of Collective Substituted Iron Fluoride Electrode for Lithium Ion Batteries. <i>ACS Nano</i> , <b>2020</b> , 14, 10276-10283	16.7	4
277	Suppression of hydrogen evolution at catalytic surfaces in aqueous lithium ion batteries. <i>Journal of Materials Chemistry A</i> , <b>2020</b> , 8, 14921-14926	13	9
276	Hydrophobic Organic-Electrolyte-Protected Zinc Anodes for Aqueous Zinc Batteries. <i>Angewandte Chemie</i> , <b>2020</b> , 132, 19454-19458	3.6	13
275	A lithium-sulfur battery with a solution-mediated pathway operating under lean electrolyte conditions. <i>Nano Energy</i> , <b>2020</b> , 76, 105041	17.1	14
274	Hydrophobic Organic-Electrolyte-Protected Zinc Anodes for Aqueous Zinc Batteries. <i>Angewandte Chemie - International Edition</i> , <b>2020</b> , 59, 19292-19296	16.4	120
273	A 63 m Superconcentrated Aqueous Electrolyte for High-Energy Li-Ion Batteries. <i>ACS Energy Letters</i> , <b>2020</b> , 5, 968-974	20.1	106
272	In situ healing of dendrites in a potassium metal battery. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2020</b> , 117, 5588-5594	11.5	45
271	A Highly Reversible, Dendrite-Free Lithium Metal Anode Enabled by a Lithium-Fluoride-Enriched Interphase. <i>Advanced Materials</i> , <b>2020</b> , 32, e1906427	24	87
270	Interface engineering on cathode side for solid garnet batteries. <i>Chemical Engineering Journal</i> , <b>2020</b> , 387, 124089	14.7	49
269	Uncharted Waters: Super-Concentrated Electrolytes. <i>Joule</i> , <b>2020</b> , 4, 69-100	27.8	153
268	Isotope Effect between H <sub>2</sub> O and D <sub>2</sub> O in Hydrothermal Synthesis. <i>Chemistry of Materials</i> , <b>2020</b> , 32, 769-775	7.5	9
267	Countersolvent Electrolytes for Lithium-Metal Batteries. <i>Advanced Energy Materials</i> , <b>2020</b> , 10, 1903568	21.8	102
266	Self-Regulated Phenomenon of Inorganic Artificial Solid Electrolyte Interphase for Lithium Metal Batteries. <i>Nano Letters</i> , <b>2020</b> , 20, 4029-4037	11.5	47

- 265 Water-in-salt electrolyte Zn/LiFePO<sub>4</sub> batteries. *Journal of Electroanalytical Chemistry*, **2020**, 867, 114193-114194. 21
- 264 Electrolyte design for Li metal-free Li batteries. *Materials Today*, **2020**, 39, 118-126 21.8 64
- 263 Electrolyte design for LiF-rich solid electrolyte interfaces to enable high-performance micro-sized alloy anodes for batteries. *Nature Energy*, **2020**, 5, 386-397 62.3 250
- 262 Bio-inspired Nanoscaled Electronic/Ionic Conduction Networks for Room-Temperature All-Solid-State Sodium-Sulfur Battery. *Nano Today*, **2020**, 33, 100860 17.9 31
- 261 A Covalent Organic Framework for Fast-Charge and Durable Rechargeable Mg Storage. *Nano Letters*, **2020**, 20, 3880-3888 11.5 37
- 260 Structure and Interface Design Enable Stable Li-Rich Cathode. *Journal of the American Chemical Society*, **2020**, 142, 8918-8927 16.4 72
- 259 The origin of the two-plateaued or one-plateaued open circuit voltage in Li<sub>2</sub>S batteries. *Nano Energy*, **2020**, 75, 104915 17.1 10
- 258 New Concepts in Electrolytes. *Chemical Reviews*, **2020**, 120, 6783-6819 68.1 267
- 257 Operando probing ion and electron transport in porous electrodes. *Nano Energy*, **2020**, 67, 104254 17.1 8
- 256 High Interfacial-Energy Interphase Promoting Safe Lithium Metal Batteries. *Journal of the American Chemical Society*, **2020**, 142, 2438-2447 16.4 93
- 255 Both cationic and anionic redox chemistry in a P2-type sodium layered oxide. *Nano Energy*, **2020**, 69, 104474 17.1 44
- 254 Integrating Multiredox Centers into One Framework for High-Performance Organic Li-Ion Battery Cathodes. *ACS Energy Letters*, **2020**, 5, 224-231 20.1 27
- 253 Solid-State Electrolyte Design for Lithium Dendrite Suppression. *Advanced Materials*, **2020**, 32, e2002741-20027414 14 82
- 252 Revitalising sodium-sulfur batteries for non-high-temperature operation: a crucial review. *Energy and Environmental Science*, **2020**, 13, 3848-3879 35.4 70
- 251 Ultrastable All-Solid-State Sodium Rechargeable Batteries. *ACS Energy Letters*, **2020**, 5, 2835-2841 20.1 53
- 250 Rational Designed Mixed-Conductive Sulfur Cathodes for All-Solid-State Lithium Batteries. *ACS Applied Materials & Interfaces*, **2020**, 12, 36066-36071 9.5 4
- 249 Water-in-salt polymer electrolyte for Li-ion batteries. *Energy and Environmental Science*, **2020**, 13, 2878-2887 29.4 29
- 248 Elucidation of the Jahn-Teller effect in a pair of sodium isomer. *Nano Energy*, **2020**, 77, 105167 17.1 12

247	Realizing high zinc reversibility in rechargeable batteries. <i>Nature Energy</i> , <b>2020</b> , 5, 743-749	62.3	259
246	Multimodal Analysis of Reaction Pathways of Cathode Materials for Lithium Ion Batteries. <i>Microscopy and Microanalysis</i> , <b>2020</b> , 26, 906-908	0.5	
245	Lithium Nitrate Regulated Sulfone Electrolytes for Lithium Metal Batteries. <i>Angewandte Chemie - International Edition</i> , <b>2020</b> , 59, 22194-22201	16.4	88
244	Lithium Nitrate Regulated Sulfone Electrolytes for Lithium Metal Batteries. <i>Angewandte Chemie</i> , <b>2020</b> , 132, 22378-22385	3.6	33
243	Grain-boundary-resistance-less Na <sub>3</sub> SbS <sub>4</sub> -xSex solid electrolytes for all-solid-state sodium batteries. <i>Nano Energy</i> , <b>2019</b> , 66, 104109	17.1	32
242	Extremely stable antimony-carbon composite anodes for potassium-ion batteries. <i>Energy and Environmental Science</i> , <b>2019</b> , 12, 615-623	35.4	268
241	Aqueous Li-ion battery enabled by halogen conversion-intercalation chemistry in graphite. <i>Nature</i> , <b>2019</b> , 569, 245-250	50.4	378
240	Experimental study on electrochemical compression of ammonia and carbon dioxide for vapor compression refrigeration system. <i>International Journal of Refrigeration</i> , <b>2019</b> , 104, 180-188	3.8	9
239	Tuning Anionic Chemistry To Improve Kinetics of Mg Intercalation. <i>Chemistry of Materials</i> , <b>2019</b> , 31, 3183-3191	31.91	57
238	Achieving High Energy Density through Increasing the Output Voltage: A Highly Reversible 5.3V Battery. <i>Chem</i> , <b>2019</b> , 5, 896-912	16.2	86
237	Cathode-Supported All-Solid-State Lithium-Sulfur Batteries with High Cell-Level Energy Density. <i>ACS Energy Letters</i> , <b>2019</b> , 4, 1073-1079	20.1	86
236	A High-Performance LiBH <sub>4</sub> Electrolyte for All-Solid-State Li Batteries. <i>Advanced Functional Materials</i> , <b>2019</b> , 29, 1809219	15.6	56
235	Identifying the components of the solid-electrolyte interphase in Li-ion batteries. <i>Nature Chemistry</i> , <b>2019</b> , 11, 789-796	17.6	181
234	High-Energy-Density Rechargeable Mg Battery Enabled by a Displacement Reaction. <i>Nano Letters</i> , <b>2019</b> , 19, 6665-6672	11.5	44
233	A Pyrazine-Based Polymer for Fast-Charge Batteries. <i>Angewandte Chemie - International Edition</i> , <b>2019</b> , 58, 17820-17826	16.4	82
232	Designing In-Situ-Formed Interphases Enables Highly Reversible Cobalt-Free LiNiO <sub>2</sub> Cathode for Li-ion and Li-metal Batteries. <i>Joule</i> , <b>2019</b> , 3, 2550-2564	27.8	76
231	A Pyrazine-Based Polymer for Fast-Charge Batteries. <i>Angewandte Chemie</i> , <b>2019</b> , 131, 17984-17990	3.6	9
230	Reversible Alloying of Phosphorene with Potassium and Its Stabilization Using Reduced Graphene Oxide Buffer Layers. <i>ACS Nano</i> , <b>2019</b> , 13, 14094-14106	16.7	21

229	Construction of 3D Electronic/Ionic Conduction Networks for All-Solid-State Lithium Batteries. <i>Small</i> , <b>2019</b> , 15, e1905849	11	26
228	High-Fluorinated Electrolytes for LiS Batteries. <i>Advanced Energy Materials</i> , <b>2019</b> , 9, 1803774	21.8	144
227	Enhanced Electrochemical Performance of Ni-Rich Layered Cathode Materials by using LiPF <sub>6</sub> as a Cathode Additive. <i>ChemElectroChem</i> , <b>2019</b> , 6, 1536-1541	4.3	35
226	Elemental Sulfur as a Cathode Additive for Enhanced Rate Capability of Layered Lithium Transition Metal Oxides. <i>Journal of the Electrochemical Society</i> , <b>2019</b> , 166, A487-A492	3.9	18
225	All-temperature batteries enabled by fluorinated electrolytes with non-polar solvents. <i>Nature Energy</i> , <b>2019</b> , 4, 882-890	62.3	267
224	Perspective Fluorinating Interphases. <i>Journal of the Electrochemical Society</i> , <b>2019</b> , 166, A5184-A5186	3.9	78
223	An Organic Anode for High Temperature Potassium-Ion Batteries. <i>Advanced Energy Materials</i> , <b>2019</b> , 9, 1802986	21.8	98
222	Solid-State Lithium/Selenium Sulfur Chemistry Enabled via a Robust Solid-Electrolyte Interphase. <i>Advanced Energy Materials</i> , <b>2019</b> , 9, 1802235	21.8	42
221	High-Energy Li Metal Battery with Lithiated Host. <i>Joule</i> , <b>2019</b> , 3, 732-744	27.8	95
220	High electronic conductivity as the origin of lithium dendrite formation within solid electrolytes. <i>Nature Energy</i> , <b>2019</b> , 4, 187-196	62.3	653
219	Antimony Nanorod Encapsulated in Cross-Linked Carbon for High-Performance Sodium Ion Battery Anodes. <i>Nano Letters</i> , <b>2019</b> , 19, 538-544	11.5	81
218	Interphase Engineering Enabled All-Ceramic Lithium Battery. <i>Joule</i> , <b>2018</b> , 2, 497-508	27.8	272
217	Azo Compounds Derived from Electrochemical Reduction of Nitro Compounds for High Performance Li-Ion Batteries. <i>Advanced Materials</i> , <b>2018</b> , 30, e1706498	24	82
216	Highly reversible zinc metal anode for aqueous batteries. <i>Nature Materials</i> , <b>2018</b> , 17, 543-549	27	1128
215	Existence of Solid Electrolyte Interphase in Mg Batteries: Mg/S Chemistry as an Example. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2018</b> , 10, 14767-14776	9.5	64
214	An in-situ enabled lithium metal battery by plating lithium on a copper current collector. <i>Electrochemistry Communications</i> , <b>2018</b> , 89, 23-26	5.1	28
213	Reversible Redox Chemistry of Azo Compounds for Sodium-Ion Batteries. <i>Angewandte Chemie - International Edition</i> , <b>2018</b> , 57, 2879-2883	16.4	106
212	Reversible Redox Chemistry of Azo Compounds for Sodium-Ion Batteries. <i>Angewandte Chemie</i> , <b>2018</b> , 130, 2929-2933	3.6	25

211	Azo compounds as a family of organic electrode materials for alkali-ion batteries. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2018</b> , 115, 2004-2009	11.5	98
210	Highly Fluorinated Interphases Enable High-Voltage Li-Metal Batteries. <i>CheM</i> , <b>2018</b> , 4, 174-185	16.2	435
209	Colloidal spray pyrolysis: A new fabrication technology for nanostructured energy storage materials. <i>Energy Storage Materials</i> , <b>2018</b> , 13, 8-18	19.4	22
208	Flexible ReS <sub>2</sub> nanosheets/N-doped carbon nanofibers-based paper as a universal anode for alkali (Li, Na, K) ion battery. <i>Nano Energy</i> , <b>2018</b> , 45, 346-352	17.1	234
207	Self-Templated Formation of P2-type KCoO Microspheres for High Reversible Potassium-Ion Batteries. <i>Nano Letters</i> , <b>2018</b> , 18, 1522-1529	11.5	133
206	A Universal Organic Cathode for Ultrafast Lithium and Multivalent Metal Batteries. <i>Angewandte Chemie</i> , <b>2018</b> , 130, 7264-7268	3.6	42
205	A Universal Organic Cathode for Ultrafast Lithium and Multivalent Metal Batteries. <i>Angewandte Chemie - International Edition</i> , <b>2018</b> , 57, 7146-7150	16.4	114
204	An artificial interphase enables reversible magnesium chemistry in carbonate electrolytes. <i>Nature Chemistry</i> , <b>2018</b> , 10, 532-539	17.6	209
203	Intercalation of Bi nanoparticles into graphite results in an ultra-fast and ultra-stable anode material for sodium-ion batteries. <i>Energy and Environmental Science</i> , <b>2018</b> , 11, 1218-1225	35.4	154
202	High-Performance All-Solid-State Na-S Battery Enabled by Casting-Annealing Technology. <i>ACS Nano</i> , <b>2018</b> , 12, 3360-3368	16.7	71
201	Progress in Aqueous Rechargeable Sodium-Ion Batteries. <i>Advanced Energy Materials</i> , <b>2018</b> , 8, 1703008	21.8	188
200	Suppressing Li Dendrite Formation in Li <sub>2</sub> S-P <sub>2</sub> S <sub>5</sub> Solid Electrolyte by LiI Incorporation. <i>Advanced Energy Materials</i> , <b>2018</b> , 8, 1703644	21.8	190
199	Hybrid Aqueous/Non-aqueous Electrolyte for Safe and High-Energy Li-Ion Batteries. <i>Joule</i> , <b>2018</b> , 2, 927-937	27.8	194
198	Reducing Mg Anode Overpotential via Ion Conductive Surface Layer Formation by Iodine Additive. <i>Advanced Energy Materials</i> , <b>2018</b> , 8, 1701728	21.8	65
197	Efficient and stable cycling of lithium metal enabled by a conductive carbon primer layer. <i>Sustainable Energy and Fuels</i> , <b>2018</b> , 2, 163-168	5.8	7
196	How Water Accelerates Bivalent Ion Diffusion at the Electrolyte/Electrode Interface. <i>Angewandte Chemie - International Edition</i> , <b>2018</b> , 57, 11978-11981	16.4	84
195	How Water Accelerates Bivalent Ion Diffusion at the Electrolyte/Electrode Interface. <i>Angewandte Chemie</i> , <b>2018</b> , 130, 12154-12157	3.6	10
194	Non-flammable electrolyte enables Li-metal batteries with aggressive cathode chemistries. <i>Nature Nanotechnology</i> , <b>2018</b> , 13, 715-722	28.7	606

193	Long cycle life of sodium-ion pouch cell achieved by using multiple electrolyte additives. <i>Journal of Power Sources</i> , <b>2018</b> , 407, 173-179	8.9	23
192	Bi Nanoparticles Anchored in N-Doped Porous Carbon as Anode of High Energy Density Lithium Ion Battery. <i>Nano-Micro Letters</i> , <b>2018</b> , 10, 56	19.5	75
191	High energy-density and reversibility of iron fluoride cathode enabled via an intercalation-extrusion reaction. <i>Nature Communications</i> , <b>2018</b> , 9, 2324	17.4	86
190	Thermodynamics and Kinetics of Sulfur Cathode during Discharge in MgTFSI -DME Electrolyte. <i>Advanced Materials</i> , <b>2018</b> , 30, 1704313	24	90
189	A critical review of cathodes for rechargeable Mg batteries. <i>Chemical Society Reviews</i> , <b>2018</b> , 47, 8804-8848	38.5	261
188	A rechargeable aqueous Zn <sup>2+</sup> -battery with high power density and a long cycle-life. <i>Energy and Environmental Science</i> , <b>2018</b> , 11, 3168-3175	35.4	182
187	Fluorinated solid electrolyte interphase enables highly reversible solid-state Li metal battery. <i>Science Advances</i> , <b>2018</b> , 4, eaau9245	14.3	289
186	Mechanism and Kinetics of HER and OER on NiFe LDH Films in an Alkaline Electrolyte. <i>Journal of the Electrochemical Society</i> , <b>2018</b> , 165, J3395-J3404	3.9	48
185	Interface engineering of sulfide electrolytes for all-solid-state lithium batteries. <i>Nano Energy</i> , <b>2018</b> , 53, 958-966	17.1	133
184	Mechanism Study on the Interfacial Stability of a Lithium Garnet-Type Oxide Electrolyte against Cathode Materials. <i>ACS Applied Energy Materials</i> , <b>2018</b> , 1, 5968-5976	6.1	37
183	Long Cycle Life All-Solid-State Sodium Ion Battery. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2018</b> , 10, 39645-39650	45.5	350
182	Architectural design and fabrication approaches for solid-state batteries. <i>MRS Bulletin</i> , <b>2018</b> , 43, 775-781	3.2	48
181	Hybrid Aqueous/Non-aqueous Electrolyte for Safe and High-Energy Li-Ion Batteries. <i>Joule</i> , <b>2018</b> , 2, 2178-2187	27.8	7
180	Water-Activated VOPO for Magnesium Ion Batteries. <i>Nano Letters</i> , <b>2018</b> , 18, 6441-6448	11.5	91
179	Manipulating electrolyte and solid electrolyte interphase to enable safe and efficient Li-S batteries. <i>Nano Energy</i> , <b>2018</b> , 50, 431-440	17.1	84
178	Solid-State Electrolyte Anchored with a Carboxylated Azo Compound for All-Solid-State Lithium Batteries. <i>Angewandte Chemie - International Edition</i> , <b>2018</b> , 57, 8567-8571	16.4	70
177	Layered P2-Type K <sub>0.65</sub> Fe <sub>0.5</sub> Mn <sub>0.5</sub> O <sub>2</sub> Microspheres as Superior Cathode for High-Energy Potassium-Ion Batteries. <i>Advanced Functional Materials</i> , <b>2018</b> , 28, 1800219	15.6	114
176	Epitaxial Welding of Carbon Nanotube Networks for Aqueous Battery Current Collectors. <i>ACS Nano</i> , <b>2018</b> , 12, 5266-5273	16.7	36

175	Preventing lithium dendrite-related electrical shorting in rechargeable batteries by coating separator with a Li-killing additive. <i>Journal of Materials Chemistry A</i> , <b>2018</b> , 6, 10755-10760	13	35
174	Solid-State Electrolyte Anchored with a Carboxylated Azo Compound for All-Solid-State Lithium Batteries. <i>Angewandte Chemie</i> , <b>2018</b> , 130, 8703-8707	3.6	22
173	High power rechargeable magnesium/iodine battery chemistry. <i>Nature Communications</i> , <b>2017</b> , 8, 14083	17.4	177
172	Atomic-Layer-Deposition Functionalized Carbonized Mesoporous Wood Fiber for High Sulfur Loading Lithium Sulfur Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2017</b> , 9, 14801-14807	9.5	57
171	Aqueous Mg-Ion Battery Based on Polyimide Anode and Prussian Blue Cathode. <i>ACS Energy Letters</i> , <b>2017</b> , 2, 1115-1121	20.1	207
170	High-Performance All-Solid-State Lithium Sulfur Batteries Enabled by Amorphous Sulfur-Coated Reduced Graphene Oxide Cathodes. <i>Advanced Energy Materials</i> , <b>2017</b> , 7, 1602923	21.8	241
169	High-Performance All-Inorganic Solid-State Sodium-Sulfur Battery. <i>ACS Nano</i> , <b>2017</b> , 11, 4885-4891	16.7	96
168	Electrochemical ammonia compression. <i>Chemical Communications</i> , <b>2017</b> , 53, 5637-5640	5.8	6
167	Pipe-Wire TiO-Sn@Carbon Nanofibers Paper Anodes for Lithium and Sodium Ion Batteries. <i>Nano Letters</i> , <b>2017</b> , 17, 3830-3836	11.5	242
166	Structure-Property Relationships of Organic Electrolytes and Their Effects on Li/S Battery Performance. <i>Advanced Materials</i> , <b>2017</b> , 29, 1700449	24	67
165	Superior reversible tin phosphide-carbon spheres for sodium ion battery anode. <i>Nano Energy</i> , <b>2017</b> , 38, 350-357	17.1	104
164	Unique aqueous Li-ion/sulfur chemistry with high energy density and reversibility. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2017</b> , 114, 6197-6202	11.5	100
163	Electrochemical Techniques for Intercalation Electrode Materials in Rechargeable Batteries. <i>Accounts of Chemical Research</i> , <b>2017</b> , 50, 1022-1031	24.3	70
162	Recent Progress on Spray Pyrolysis for High Performance Electrode Materials in Lithium and Sodium Rechargeable Batteries. <i>Advanced Energy Materials</i> , <b>2017</b> , 7, 1601578	21.8	92
161	Spinel LiNi <sub>0.5</sub> Mn <sub>1.5</sub> O <sub>4</sub> Cathode for High-Energy Aqueous Lithium-Ion Batteries. <i>Advanced Energy Materials</i> , <b>2017</b> , 7, 1600922	21.8	80
160	High-Voltage Aqueous Magnesium Ion Batteries. <i>ACS Central Science</i> , <b>2017</b> , 3, 1121-1128	16.8	168
159	Self-Healing Chemistry between Organic Material and Binder for Stable Sodium-Ion Batteries. <i>Chem</i> , <b>2017</b> , 3, 1050-1062	16.2	63
158	Liquid Structure with Nano-Heterogeneity Promotes Cationic Transport in Concentrated Electrolytes. <i>ACS Nano</i> , <b>2017</b> , 11, 10462-10471	16.7	193

157	Highly Reversible Conversion-Type FeOF Composite Electrode with Extended Lithium Insertion by Atomic Layer Deposition LiPON Protection. <i>Chemistry of Materials</i> , <b>2017</b> , 29, 8780-8791	9.6	29
156	Flexible Aqueous Li-Ion Battery with High Energy and Power Densities. <i>Advanced Materials</i> , <b>2017</b> , 29, 1701972	24	121
155	Reversible S /MgS Redox Chemistry in a MgTFSI /MgCl /DME Electrolyte for Rechargeable Mg/S Batteries. <i>Angewandte Chemie - International Edition</i> , <b>2017</b> , 56, 13526-13530	16.4	102
154	Reversible S <sub>0</sub> /MgS <sub>x</sub> Redox Chemistry in a MgTFSI <sub>2</sub> /MgCl <sub>2</sub> /DME Electrolyte for Rechargeable Mg/S Batteries. <i>Angewandte Chemie</i> , <b>2017</b> , 129, 13711-13715	3.6	41
153	Reverse Microemulsion Synthesis of Sulfur/Graphene Composite for Lithium/Sulfur Batteries. <i>ACS Nano</i> , <b>2017</b> , 11, 9048-9056	16.7	64
152	4.0V Aqueous Li-Ion Batteries. <i>Joule</i> , <b>2017</b> , 1, 122-132	27.8	324
151	Water-in-Salt Electrolyte Makes Aqueous Sodium-Ion Battery Safe, Green, and Long-Lasting. <i>Advanced Energy Materials</i> , <b>2017</b> , 7, 1701189	21.8	335
150	Water-in-Salt Electrolyte enabled LiMn <sub>2</sub> O <sub>4</sub> /TiS <sub>2</sub> Lithium-ion batteries. <i>Electrochemistry Communications</i> , <b>2017</b> , 82, 71-74	5.1	70
149	P2-type transition metal oxides for high performance Na-ion battery cathodes. <i>Journal of Materials Chemistry A</i> , <b>2017</b> , 5, 18214-18220	13	66
148	How Solid-Electrolyte Interphase Forms in Aqueous Electrolytes. <i>Journal of the American Chemical Society</i> , <b>2017</b> , 139, 18670-18680	16.4	227
147	Zn/MnO Battery Chemistry With H and Zn Coinsertion. <i>Journal of the American Chemical Society</i> , <b>2017</b> , 139, 9775-9778	16.4	866
146	A tin-plated copper substrate for efficient cycling of lithium metal in an anode-free rechargeable lithium battery. <i>Electrochimica Acta</i> , <b>2017</b> , 258, 1201-1207	6.7	62
145	A Rechargeable Al/S Battery with an Ionic-Liquid Electrolyte. <i>Angewandte Chemie</i> , <b>2016</b> , 128, 10052-10055	35	50
144	A Rechargeable Al/S Battery with an Ionic-Liquid Electrolyte. <i>Angewandte Chemie - International Edition</i> , <b>2016</b> , 55, 9898-901	16.4	168
143	Stabilizing high sulfur loading LiS batteries by chemisorption of polysulfide on three-dimensional current collector. <i>Nano Energy</i> , <b>2016</b> , 30, 700-708	17.1	77
142	Stabilizing high voltage LiCoO <sub>2</sub> cathode in aqueous electrolyte with interphase-forming additive. <i>Energy and Environmental Science</i> , <b>2016</b> , 9, 3666-3673	35.4	140
141	High-Energy All-Solid-State Lithium Batteries with Ultralong Cycle Life. <i>Nano Letters</i> , <b>2016</b> , 16, 7148-7154	41.5	243
140	Activation of Oxygen-Stabilized Sulfur for Li and Na Batteries. <i>Advanced Functional Materials</i> , <b>2016</b> , 26, 745-752	15.6	66

139	Advanced High-Voltage Aqueous Lithium-Ion Battery Enabled by "Water-in-Bisalt" Electrolyte. <i>Angewandte Chemie - International Edition</i> , <b>2016</b> , 55, 7136-41	16.4	435
138	High-Performance All-Solid-State Lithium-Sulfur Battery Enabled by a Mixed-Conductive Li <sub>2</sub> S Nanocomposite. <i>Nano Letters</i> , <b>2016</b> , 16, 4521-7	11.5	258
137	In situ lithiated Fe <sub>3</sub> /C nanocomposite as high energy conversion-reaction cathode for lithium-ion batteries. <i>Journal of Power Sources</i> , <b>2016</b> , 307, 435-442	8.9	52
136	Water-in-Salt Electrolytes enable green and safe Li-ion batteries for large scale electric energy storage applications. <i>Journal of Materials Chemistry A</i> , <b>2016</b> , 4, 6639-6644	13	140
135	Building Self-Healing Alloy Architecture for Stable Sodium-Ion Battery Anodes: A Case Study of Tin Anode Materials. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2016</b> , 8, 7147-55	9.5	76
134	Electrospun FeS <sub>2</sub> @Carbon Fiber Electrode as a High Energy Density Cathode for Rechargeable Lithium Batteries. <i>ACS Nano</i> , <b>2016</b> , 10, 1529-38	16.7	171
133	Advanced High-Voltage Aqueous Lithium-Ion Battery Enabled by Water-in-Bisalt Electrolyte. <i>Angewandte Chemie</i> , <b>2016</b> , 128, 7252-7257	3.6	80
132	Electrochemical Stability of Li <sub>10</sub> GeP <sub>2</sub> S <sub>12</sub> and Li <sub>7</sub> La <sub>3</sub> Zr <sub>2</sub> O <sub>12</sub> Solid Electrolytes. <i>Advanced Energy Materials</i> , <b>2016</b> , 6, 1501590	21.8	533
131	Insight into the Capacity Fading Mechanism of Amorphous Se <sub>2</sub> S <sub>5</sub> Confined in Micro/Mesoporous Carbon Matrix in Ether-Based Electrolytes. <i>Nano Letters</i> , <b>2016</b> , 16, 2663-73	11.5	69
130	Pomegranate-Structured Conversion-Reaction Cathode with a Built-in Li Source for High-Energy Li-Ion Batteries. <i>ACS Nano</i> , <b>2016</b> , 10, 5567-77	16.7	67
129	Hollow porous nanoparticles with Pt skin on a AgPt alloy structure as a highly active electrocatalyst for the oxygen reduction reaction. <i>Journal of Materials Chemistry A</i> , <b>2016</b> , 4, 8803-8811	13	93
128	Electrochemical Intercalation of Potassium into Graphite. <i>Advanced Functional Materials</i> , <b>2016</b> , 26, 8103-8110	16.0	426
127	Cut-and-stack nanofiber paper toward fast transient energy storage. <i>Inorganic Chemistry Frontiers</i> , <b>2016</b> , 3, 681-688	6.8	10
126	Tailoring Surface Acidity of Metal Oxide for Better Polysulfide Entrapment in Li-S Batteries. <i>Advanced Functional Materials</i> , <b>2016</b> , 26, 7164-7169	15.6	78
125	Red phosphorus-single-walled carbon nanotube composite as a superior anode for sodium ion batteries. <i>ACS Nano</i> , <b>2015</b> , 9, 3254-64	16.7	312
124	Carbon cage encapsulating nano-cluster Li <sub>2</sub> S by ionic liquid polymerization and pyrolysis for high performance LiS batteries. <i>Nano Energy</i> , <b>2015</b> , 13, 467-473	17.1	67
123	A Battery Made from a Single Material. <i>Advanced Materials</i> , <b>2015</b> , 27, 3473-83	24	231
122	Ether-based electrolyte enabled Na/FeS <sub>2</sub> rechargeable batteries. <i>Electrochemistry Communications</i> , <b>2015</b> , 54, 18-22	5.1	107

121	Roll-to-roll fabrication of organic nanorod electrodes for sodium ion batteries. <i>Nano Energy</i> , <b>2015</b> , 13, 537-545	17.1	73
120	Scalable synthesis of Na <sub>3</sub> V <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> /C porous hollow spheres as a cathode for Na-ion batteries. <i>Journal of Materials Chemistry A</i> , <b>2015</b> , 3, 10378-10385	13	93
119	A lithiation/delithiation mechanism of monodispersed MSn <sub>5</sub> (M = Fe, Co and FeCo) nanospheres. <i>Journal of Materials Chemistry A</i> , <b>2015</b> , 3, 7170-7178	13	44
118	Electrochemical compressor driven metal hydride heat pump. <i>International Journal of Refrigeration</i> , <b>2015</b> , 60, 278-288	3.8	15
117	PEDOT Encapsulated FeOF Nanorod Cathodes for High Energy Lithium-Ion Batteries. <i>Nano Letters</i> , <b>2015</b> , 15, 7650-6	11.5	82
116	Dual-template synthesis of ordered mesoporous carbon/Fe <sub>2</sub> O <sub>3</sub> nanowires: high porosity and structural stability for supercapacitors. <i>Journal of Materials Chemistry A</i> , <b>2015</b> , 3, 21501-21510	13	38
115	Enhancing the reversibility of Mg/S battery chemistry through Li(+) mediation. <i>Journal of the American Chemical Society</i> , <b>2015</b> , 137, 12388-93	16.4	185
114	"Water-in-salt" electrolyte enables high-voltage aqueous lithium-ion chemistries. <i>Science</i> , <b>2015</b> , 350, 938-43	33.3	1717
113	Micro-sized nano-porous Si/C anodes for lithium ion batteries. <i>Nano Energy</i> , <b>2015</b> , 11, 490-499	17.1	201
112	Hybrid Mg <sup>2+</sup> /Li <sup>+</sup> Battery with Long Cycle Life and High Rate Capability. <i>Advanced Energy Materials</i> , <b>2015</b> , 5, 1401507	21.8	128
111	In situ formed carbon bonded and encapsulated selenium composites for LiBe and NaBe batteries. <i>Journal of Materials Chemistry A</i> , <b>2015</b> , 3, 555-561	13	98
110	3D Si/C Fiber Paper Electrodes Fabricated Using a Combined Electro Spray/Electrospinning Technique for Li-Ion Batteries. <i>Advanced Energy Materials</i> , <b>2015</b> , 5, 1400753	21.8	213
109	An advanced MoS <sub>2</sub> /carbon anode for high-performance sodium-ion batteries. <i>Small</i> , <b>2015</b> , 11, 473-81	11	348
108	Confined Sulfur in Microporous Carbon Renders Superior Cycling Stability in Li/S Batteries. <i>Advanced Functional Materials</i> , <b>2015</b> , 25, 4312-4320	15.6	232
107	Superior Stable Self-Healing SnP <sub>3</sub> Anode for Sodium-Ion Batteries. <i>Advanced Energy Materials</i> , <b>2015</b> , 5, 1500174	21.8	175
106	In-Situ Analytical Transmission Electron Microscopy Study of Electrochemical Lithiation of a Sulfur - Carbon Nanotube Composite Cathode. <i>Microscopy and Microanalysis</i> , <b>2015</b> , 21, 1513-1514	0.5	1
105	Scalable Synthesis of Defect Abundant Si Nanorods for High-Performance Li-Ion Battery Anodes. <i>ACS Nano</i> , <b>2015</b> , 9, 6576-86	16.7	73
104	Solid-State Fabrication of SnS <sub>2</sub> /C Nanospheres for High-Performance Sodium Ion Battery Anode. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2015</b> , 7, 11476-81	9.5	161

103	Sodium-Ion Batteries: An Advanced MoS <sub>2</sub> /Carbon Anode for High-Performance Sodium-Ion Batteries (Small 4/2015). <i>Small</i> , <b>2015</b> , 11, 472-472	11	10
102	Carbonized Polyacrylonitrile-Stabilized SeS <sub>x</sub> Cathodes for Long Cycle Life and High Power Density Lithium Ion Batteries. <i>Advanced Functional Materials</i> , <b>2014</b> , 24, 4082-4089	15.6	149
101	Superior electrochemical performance and structure evolution of mesoporous Fe <sub>2</sub> O <sub>3</sub> anodes for lithium-ion batteries. <i>Nano Energy</i> , <b>2014</b> , 3, 26-35	17.1	116
100	Copper-Stabilized Sulfur-Microporous Carbon Cathodes for LiS Batteries. <i>Advanced Functional Materials</i> , <b>2014</b> , 24, 4156-4163	15.6	183
99	Mn <sub>3</sub> O <sub>4</sub> hollow spheres for lithium-ion batteries with high rate and capacity. <i>Journal of Materials Chemistry A</i> , <b>2014</b> , 2, 4627-4632	13	136
98	Mesoporous carbon/silicon composite anodes with enhanced performance for lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , <b>2014</b> , 2, 9751-9757	13	68
97	In situ synthesis of SnO <sub>2</sub> nanoparticles encapsulated in micro/mesoporous carbon foam as a high-performance anode material for lithium ion batteries. <i>Journal of Materials Chemistry A</i> , <b>2014</b> , 2, 18367-18374	13	56
96	In situ synthesis of cadmium germanates (Cd <sub>2</sub> Ge <sub>2</sub> O <sub>6</sub> )/reduced graphene oxide nanocomposites as novel high capacity anode materials for advanced lithium-ion batteries. <i>Materials Letters</i> , <b>2014</b> , 122, 327-330	3.3	14
95	Lithium-Tellurium batteries based on tellurium/porous carbon composite. <i>Journal of Materials Chemistry A</i> , <b>2014</b> , 2, 12201-12207	13	92
94	In situ transmission electron microscopy study of electrochemical sodiation and potassiation of carbon nanofibers. <i>Nano Letters</i> , <b>2014</b> , 14, 3445-52	11.5	230
93	In Situ Sulfur Reduction and Intercalation of Graphite Oxides for Li-S Battery Cathodes. <i>Advanced Energy Materials</i> , <b>2014</b> , 4, 1400482	21.8	110
92	Graphene oxide wrapped croconic acid disodium salt for sodium ion battery electrodes. <i>Journal of Power Sources</i> , <b>2014</b> , 250, 372-378	8.9	109
91	Expanded graphite as superior anode for sodium-ion batteries. <i>Nature Communications</i> , <b>2014</b> , 5, 4033	17.4	1209
90	Self-assembled organic nanowires for high power density lithium ion batteries. <i>Nano Letters</i> , <b>2014</b> , 14, 1596-602	11.5	163
89	Electrochemical performance of patterned LiFePO <sub>4</sub> nano-electrode with a pristine amorphous layer. <i>Applied Physics Letters</i> , <b>2014</b> , 104, 171604	3.4	6
88	Elastic Modulus Measurements on Large Diameter Nanowires Using a Nano-Assembled Platform. <i>Journal of Nanotechnology in Engineering and Medicine</i> , <b>2014</b> , 5,		4
87	In situ atomic-scale imaging of phase boundary migration in FePO(4) microparticles during electrochemical lithiation. <i>Advanced Materials</i> , <b>2013</b> , 25, 5461-6	24	108
86	Hoop-strong nanotubes for battery electrodes. <i>ACS Nano</i> , <b>2013</b> , 7, 8295-302	16.7	50

85	Reactivation of dissolved polysulfides in LiB batteries based on atomic layer deposition of Al <sub>2</sub> O <sub>3</sub> in nanoporous carbon cloth. <i>Nano Energy</i> , <b>2013</b> , 2, 1197-1206	17.1	169
84	In situ formed lithium sulfide/microporous carbon cathodes for lithium-ion batteries. <i>ACS Nano</i> , <b>2013</b> , 7, 10995-1003	16.7	187
83	Selenium@mesoporous carbon composite with superior lithium and sodium storage capacity. <i>ACS Nano</i> , <b>2013</b> , 7, 8003-10	16.7	335
82	Nano-structured carbon-coated CuO hollow spheres as stable and high rate anodes for lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , <b>2013</b> , 1, 15486	13	60
81	Carbon coated hollow Na <sub>2</sub> FePO <sub>4</sub> F spheres for Na-ion battery cathodes. <i>Journal of Power Sources</i> , <b>2013</b> , 223, 62-67	8.9	115
80	Comparison of electrochemical performances of olivine NaFePO <sub>4</sub> in sodium-ion batteries and olivine LiFePO <sub>4</sub> in lithium-ion batteries. <i>Nanoscale</i> , <b>2013</b> , 5, 780-7	7.7	350
79	Tin-coated viral nanoforests as sodium-ion battery anodes. <i>ACS Nano</i> , <b>2013</b> , 7, 3627-34	16.7	259
78	Graphene-bonded and -encapsulated Si nanoparticles for lithium ion battery anodes. <i>Small</i> , <b>2013</b> , 9, 2810-6	15.9	159
77	Uniform nano-Sn/C composite anodes for lithium ion batteries. <i>Nano Letters</i> , <b>2013</b> , 13, 470-4	11.5	470
76	Electrospun Sb/C fibers for a stable and fast sodium-ion battery anode. <i>ACS Nano</i> , <b>2013</b> , 7, 6378-86	16.7	557
75	Synergistic gelation of silica nanoparticles and a sorbitol-based molecular gelator to yield highly-conductive free-standing gel electrolytes. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2013</b> , 5, 262-7	9.5	42
74	Architecturing hierarchical function layers on self-assembled viral templates as 3D nano-array electrodes for integrated Li-ion microbatteries. <i>Nano Letters</i> , <b>2013</b> , 13, 293-300	11.5	64
73	Electrochemical Performance of Porous Carbon/Tin Composite Anodes for Sodium-Ion and Lithium-Ion Batteries. <i>Advanced Energy Materials</i> , <b>2013</b> , 3, 128-133	21.8	701
72	Fuel cell durability enhancement by crosslinking alkaline anion exchange membrane electrolyte. <i>Electrochemistry Communications</i> , <b>2012</b> , 16, 65-68	5.1	49
71	3D tin anodes prepared by electrodeposition on a virus scaffold. <i>Journal of Power Sources</i> , <b>2012</b> , 211, 129-132	8.9	33
70	Interdispersed Amorphous MnOx/Carbon Nanocomposites with Superior Electrochemical Performance as Lithium-Storage Material. <i>Advanced Functional Materials</i> , <b>2012</b> , 22, 803-811	15.6	338
69	Sponge-like porous carbon/tin composite anode materials for lithium ion batteries. <i>Journal of Materials Chemistry</i> , <b>2012</b> , 22, 9562		150
68	Lithium-assisted electrochemical welding in silicon nanowire battery electrodes. <i>Nano Letters</i> , <b>2012</b> , 12, 1392-7	11.5	105

67	Porous amorphous FePO <sub>4</sub> nanoparticles connected by single-wall carbon nanotubes for sodium ion battery cathodes. <i>Nano Letters</i> , <b>2012</b> , 12, 5664-8	11.5	186
66	Copolymerization of methyl methacrylate and vinylbenzyl chloride towards alkaline anion exchange membrane for fuel cell applications. <i>Journal of Membrane Science</i> , <b>2012</b> , 423-424, 209-214	9.6	9
65	Nanostructured Metal Oxides for Li-Ion Batteries. <i>Springer Series in Materials Science</i> , <b>2012</b> , 337-363	0.9	2
64	Hierarchical three-dimensional microbattery electrodes combining bottom-up self-assembly and top-down micromachining. <i>ACS Nano</i> , <b>2012</b> , 6, 6422-32	16.7	106
63	Virus-Assembled Flexible Electrode-Electrolyte Interfaces for Enhanced Polymer-Based Battery Applications. <i>Journal of Nanomaterials</i> , <b>2012</b> , 2012, 1-6	3.2	11
62	Anisotropic swelling and fracture of silicon nanowires during lithiation. <i>Nano Letters</i> , <b>2011</b> , 11, 3312-8	11.5	608
61	Novel CV for Phase Transformation Electrodes. <i>Journal of Physical Chemistry C</i> , <b>2011</b> , 115, 823-832	3.8	77
60	Sulfur-impregnated disordered carbon nanotubes cathode for lithium-sulfur batteries. <i>Nano Letters</i> , <b>2011</b> , 11, 4288-94	11.5	1097
59	Strain accommodation and potential hysteresis of LiFePO <sub>4</sub> cathodes during lithium ion insertion/extraction. <i>Journal of Power Sources</i> , <b>2011</b> , 196, 1442-1448	8.9	59
58	Tunable High-Molecular-Weight Anion-Exchange Membranes for Alkaline Fuel Cells. <i>Macromolecular Chemistry and Physics</i> , <b>2011</b> , 212, 2094-2102	2.6	25
57	A Patterned 3D Silicon Anode Fabricated by Electrodeposition on a Virus-Structured Current Collector. <i>Advanced Functional Materials</i> , <b>2011</b> , 21, 380-387	15.6	117
56	An acrylate-polymer-based electrolyte membrane for alkaline fuel cell applications. <i>ChemSusChem</i> , <b>2011</b> , 4, 1557-60	8.3	22
55	Cyclability study of silicon/carbon composite anodes for lithium-ion batteries using electrochemical impedance spectroscopy. <i>Electrochimica Acta</i> , <b>2011</b> , 56, 3981-3987	6.7	307
54	High rate performance of virus enabled 3D n-type Si anodes for lithium-ion batteries. <i>Electrochimica Acta</i> , <b>2011</b> , 56, 5210-5213	6.7	43
53	Galvanostatic Intermittent Titration Technique for Phase-Transformation Electrodes. <i>Journal of Physical Chemistry C</i> , <b>2010</b> , 114, 2830-2841	3.8	241
52	Self-assembled Ni/TiO <sub>2</sub> nanocomposite anodes synthesized via electroless plating and atomic layer deposition on biological scaffolds. <i>Chemical Communications</i> , <b>2010</b> , 46, 7349-51	5.8	56
51	A polymer scaffold binder structure for high capacity silicon anode of lithium-ion battery. <i>Chemical Communications</i> , <b>2010</b> , 46, 1428-30	5.8	146
50	Carbon scaffold structured silicon anodes for lithium-ion batteries. <i>Journal of Materials Chemistry</i> , <b>2010</b> , 20, 5035		126

49	Block Copolymer Solid Battery Electrolyte with High Li-Ion Transference Number. <i>Journal of the Electrochemical Society</i> , <b>2010</b> , 157, A846	3.9	124
48	Virus-enabled silicon anode for lithium-ion batteries. <i>ACS Nano</i> , <b>2010</b> , 4, 5366-72	16.7	212
47	Quaternized poly(methyl methacrylate-co-butyl acrylate-co-vinylbenzyl chloride) membrane for alkaline fuel cells. <i>Journal of Power Sources</i> , <b>2010</b> , 195, 3765-3771	8.9	100
46	A porous silicon-carbon anode with high overall capacity on carbon fiber current collector. <i>Electrochemistry Communications</i> , <b>2010</b> , 12, 981-984	5.1	74
45	Quality monitoring for resistance spot welding using dynamic signals <b>2009</b> ,		1
44	An Oxide Ion and Proton Co-Ion Conducting Sn <sub>0.9</sub> In <sub>0.1</sub> P <sub>2</sub> O <sub>7</sub> Electrolyte for Intermediate-Temperature Fuel Cells. <i>Journal of the Electrochemical Society</i> , <b>2008</b> , 155, B1264	3.9	48
43	Discharge Model for LiFePO <sub>4</sub> Accounting for the Solid Solution Range. <i>Journal of the Electrochemical Society</i> , <b>2008</b> , 155, A866	3.9	68
42	A Discharge Model for Phase Transformation Electrodes: Formulation, Experimental Validation, and Analysis. <i>Journal of Physical Chemistry C</i> , <b>2007</b> , 111, 16656-16663	3.8	81
41	Ionic/Electronic Conducting Characteristics of LiFePO <sub>4</sub> Cathode Materials. <i>Electrochemical and Solid-State Letters</i> , <b>2007</b> , 10, A65		181
40	Kinetic characteristics of mixed conductive electrodes for lithium ion batteries. <i>Journal of Power Sources</i> , <b>2007</b> , 164, 849-856	8.9	113
39	Nano- and bulk-silicon-based insertion anodes for lithium-ion secondary cells. <i>Journal of Power Sources</i> , <b>2007</b> , 163, 1003-1039	8.9	2029
38	Nafion-Bimevox Composite Membrane for Fuel Cell Applications. <i>Journal of the Electrochemical Society</i> , <b>2007</b> , 154, B48	3.9	2
37	Characterization and Performance of LiFePO <sub>4</sub> Thin-Film Cathodes Prepared with Radio-Frequency Magnetron-Sputter Deposition. <i>Journal of the Electrochemical Society</i> , <b>2007</b> , 154, A805	3.9	50
36	The self-discharge mechanism of AB <sub>5</sub> AB <sub>5</sub> -type hydride electrodes in Ni/MH batteries. <i>International Journal of Hydrogen Energy</i> , <b>2006</b> , 31, 603-611	6.7	25
35	Enhanced Pulse Power Polymer Electrolyte Membrane Fuel Cell Using Internal Hybrid Catalyst Layer Electrodes. <i>Journal of the Electrochemical Society</i> , <b>2006</b> , 153, A1795	3.9	7
34	Intrinsic borohydride fuel cell/battery hybrid power sources. <i>Journal of Power Sources</i> , <b>2006</b> , 161, 753-760	9	18
33	Kinetic behavior of LiFeMgPO <sub>4</sub> cathode material for Li-ion batteries. <i>Journal of Power Sources</i> , <b>2006</b> , 162, 1289-1296	8.9	68
32	Solvent-Free Composite PEO-Ceramic Fiber/Mat Electrolytes for Lithium Secondary Cells. <i>Journal of the Electrochemical Society</i> , <b>2005</b> , 152, A205	3.9	50

31	Electrochemical performance of lithium ion battery, nano-silicon-based, disordered carbon composite anodes with different microstructures. <i>Journal of Power Sources</i> , <b>2004</b> , 125, 206-213	8.9	151
30	In Situ Ionic/Electric Conductivity Measurement of La <sub>0.55</sub> Li <sub>0.35</sub> TiO <sub>3</sub> Ceramic at Different Li Insertion Levels. <i>Journal of the Electrochemical Society</i> , <b>2004</b> , 151, A1196	3.9	10
29	Alkaline Fuel Cell with Intrinsic Energy Storage. <i>Journal of the Electrochemical Society</i> , <b>2004</b> , 151, A260	3.9	9
28	High-Peak-Power Polymer Electrolyte Membrane Fuel Cells. <i>Journal of the Electrochemical Society</i> , <b>2003</b> , 150, A493	3.9	18
27	Improving low-temperature performance of Li-alloy anodes by optimization of the electrolyte-electrode interface. <i>Journal of Power Sources</i> , <b>2003</b> , 114, 121-126	8.9	10
26	Criteria for Reliable Electrochemical Impedance Measurements on Li-Ion Battery Anodes. <i>Journal of the Electrochemical Society</i> , <b>2003</b> , 150, A143	3.9	10
25	Improvement in electrochemical properties of nano-tin-polyaniline lithium-ion composite anodes by control of electrode microstructure. <i>Journal of Power Sources</i> , <b>2002</b> , 109, 136-141	8.9	29
24	Self-discharge of secondary lithium-ion graphite anodes. <i>Journal of Power Sources</i> , <b>2002</b> , 112, 98-104	8.9	27
23	Electrochemical study of the SnO <sub>2</sub> lithium-insertion anode using microperturbation techniques. <i>Solid State Ionics</i> , <b>2002</b> , 147, 13-22	3.3	22
22	Improvement in the cycle life of LaB <sub>5</sub> metal hydride electrodes by addition of ZnO to alkaline electrolyte. <i>Electrochimica Acta</i> , <b>2002</b> , 47, 1069-1078	6.7	7
21	Irreversible capacities of graphite anode for lithium-ion batteries. <i>Journal of Electroanalytical Chemistry</i> , <b>2002</b> , 519, 9-17	4.1	42
20	Low-Temperature Characterization of Lithium-Ion Carbon Anodes via Microperturbation Measurement. <i>Journal of the Electrochemical Society</i> , <b>2002</b> , 149, A754	3.9	70
19	Electrochemical study on nano-Sn, Li <sub>4.4</sub> Sn and AlSi <sub>0.1</sub> powders used as secondary lithium battery anodes. <i>Journal of Power Sources</i> , <b>2001</b> , 93, 174-185	8.9	106
18	Electrochemical impedance study of initial lithium ion intercalation into graphite powders. <i>Electrochimica Acta</i> , <b>2001</b> , 46, 1793-1813	6.7	139
17	Charge/discharge stability of graphite anodes for lithium-ion batteries. <i>Journal of Electroanalytical Chemistry</i> , <b>2001</b> , 497, 33-46	4.1	119
16	Comparison of the Electrochemical Impedance Spectroscopy Characteristics of Insertion Electrode Materials Used in Secondary Metal Hydride and Lithium-Ion Electrodes. <i>Journal of the Electrochemical Society</i> , <b>2001</b> , 148, A762	3.9	8
15	In situ investigation of electrochemical lithium intercalation into graphite powder. <i>Journal of Electroanalytical Chemistry</i> , <b>2000</b> , 489, 55-67	4.1	62
14	Determination of reaction resistances for metal-hydride electrodes during anodic polarization. <i>Journal of Power Sources</i> , <b>2000</b> , 85, 212-223	8.9	13

13	Characterization of Metal Hydride Electrodes via Microperturbation and In Situ Intrinsic Resistance Measurement. <i>Journal of the Electrochemical Society</i> , <b>2000</b> , 147, 4432	3.9	6
12	Effect of alloys modified by an alkaline solution containing potassium borohydride on the kinetic properties of $M\text{Ni}_{3.7}\text{Co}_{0.6}\text{Mn}_{0.4}\text{Al}_{0.3}$ hydride electrode. <i>Electrochimica Acta</i> , <b>1999</b> , 44, 2263-2269	6.7	33
11	Effect of Co content on the kinetic properties of the $M\text{Ni}_{4.3}\text{Co}_x\text{Al}_{0.7}$ hydride electrodes. <i>Electrochimica Acta</i> , <b>1999</b> , 44, 3977-3987	6.7	63
10	Studies on the electrochemical properties of $M\text{Ni}_{4.3}\text{Co}_x\text{Al}_{0.7}$ hydride alloy electrodes. <i>Journal of Alloys and Compounds</i> , <b>1999</b> , 293-295, 648-652	5.7	46
9	Influence of concentration of KOH solution containing 0.02 M borohydride on the kinetic properties of hydrogen storage alloys. <i>Journal of Alloys and Compounds</i> , <b>1999</b> , 293-295, 680-683	5.7	3
8	Influence of amorphization on electrode performances of AB2 type hydrogen storage alloys. <i>Journal of Alloys and Compounds</i> , <b>1998</b> , 265, 264-268	5.7	10
7	Kinetic Behavior of Metal Hydride Electrode by Means of AC Impedance. <i>Journal of the Electrochemical Society</i> , <b>1998</b> , 145, 1801-1812	3.9	59
6	Hydrogen storage properties of $M\text{Ni}_a\text{Ni}_5$ pseudobinary intermetallic compounds. <i>Journal of Alloys and Compounds</i> , <b>1996</b> , 232, 192-196	5.7	10
5	A self-regulated gradient interphase for dendrite-free solid-state Li batteries. <i>Energy and Environmental Science</i> ,	35.4	16
4	Aqueous electrolyte design for super-stable 2.5 V $\text{LiMn}_2\text{O}_4 \parallel \text{Li}_4\text{Ti}_5\text{O}_{12}$ pouch cells. <i>Nature Energy</i> ,	62.3	19
3	High-Efficiency Zinc-Metal Anode Enabled by Liquefied Gas Electrolytes. <i>ACS Energy Letters</i> , 4426-4430	20.1	4
2	Challenges for and Pathways toward Li-Metal-Based All-Solid-State Batteries. <i>ACS Energy Letters</i> , 1399-1404	14.4	78
1	F and N Rich Solid Electrolyte for Stable All-Solid-State Battery. <i>Advanced Functional Materials</i> , 2110876	15.6	2