

Yasunobu Yoshikai

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6525222/publications.pdf>

Version: 2024-02-01

124
papers

5,142
citations

87723

38
h-index

102304

66
g-index

128
all docs

128
docs citations

128
times ranked

6026
citing authors

#	ARTICLE	IF	CITATIONS
1	Resident $\text{V}\alpha 1 + \text{I}\beta 17 \text{E}$ T Cells Control Early Infiltration of Neutrophils after <i>Escherichia coli</i> Infection via IL-17 Production. <i>Journal of Immunology</i> , 2007, 178, 4466-4472.	0.4	446
2	Heat-killed <i>Lactobacillus plantarum</i> L-137 suppresses naturally fed antigen-specific IgE production by stimulation of IL-12 production in mice. <i>Journal of Allergy and Clinical Immunology</i> , 1998, 102, 57-64.	1.5	257
3	Lipoteichoic Acids from <i>Lactobacillus</i> Strains Elicit Strong Tumor Necrosis Factor Alpha-Inducing Activities in Macrophages through Toll-Like Receptor 2. <i>Vaccine Journal</i> , 2003, 10, 259-266.	3.2	242
4	Sequential appearance of $\text{I}\beta 17 \text{E}$ - and $\text{I}\beta 2$ -bearing T cells in the peritoneal cavity during an i.p. infection with <i>Listeria monocytogenes</i> . <i>European Journal of Immunology</i> , 1990, 20, 533-538.	1.6	178
5	Identification of $\text{CD}25 + \text{I}\beta 17 \text{E}$ T Cells As Fetal Thymus-Derived Naturally Occurring IL-17 Producers. <i>Journal of Immunology</i> , 2008, 181, 5940-5947.	0.4	172
6	Oral administration of heat-killed <i>Lactobacillus plantarum</i> L-137 enhances protection against influenza virus infection by stimulation of type I interferon production in mice. <i>International Immunopharmacology</i> , 2009, 9, 1122-1125.	1.7	148
7	Expression of Toll-Like Receptor 2 on $\text{I}\beta 17 \text{E}$ T Cells Bearing Invariant $\text{V}\alpha 36 / \text{V}\beta 1$ Induced by <i>Escherichia coli</i> Infection in Mice. <i>Journal of Immunology</i> , 2000, 165, 931-940.	0.4	135
8	Differential Roles of Interleukin 15 mRNA Isoforms Generated by Alternative Splicing in Immune Responses in Vivo. <i>Journal of Experimental Medicine</i> , 2000, 191, 157-170.	4.2	131
9	Notch-Hes1 pathway is required for the development of IL-17-producing $\text{I}\beta 17 \text{E}$ T cells. <i>Blood</i> , 2011, 118, 586-593.	0.6	129
10	Glucocorticoids Drive Diurnal Oscillations in T Cell Distribution and Responses by Inducing Interleukin-7 Receptor and CXCR4. <i>Immunity</i> , 2018, 48, 286-298.e6.	6.6	118
11	IL-15 Regulates $\text{CD}8 +$ T Cell Contraction during Primary Infection. <i>Journal of Immunology</i> , 2006, 176, 507-515.	0.4	104
12	Overexpression of IL-15 In Vivo Increases Antigen-Driven Memory $\text{CD}8 +$ T Cells Following a Microbe Exposure. <i>Journal of Immunology</i> , 2002, 168, 1198-1203.	0.4	103
13	IL-1 receptor antagonist-deficient mice develop autoimmune arthritis due to intrinsic activation of IL-17-producing $\text{CCR}2 + \text{V}\alpha 36 + \text{I}\beta 17 \text{E}$ T cells. <i>Nature Communications</i> , 2015, 6, 7464.	5.8	102
14	Daily Intake of Heat-Killed <i>Lactobacillus plantarum</i> L-137 Augments Acquired Immunity in Healthy Adults. <i>Journal of Nutrition</i> , 2006, 136, 3069-3073.	1.3	100
15	C-Type Lectin Receptor DCAR Recognizes Mycobacterial Phosphatidyl-Inositol Mannosides to Promote a Th1 Response during Infection. <i>Immunity</i> , 2016, 45, 1245-1257.	6.6	80
16	Immunopotentiating Activity of Nigerooligosaccharides for the T Helper 1-Like Immune Response in Mice. <i>Bioscience, Biotechnology and Biochemistry</i> , 1999, 63, 373-378.	0.6	76
17	Protective Role of Naturally Occurring Interleukin-17A-Producing $\text{I}\beta 17 \text{E}$ T Cells in the Lung at the Early Stage of Systemic Candidiasis in Mice. <i>Infection and Immunity</i> , 2011, 79, 4503-4510.	1.0	76
18	Stimulation of all T cells bearing $\text{V}\beta 21$, $\text{V}\beta 23$, $\text{V}\beta 211$ and $\text{V}\beta 212$ by staphylococcal enterotoxin A. <i>European Journal of Immunology</i> , 1990, 20, 617-621.	1.6	74

#	ARTICLE	IF	CITATIONS
19	Antitumor effect of heat-killed <i>Lactobacillus plantarum</i> L-137 through restoration of impaired interleukin-12 production in tumor-bearing mice. <i>Cancer Immunology, Immunotherapy</i> , 2000, 49, 157-164.	2.0	74
20	IFN- γ -Producing and IL-17-Producing $\gamma\delta$ T Cells Differentiate at Distinct Developmental Stages in Murine Fetal Thymus. <i>Journal of Immunology</i> , 2014, 192, 2210-2218.	0.4	67
21	Tyrosine Kinase 2 Plays Critical Roles in the Pathogenic CD4 T Cell Responses for the Development of Experimental Autoimmune Encephalomyelitis. <i>Journal of Immunology</i> , 2009, 183, 7539-7546.	0.4	64
22	Overexpression of IL-15 In Vivo Enhances Protection Against <i>Mycobacterium bovis</i> /Bacillus Calmette-Guérin Infection Via Augmentation of NK and T Cytotoxic 1 Responses. <i>Journal of Immunology</i> , 2001, 167, 946-956.	0.4	62
23	Tyk2-Signaling Plays an Important Role in Host Defense against <i>Escherichia coli</i> through IL-23-Induced IL-17 Production by $\gamma\delta$ T Cells. <i>Journal of Immunology</i> , 2008, 181, 2071-2075.	0.4	59
24	Isomalto-Oligosaccharides Polarize Th1-Like Responses in Intestinal and Systemic Immunity in Mice. <i>Journal of Nutrition</i> , 2005, 135, 2857-2861.	1.3	57
25	A Critical Role of CD30 Ligand/CD30 in Controlling Inflammatory Bowel Diseases in Mice. <i>Gastroenterology</i> , 2008, 134, 447-458.e3.	0.6	57
26	Overexpression of IL-15 In Vivo Enhances Tc1 Response, Which Inhibits Allergic Inflammation in a Murine Model of Asthma. <i>Journal of Immunology</i> , 2001, 166, 1991-2001.	0.4	54
27	Functional α and β T cell chain receptor messages can be detected in old but not in young athymic mice. <i>European Journal of Immunology</i> , 1987, 17, 477-482.	1.6	52
28	A Novel Role of CD30/CD30 Ligand Signaling in the Generation of Long-Lived Memory CD8+ T Cells. <i>Journal of Immunology</i> , 2005, 175, 4627-4634.	0.4	52
29	Efficacy of Recombinant Bacille Calmette-Guérin Vaccine Secreting Interleukin-15/Antigen 85B Fusion Protein in Providing Protection against <i>Mycobacterium tuberculosis</i> . <i>Journal of Infectious Diseases</i> , 2008, 197, 1263-1274.	1.9	50
30	A Novel Role of CD30L/CD30 Signaling by T-T Cell Interaction in Th1 Response against Mycobacterial Infection. <i>Journal of Immunology</i> , 2008, 181, 6316-6327.	0.4	50
31	Memory phenotype CD8+ T cells in IL-15 transgenic mice are involved in early protection against a primary infection with <i>Listeria monocytogenes</i> . <i>European Journal of Immunology</i> , 2001, 31, 757-766.	1.6	48
32	CD30 Ligand/CD30 Plays a Critical Role in Th17 Differentiation in Mice. <i>Journal of Immunology</i> , 2010, 185, 2222-2230.	0.4	48
33	A novel autoregulatory mechanism for transcriptional activation of the IL-15 gene by a nonsecretable isoform of IL-15 generated by alternative splicing. <i>FASEB Journal</i> , 2005, 19, 19-28.	0.2	46
34	Reduced Tyk2 gene expression in β -cells due to natural mutation determines susceptibility to virus-induced diabetes. <i>Nature Communications</i> , 2015, 6, 6748.	5.8	45
35	Intraepithelial $\gamma\delta$ T Cells May Bridge a Gap between Innate Immunity and Acquired Immunity to Herpes Simplex Virus Type 2. <i>Journal of Virology</i> , 2004, 78, 4927-4930.	1.5	44
36	Oral intake of heat-killed <i>Lactobacillus plantarum</i> L-137 decreases the incidence of upper respiratory tract infection in healthy subjects with high levels of psychological stress. <i>Journal of Nutritional Science</i> , 2013, 2, e39.	0.7	44

#	ARTICLE	IF	CITATIONS
37	CD30 Ligand Is a Target for a Novel Biological Therapy against Colitis Associated with Th17 Responses. <i>Journal of Immunology</i> , 2010, 185, 7671-7680.	0.4	43
38	A novel CD3- J11d+ subset of CD4+CD8- cells repopulating thymus in radiation bone marrow chimeras. <i>European Journal of Immunology</i> , 1989, 19, 1203-1207.	1.6	38
39	IL-15 exacerbates collagen-induced arthritis with an enhanced CD4 ⁺ T cell response to produce IL-17. <i>European Journal of Immunology</i> , 2007, 37, 2744-2752.	1.6	38
40	Daily intake of heat-killed <i>Lactobacillus plantarum</i> -L-137 enhances type I interferon production in healthy humans and pigs. <i>Immunopharmacology and Immunotoxicology</i> , 2012, 34, 937-943.	1.1	38
41	The requirement of intrathymic mixed chimerism and clonal deletion for a long-lasting skin allograft tolerance in cyclophosphamide-induced tolerance. <i>European Journal of Immunology</i> , 1990, 20, 2005-2013.	1.6	36
42	Simultaneous occurrence of myelomonocytic leukemia and multiple myeloma: Involvement of common leukemic progenitors and their developmental abnormality of lineage infidelity?. <i>Journal of Cellular Physiology</i> , 1991, 148, 446-456.	2.0	36
43	Interleukin-15 as an Immune Adjuvant To Increase the Efficacy of Mycobacterium bovis Bacillus Calmette-Guèrin Vaccination. <i>Infection and Immunity</i> , 2003, 71, 6045-6048.	1.0	36
44	CD153/CD30 signaling promotes age-dependent tertiary lymphoid tissue expansion and kidney injury. <i>Journal of Clinical Investigation</i> , 2022, 132, .	3.9	36
45	Enforced Expression of Bcl-2 Partially Restores Cell Numbers but Not Functions of TCR β ⁺ Intestinal Intraepithelial T Lymphocytes in IL-15-Deficient Mice. <i>Journal of Immunology</i> , 2007, 178, 757-764.	0.4	34
46	Lipoteichoic acids on <i>Lactobacillus plantarum</i> cell surfaces correlate with induction of interleukin-12p40 production. <i>Microbiology and Immunology</i> , 2010, 54, 143-151.	0.7	33
47	Dermal V β ³⁴ + β ¹⁷ T Cells Possess a Migratory Potency to the Draining Lymph Nodes and Modulate CD8 + T-Cell Activity through TNF- α Production. <i>Journal of Investigative Dermatology</i> , 2015, 135, 1007-1015.	0.3	33
48	Impaired Protection against <i>Mycobacterium bovis</i> Bacillus Calmette-Guèrin Infection in IL-15-Deficient Mice. <i>Journal of Immunology</i> , 2006, 176, 2496-2504.	0.4	32
49	Oligoclonal T lymphocytes infiltrating human lung cancer tissues. <i>International Journal of Cancer</i> , 1991, 47, 654-658.	2.3	31
50	Two Types of Interleukin 17A-Producing β ¹⁷ T Cells in Protection Against Pulmonary Infection With <i>Klebsiella pneumoniae</i> . <i>Journal of Infectious Diseases</i> , 2016, 214, 1752-1761.	1.9	31
51	Interleukin-15 induces IL-12 receptor β ² 1 gene expression through PU.1 and IRF 3 by targeting chromatin remodeling. <i>Blood</i> , 2005, 105, 711-720.	0.6	30
52	Immunological Protection Against Mycobacterium tuberculosis Infection. <i>Critical Reviews in Immunology</i> , 2006, 26, 515-526.	1.0	29
53	H2-M3-Restricted CD8+ T Cells Induced by Peptide-Pulsed Dendritic Cells Confer Protection against <i>Mycobacterium tuberculosis</i> . <i>Journal of Immunology</i> , 2007, 178, 3806-3813.	0.4	28
54	Increased Fas antigen expression in murine retrovirus-induced immunodeficiency syndrome, MAIDS. <i>European Journal of Immunology</i> , 1994, 24, 2446-2451.	1.6	27

#	ARTICLE	IF	CITATIONS
55	Immunogene therapy of murine fibrosarcoma using IL-15 gene with high translation efficiency. <i>European Journal of Immunology</i> , 1999, 29, 1532-1542.	1.6	27
56	IL-21/IL-21R signaling suppresses intestinal inflammation induced by DSS through regulation of Th responses in lamina propria in mice. <i>Scientific Reports</i> , 2016, 6, 31881.	1.6	27
57	Clonal anergy in self-reactive \hat{I}^{\pm}/\hat{I}^2 T cells is abrogated by heat-shock protein-reactive \hat{I}^3/\hat{I}^7 T cells in aged athymic nude mice. <i>European Journal of Immunology</i> , 1990, 20, 1475-1482.	1.6	25
58	S100A4 Protein Is Essential for the Development of Mature Microfold Cells in Peyer's Patches. <i>Cell Reports</i> , 2019, 29, 2823-2834.e7.	2.9	25
59	Daily intake of heat-killed <i>Lactobacillus plantarum</i> L-137 improves inflammation and lipid metabolism in overweight healthy adults: a randomized-controlled trial. <i>European Journal of Nutrition</i> , 2020, 59, 2641-2649.	1.8	25
60	An important role of Tyk2 in APC function of dendritic cells for priming CD8+ T cells producing IFN- \hat{I}^3 . <i>European Journal of Immunology</i> , 2006, 36, 3060-3070.	1.6	24
61	Susceptibility of human T-cell leukemia virus type I-infected cells to humanized anti-CD30 monoclonal antibodies <i>in vitro</i> and <i>in vivo</i> . <i>Cancer Science</i> , 2010, 101, 224-230.	1.7	24
62	Scavenger receptor for lipoteichoic acid is involved in the potent ability of <i>Lactobacillus plantarum</i> strain L-137 to stimulate production of interleukin-12p40. <i>International Immunopharmacology</i> , 2015, 25, 321-331.	1.7	23
63	Radioresistant intrathymic T cell precursors express T cell receptor \hat{C}^34 - and \hat{C}^7 -specific gene messages. <i>European Journal of Immunology</i> , 1988, 18, 841-847.	1.6	22
64	A Genome-Wide Analysis Identifies a Notch-RBP-J \hat{I}^2 IL-7R \hat{I}^{\pm} Axis That Controls IL-17-Producing \hat{I}^3/\hat{I}^7 T Cell Homeostasis in Mice. <i>Journal of Immunology</i> , 2015, 194, 243-251.	0.4	22
65	An Enhancer of the IL-7 Receptor \hat{I}^{\pm} -Chain Locus Controls IL-7 Receptor Expression and Maintenance of Peripheral T Cells. <i>Journal of Immunology</i> , 2015, 195, 3129-3138.	0.4	22
66	Effects of a Nonapeptide Thymic Hormone on Intestinal Intraepithelial Lymphocytes in Mice Following Administration of 5-Fluorouracil. <i>Cellular Immunology</i> , 1996, 171, 30-40.	1.4	21
67	Prostaglandin E1 protects against liver injury induced by <i>Escherichia coli</i> infection via a dominant th2-like response of liver T cells in mice. <i>Hepatology</i> , 1999, 30, 1464-1472.	3.6	21
68	Interleukin-21 signaling in B cells, but not in T cells, is indispensable for the development of collagen-induced arthritis in mice. <i>Arthritis Research and Therapy</i> , 2016, 18, 188.	1.6	21
69	NKT cells are dispensable in the induction of oral tolerance but are indispensable in the abrogation of oral tolerance by prostaglandin E. <i>European Journal of Immunology</i> , 2003, 33, 183-193.	1.6	20
70	A regulatory role of interleukin 15 in wound healing and mucosal infection in mice. <i>Journal of Leukocyte Biology</i> , 2008, 83, 165-172.	1.5	19
71	CD30 Is Required for Activation of a Unique Subset of Interleukin-17A-Producing \hat{I}^3/\hat{I}^7 T Cells in Innate Immunity against <i>Mycobacterium bovis</i> Bacillus Calmette-Guérin Infection. <i>Infection and Immunity</i> , 2013, 81, 3923-3934.	1.0	19
72	Increased Susceptibility to <i>Escherichia coli</i> Infection in Mice Pretreated with <i>Corynebacterium parvum</i> . <i>Microbiology and Immunology</i> , 1983, 27, 273-282.	0.7	18

#	ARTICLE	IF	CITATIONS
73	Self-reactive T cells are activated by the 65-kDa mycobacterial heat-shock protein in neonatally thymectomized mice. <i>European Journal of Immunology</i> , 1991, 21, 597-603.	1.6	18
74	IL-15 protects antigen-specific CD8+T cell contraction after <i>Mycobacterium bovis</i> bacillus Calmette-Guérin infection. <i>Journal of Leukocyte Biology</i> , 2009, 86, 187-194.	1.5	18
75	CD30 ligand is a new therapeutic target for central nervous system autoimmunity. <i>Journal of Autoimmunity</i> , 2015, 57, 14-23.	3.0	17
76	Th1 is the predominant helper T cell subset that produces GM-CSF in the joint of rheumatoid arthritis. <i>RMD Open</i> , 2017, 3, e000487.	1.8	17
77	Development of a new monoclonal antibody specific to mouse V β 36 chain. <i>Life Science Alliance</i> , 2019, 2, e201900363.	1.3	17
78	Expression of T cell receptor V β 35 in the adult thymus of irradiated mice after transplantation with fetal liver cells. <i>European Journal of Immunology</i> , 1990, 20, 1965-1970.	1.6	16
79	Oral administration of bovine colostrum stimulates intestinal intraepithelial lymphocytes to polarize Th1-type in mice. <i>International Immunopharmacology</i> , 2005, 5, 581-590.	1.7	16
80	<i>Lactobacillus plantarum</i> L137 upregulates hyaluronic acid production in epidermal cells and fibroblasts in mice. <i>Microbiology and Immunology</i> , 2019, 63, 367-378.	0.7	16
81	Antitumor activity of recombinant Bacille Calmette-Guérin secreting interleukin-15-Ag85B fusion protein against bladder cancer. <i>International Immunopharmacology</i> , 2016, 35, 327-331.	1.7	15
82	IL-21 inhibits IL-17A-producing $\gamma\delta$ T-cell response after infection with <i>Bacillus Calmette-Guérin</i> via induction of apoptosis. <i>Innate Immunity</i> , 2016, 22, 588-597.	1.1	14
83	Genetic Susceptibility of the Host in Virus-Induced Diabetes. <i>Microorganisms</i> , 2020, 8, 1133.	1.6	14
84	Overexpression of interleukin-15 prevents the development of murine retrovirus-induced acquired immunodeficiency syndrome. <i>FASEB Journal</i> , 2002, 16, 1755-1763.	0.2	13
85	Overexpression of Interleukin-15 Increases Susceptibility to Lipopolysaccharide-Induced Liver Injury in Mice Primed with <i>Mycobacterium bovis</i> Bacillus Calmette-Guérin. <i>Infection and Immunity</i> , 2004, 72, 3855-3862.	1.0	13
86	The central role of CD30L/CD30 interactions in allergic rhinitis pathogenesis in mice. <i>European Journal of Immunology</i> , 2011, 41, 2947-2954.	1.6	13
87	Administration of milk from cows immunized with intestinal bacteria protects mice from radiation-induced lethality. <i>Biotherapy (Dordrecht, Netherlands)</i> , 1992, 5, 215-225.	0.7	12
88	CD30 Ligand/CD30 Interaction Is Involved in Pathogenesis of Inflammatory Bowel Disease. <i>Digestive Diseases and Sciences</i> , 2012, 57, 2031-2037.	1.1	12
89	Tyk2-Dependent Bystander Activation of Conventional and Nonconventional Th1 Cell Subsets Contributes to Innate Host Defense against <i>Listeria monocytogenes</i> Infection. <i>Journal of Immunology</i> , 2014, 192, 4739-4747.	0.4	12
90	CD5 ^{hi} NK1.1 + $\gamma\delta$ T Cells that Develop in a Bcl11b-Independent Manner Participate in Early Protection against Infection. <i>Cell Reports</i> , 2017, 21, 1191-1202.	2.9	12

#	ARTICLE	IF	CITATIONS
91	Subtyping of Type 1 Diabetes as Classified by Anti-GAD Antibody, IgE Levels, and Tyrosine kinase 2 (TYK2) Promoter Variant in the Japanese. <i>EBioMedicine</i> , 2017, 23, 46-51.	2.7	12
92	CD30 ligand deficiency accelerates glioma progression by promoting the formation of tumor immune microenvironment. <i>International Immunopharmacology</i> , 2019, 71, 350-360.	1.7	12
93	Changes in Urinary Biomarkers of Organ Damage, Inflammation, Oxidative Stress, and Bone Turnover Following a 3000-m Time Trial. <i>Antioxidants</i> , 2021, 10, 79.	2.2	12
94	Recombinant <i>Mycobacterium bovis</i> bacillus Calmette-Guérin expressing Ag85B-IL-7 fusion protein enhances IL-17A-producing innate $\gamma\delta$ T cells. <i>Vaccine</i> , 2016, 34, 2490-2495.	1.7	11
95	Cutting Edge: B Cells Expressing Cyclic Citrullinated Peptide-Specific Antigen Receptor Are Tolerized in Normal Conditions. <i>Journal of Immunology</i> , 2018, 201, 3492-3496.	0.4	11
96	Effects of an 8-Week Protein Supplementation Regimen with Hyperimmunized Cow Milk on Exercise-Induced Organ Damage and Inflammation in Male Runners: A Randomized, Placebo Controlled, Cross-Over Study. <i>Biomedicines</i> , 2020, 8, 51.	1.4	11
97	Antibacterial effect of bovine milk antibody against <i>Escherichia coli</i> in a mouse indigenous infection model. <i>Medical Microbiology and Immunology</i> , 1992, 181, 87-98.	2.6	10
98	Association of Decreased Percentage of $\gamma\delta$ 2+ $\gamma\delta$ 39+ $\gamma\delta$ T Cells With Disease Severity in Multiple Sclerosis. <i>Frontiers in Immunology</i> , 2018, 9, 748.	2.2	10
99	Fas/FasL signaling is critical for the survival of exhausted antigen-specific CD8+ T cells during tumor immune response. <i>Molecular Immunology</i> , 2019, 107, 97-105.	1.0	10
100	Deletion of Mls-reactive T cells in H-2-compatible but Mls-incompatible bone marrow chimeras. <i>European Journal of Immunology</i> , 1989, 19, 1009-1013.	1.6	9
101	Consumption of Milk from Cows Immunized with Intestinal Bacteria Influences Age-Related Changes in Immune Competence in Mice. <i>Journal of Nutrition</i> , 1992, 122, 1875-1883.	1.3	9
102	IL-7-Dependent Phosphatidylinositol 3-Kinase Competes with the STAT5 Signal to Modulate T Cell Development and Homeostasis. <i>Journal of Immunology</i> , 2020, 204, 844-857.	0.4	9
103	Influence of Intake of Skim Milk from Cows Immunized with Intestinal Bacterial Antigens on Onset of Renal Disease in (NZB \times NZW)F1 Mice Fed Ad Libitum or Restricted in Energy Intake. <i>Journal of Nutrition</i> , 1991, 121, 1860-1868.	1.3	8
104	CD30L/CD30 protects against psoriasiform skin inflammation by suppressing Th17-related cytokine production by $\gamma\delta$ 4+ $\gamma\delta$ T cells. <i>Journal of Autoimmunity</i> , 2019, 101, 70-85.	3.0	8
105	In vivo treatment with a nonapeptide thymic hormone, facteur thymique serique (FTS), ameliorates chronic colitis induced by dextran sulphate sodium in mice. <i>International Immunopharmacology</i> , 2007, 7, 928-936.	1.7	7
106	Oral Administration of Bovine Milk from Cows Hyperimmunized with Intestinal Bacterin Stimulates Lamina Propria T Lymphocytes to Produce Th1-Biased Cytokines in Mice. <i>International Journal of Molecular Sciences</i> , 2014, 15, 5458-5471.	1.8	7
107	Interleukin-21 Induces Short-Lived Effector CD8 ⁺ T Cells but Does Not Inhibit Their Exhaustion after <i>Mycobacterium bovis</i> BCG Infection in Mice. <i>Infection and Immunity</i> , 2018, 86, .	1.0	7
108	CD30L/CD30 signaling regulates the formation of the tumor immune microenvironment and inhibits intestinal tumor development of colitis-associated colon cancer in mice. <i>International Immunopharmacology</i> , 2020, 84, 106531.	1.7	7

#	ARTICLE	IF	CITATIONS
109	Augmentation of Host Defense Against Bacterial Infection Pretreated Intraperitoneally with an α -Glucan RBS in Mice. <i>Immunopharmacology and Immunotoxicology</i> , 1990, 12, 457-477.	1.1	6
110	Accelerated Progression of a Murine Retrovirus-Induced Immunodeficiency Syndrome In Fas Mutant C57BL/6 Mice. <i>Microbiology and Immunology</i> , 1997, 41, 221-227.	0.7	6
111	Requirement of CD30 expression on CD4 T cells in the pathogenesis of experimental autoimmune encephalomyelitis. <i>Journal of Neuroimmunology</i> , 2016, 291, 39-45.	1.1	6
112	Long-term use of interferon- β in multiple sclerosis increases α 1 β 2 α 1 β T cells that are associated with a better outcome. <i>Journal of Neuroinflammation</i> , 2019, 16, 179.	3.1	6
113	Impaired upregulation of Stat2 gene restrictive to pancreatic β -cells is responsible for virus-induced diabetes in DBA/2 mice. <i>Biochemical and Biophysical Research Communications</i> , 2020, 521, 853-860.	1.0	6
114	Renal cancer treatment with recipient lymphocyte infusion enhanced the antitumor effect of nonmyeloablative allogeneic stem cell transplantation. <i>Transplant Immunology</i> , 2015, 32, 131-139.	0.6	4
115	A Thymic Hormone Protects Mice from Enteropathy during Acute Graft-versus-Host Disease. <i>Microbiology and Immunology</i> , 1997, 41, 883-889.	0.7	3
116	Viruses with masked pathogenicity and genetically susceptible hosts—How to discover potentially pathogenic viruses. <i>Journal of Medical Virology</i> , 2019, 91, 1365-1367.	2.5	3
117	Serum IgG ACPA-IgM RF immune complexes were detected in rheumatoid arthritis patients positive for IgM ACPA. <i>Clinical and Experimental Rheumatology</i> , 2018, 36, 612-618.	0.4	3
118	In vivo blockade of T cell development reveals alternative pathways for generation of intraepithelial lymphocytes in mice. <i>Immunology Letters</i> , 2017, 191, 40-46.	1.1	2
119	Peripheral expansion of α 1 β T cell receptor-positive cells in a patient with Crohn's disease. <i>Pediatrics International</i> , 1993, 35, 45-48.	0.2	1
120	MHC class II inhibits the generation of IL-17A ⁺ α 1 β T cells in the thymus at perinatal stage. <i>European Journal of Immunology</i> , 2022, 52, 1366-1368.	1.6	1
121	CD30 ligand could be a new therapeutic target for central nervous system autoimmunity. <i>Clinical and Experimental Neuroimmunology</i> , 2015, 6, 111-112.	0.5	0
122	α 1 β T cells are critical for protection against infection by <i>Escherichia coli</i> in mice. <i>European Journal of Immunology</i> , 2021, 51, 2093-2096.	1.6	0
123	OX40 Signals Determine the Fate of Memory CD8 ⁺ T cells following <i>Listeria monocytogenes</i> Infection. <i>FASEB Journal</i> , 2008, 22, 864.9.	0.2	0
124	Dermal α 1 β T17 Cells Are Involved in Skin Pressure Ulcers in Mice. <i>Journal of Investigative Dermatology</i> , 2022, 142, 2294-2297.e5.	0.3	0