

# Yasunobu Yoshikai

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6525222/publications.pdf>

Version: 2024-02-01

124  
papers

5,142  
citations

87888

38  
h-index

102487

66  
g-index

128  
all docs

128  
docs citations

128  
times ranked

6026  
citing authors

#	ARTICLE	IF	CITATIONS
1	Resident $\text{V}\alpha 1 + \text{I}\beta 1^+$ T Cells Control Early Infiltration of Neutrophils after <i>Escherichia coli</i> Infection via IL-17 Production. <i>Journal of Immunology</i> , 2007, 178, 4466-4472.	0.8	446
2	Heat-killed <i>Lactobacillus plantarum</i> L-137 suppresses naturally fed antigen-specific IgE production by stimulation of IL-12 production in mice. <i>Journal of Allergy and Clinical Immunology</i> , 1998, 102, 57-64.	2.9	257
3	Lipoteichoic Acids from <i>Lactobacillus</i> Strains Elicit Strong Tumor Necrosis Factor Alpha-Inducing Activities in Macrophages through Toll-Like Receptor 2. <i>Vaccine Journal</i> , 2003, 10, 259-266.	3.1	242
4	Sequential appearance of $\text{I}\beta 1^+$ - and $\text{I}\beta 2$ -bearing T cells in the peritoneal cavity during an i.p. infection with <i>Listeria monocytogenes</i> . <i>European Journal of Immunology</i> , 1990, 20, 533-538.	2.9	178
5	Identification of $\text{CD}25 + \text{I}\beta 1^+$ T Cells As Fetal Thymus-Derived Naturally Occurring IL-17 Producers. <i>Journal of Immunology</i> , 2008, 181, 5940-5947.	0.8	172
6	Oral administration of heat-killed <i>Lactobacillus plantarum</i> L-137 enhances protection against influenza virus infection by stimulation of type I interferon production in mice. <i>International Immunopharmacology</i> , 2009, 9, 1122-1125.	3.8	148
7	Expression of Toll-Like Receptor 2 on $\text{I}\beta 1^+$ T Cells Bearing Invariant $\text{V}\beta 6/\text{V}\alpha 1$ Induced by <i>Escherichia coli</i> Infection in Mice. <i>Journal of Immunology</i> , 2000, 165, 931-940.	0.8	135
8	Differential Roles of Interleukin 15 mRNA Isoforms Generated by Alternative Splicing in Immune Responses in Vivo. <i>Journal of Experimental Medicine</i> , 2000, 191, 157-170.	8.5	131
9	Notch-Hes1 pathway is required for the development of IL-17-producing $\text{I}\beta 1^+$ T cells. <i>Blood</i> , 2011, 118, 586-593.	1.4	129
10	Glucocorticoids Drive Diurnal Oscillations in T Cell Distribution and Responses by Inducing Interleukin-7 Receptor and CXCR4. <i>Immunity</i> , 2018, 48, 286-298.e6.	14.3	118
11	IL-15 Regulates $\text{CD}8 +$ T Cell Contraction during Primary Infection. <i>Journal of Immunology</i> , 2006, 176, 507-515.	0.8	104
12	Overexpression of IL-15 In Vivo Increases Antigen-Driven Memory $\text{CD}8 +$ T Cells Following a Microbe Exposure. <i>Journal of Immunology</i> , 2002, 168, 1198-1203.	0.8	103
13	IL-1 receptor antagonist-deficient mice develop autoimmune arthritis due to intrinsic activation of IL-17-producing $\text{CCR}2 + \text{V}\beta 6 + \text{I}\beta 1^+$ T cells. <i>Nature Communications</i> , 2015, 6, 7464.	12.8	102
14	Daily Intake of Heat-Killed <i>Lactobacillus plantarum</i> L-137 Augments Acquired Immunity in Healthy Adults. <i>Journal of Nutrition</i> , 2006, 136, 3069-3073.	2.9	100
15	C-Type Lectin Receptor DCAR Recognizes Mycobacterial Phosphatidyl-Inositol Mannosides to Promote a Th1 Response during Infection. <i>Immunity</i> , 2016, 45, 1245-1257.	14.3	80
16	Immunopotentiating Activity of Nigeroooligosaccharides for the T Helper 1-Like Immune Response in Mice. <i>Bioscience, Biotechnology and Biochemistry</i> , 1999, 63, 373-378.	1.3	76
17	Protective Role of Naturally Occurring Interleukin-17A-Producing $\text{I}\beta 1^+$ T Cells in the Lung at the Early Stage of Systemic Candidiasis in Mice. <i>Infection and Immunity</i> , 2011, 79, 4503-4510.	2.2	76
18	Stimulation of all T cells bearing $\text{V}\alpha 21$ , $\text{V}\alpha 23$ , $\text{V}\alpha 211$ and $\text{V}\alpha 212$ by staphylococcal enterotoxin A. <i>European Journal of Immunology</i> , 1990, 20, 617-621.	2.9	74

#	ARTICLE	IF	CITATIONS
19	Antitumor effect of heat-killed <i>Lactobacillus plantarum</i> L-137 through restoration of impaired interleukin-12 production in tumor-bearing mice. <i>Cancer Immunology, Immunotherapy</i> , 2000, 49, 157-164.	4.2	74
20	IFN- $\gamma$ -Producing and IL-17-Producing $\gamma\delta$ T Cells Differentiate at Distinct Developmental Stages in Murine Fetal Thymus. <i>Journal of Immunology</i> , 2014, 192, 2210-2218.	0.8	67
21	Tyrosine Kinase 2 Plays Critical Roles in the Pathogenic CD4 T Cell Responses for the Development of Experimental Autoimmune Encephalomyelitis. <i>Journal of Immunology</i> , 2009, 183, 7539-7546.	0.8	64
22	Overexpression of IL-15 In Vivo Enhances Protection Against <i>Mycobacterium bovis</i> /Bacillus Calmette-Guérin Infection Via Augmentation of NK and T Cytotoxic 1 Responses. <i>Journal of Immunology</i> , 2001, 167, 946-956.	0.8	62
23	Tyk2-Signaling Plays an Important Role in Host Defense against <i>Escherichia coli</i> through IL-23-Induced IL-17 Production by $\gamma\delta$ T Cells. <i>Journal of Immunology</i> , 2008, 181, 2071-2075.	0.8	59
24	Isomalto-Oligosaccharides Polarize Th1-Like Responses in Intestinal and Systemic Immunity in Mice. <i>Journal of Nutrition</i> , 2005, 135, 2857-2861.	2.9	57
25	A Critical Role of CD30 Ligand/CD30 in Controlling Inflammatory Bowel Diseases in Mice. <i>Gastroenterology</i> , 2008, 134, 447-458.e3.	1.3	57
26	Overexpression of IL-15 In Vivo Enhances Tc1 Response, Which Inhibits Allergic Inflammation in a Murine Model of Asthma. <i>Journal of Immunology</i> , 2001, 166, 1991-2001.	0.8	54
27	Functional $\alpha$ and $\beta$ T cell chain receptor messages can be detected in old but not in young athymic mice. <i>European Journal of Immunology</i> , 1987, 17, 477-482.	2.9	52
28	A Novel Role of CD30/CD30 Ligand Signaling in the Generation of Long-Lived Memory CD8+ T Cells. <i>Journal of Immunology</i> , 2005, 175, 4627-4634.	0.8	52
29	Efficacy of Recombinant Bacille Calmette-Guérin Vaccine Secreting Interleukin-15/Antigen 85B Fusion Protein in Providing Protection against <i>Mycobacterium tuberculosis</i> . <i>Journal of Infectious Diseases</i> , 2008, 197, 1263-1274.	4.0	50
30	A Novel Role of CD30L/CD30 Signaling by T-T Cell Interaction in Th1 Response against Mycobacterial Infection. <i>Journal of Immunology</i> , 2008, 181, 6316-6327.	0.8	50
31	Memory phenotype CD8+ T cells in IL-15 transgenic mice are involved in early protection against a primary infection with <i>Listeria monocytogenes</i> . <i>European Journal of Immunology</i> , 2001, 31, 757-766.	2.9	48
32	CD30 Ligand/CD30 Plays a Critical Role in Th17 Differentiation in Mice. <i>Journal of Immunology</i> , 2010, 185, 2222-2230.	0.8	48
33	A novel autoregulatory mechanism for transcriptional activation of the IL-15 gene by a nonsecretable isoform of IL-15 generated by alternative splicing. <i>FASEB Journal</i> , 2005, 19, 19-28.	0.5	46
34	Reduced Tyk2 gene expression in $\beta$ -cells due to natural mutation determines susceptibility to virus-induced diabetes. <i>Nature Communications</i> , 2015, 6, 6748.	12.8	45
35	Intraepithelial $\gamma\delta$ T Cells May Bridge a Gap between Innate Immunity and Acquired Immunity to Herpes Simplex Virus Type 2. <i>Journal of Virology</i> , 2004, 78, 4927-4930.	3.4	44
36	Oral intake of heat-killed <i>Lactobacillus plantarum</i> L-137 decreases the incidence of upper respiratory tract infection in healthy subjects with high levels of psychological stress. <i>Journal of Nutritional Science</i> , 2013, 2, e39.	1.9	44

#	ARTICLE	IF	CITATIONS
37	CD30 Ligand Is a Target for a Novel Biological Therapy against Colitis Associated with Th17 Responses. <i>Journal of Immunology</i> , 2010, 185, 7671-7680.	0.8	43
38	A novel CD3- J11d+ subset of CD4+CD8- cells repopulating thymus in radiation bone marrow chimeras. <i>European Journal of Immunology</i> , 1989, 19, 1203-1207.	2.9	38
39	IL-15 exacerbates collagen-induced arthritis with an enhanced CD4 <sup>+</sup> T cell response to produce IL-17. <i>European Journal of Immunology</i> , 2007, 37, 2744-2752.	2.9	38
40	Daily intake of heat-killed <i>Lactobacillus plantarum</i> L-137 enhances type I interferon production in healthy humans and pigs. <i>Immunopharmacology and Immunotoxicology</i> , 2012, 34, 937-943.	2.4	38
41	The requirement of intrathymic mixed chimerism and clonal deletion for a long-lasting skin allograft tolerance in cyclophosphamide-induced tolerance. <i>European Journal of Immunology</i> , 1990, 20, 2005-2013.	2.9	36
42	Simultaneous occurrence of myelomonocytic leukemia and multiple myeloma: Involvement of common leukemic progenitors and their developmental abnormality of lineage infidelity?. <i>Journal of Cellular Physiology</i> , 1991, 148, 446-456.	4.1	36
43	Interleukin-15 as an Immune Adjuvant To Increase the Efficacy of <i>Mycobacterium bovis</i> Bacillus Calmette-Guérin Vaccination. <i>Infection and Immunity</i> , 2003, 71, 6045-6048.	2.2	36
44	CD153/CD30 signaling promotes age-dependent tertiary lymphoid tissue expansion and kidney injury. <i>Journal of Clinical Investigation</i> , 2022, 132, .	8.2	36
45	Enforced Expression of Bcl-2 Partially Restores Cell Numbers but Not Functions of TCR <sup>hi</sup> Intestinal Intraepithelial T Lymphocytes in IL-15-Deficient Mice. <i>Journal of Immunology</i> , 2007, 178, 757-764.	0.8	34
46	Lipoteichoic acids on <i>Lactobacillus plantarum</i> cell surfaces correlate with induction of interleukin-12p40 production. <i>Microbiology and Immunology</i> , 2010, 54, 143-151.	1.4	33
47	Dermal V $\beta$ 4 + $\gamma\delta$ T Cells Possess a Migratory Potency to the Draining Lymph Nodes and Modulate CD8 + T-Cell Activity through TNF- $\alpha$ Production. <i>Journal of Investigative Dermatology</i> , 2015, 135, 1007-1015.	0.7	33
48	Impaired Protection against <i>Mycobacterium bovis</i> Bacillus Calmette-Guérin Infection in IL-15-Deficient Mice. <i>Journal of Immunology</i> , 2006, 176, 2496-2504.	0.8	32
49	Oligoclonal T lymphocytes infiltrating human lung cancer tissues. <i>International Journal of Cancer</i> , 1991, 47, 654-658.	5.1	31
50	Two Types of Interleukin 17A-Producing $\gamma\delta$ T Cells in Protection Against Pulmonary Infection With <i>Klebsiella pneumoniae</i> . <i>Journal of Infectious Diseases</i> , 2016, 214, 1752-1761.	4.0	31
51	Interleukin-15 induces IL-12 receptor $\beta$ 1 gene expression through PU.1 and IRF 3 by targeting chromatin remodeling. <i>Blood</i> , 2005, 105, 711-720.	1.4	30
52	Immunological Protection Against <i>Mycobacterium tuberculosis</i> Infection. <i>Critical Reviews in Immunology</i> , 2006, 26, 515-526.	0.5	29
53	H2-M3-Restricted CD8+ T Cells Induced by Peptide-Pulsed Dendritic Cells Confer Protection against <i>Mycobacterium tuberculosis</i> . <i>Journal of Immunology</i> , 2007, 178, 3806-3813.	0.8	28
54	Increased Fas antigen expression in murine retrovirus-induced immunodeficiency syndrome, MAIDS. <i>European Journal of Immunology</i> , 1994, 24, 2446-2451.	2.9	27

#	ARTICLE	IF	CITATIONS
55	Immunogene therapy of murine fibrosarcoma using IL-15 gene with high translation efficiency. <i>European Journal of Immunology</i> , 1999, 29, 1532-1542.	2.9	27
56	IL-21/IL-21R signaling suppresses intestinal inflammation induced by DSS through regulation of Th responses in lamina propria in mice. <i>Scientific Reports</i> , 2016, 6, 31881.	3.3	27
57	Clonal anergy in self-reactive $\hat{1}^{\pm}/\hat{1}^2$ T cells is abrogated by heat-shock protein-reactive $\hat{1}^3/\hat{1}^7$ T cells in aged athymic nude mice. <i>European Journal of Immunology</i> , 1990, 20, 1475-1482.	2.9	25
58	S100A4 Protein Is Essential for the Development of Mature Microfold Cells in Peyer's Patches. <i>Cell Reports</i> , 2019, 29, 2823-2834.e7.	6.4	25
59	Daily intake of heat-killed <i>Lactobacillus plantarum</i> L-137 improves inflammation and lipid metabolism in overweight healthy adults: a randomized-controlled trial. <i>European Journal of Nutrition</i> , 2020, 59, 2641-2649.	3.9	25
60	An important role of Tyk2 in APC function of dendritic cells for priming CD8+ T cells producing IFN- $\hat{1}^3$ . <i>European Journal of Immunology</i> , 2006, 36, 3060-3070.	2.9	24
61	Susceptibility of human T-cell leukemia virus type I-infected cells to humanized anti-CD30 monoclonal antibodies <i>in vitro</i> and <i>in vivo</i> . <i>Cancer Science</i> , 2010, 101, 224-230.	3.9	24
62	Scavenger receptor for lipoteichoic acid is involved in the potent ability of <i>Lactobacillus plantarum</i> strain L-137 to stimulate production of interleukin-12p40. <i>International Immunopharmacology</i> , 2015, 25, 321-331.	3.8	23
63	Radioresistant intrathymic T cell precursors express T cell receptor $\hat{C}^34$ - and $\hat{C}^7$ -specific gene messages. <i>European Journal of Immunology</i> , 1988, 18, 841-847.	2.9	22
64	A Genome-Wide Analysis Identifies a Notch-RBP-J-IL-7R $\hat{1}^{\pm}$ Axis That Controls IL-17-Producing $\hat{1}^3/\hat{1}^7$ T Cell Homeostasis in Mice. <i>Journal of Immunology</i> , 2015, 194, 243-251.	0.8	22
65	An Enhancer of the IL-7 Receptor $\hat{1}^{\pm}$ -Chain Locus Controls IL-7 Receptor Expression and Maintenance of Peripheral T Cells. <i>Journal of Immunology</i> , 2015, 195, 3129-3138.	0.8	22
66	Effects of a Nonapeptide Thymic Hormone on Intestinal Intraepithelial Lymphocytes in Mice Following Administration of 5-Fluorouracil. <i>Cellular Immunology</i> , 1996, 171, 30-40.	3.0	21
67	Prostaglandin E1 protects against liver injury induced by <i>Escherichia coli</i> infection via a dominant th2-like response of liver T cells in mice. <i>Hepatology</i> , 1999, 30, 1464-1472.	7.3	21
68	Interleukin-21 signaling in B cells, but not in T cells, is indispensable for the development of collagen-induced arthritis in mice. <i>Arthritis Research and Therapy</i> , 2016, 18, 188.	3.5	21
69	NKT cells are dispensable in the induction of oral tolerance but are indispensable in the abrogation of oral tolerance by prostaglandin E. <i>European Journal of Immunology</i> , 2003, 33, 183-193.	2.9	20
70	A regulatory role of interleukin 15 in wound healing and mucosal infection in mice. <i>Journal of Leukocyte Biology</i> , 2008, 83, 165-172.	3.3	19
71	CD30 Is Required for Activation of a Unique Subset of Interleukin-17A-Producing $\hat{1}^3/\hat{1}^7$ T Cells in Innate Immunity against <i>Mycobacterium bovis</i> Bacillus Calmette-Guérin Infection. <i>Infection and Immunity</i> , 2013, 81, 3923-3934.	2.2	19
72	Increased Susceptibility to <i>Escherichia coli</i> Infection in Mice Pretreated with <i>Corynebacterium parvum</i> . <i>Microbiology and Immunology</i> , 1983, 27, 273-282.	1.4	18

#	ARTICLE	IF	CITATIONS
73	Self-reactive T cells are activated by the 65-kDa mycobacterial heat-shock protein in neonatally thymectomized mice. <i>European Journal of Immunology</i> , 1991, 21, 597-603.	2.9	18
74	IL-15 protects antigen-specific CD8+ T cell contraction after <i>Mycobacterium bovis</i> bacillus Calmette-Guérin infection. <i>Journal of Leukocyte Biology</i> , 2009, 86, 187-194.	3.3	18
75	CD30 ligand is a new therapeutic target for central nervous system autoimmunity. <i>Journal of Autoimmunity</i> , 2015, 57, 14-23.	6.5	17
76	Th1 is the predominant helper T cell subset that produces GM-CSF in the joint of rheumatoid arthritis. <i>RMD Open</i> , 2017, 3, e000487.	3.8	17
77	Development of a new monoclonal antibody specific to mouse V $\beta$ 36 chain. <i>Life Science Alliance</i> , 2019, 2, e201900363.	2.8	17
78	Expression of T cell receptor V $\beta$ 35 in the adult thymus of irradiated mice after transplantation with fetal liver cells. <i>European Journal of Immunology</i> , 1990, 20, 1965-1970.	2.9	16
79	Oral administration of bovine colostrum stimulates intestinal intraepithelial lymphocytes to polarize Th1-type in mice. <i>International Immunopharmacology</i> , 2005, 5, 581-590.	3.8	16
80	<i>Lactobacillus plantarum</i> L-37 upregulates hyaluronic acid production in epidermal cells and fibroblasts in mice. <i>Microbiology and Immunology</i> , 2019, 63, 367-378.	1.4	16
81	Antitumor activity of recombinant Bacille Calmette-Guérin secreting interleukin-15-Ag85B fusion protein against bladder cancer. <i>International Immunopharmacology</i> , 2016, 35, 327-331.	3.8	15
82	IL-21 inhibits IL-17A-producing $\gamma\delta$ T-cell response after infection with <i>Bacillus Calmette-Guérin</i> via induction of apoptosis. <i>Innate Immunity</i> , 2016, 22, 588-597.	2.4	14
83	Genetic Susceptibility of the Host in Virus-Induced Diabetes. <i>Microorganisms</i> , 2020, 8, 1133.	3.6	14
84	Overexpression of interleukin-15 prevents the development of murine retrovirus-induced acquired immunodeficiency syndrome. <i>FASEB Journal</i> , 2002, 16, 1755-1763.	0.5	13
85	Overexpression of Interleukin-15 Increases Susceptibility to Lipopolysaccharide-Induced Liver Injury in Mice Primed with <i>Mycobacterium bovis</i> Bacillus Calmette-Guérin. <i>Infection and Immunity</i> , 2004, 72, 3855-3862.	2.2	13
86	The central role of CD30L/CD30 interactions in allergic rhinitis pathogenesis in mice. <i>European Journal of Immunology</i> , 2011, 41, 2947-2954.	2.9	13
87	Administration of milk from cows immunized with intestinal bacteria protects mice from radiation-induced lethality. <i>Biotherapy (Dordrecht, Netherlands)</i> , 1992, 5, 215-225.	0.7	12
88	CD30 Ligand/CD30 Interaction Is Involved in Pathogenesis of Inflammatory Bowel Disease. <i>Digestive Diseases and Sciences</i> , 2012, 57, 2031-2037.	2.3	12
89	Tyk2-Dependent Bystander Activation of Conventional and Nonconventional Th1 Cell Subsets Contributes to Innate Host Defense against <i>Listeria monocytogenes</i> Infection. <i>Journal of Immunology</i> , 2014, 192, 4739-4747.	0.8	12
90	CD5 $^{+}$ NK1.1 $^{+}$ $\gamma\delta$ T Cells that Develop in a Bcl11b-Independent Manner Participate in Early Protection against Infection. <i>Cell Reports</i> , 2017, 21, 1191-1202.	6.4	12

#	ARTICLE	IF	CITATIONS
91	Subtyping of Type 1 Diabetes as Classified by Anti-GAD Antibody, IgE Levels, and Tyrosine kinase 2 ( TYK2 ) Promoter Variant in the Japanese. <i>EBioMedicine</i> , 2017, 23, 46-51.	6.1	12
92	CD30 ligand deficiency accelerates glioma progression by promoting the formation of tumor immune microenvironment. <i>International Immunopharmacology</i> , 2019, 71, 350-360.	3.8	12
93	Changes in Urinary Biomarkers of Organ Damage, Inflammation, Oxidative Stress, and Bone Turnover Following a 3000-m Time Trial. <i>Antioxidants</i> , 2021, 10, 79.	5.1	12
94	Recombinant <i>Mycobacterium bovis</i> bacillus Calmette-Guérin expressing Ag85B-IL-7 fusion protein enhances IL-17A-producing innate $\gamma\delta$ T cells. <i>Vaccine</i> , 2016, 34, 2490-2495.	3.8	11
95	Cutting Edge: B Cells Expressing Cyclic Citrullinated Peptide-Specific Antigen Receptor Are Tolerized in Normal Conditions. <i>Journal of Immunology</i> , 2018, 201, 3492-3496.	0.8	11
96	Effects of an 8-Week Protein Supplementation Regimen with Hyperimmunized Cow Milk on Exercise-Induced Organ Damage and Inflammation in Male Runners: A Randomized, Placebo Controlled, Cross-Over Study. <i>Biomedicine</i> , 2020, 8, 51.	3.2	11
97	Antibacterial effect of bovine milk antibody against <i>Escherichia coli</i> in a mouse indigenous infection model. <i>Medical Microbiology and Immunology</i> , 1992, 181, 87-98.	4.8	10
98	Association of Decreased Percentage of $\gamma\delta$ T Cells With Disease Severity in Multiple Sclerosis. <i>Frontiers in Immunology</i> , 2018, 9, 748.	4.8	10
99	Fas/FasL signaling is critical for the survival of exhausted antigen-specific CD8 <sup>+</sup> T cells during tumor immune response. <i>Molecular Immunology</i> , 2019, 107, 97-105.	2.2	10
100	Deletion of Mls-reactive T cells in H-2-compatible but Mls-incompatible bone marrow chimeras. <i>European Journal of Immunology</i> , 1989, 19, 1009-1013.	2.9	9
101	Consumption of Milk from Cows Immunized with Intestinal Bacteria Influences Age-Related Changes in Immune Competence in Mice. <i>Journal of Nutrition</i> , 1992, 122, 1875-1883.	2.9	9
102	IL-7R $\alpha$ -Dependent Phosphatidylinositol 3-Kinase Competes with the STAT5 Signal to Modulate T Cell Development and Homeostasis. <i>Journal of Immunology</i> , 2020, 204, 844-857.	0.8	9
103	Influence of Intake of Skim Milk from Cows Immunized with Intestinal Bacterial Antigens on Onset of Renal Disease in (NZB $\times$ NZW)F1 Mice Fed Ad Libitum or Restricted in Energy Intake. <i>Journal of Nutrition</i> , 1991, 121, 1860-1868.	2.9	8
104	CD30L/CD30 protects against psoriasiform skin inflammation by suppressing Th17-related cytokine production by $\gamma\delta$ T cells. <i>Journal of Autoimmunity</i> , 2019, 101, 70-85.	6.5	8
105	In vivo treatment with a nonapeptide thymic hormone, facteur thymique serique (FTS), ameliorates chronic colitis induced by dextran sulphate sodium in mice. <i>International Immunopharmacology</i> , 2007, 7, 928-936.	3.8	7
106	Oral Administration of Bovine Milk from Cows Hyperimmunized with Intestinal Bacterin Stimulates Lamina Propria T Lymphocytes to Produce Th1-Biased Cytokines in Mice. <i>International Journal of Molecular Sciences</i> , 2014, 15, 5458-5471.	4.1	7
107	Interleukin-21 Induces Short-Lived Effector CD8 <sup>+</sup> T Cells but Does Not Inhibit Their Exhaustion after <i>Mycobacterium bovis</i> BCG Infection in Mice. <i>Infection and Immunity</i> , 2018, 86, .	2.2	7
108	CD30L/CD30 signaling regulates the formation of the tumor immune microenvironment and inhibits intestinal tumor development of colitis-associated colon cancer in mice. <i>International Immunopharmacology</i> , 2020, 84, 106531.	3.8	7



#	ARTICLE	IF	CITATIONS
109	Augmentation of Host Defense Against Bacterial Infection Pretreated Intraperitoneally with an $\alpha$ -Glucan RBS in Mice. <i>Immunopharmacology and Immunotoxicology</i> , 1990, 12, 457-477.	2.4	6
110	Accelerated Progression of a Murine Retrovirus-Induced Immunodeficiency Syndrome In Fas Mutant C57BL/6 <i>lpr/lpr</i> Mice. <i>Microbiology and Immunology</i> , 1997, 41, 221-227.	1.4	6
111	Requirement of CD30 expression on CD4 T cells in the pathogenesis of experimental autoimmune encephalomyelitis. <i>Journal of Neuroimmunology</i> , 2016, 291, 39-45.	2.3	6
112	Long-term use of interferon- $\beta$ in multiple sclerosis increases $\alpha$ 1 $\beta$ 2 $\alpha$ 1 $\beta$ 3 $\alpha$ 1 $\beta$ T cells that are associated with a better outcome. <i>Journal of Neuroinflammation</i> , 2019, 16, 179.	7.2	6
113	Impaired upregulation of Stat2 gene restrictive to pancreatic $\beta$ -cells is responsible for virus-induced diabetes in DBA/2 mice. <i>Biochemical and Biophysical Research Communications</i> , 2020, 521, 853-860.	2.1	6
114	Renal cancer treatment with recipient lymphocyte infusion enhanced the antitumor effect of nonmyeloablative allogeneic stem cell transplantation. <i>Transplant Immunology</i> , 2015, 32, 131-139.	1.2	4
115	A Thymic Hormone Protects Mice from Enteropathy during Acute Graft-versus-Host Disease. <i>Microbiology and Immunology</i> , 1997, 41, 883-889.	1.4	3
116	Viruses with masked pathogenicity and genetically susceptible hosts—How to discover potentially pathogenic viruses. <i>Journal of Medical Virology</i> , 2019, 91, 1365-1367.	5.0	3
117	Serum IgG ACPA-IgM RF immune complexes were detected in rheumatoid arthritis patients positive for IgM ACPA. <i>Clinical and Experimental Rheumatology</i> , 2018, 36, 612-618.	0.8	3
118	In vivo blockade of T cell development reveals alternative pathways for generation of intraepithelial lymphocytes in mice. <i>Immunology Letters</i> , 2017, 191, 40-46.	2.5	2
119	Peripheral expansion of $\alpha$ 1 $\beta$ T cell receptor-positive cells in a patient with Crohn's disease. <i>Pediatrics International</i> , 1993, 35, 45-48.	0.5	1
120	MHC class II inhibits the generation of IL-17A <sup>+</sup> $\alpha$ 1 $\beta$ T cells in the thymus at perinatal stage. <i>European Journal of Immunology</i> , 2022, 52, 1366-1368.	2.9	1
121	CD30 ligand could be a new therapeutic target for central nervous system autoimmunity. <i>Clinical and Experimental Neuroimmunology</i> , 2015, 6, 111-112.	1.0	0
122	$\alpha$ 1 $\beta$ T cells are critical for protection against infection by <i>Escherichia coli</i> in mice.	2.9	0
123	OX40 Signals Determine the Fate of Memory CD8 <sup>+</sup> T cells following <i>Listeria monocytogenes</i> Infection. <i>FASEB Journal</i> , 2008, 22, 864.9.	0.5	0
124	Dermal $\alpha$ 1 $\beta$ T17 Cells Are Involved in Skin Pressure Ulcers in Mice. <i>Journal of Investigative Dermatology</i> , 2022, 142, 2294-2297.e5.	0.7	0