

Yasunobu Yoshikai

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6525222/publications.pdf>

Version: 2024-02-01

124
papers

5,142
citations

87888

38
h-index

102487

66
g-index

128
all docs

128
docs citations

128
times ranked

6026
citing authors

#	ARTICLE	IF	CITATIONS
1	CD153/CD30 signaling promotes age-dependent tertiary lymphoid tissue expansion and kidney injury. <i>Journal of Clinical Investigation</i> , 2022, 132, .	8.2	36
2	Dermal VÎ ³ 6+ Î ³ Î T17 Cells Are Involved in Skin Pressure Ulcers in Mice. <i>Journal of Investigative Dermatology</i> , 2022, 142, 2294-2297.e5.	0.7	0
3	MHC class II inhibits the generation of IL-17A ⁺ VÎ ³ 6 Î ³ Î T cells in the thymus at perinatal stage. <i>European Journal of Immunology</i> , 2022, 52, 1366-1368.	2.9	1
4	Changes in Urinary Biomarkers of Organ Damage, Inflammation, Oxidative Stress, and Bone Turnover Following a 3000-m Time Trial. <i>Antioxidants</i> , 2021, 10, 79.	5.1	12
5	VÎ ³ 6 ⁺ Î ³ Î T cells are critical for protection against infection by <i>Escherichia coli</i> in mice. <i>European Journal of Immunology</i> , 2021, 51, 2093-2096.	2.9	0
6	Daily intake of heat-killed <i>Lactobacillus plantarum</i> L-137 improves inflammation and lipid metabolism in overweight healthy adults: a randomized-controlled trial. <i>European Journal of Nutrition</i> , 2020, 59, 2641-2649.	3.9	25
7	Impaired upregulation of Stat2 gene restrictive to pancreatic Î ² -cells is responsible for virus-induced diabetes in DBA/2 mice. <i>Biochemical and Biophysical Research Communications</i> , 2020, 521, 853-860.	2.1	6
8	Genetic Susceptibility of the Host in Virus-Induced Diabetes. <i>Microorganisms</i> , 2020, 8, 1133.	3.6	14
9	Effects of an 8-Week Protein Supplementation Regimen with Hyperimmunized Cow Milk on Exercise-Induced Organ Damage and Inflammation in Male Runners: A Randomized, Placebo Controlled, Cross-Over Study. <i>Biomedicine</i> , 2020, 8, 51.	3.2	11
10	IL-7R-Dependent Phosphatidylinositol 3-Kinase Competes with the STAT5 Signal to Modulate T Cell Development and Homeostasis. <i>Journal of Immunology</i> , 2020, 204, 844-857.	0.8	9
11	CD30L/CD30 signaling regulates the formation of the tumor immune microenvironment and inhibits intestinal tumor development of colitis-associated colon cancer in mice. <i>International Immunopharmacology</i> , 2020, 84, 106531.	3.8	7
12	<i>Lactobacillus plantarum</i> L-137 upregulates hyaluronic acid production in epidermal cells and fibroblasts in mice. <i>Microbiology and Immunology</i> , 2019, 63, 367-378.	1.4	16
13	Long-term use of interferon-Î ² in multiple sclerosis increases VÎ ¹ Î ² VÎ ³ Î ² Î ³ Î T cells that are associated with a better outcome. <i>Journal of Neuroinflammation</i> , 2019, 16, 179.	7.2	6
14	CD30L/CD30 protects against psoriasiform skin inflammation by suppressing Th17-related cytokine production by VÎ ³ 4+ Î ³ Î T cells. <i>Journal of Autoimmunity</i> , 2019, 101, 70-85.	6.5	8
15	Viruses with masked pathogenicity and genetically susceptible hosts—How to discover potentially pathogenic viruses. <i>Journal of Medical Virology</i> , 2019, 91, 1365-1367.	5.0	3
16	CD30 ligand deficiency accelerates glioma progression by promoting the formation of tumor immune microenvironment. <i>International Immunopharmacology</i> , 2019, 71, 350-360.	3.8	12
17	S100A4 Protein Is Essential for the Development of Mature Microfold Cells in Peyer's Patches. <i>Cell Reports</i> , 2019, 29, 2823-2834.e7.	6.4	25
18	Fas/FasL signaling is critical for the survival of exhausted antigen-specific CD8+ T cells during tumor immune response. <i>Molecular Immunology</i> , 2019, 107, 97-105.	2.2	10

#	ARTICLE	IF	CITATIONS
19	Development of a new monoclonal antibody specific to mouse V β 6 chain. Life Science Alliance, 2019, 2, e201900363.	2.8	17
20	Glucocorticoids Drive Diurnal Oscillations in T Cell Distribution and Responses by Inducing Interleukin-7 Receptor and CXCR4. Immunity, 2018, 48, 286-298.e6.	14.3	118
21	Cutting Edge: B Cells Expressing Cyclic Citrullinated Peptide-Specific Antigen Receptor Are Tolerized in Normal Conditions. Journal of Immunology, 2018, 201, 3492-3496.	0.8	11
22	Association of Decreased Percentage of V β 2+V β 9+ β T Cells With Disease Severity in Multiple Sclerosis. Frontiers in Immunology, 2018, 9, 748.	4.8	10
23	Interleukin-21 Induces Short-Lived Effector CD8 ⁺ T Cells but Does Not Inhibit Their Exhaustion after Mycobacterium bovis BCG Infection in Mice. Infection and Immunity, 2018, 86, .	2.2	7
24	Serum IgG ACPA-IgM RF immune complexes were detected in rheumatoid arthritis patients positive for IgM ACPA. Clinical and Experimental Rheumatology, 2018, 36, 612-618.	0.8	3
25	In vivo blockade of T cell development reveals alternative pathways for generation of intraepithelial lymphocytes in mice. Immunology Letters, 2017, 191, 40-46.	2.5	2
26	CD5 ⁺ NK1.1 ⁺ β T Cells that Develop in a Bcl11b-Independent Manner Participate in Early Protection against Infection. Cell Reports, 2017, 21, 1191-1202.	6.4	12
27	Subtyping of Type 1 Diabetes as Classified by Anti-GAD Antibody, IgE Levels, and Tyrosine kinase 2 (TYK2) Promoter Variant in the Japanese. EBioMedicine, 2017, 23, 46-51.	6.1	12
28	Th1 is the predominant helper T cell subset that produces GM-CSF in the joint of rheumatoid arthritis. RMD Open, 2017, 3, e000487.	3.8	17
29	Recombinant Mycobacterium bovis bacillus Calmette-Guérin expressing Ag85B-IL-7 fusion protein enhances IL-17A-producing innate β T cells. Vaccine, 2016, 34, 2490-2495.	3.8	11
30	Antitumor activity of recombinant Bacille Calmette-Guérin secreting interleukin-15-Ag85B fusion protein against bladder cancer. International Immunopharmacology, 2016, 35, 327-331.	3.8	15
31	IL-21 inhibits IL-17A-producing β T-cell response after infection with Bacillus Calmette-Guérin via induction of apoptosis. Innate Immunity, 2016, 22, 588-597.	2.4	14
32	Two Types of Interleukin 17A-Producing β T Cells in Protection Against Pulmonary Infection With <i>Klebsiella pneumoniae</i> . Journal of Infectious Diseases, 2016, 214, 1752-1761.	4.0	31
33	Interleukin-21 signaling in B cells, but not in T cells, is indispensable for the development of collagen-induced arthritis in mice. Arthritis Research and Therapy, 2016, 18, 188.	3.5	21
34	C-Type Lectin Receptor DCAR Recognizes Mycobacterial Phosphatidyl-Inositol Mannosides to Promote a Th1 Response during Infection. Immunity, 2016, 45, 1245-1257.	14.3	80
35	IL-21/IL-21R signaling suppresses intestinal inflammation induced by DSS through regulation of Th responses in lamina propria in mice. Scientific Reports, 2016, 6, 31881.	3.3	27
36	Requirement of CD30 expression on CD4 T cells in the pathogenesis of experimental autoimmune encephalomyelitis. Journal of Neuroimmunology, 2016, 291, 39-45.	2.3	6

#	ARTICLE	IF	CITATIONS
37	<scp>CD</scp>30 ligand could be a new therapeutic target for central nervous system autoimmunity. <i>Clinical and Experimental Neuroimmunology</i> , 2015, 6, 111-112.	1.0	0
38	CD30 ligand is a new therapeutic target for central nervous system autoimmunity. <i>Journal of Autoimmunity</i> , 2015, 57, 14-23.	6.5	17
39	A Genome-Wide Analysis Identifies a Notchâ€“RBP-JÎ”â€“IL-7RÎ”± Axis That Controls IL-17â€“Producing Î”Î” T Cell Homeostasis in Mice. <i>Journal of Immunology</i> , 2015, 194, 243-251.	0.8	22
40	IL-1 receptor antagonist-deficient mice develop autoimmune arthritis due to intrinsic activation of IL-17-producing CCR2+VÎ”6+Î”Î” T cells. <i>Nature Communications</i> , 2015, 6, 7464.	12.8	102
41	Scavenger receptor for lipoteichoic acid is involved in the potent ability of <i>Lactobacillus plantarum</i> strain L-137 to stimulate production of interleukin-12p40. <i>International Immunopharmacology</i> , 2015, 25, 321-331.	3.8	23
42	Renal cancer treatment with recipient lymphocyte infusion enhanced the antitumor effect of nonmyeloablative allogeneic stem cell transplantation. <i>Transplant Immunology</i> , 2015, 32, 131-139.	1.2	4
43	An Enhancer of the IL-7 Receptor Î”±-Chain Locus Controls IL-7 Receptor Expression and Maintenance of Peripheral T Cells. <i>Journal of Immunology</i> , 2015, 195, 3129-3138.	0.8	22
44	Reduced Tyk2 gene expression in Î”2-cells due to natural mutation determines susceptibility to virus-induced diabetes. <i>Nature Communications</i> , 2015, 6, 6748.	12.8	45
45	Dermal VÎ”34 + Î”Î” T Cells Possess a Migratory Potency to the Draining Lymph Nodes and Modulate CD8 + T-Cell Activity through TNF-Î”± Production. <i>Journal of Investigative Dermatology</i> , 2015, 135, 1007-1015.	0.7	33
46	Tyk2-Dependent Bystander Activation of Conventional and Nonconventional Th1 Cell Subsets Contributes to Innate Host Defense against <i>Listeria monocytogenes</i> Infection. <i>Journal of Immunology</i> , 2014, 192, 4739-4747.	0.8	12
47	Oral Administration of Bovine Milk from Cows Hyperimmunized with Intestinal Bacterin Stimulates Lamina Propria T Lymphocytes to Produce Th1-Biased Cytokines in Mice. <i>International Journal of Molecular Sciences</i> , 2014, 15, 5458-5471.	4.1	7
48	IFN-Î”3â€“Producing and IL-17â€“Producing Î”Î” T Cells Differentiate at Distinct Developmental Stages in Murine Fetal Thymus. <i>Journal of Immunology</i> , 2014, 192, 2210-2218.	0.8	67
49	CD30 Is Required for Activation of a Unique Subset of Interleukin-17A-Producing Î”Î” T Cells in Innate Immunity against <i>Mycobacterium bovis</i> <i>Bacillus Calmette-GuÃ©rin</i> Infection. <i>Infection and Immunity</i> , 2013, 81, 3923-3934.	2.2	19
50	Oral intake of heat-killed <i>Lactobacillus plantarum</i> L-137 decreases the incidence of upper respiratory tract infection in healthy subjects with high levels of psychological stress. <i>Journal of Nutritional Science</i> , 2013, 2, e39.	1.9	44
51	CD30 Ligand/CD30 Interaction Is Involved in Pathogenesis of Inflammatory Bowel Disease. <i>Digestive Diseases and Sciences</i> , 2012, 57, 2031-2037.	2.3	12
52	Daily intake of heat-killed <i>Lactobacillus plantarum</i> L-137 enhances type I interferon production in healthy humans and pigs. <i>Immunopharmacology and Immunotoxicology</i> , 2012, 34, 937-943.	2.4	38
53	Notch-Hes1 pathway is required for the development of IL-17â€“producing Î”Î” T cells. <i>Blood</i> , 2011, 118, 586-593.	1.4	129
54	The central role of CD30L/CD30 interactions in allergic rhinitis pathogenesis in mice. <i>European Journal of Immunology</i> , 2011, 41, 2947-2954.	2.9	13

#	ARTICLE	IF	CITATIONS
55	Protective Role of Naturally Occurring Interleukin-17A-Producing $\gamma\delta$ T Cells in the Lung at the Early Stage of Systemic Candidiasis in Mice. <i>Infection and Immunity</i> , 2011, 79, 4503-4510.	2.2	76
56	Lipoteichoic acids on <i>Lactobacillus plantarum</i> cell surfaces correlate with induction of interleukin-12p40 production. <i>Microbiology and Immunology</i> , 2010, 54, 143-151.	1.4	33
57	Susceptibility of human T-cell leukemia virus type I-infected cells to humanized anti-CD30 monoclonal antibodies <i>in vitro</i> and <i>in vivo</i> . <i>Cancer Science</i> , 2010, 101, 224-230.	3.9	24
58	CD30 Ligand Is a Target for a Novel Biological Therapy against Colitis Associated with Th17 Responses. <i>Journal of Immunology</i> , 2010, 185, 7671-7680.	0.8	43
59	CD30 Ligand/CD30 Plays a Critical Role in Th17 Differentiation in Mice. <i>Journal of Immunology</i> , 2010, 185, 2222-2230.	0.8	48
60	Tyrosine Kinase 2 Plays Critical Roles in the Pathogenic CD4 T Cell Responses for the Development of Experimental Autoimmune Encephalomyelitis. <i>Journal of Immunology</i> , 2009, 183, 7539-7546.	0.8	64
61	IL-15 protects antigen-specific CD8+ T cell contraction after <i>Mycobacterium bovis</i> bacillus Calmette-Guérin infection. <i>Journal of Leukocyte Biology</i> , 2009, 86, 187-194.	3.3	18
62	Oral administration of heat-killed <i>Lactobacillus plantarum</i> L-137 enhances protection against influenza virus infection by stimulation of type I interferon production in mice. <i>International Immunopharmacology</i> , 2009, 9, 1122-1125.	3.8	148
63	A Critical Role of CD30 Ligand/CD30 in Controlling Inflammatory Bowel Diseases in Mice. <i>Gastroenterology</i> , 2008, 134, 447-458.e3.	1.3	57
64	Efficacy of Recombinant Bacille Calmette-Guérin Vaccine Secreting Interleukin-15/Antigen 85B Fusion Protein in Providing Protection against <i>Mycobacterium tuberculosis</i> . <i>Journal of Infectious Diseases</i> , 2008, 197, 1263-1274.	4.0	50
65	A regulatory role of interleukin 15 in wound healing and mucosal infection in mice. <i>Journal of Leukocyte Biology</i> , 2008, 83, 165-172.	3.3	19
66	Tyk2-Signaling Plays an Important Role in Host Defense against <i>Escherichia coli</i> through IL-23-Induced IL-17 Production by $\gamma\delta$ T Cells. <i>Journal of Immunology</i> , 2008, 181, 2071-2075.	0.8	59
67	Identification of CD25+ $\gamma\delta$ T Cells As Fetal Thymus-Derived Naturally Occurring IL-17 Producers. <i>Journal of Immunology</i> , 2008, 181, 5940-5947.	0.8	172
68	A Novel Role of CD30L/CD30 Signaling by T-T Cell Interaction in Th1 Response against Mycobacterial Infection. <i>Journal of Immunology</i> , 2008, 181, 6316-6327.	0.8	50
69	OX40 Signals Determine the Fate of Memory CD8+ T cells following <i>Listeria monocytogenes</i> Infection. <i>FASEB Journal</i> , 2008, 22, 864.9.	0.5	0
70	Enforced Expression of Bcl-2 Partially Restores Cell Numbers but Not Functions of TCR $\gamma\delta$ Intestinal Intraepithelial T Lymphocytes in IL-15-Deficient Mice. <i>Journal of Immunology</i> , 2007, 178, 757-764.	0.8	34
71	H2-M3-Restricted CD8+ T Cells Induced by Peptide-Pulsed Dendritic Cells Confer Protection against <i>Mycobacterium tuberculosis</i> . <i>Journal of Immunology</i> , 2007, 178, 3806-3813.	0.8	28
72	Resident $\gamma\delta$ T Cells Control Early Infiltration of Neutrophils after <i>Escherichia coli</i> Infection via IL-17 Production. <i>Journal of Immunology</i> , 2007, 178, 4466-4472.	0.8	446

#	ARTICLE	IF	CITATIONS
73	In vivo treatment with a nonapeptide thymic hormone, facteur thymique serique (FTS), ameliorates chronic colitis induced by dextran sulphate sodium in mice. International Immunopharmacology, 2007, 7, 928-936.	3.8	7
74	IL-15 exacerbates collagen-induced arthritis with an enhanced CD4 ⁺ T cell response to produce IL-17. European Journal of Immunology, 2007, 37, 2744-2752.	2.9	38
75	Daily Intake of Heat-Killed Lactobacillus plantarum L-137 Augments Acquired Immunity in Healthy Adults. Journal of Nutrition, 2006, 136, 3069-3073.	2.9	100
76	An important role of Tyk2 in APC function of dendritic cells for priming CD8 ⁺ T cells producing IFN- γ . European Journal of Immunology, 2006, 36, 3060-3070.	2.9	24
77	Impaired Protection against <i>Mycobacterium bovis</i> Bacillus Calmette-Guérin Infection in IL-15-Deficient Mice. Journal of Immunology, 2006, 176, 2496-2504.	0.8	32
78	Immunological Protection Against Mycobacterium tuberculosis Infection. Critical Reviews in Immunology, 2006, 26, 515-526.	0.5	29
79	IL-15 Regulates CD8 ⁺ T Cell Contraction during Primary Infection. Journal of Immunology, 2006, 176, 507-515.	0.8	104
80	Interleukin-15 induces IL-12 receptor β 1 gene expression through PU.1 and IRF 3 by targeting chromatin remodeling. Blood, 2005, 105, 711-720.	1.4	30
81	Isomalto-Oligosaccharides Polarize Th1-Like Responses in Intestinal and Systemic Immunity in Mice. Journal of Nutrition, 2005, 135, 2857-2861.	2.9	57
82	A Novel Role of CD30/CD30 Ligand Signaling in the Generation of Long-Lived Memory CD8 ⁺ T Cells. Journal of Immunology, 2005, 175, 4627-4634.	0.8	52
83	A novel autoregulatory mechanism for transcriptional activation of the IL-15 gene by a nonsecretable isoform of IL-15 generated by alternative splicing. FASEB Journal, 2005, 19, 19-28.	0.5	46
84	Oral administration of bovine colostrum stimulates intestinal intraepithelial lymphocytes to polarize Th1-type in mice. International Immunopharmacology, 2005, 5, 581-590.	3.8	16
85	Intraepithelial γ T Cells May Bridge a Gap between Innate Immunity and Acquired Immunity to Herpes Simplex Virus Type 2. Journal of Virology, 2004, 78, 4927-4930.	3.4	44
86	Overexpression of Interleukin-15 Increases Susceptibility to Lipopolysaccharide-Induced Liver Injury in Mice Primed with Mycobacterium bovis Bacillus Calmette-Guérin. Infection and Immunity, 2004, 72, 3855-3862.	2.2	13
87	NKT cells are dispensable in the induction of oral tolerance but are indispensable in the abrogation of oral tolerance by prostaglandin E. European Journal of Immunology, 2003, 33, 183-193.	2.9	20
88	Lipoteichoic Acids from Lactobacillus Strains Elicit Strong Tumor Necrosis Factor Alpha-Inducing Activities in Macrophages through Toll-Like Receptor 2. Vaccine Journal, 2003, 10, 259-266.	3.1	242
89	Interleukin-15 as an Immune Adjuvant To Increase the Efficacy of Mycobacterium bovis Bacillus Calmette-Guérin Vaccination. Infection and Immunity, 2003, 71, 6045-6048.	2.2	36
90	Overexpression of IL-15 In Vivo Increases Antigen-Driven Memory CD8 ⁺ T Cells Following a Microbe Exposure. Journal of Immunology, 2002, 168, 1198-1203.	0.8	103

#	ARTICLE	IF	CITATIONS
91	Overexpression of interleukin-15 prevents the development of murine retrovirus-induced acquired immunodeficiency syndrome. <i>FASEB Journal</i> , 2002, 16, 1755-1763.	0.5	13
92	Memory phenotype CD8+ T cells in IL-15 transgenic mice are involved in early protection against a primary infection with <i>Listeria monocytogenes</i> . <i>European Journal of Immunology</i> , 2001, 31, 757-766.	2.9	48
93	Overexpression of IL-15 In Vivo Enhances Protection Against <i>Mycobacterium bovis</i> /Bacillus Calmette-Guérin Infection Via Augmentation of NK and T Cytotoxic 1 Responses. <i>Journal of Immunology</i> , 2001, 167, 946-956.	0.8	62
94	Overexpression of IL-15 In Vivo Enhances Tc1 Response, Which Inhibits Allergic Inflammation in a Murine Model of Asthma. <i>Journal of Immunology</i> , 2001, 166, 1991-2001.	0.8	54
95	Antitumor effect of heat-killed <i>Lactobacillus plantarum</i> L-137 through restoration of impaired interleukin-12 production in tumor-bearing mice. <i>Cancer Immunology, Immunotherapy</i> , 2000, 49, 157-164.	4.2	74
96	Expression of Toll-Like Receptor 2 on $\gamma\delta$ T Cells Bearing Invariant V β 6/V δ 1 Induced by <i>Escherichia coli</i> Infection in Mice. <i>Journal of Immunology</i> , 2000, 165, 931-940.	0.8	135
97	Differential Roles of Interleukin 15 mRNA Isoforms Generated by Alternative Splicing in Immune Responses in Vivo. <i>Journal of Experimental Medicine</i> , 2000, 191, 157-170.	8.5	131
98	Prostaglandin E1 protects against liver injury induced by <i>Escherichia coli</i> infection via a dominant th2-like response of liver T cells in mice. <i>Hepatology</i> , 1999, 30, 1464-1472.	7.3	21
99	Immunogene therapy of murine fibrosarcoma using IL-15 gene with high translation efficiency. <i>European Journal of Immunology</i> , 1999, 29, 1532-1542.	2.9	27
100	Immunopotentiating Activity of Nigeroooligosaccharides for the T Helper 1-Like Immune Response in Mice. <i>Bioscience, Biotechnology and Biochemistry</i> , 1999, 63, 373-378.	1.3	76
101	Heat-killed <i>Lactobacillus plantarum</i> L-137 suppresses naturally fed antigen-specific IgE production by stimulation of IL-12 production in mice. <i>Journal of Allergy and Clinical Immunology</i> , 1998, 102, 57-64.	2.9	257
102	Accelerated Progression of a Murine Retrovirus-Induced Immunodeficiency Syndrome In Fas Mutant C57BL/6- <i>lpr/lpr</i> Mice. <i>Microbiology and Immunology</i> , 1997, 41, 221-227.	1.4	6
103	A Thymic Hormone Protects Mice from Enteropathy during Acute Graft-versus-Host Disease. <i>Microbiology and Immunology</i> , 1997, 41, 883-889.	1.4	3
104	Effects of a Nonapeptide Thymic Hormone on Intestinal Intraepithelial Lymphocytes in Mice Following Administration of 5-Fluorouracil. <i>Cellular Immunology</i> , 1996, 171, 30-40.	3.0	21
105	Increased Fas antigen expression in murine retrovirus-induced immunodeficiency syndrome, MAIDS. <i>European Journal of Immunology</i> , 1994, 24, 2446-2451.	2.9	27
106	Peripheral expansion of $\gamma\delta$ T cell receptor-positive cells in a patient with Crohn's disease. <i>Pediatrics International</i> , 1993, 35, 45-48.	0.5	1
107	Consumption of Milk from Cows Immunized with Intestinal Bacteria Influences Age-Related Changes in Immune Competence in Mice. <i>Journal of Nutrition</i> , 1992, 122, 1875-1883.	2.9	9
108	Antibacterial effect of bovine milk antibody against <i>Escherichia coli</i> in a mouse indigenous infection model. <i>Medical Microbiology and Immunology</i> , 1992, 181, 87-98.	4.8	10

#	ARTICLE	IF	CITATIONS
109	Administration of milk from cows immunized with intestinal bacteria protects mice from radiation-induced lethality. <i>Biotherapy</i> (Dordrecht, Netherlands), 1992, 5, 215-225.	0.7	12
110	Influence of Intake of Skim Milk from Cows Immunized with Intestinal Bacterial Antigens on Onset of Renal Disease in (NZB \times NZW)F1 Mice Fed Ad Libitum or Restricted in Energy Intake. <i>Journal of Nutrition</i> , 1991, 121, 1860-1868.	2.9	8
111	Simultaneous occurrence of myelomonocytic leukemia and multiple myeloma: Involvement of common leukemic progenitors and their developmental abnormality of γ lineage infidelity?. <i>Journal of Cellular Physiology</i> , 1991, 148, 446-456.	4.1	36
112	Self-reactive T cells are activated by the 65-kDa mycobacterial heat-shock protein in neonatally thymectomized mice. <i>European Journal of Immunology</i> , 1991, 21, 597-603.	2.9	18
113	Oligoclonal T lymphocytes infiltrating human lung cancer tissues. <i>International Journal of Cancer</i> , 1991, 47, 654-658.	5.1	31
114	Sequential appearance of $\hat{\gamma}$ $\hat{\delta}$ - and $\hat{\alpha}$ $\hat{\beta}$ -bearing T cells in the peritoneal cavity during an i.p. infection with <i>Listeria monocytogenes</i> . <i>European Journal of Immunology</i> , 1990, 20, 533-538.	2.9	178
115	Stimulation of all T cells bearing \hat{V} \hat{H} 21, \hat{V} \hat{H} 23, \hat{V} \hat{H} 11 and \hat{V} \hat{H} 12 by staphylococcal enterotoxin A. <i>European Journal of Immunology</i> , 1990, 20, 617-621.	2.9	74
116	Clonal anergy in self-reactive $\hat{\alpha}$ $\hat{\beta}$ T cells is abrogated by heat-shock protein-reactive $\hat{\gamma}$ $\hat{\delta}$ T cells in aged athymic nude mice. <i>European Journal of Immunology</i> , 1990, 20, 1475-1482.	2.9	25
117	Expression of T cell receptor \hat{V} \hat{H} 35 in the adult thymus of irradiated mice after transplantation with fetal liver cells. <i>European Journal of Immunology</i> , 1990, 20, 1965-1970.	2.9	16
118	The requirement of intrathymic mixed chimerism and clonal deletion for a long-lasting skin allograft tolerance in cyclophosphamide-induced tolerance. <i>European Journal of Immunology</i> , 1990, 20, 2005-2013.	2.9	36
119	Augmentation of Host Defense Against Bacterial Infection Pretrfatjd Intraperitony with an $\hat{\alpha}$ $\hat{\beta}$ -Glucan RBS in Mice. <i>Immunopharmacology and Immunotoxicology</i> , 1990, 12, 457-477.	2.4	6
120	Deletion of Mls-reactive T cells in H-2-compatible but Mls-incompatible bone marrow chimeras. <i>European Journal of Immunology</i> , 1989, 19, 1009-1013.	2.9	9
121	A novel CD3 γ -J11d γ subset of CD4 γ -CD8 γ - cells repopulating thymus in radiation bone marrow chimeras. <i>European Journal of Immunology</i> , 1989, 19, 1203-1207.	2.9	38
122	â€œRadioresistantâ€œ intrathymic T cell precursors express T cell receptor \hat{C} $\hat{\gamma}$ 34- and \hat{C} $\hat{\gamma}$ -specific gene messages. <i>European Journal of Immunology</i> , 1988, 18, 841-847.	2.9	22
123	Functional $\hat{\alpha}$ and $\hat{\beta}$ T cell chain receptor messages can be detected in old but not in young athymic mice. <i>European Journal of Immunology</i> , 1987, 17, 477-482.	2.9	52
124	Increased Susceptibility to <i>Escherichia coli</i> Infection in Mice Pretreated with <i>Corynebacterium parvum</i> . <i>Microbiology and Immunology</i> , 1983, 27, 273-282.	1.4	18