

# Yasunobu Yoshikai

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6525222/publications.pdf>

Version: 2024-02-01

124  
papers

5,142  
citations

87723

38  
h-index

102304

66  
g-index

128  
all docs

128  
docs citations

128  
times ranked

6026  
citing authors

#	ARTICLE	IF	CITATIONS
1	CD153/CD30 signaling promotes age-dependent tertiary lymphoid tissue expansion and kidney injury. <i>Journal of Clinical Investigation</i> , 2022, 132, .	3.9	36
2	Dermal VÎ <sup>36</sup> + Î <sup>37</sup> T17 Cells Are Involved in Skin Pressure Ulcers in Mice. <i>Journal of Investigative Dermatology</i> , 2022, 142, 2294-2297.e5.	0.3	0
3	MHC class II inhibits the generation of IL-17A <sup>+</sup> VÎ <sup>36</sup> Î <sup>37</sup> T cells in the thymus at perinatal stage. <i>European Journal of Immunology</i> , 2022, 52, 1366-1368.	1.6	1
4	Changes in Urinary Biomarkers of Organ Damage, Inflammation, Oxidative Stress, and Bone Turnover Following a 3000-m Time Trial. <i>Antioxidants</i> , 2021, 10, 79.	2.2	12
5	VÎ <sup>36</sup> + Î <sup>37</sup> T cells are critical for protection against infection by <i>Escherichia coli</i> in mice. <i>European Journal of Immunology</i> , 2021, 51, 2093-2096.	1.6	0
6	Daily intake of heat-killed <i>Lactobacillus plantarum</i> L-137 improves inflammation and lipid metabolism in overweight healthy adults: a randomized-controlled trial. <i>European Journal of Nutrition</i> , 2020, 59, 2641-2649.	1.8	25
7	Impaired upregulation of Stat2 gene restrictive to pancreatic Î <sup>2</sup> -cells is responsible for virus-induced diabetes in DBA/2 mice. <i>Biochemical and Biophysical Research Communications</i> , 2020, 521, 853-860.	1.0	6
8	Genetic Susceptibility of the Host in Virus-Induced Diabetes. <i>Microorganisms</i> , 2020, 8, 1133.	1.6	14
9	Effects of an 8-Week Protein Supplementation Regimen with Hyperimmunized Cow Milk on Exercise-Induced Organ Damage and Inflammation in Male Runners: A Randomized, Placebo Controlled, Cross-Over Study. <i>Biomedicines</i> , 2020, 8, 51.	1.4	11
10	IL-7R-Dependent Phosphatidylinositol 3-Kinase Competes with the STAT5 Signal to Modulate T Cell Development and Homeostasis. <i>Journal of Immunology</i> , 2020, 204, 844-857.	0.4	9
11	CD30L/CD30 signaling regulates the formation of the tumor immune microenvironment and inhibits intestinal tumor development of colitis-associated colon cancer in mice. <i>International Immunopharmacology</i> , 2020, 84, 106531.	1.7	7
12	<i>Lactobacillus plantarum</i> L-137 upregulates hyaluronic acid production in epidermal cells and fibroblasts in mice. <i>Microbiology and Immunology</i> , 2019, 63, 367-378.	0.7	16
13	Long-term use of interferon-Î <sup>2</sup> in multiple sclerosis increases VÎ <sup>1</sup> + VÎ <sup>2</sup> + VÎ <sup>9</sup> + Î <sup>37</sup> T cells that are associated with a better outcome. <i>Journal of Neuroinflammation</i> , 2019, 16, 179.	3.1	6
14	CD30L/CD30 protects against psoriasiform skin inflammation by suppressing Th17-related cytokine production by VÎ <sup>34</sup> + Î <sup>37</sup> T cells. <i>Journal of Autoimmunity</i> , 2019, 101, 70-85.	3.0	8
15	Viruses with masked pathogenicity and genetically susceptible hosts—How to discover potentially pathogenic viruses. <i>Journal of Medical Virology</i> , 2019, 91, 1365-1367.	2.5	3
16	CD30 ligand deficiency accelerates glioma progression by promoting the formation of tumor immune microenvironment. <i>International Immunopharmacology</i> , 2019, 71, 350-360.	1.7	12
17	S100A4 Protein Is Essential for the Development of Mature Microfold Cells in Peyer's Patches. <i>Cell Reports</i> , 2019, 29, 2823-2834.e7.	2.9	25
18	Fas/FasL signaling is critical for the survival of exhausted antigen-specific CD8+ T cells during tumor immune response. <i>Molecular Immunology</i> , 2019, 107, 97-105.	1.0	10

#	ARTICLE	IF	CITATIONS
19	Development of a new monoclonal antibody specific to mouse V $\beta$ 6 chain. <i>Life Science Alliance</i> , 2019, 2, e201900363.	1.3	17
20	Glucocorticoids Drive Diurnal Oscillations in T Cell Distribution and Responses by Inducing Interleukin-7 Receptor and CXCR4. <i>Immunity</i> , 2018, 48, 286-298.e6.	6.6	118
21	Cutting Edge: B Cells Expressing Cyclic Citrullinated Peptide-Specific Antigen Receptor Are Tolerized in Normal Conditions. <i>Journal of Immunology</i> , 2018, 201, 3492-3496.	0.4	11
22	Association of Decreased Percentage of V $\beta$ 2+V $\beta$ 39+ $\beta$ 7 T Cells With Disease Severity in Multiple Sclerosis. <i>Frontiers in Immunology</i> , 2018, 9, 748.	2.2	10
23	Interleukin-21 Induces Short-Lived Effector CD8 <sup>+</sup> T Cells but Does Not Inhibit Their Exhaustion after Mycobacterium bovis BCG Infection in Mice. <i>Infection and Immunity</i> , 2018, 86, .	1.0	7
24	Serum IgG ACPA-IgM RF immune complexes were detected in rheumatoid arthritis patients positive for IgM ACPA. <i>Clinical and Experimental Rheumatology</i> , 2018, 36, 612-618.	0.4	3
25	In vivo blockade of T cell development reveals alternative pathways for generation of intraepithelial lymphocytes in mice. <i>Immunology Letters</i> , 2017, 191, 40-46.	1.1	2
26	CD5 <sup>+</sup> NK1.1 <sup>+</sup> $\beta$ 7 T Cells that Develop in a Bcl11b-Independent Manner Participate in Early Protection against Infection. <i>Cell Reports</i> , 2017, 21, 1191-1202.	2.9	12
27	Subtyping of Type 1 Diabetes as Classified by Anti-GAD Antibody, IgE Levels, and Tyrosine kinase 2 ( TYK2 ) Promoter Variant in the Japanese. <i>EBioMedicine</i> , 2017, 23, 46-51.	2.7	12
28	Th1 is the predominant helper T cell subset that produces GM-CSF in the joint of rheumatoid arthritis. <i>RMD Open</i> , 2017, 3, e000487.	1.8	17
29	Recombinant Mycobacterium bovis bacillus Calmette-Guérin expressing Ag85B-IL-7 fusion protein enhances IL-17A-producing innate $\beta$ 7 T cells. <i>Vaccine</i> , 2016, 34, 2490-2495.	1.7	11
30	Antitumor activity of recombinant Bacille Calmette-Guérin secreting interleukin-15-Ag85B fusion protein against bladder cancer. <i>International Immunopharmacology</i> , 2016, 35, 327-331.	1.7	15
31	IL-21 inhibits IL-17A-producing $\beta$ 7 T-cell response after infection with Bacillus Calmette-Guérin via induction of apoptosis. <i>Innate Immunity</i> , 2016, 22, 588-597.	1.1	14
32	Two Types of Interleukin 17A-Producing $\beta$ 7 T Cells in Protection Against Pulmonary Infection With <i>Klebsiella pneumoniae</i> . <i>Journal of Infectious Diseases</i> , 2016, 214, 1752-1761.	1.9	31
33	Interleukin-21 signaling in B cells, but not in T cells, is indispensable for the development of collagen-induced arthritis in mice. <i>Arthritis Research and Therapy</i> , 2016, 18, 188.	1.6	21
34	C-Type Lectin Receptor DCAR Recognizes Mycobacterial Phosphatidyl-Inositol Mannosides to Promote a Th1 Response during Infection. <i>Immunity</i> , 2016, 45, 1245-1257.	6.6	80
35	IL-21/IL-21R signaling suppresses intestinal inflammation induced by DSS through regulation of Th responses in lamina propria in mice. <i>Scientific Reports</i> , 2016, 6, 31881.	1.6	27
36	Requirement of CD30 expression on CD4 T cells in the pathogenesis of experimental autoimmune encephalomyelitis. <i>Journal of Neuroimmunology</i> , 2016, 291, 39-45.	1.1	6

#	ARTICLE	IF	CITATIONS
37	<sc>CD</sc>30 ligand could be a new therapeutic target for central nervous system autoimmunity. <i>Clinical and Experimental Neuroimmunology</i> , 2015, 6, 111-112.	0.5	0
38	CD30 ligand is a new therapeutic target for central nervous system autoimmunity. <i>Journal of Autoimmunity</i> , 2015, 57, 14-23.	3.0	17
39	A Genome-Wide Analysis Identifies a Notch-IL-7 Axis That Controls IL-17-Producing T Cell Homeostasis in Mice. <i>Journal of Immunology</i> , 2015, 194, 243-251.	0.4	22
40	IL-1 receptor antagonist-deficient mice develop autoimmune arthritis due to intrinsic activation of IL-17-producing CCR2+V $\beta$ 6+T cells. <i>Nature Communications</i> , 2015, 6, 7464.	5.8	102
41	Scavenger receptor for lipoteichoic acid is involved in the potent ability of <i>Lactobacillus plantarum</i> strain L-137 to stimulate production of interleukin-12p40. <i>International Immunopharmacology</i> , 2015, 25, 321-331.	1.7	23
42	Renal cancer treatment with recipient lymphocyte infusion enhanced the antitumor effect of nonmyeloablative allogeneic stem cell transplantation. <i>Transplant Immunology</i> , 2015, 32, 131-139.	0.6	4
43	An Enhancer of the IL-7 Receptor Chain Locus Controls IL-7 Receptor Expression and Maintenance of Peripheral T Cells. <i>Journal of Immunology</i> , 2015, 195, 3129-3138.	0.4	22
44	Reduced Tyk2 gene expression in $\beta$ 2-cells due to natural mutation determines susceptibility to virus-induced diabetes. <i>Nature Communications</i> , 2015, 6, 6748.	5.8	45
45	Dermal V $\beta$ 4 + T Cells Possess a Migratory Potency to the Draining Lymph Nodes and Modulate CD8 + T-Cell Activity through TNF Production. <i>Journal of Investigative Dermatology</i> , 2015, 135, 1007-1015.	0.3	33
46	Tyk2-Dependent Bystander Activation of Conventional and Nonconventional Th1 Cell Subsets Contributes to Innate Host Defense against <i>Listeria monocytogenes</i> Infection. <i>Journal of Immunology</i> , 2014, 192, 4739-4747.	0.4	12
47	Oral Administration of Bovine Milk from Cows Hyperimmunized with Intestinal Bacterin Stimulates Lamina Propria T Lymphocytes to Produce Th1-Biased Cytokines in Mice. <i>International Journal of Molecular Sciences</i> , 2014, 15, 5458-5471.	1.8	7
48	IFN-Producing and IL-17-Producing T Cells Differentiate at Distinct Developmental Stages in Murine Fetal Thymus. <i>Journal of Immunology</i> , 2014, 192, 2210-2218.	0.4	67
49	CD30 Is Required for Activation of a Unique Subset of Interleukin-17A-Producing T Cells in Innate Immunity against <i>Mycobacterium bovis</i> <i>Bacillus Calmette-Guérin</i> Infection. <i>Infection and Immunity</i> , 2013, 81, 3923-3934.	1.0	19
50	Oral intake of heat-killed <i>Lactobacillus plantarum</i> -L-137 decreases the incidence of upper respiratory tract infection in healthy subjects with high levels of psychological stress. <i>Journal of Nutritional Science</i> , 2013, 2, e39.	0.7	44
51	CD30 Ligand/CD30 Interaction Is Involved in Pathogenesis of Inflammatory Bowel Disease. <i>Digestive Diseases and Sciences</i> , 2012, 57, 2031-2037.	1.1	12
52	Daily intake of heat-killed <i>Lactobacillus plantarum</i> -L-137 enhances type I interferon production in healthy humans and pigs. <i>Immunopharmacology and Immunotoxicology</i> , 2012, 34, 937-943.	1.1	38
53	Notch-Hes1 pathway is required for the development of IL-17-producing T cells. <i>Blood</i> , 2011, 118, 586-593.	0.6	129
54	The central role of CD30L/CD30 interactions in allergic rhinitis pathogenesis in mice. <i>European Journal of Immunology</i> , 2011, 41, 2947-2954.	1.6	13

#	ARTICLE	IF	CITATIONS
55	Protective Role of Naturally Occurring Interleukin-17A-Producing $\gamma\delta$ T Cells in the Lung at the Early Stage of Systemic Candidiasis in Mice. <i>Infection and Immunity</i> , 2011, 79, 4503-4510.	1.0	76
56	Lipoteichoic acids on <i>Lactobacillus plantarum</i> cell surfaces correlate with induction of interleukin-12p40 production. <i>Microbiology and Immunology</i> , 2010, 54, 143-151.	0.7	33
57	Susceptibility of human T-cell leukemia virus type 1-infected cells to humanized anti-CD30 monoclonal antibodies <i>in vitro</i> and <i>in vivo</i> . <i>Cancer Science</i> , 2010, 101, 224-230.	1.7	24
58	CD30 Ligand Is a Target for a Novel Biological Therapy against Colitis Associated with Th17 Responses. <i>Journal of Immunology</i> , 2010, 185, 7671-7680.	0.4	43
59	CD30 Ligand/CD30 Plays a Critical Role in Th17 Differentiation in Mice. <i>Journal of Immunology</i> , 2010, 185, 2222-2230.	0.4	48
60	Tyrosine Kinase 2 Plays Critical Roles in the Pathogenic CD4 T Cell Responses for the Development of Experimental Autoimmune Encephalomyelitis. <i>Journal of Immunology</i> , 2009, 183, 7539-7546.	0.4	64
61	IL-15 protects antigen-specific CD8+ T cell contraction after <i>Mycobacterium bovis</i> bacillus Calmette-Guérin infection. <i>Journal of Leukocyte Biology</i> , 2009, 86, 187-194.	1.5	18
62	Oral administration of heat-killed <i>Lactobacillus plantarum</i> L-137 enhances protection against influenza virus infection by stimulation of type I interferon production in mice. <i>International Immunopharmacology</i> , 2009, 9, 1122-1125.	1.7	148
63	A Critical Role of CD30 Ligand/CD30 in Controlling Inflammatory Bowel Diseases in Mice. <i>Gastroenterology</i> , 2008, 134, 447-458.e3.	0.6	57
64	Efficacy of Recombinant Bacille Calmette-Guérin Vaccine Secreting Interleukin-15/Antigen 85B Fusion Protein in Providing Protection against <i>Mycobacterium tuberculosis</i> . <i>Journal of Infectious Diseases</i> , 2008, 197, 1263-1274.	1.9	50
65	A regulatory role of interleukin 15 in wound healing and mucosal infection in mice. <i>Journal of Leukocyte Biology</i> , 2008, 83, 165-172.	1.5	19
66	Tyk2-Signaling Plays an Important Role in Host Defense against <i>Escherichia coli</i> through IL-23-Induced IL-17 Production by $\gamma\delta$ T Cells. <i>Journal of Immunology</i> , 2008, 181, 2071-2075.	0.4	59
67	Identification of CD25+ $\gamma\delta$ T Cells As Fetal Thymus-Derived Naturally Occurring IL-17 Producers. <i>Journal of Immunology</i> , 2008, 181, 5940-5947.	0.4	172
68	A Novel Role of CD30L/CD30 Signaling by T-T Cell Interaction in Th1 Response against Mycobacterial Infection. <i>Journal of Immunology</i> , 2008, 181, 6316-6327.	0.4	50
69	OX40 Signals Determine the Fate of Memory CD8+ T cells following <i>Listeria monocytogenes</i> Infection. <i>FASEB Journal</i> , 2008, 22, 864.9.	0.2	0
70	Enforced Expression of Bcl-2 Partially Restores Cell Numbers but Not Functions of TCR $\gamma\delta$ Intestinal Intraepithelial T Lymphocytes in IL-15-Deficient Mice. <i>Journal of Immunology</i> , 2007, 178, 757-764.	0.4	34
71	H2-M3-Restricted CD8+ T Cells Induced by Peptide-Pulsed Dendritic Cells Confer Protection against <i>Mycobacterium tuberculosis</i> . <i>Journal of Immunology</i> , 2007, 178, 3806-3813.	0.4	28
72	Resident $\gamma\delta$ T Cells Control Early Infiltration of Neutrophils after <i>Escherichia coli</i> Infection via IL-17 Production. <i>Journal of Immunology</i> , 2007, 178, 4466-4472.	0.4	446

#	ARTICLE	IF	CITATIONS
73	In vivo treatment with a nonapeptide thymic hormone, facteur thymique serique (FTS), ameliorates chronic colitis induced by dextran sulphate sodium in mice. <i>International Immunopharmacology</i> , 2007, 7, 928-936.	1.7	7
74	IL-15 exacerbates collagen-induced arthritis with an enhanced CD4 <sup>+</sup> T cell response to produce IL-17. <i>European Journal of Immunology</i> , 2007, 37, 2744-2752.	1.6	38
75	Daily Intake of Heat-Killed <i>Lactobacillus plantarum</i> L-137 Augments Acquired Immunity in Healthy Adults. <i>Journal of Nutrition</i> , 2006, 136, 3069-3073.	1.3	100
76	An important role of Tyk2 in APC function of dendritic cells for priming CD8 <sup>+</sup> T cells producing IFN- $\gamma$ . <i>European Journal of Immunology</i> , 2006, 36, 3060-3070.	1.6	24
77	Impaired Protection against <i>Mycobacterium bovis</i> Bacillus Calmette-Guérin Infection in IL-15-Deficient Mice. <i>Journal of Immunology</i> , 2006, 176, 2496-2504.	0.4	32
78	Immunological Protection Against <i>Mycobacterium tuberculosis</i> Infection. <i>Critical Reviews in Immunology</i> , 2006, 26, 515-526.	1.0	29
79	IL-15 Regulates CD8 <sup>+</sup> T Cell Contraction during Primary Infection. <i>Journal of Immunology</i> , 2006, 176, 507-515.	0.4	104
80	Interleukin-15 induces IL-12 receptor $\beta$ 2 gene expression through PU.1 and IRF 3 by targeting chromatin remodeling. <i>Blood</i> , 2005, 105, 711-720.	0.6	30
81	Isomaltoligosaccharides Polarize Th1-Like Responses in Intestinal and Systemic Immunity in Mice. <i>Journal of Nutrition</i> , 2005, 135, 2857-2861.	1.3	57
82	A Novel Role of CD30/CD30 Ligand Signaling in the Generation of Long-Lived Memory CD8 <sup>+</sup> T Cells. <i>Journal of Immunology</i> , 2005, 175, 4627-4634.	0.4	52
83	A novel autoregulatory mechanism for transcriptional activation of the IL-15 gene by a nonsecretable isoform of IL-15 generated by alternative splicing. <i>FASEB Journal</i> , 2005, 19, 19-28.	0.2	46
84	Oral administration of bovine colostrum stimulates intestinal intraepithelial lymphocytes to polarize Th1-type in mice. <i>International Immunopharmacology</i> , 2005, 5, 581-590.	1.7	16
85	Intraepithelial $\gamma$ T Cells May Bridge a Gap between Innate Immunity and Acquired Immunity to Herpes Simplex Virus Type 2. <i>Journal of Virology</i> , 2004, 78, 4927-4930.	1.5	44
86	Overexpression of Interleukin-15 Increases Susceptibility to Lipopolysaccharide-Induced Liver Injury in Mice Primed with <i>Mycobacterium bovis</i> Bacillus Calmette-Guérin. <i>Infection and Immunity</i> , 2004, 72, 3855-3862.	1.0	13
87	NKT cells are dispensable in the induction of oral tolerance but are indispensable in the abrogation of oral tolerance by prostaglandin E. <i>European Journal of Immunology</i> , 2003, 33, 183-193.	1.6	20
88	Lipoteichoic Acids from <i>Lactobacillus</i> Strains Elicit Strong Tumor Necrosis Factor Alpha-Inducing Activities in Macrophages through Toll-Like Receptor 2. <i>Vaccine Journal</i> , 2003, 10, 259-266.	3.2	242
89	Interleukin-15 as an Immune Adjuvant To Increase the Efficacy of <i>Mycobacterium bovis</i> Bacillus Calmette-Guérin Vaccination. <i>Infection and Immunity</i> , 2003, 71, 6045-6048.	1.0	36
90	Overexpression of IL-15 In Vivo Increases Antigen-Driven Memory CD8 <sup>+</sup> T Cells Following a Microbe Exposure. <i>Journal of Immunology</i> , 2002, 168, 1198-1203.	0.4	103

#	ARTICLE	IF	CITATIONS
91	Overexpression of interleukin-15 prevents the development of murine retrovirus-induced acquired immunodeficiency syndrome. <i>FASEB Journal</i> , 2002, 16, 1755-1763.	0.2	13
92	Memory phenotype CD8+ T cells in IL-15 transgenic mice are involved in early protection against a primary infection with <i>Listeria monocytogenes</i> . <i>European Journal of Immunology</i> , 2001, 31, 757-766.	1.6	48
93	Overexpression of IL-15 In Vivo Enhances Protection Against <i>Mycobacterium bovis</i> Bacillus Calmette-Guérin Infection Via Augmentation of NK and T Cytotoxic 1 Responses. <i>Journal of Immunology</i> , 2001, 167, 946-956.	0.4	62
94	Overexpression of IL-15 In Vivo Enhances Tc1 Response, Which Inhibits Allergic Inflammation in a Murine Model of Asthma. <i>Journal of Immunology</i> , 2001, 166, 1991-2001.	0.4	54
95	Antitumor effect of heat-killed <i>Lactobacillus plantarum</i> L-137 through restoration of impaired interleukin-12 production in tumor-bearing mice. <i>Cancer Immunology, Immunotherapy</i> , 2000, 49, 157-164.	2.0	74
96	Expression of Toll-Like Receptor 2 on $\gamma\delta$ T Cells Bearing Invariant V $\beta$ 6/V $\delta$ 1 Induced by <i>Escherichia coli</i> Infection in Mice. <i>Journal of Immunology</i> , 2000, 165, 931-940.	0.4	135
97	Differential Roles of Interleukin 15 mRNA Isoforms Generated by Alternative Splicing in Immune Responses in Vivo. <i>Journal of Experimental Medicine</i> , 2000, 191, 157-170.	4.2	131
98	Prostaglandin E1 protects against liver injury induced by <i>Escherichia coli</i> infection via a dominant th2-like response of liver T cells in mice. <i>Hepatology</i> , 1999, 30, 1464-1472.	3.6	21
99	Immunogene therapy of murine fibrosarcoma using IL-15 gene with high translation efficiency. <i>European Journal of Immunology</i> , 1999, 29, 1532-1542.	1.6	27
100	Immunopotentiating Activity of Nigeroooligosaccharides for the T Helper 1-Like Immune Response in Mice. <i>Bioscience, Biotechnology and Biochemistry</i> , 1999, 63, 373-378.	0.6	76
101	Heat-killed <i>Lactobacillus plantarum</i> L-137 suppresses naturally fed antigen-specific IgE production by stimulation of IL-12 production in mice. <i>Journal of Allergy and Clinical Immunology</i> , 1998, 102, 57-64.	1.5	257
102	Accelerated Progression of a Murine Retrovirus-induced Immunodeficiency Syndrome In Fas Mutant C57BL/6- <i>lpr/lpr</i> Mice. <i>Microbiology and Immunology</i> , 1997, 41, 221-227.	0.7	6
103	A Thymic Hormone Protects Mice from Enteropathy during Acute Graft-versus-Host Disease. <i>Microbiology and Immunology</i> , 1997, 41, 883-889.	0.7	3
104	Effects of a Nonapeptide Thymic Hormone on Intestinal Intraepithelial Lymphocytes in Mice Following Administration of 5-Fluorouracil. <i>Cellular Immunology</i> , 1996, 171, 30-40.	1.4	21
105	Increased Fas antigen expression in murine retrovirus-induced immunodeficiency syndrome, MAIDS. <i>European Journal of Immunology</i> , 1994, 24, 2446-2451.	1.6	27
106	Peripheral expansion of $\gamma\delta$ T cell receptor-positive cells in a patient with Crohn's disease. <i>Pediatrics International</i> , 1993, 35, 45-48.	0.2	1
107	Consumption of Milk from Cows Immunized with Intestinal Bacteria Influences Age-Related Changes in Immune Competence in Mice. <i>Journal of Nutrition</i> , 1992, 122, 1875-1883.	1.3	9
108	Antibacterial effect of bovine milk antibody against <i>Escherichia coli</i> in a mouse indigenous infection model. <i>Medical Microbiology and Immunology</i> , 1992, 181, 87-98.	2.6	10

#	ARTICLE	IF	CITATIONS
109	Administration of milk from cows immunized with intestinal bacteria protects mice from radiation-induced lethality. <i>Biotherapy</i> (Dordrecht, Netherlands), 1992, 5, 215-225.	0.7	12
110	Influence of Intake of Skim Milk from Cows Immunized with Intestinal Bacterial Antigens on Onset of Renal Disease in (NZB $\times$ NZW)F1 Mice Fed Ad Libitum or Restricted in Energy Intake. <i>Journal of Nutrition</i> , 1991, 121, 1860-1868.	1.3	8
111	Simultaneous occurrence of myelomonocytic leukemia and multiple myeloma: Involvement of common leukemic progenitors and their developmental abnormality of lineage infidelity?. <i>Journal of Cellular Physiology</i> , 1991, 148, 446-456.	2.0	36
112	Self-reactive T cells are activated by the 65-kDa mycobacterial heat-shock protein in neonatally thymectomized mice. <i>European Journal of Immunology</i> , 1991, 21, 597-603.	1.6	18
113	Oligoclonal T lymphocytes infiltrating human lung cancer tissues. <i>International Journal of Cancer</i> , 1991, 47, 654-658.	2.3	31
114	Sequential appearance of $\hat{I}^3/\hat{I}^1$ - and $\hat{I}^1/\hat{I}^2$ -bearing T cells in the peritoneal cavity during an i.p. infection with <i>Listeria monocytogenes</i> . <i>European Journal of Immunology</i> , 1990, 20, 533-538.	1.6	178
115	Stimulation of all T cells bearing $\hat{V}^121$ , $\hat{V}^123$ , $\hat{V}^1211$ and $\hat{V}^1212$ by staphylococcal enterotoxin A. <i>European Journal of Immunology</i> , 1990, 20, 617-621.	1.6	74
116	Clonal anergy in self-reactive $\hat{I}^1/\hat{I}^2$ T cells is abrogated by heat-shock protein-reactive $\hat{I}^3/\hat{I}^1$ T cells in aged athymic nude mice. <i>European Journal of Immunology</i> , 1990, 20, 1475-1482.	1.6	25
117	Expression of T cell receptor $\hat{V}^135$ in the adult thymus of irradiated mice after transplantation with fetal liver cells. <i>European Journal of Immunology</i> , 1990, 20, 1965-1970.	1.6	16
118	The requirement of intrathymic mixed chimerism and clonal deletion for a long-lasting skin allograft tolerance in cyclophosphamide-induced tolerance. <i>European Journal of Immunology</i> , 1990, 20, 2005-2013.	1.6	36
119	Augmentation of Host Defense Against Bacterial Infection Pretrfatjd Intraperitony with an $\hat{I}^1$ -Glucan RBS in Mice. <i>Immunopharmacology and Immunotoxicology</i> , 1990, 12, 457-477.	1.1	6
120	Deletion of Mls-reactive T cells in H-2-compatible but Mls-incompatible bone marrow chimeras. <i>European Journal of Immunology</i> , 1989, 19, 1009-1013.	1.6	9
121	A novel CD3- J11d+ subset of CD4+CD8- cells repopulating thymus in radiation bone marrow chimeras. <i>European Journal of Immunology</i> , 1989, 19, 1203-1207.	1.6	38
122	Radioresistant intrathymic T cell precursors express T cell receptor $\hat{C}^134$ - and $\hat{C}^1$ -specific gene messages. <i>European Journal of Immunology</i> , 1988, 18, 841-847.	1.6	22
123	Functional $\hat{I}^1$ and $\hat{I}^2$ T cell chain receptor messages can be detected in old but not in young athymic mice. <i>European Journal of Immunology</i> , 1987, 17, 477-482.	1.6	52
124	Increased Susceptibility to <i>Escherichia coli</i> Infection in Mice Pretreated with <i>Corynebacterium parvum</i> . <i>Microbiology and Immunology</i> , 1983, 27, 273-282.	0.7	18