
Abbas Khonakdar Tarsi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6525452/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Importance of paraoxonase 1 (PON1) as an antioxidant and antiatherogenic enzyme in the cardiovascular complications of type 2 diabetes: Genotypic and phenotypic evaluation. Diabetes Research and Clinical Practice, 2020, 161, 108067.	2.8	44
2	Effects of quercetin on microRNAs: A mechanistic review. Journal of Cellular Biochemistry, 2019, 120, 12141-12155.	2.6	39
3	The protective effects of silymarin on ischemia-reperfusion injuries: A mechanistic review. Iranian Journal of Basic Medical Sciences, 2019, 22, 968-976.	1.0	8
4	Effects of silibinin on hepatic warm ischemia-reperfusion injury in the rat model. Iranian Journal of Basic Medical Sciences, 2019, 22, 789-796.	1.0	7
5	Silibinin treatment results in reducing OPA1&MFN1 genes expression in a rat model hepatic ischemia–reperfusion. Molecular Biology Reports, 2020, 47, 3271-3280.	2.3	6
6	MicroRNAs may provide new strategies in the treatment and diagnosis of diabetic retinopathy: Importance of VEGF. Iranian Journal of Basic Medical Sciences, 2021, 24, 267-279.	1.0	4
7	Down-regulation of peroxin synthesis by silencing RNA (siRNA): A novel hypothesis for treatment of leishmaniasis. Indian Journal of Dermatology, Venereology and Leprology, 2016, 82, 436.	0.6	3
8	Utility of aptamers for antileishmanial drug targets: A potential hypothesis. Tropical Parasitology, 2017, 7, 49-50.	0.4	2
9	Effect of dexamethasone on the endothelin-1 (ET-1) and endothelial nitric oxide synthase (eNOS) genes expression during hepatic warm ischemia/reperfusion in rat. Research in Molecular Medicine, 2016, 4, 8-14.	0.2	1
10	Melatonin inhibits endothelin-1 and induces endothelial nitric oxide synthase genes expression throughout hepatic ischemia/reperfusion in rats. African Journal of Biotechnology, 2012, 11, .	0.6	1
11	NF-κB and NLRP3 gene expression changes during warm hepatic ischemia-reperfusion in rats with and without silibinin. Gastroenterology and Hepatology From Bed To Bench, 2021, 14, 267-275.	0.6	0