

Wei Chen

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6527677/wei-chen-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

32
papers

1,569
citations

16
h-index

35
g-index

35
ext. papers

1,753
ext. citations

6.7
avg, IF

4.68
L-index

#	Paper	IF	Citations
32	Recent advances in electrochemical sensing for hydrogen peroxide: a review. <i>Analyst, The</i> , 2012 , 137, 49-58	5	720
31	How to prevent the loss of surface functionality derived from aminosilanes. <i>Langmuir</i> , 2008 , 24, 12405-94		258
30	Electrosynthesis and characterization of polypyrrole/Au nanocomposite. <i>Electrochimica Acta</i> , 2007 , 52, 2845-2849	6.7	80
29	Sensitive human interleukin 5 impedimetric sensor based on polypyrrole-pyrrolepropylic acid-gold nanocomposite. <i>Analytical Chemistry</i> , 2008 , 80, 8485-92	7.8	58
28	Electrocatalytic Four-Electron Reduction of Dioxygen by Electrochemically Deposited Poly[[meso-tetrakis(2-thienyl)porphyrinato]cobalt(II)]. <i>Journal of Physical Chemistry C</i> , 2010 , 114, 8633-8638	3.8	46
27	Enhanced electrochemical oxygen reduction-based glucose sensing using glucose oxidase on nanodendritic poly[meso-tetrakis(2-thienyl)porphyrinato]cobalt(II)-SWNTs composite electrodes. <i>Biosensors and Bioelectronics</i> , 2010 , 26, 504-10	11.8	42
26	Poly[meso-tetrakis(2-thienyl)porphyrin] for the sensitive electrochemical detection of explosives. <i>Sensors and Actuators B: Chemical</i> , 2010 , 147, 191-197	8.5	39
25	In situ AFM study of electrochemical synthesis of polypyrrole/Au nanocomposite. <i>Electrochemistry Communications</i> , 2008 , 10, 1340-1343	5.1	33
24	Graphene nanopores toward DNA sequencing: a review of experimental aspects. <i>Science China Chemistry</i> , 2017 , 60, 721-729	7.9	30
23	Regenerable Leptin Immunosensor Based on Protein G Immobilized Au-Pyrrole Propylic Acid-Polypyrrole Nanocomposite. <i>Electroanalysis</i> , 2010 , 22, 1078-1083	3	30
22	In vivo monitoring of oxidative burst on aloe under salinity stress using hemoglobin and single-walled carbon nanotubes modified carbon fiber ultramicroelectrode. <i>Biosensors and Bioelectronics</i> , 2013 , 50, 318-24	11.8	25
21	High-Security Multifunctional Nano-Bismuth-Sphere-Cluster Prepared from Oral Gastric Drug for CT/PA Dual-Mode Imaging and Chemo-Photothermal Combined Therapy In Vivo. <i>Advanced Functional Materials</i> , 2019 , 29, 1900017	15.6	23
20	In Vivo Electrochemical Biosensors for Reactive Oxygen Species Detection: A Mini-Review. <i>Analytical Letters</i> , 2012 , 45, 156-167	2.2	23
19	Graphene oxide coating core-shell silver sulfide@mesoporous silica for active targeted dual-mode imaging and chemo-photothermal synergistic therapy against tumors. <i>Journal of Materials Chemistry B</i> , 2018 , 6, 4808-4820	7.3	21
18	Iridium oxide based coaxial pH ultramicroelectrode. <i>Electrochemistry Communications</i> , 2014 , 40, 35-37	5.1	20
17	Detection of alkaline phosphatase activity with a functionalized nanopipette. <i>Electrochemistry Communications</i> , 2019 , 99, 71-74	5.1	18
16	Highly efficient MnO ₂ /reduced graphene oxide hydrogel motors for organic pollutants removal. <i>Journal of Materials Science</i> , 2020 , 55, 1984-1995	4.3	16

15	Ion-current-rectification-based customizable pH response in glass nanopipettes via silanization. <i>Electrochemistry Communications</i> , 2018 , 93, 95-99	5.1	15
14	pH-modulated ion-current rectification in a cysteine-functionalized glass nanopipette. <i>Electrochemistry Communications</i> , 2018 , 97, 6-10	5.1	14
13	Ion Current Rectification Behavior of Conical Nanopores Filled with Spatially Distributed Fixed Charges. <i>Journal of Physical Chemistry C</i> , 2019 , 123, 26299-26308	3.8	12
12	A field-compatible technique using an electrochemical sensing microbundle for real-time and simultaneous in vivo measurement of hydrogen peroxide, nitric oxide, and pH under drought stress. <i>Sensors and Actuators B: Chemical</i> , 2015 , 220, 743-748	8.5	10
11	Detecting and inactivating severe acute respiratory syndrome coronavirus-2 under the auspices of electrochemistry. <i>Current Research in Chemical Biology</i> , 2021 , 1, 100001		8
10	Synthesis and Characterization of the Conducting Polymer Micro-Helix Based on the Template. <i>Polymers</i> , 2018 , 10,	4.5	7
9	Ion Current Rectification in High-Salt Environment from Mesoporous TiO Microplug Grown at the Tip of a Micropipette Induced by Space-Confined Evaporation. <i>Analytical Chemistry</i> , 2019 , 91, 15377-15381	7.8	6
8	Ultrasensitive and regenerable nanopore sensing based on target induced aptamer dissociation. <i>Biosensors and Bioelectronics</i> , 2020 , 152, 112011	11.8	5
7	Advancing interfacial properties of carbon cloth via anodic-induced self-assembly of MOFs film integrated with EMnO: A sustainable electrocatalyst sensing acetylcholine.. <i>Journal of Hazardous Materials</i> , 2021 , 426, 128133	12.8	3
6	Recent advances in ionic current rectification based nanopore sensing: a mini-review. <i>Sensors and Actuators Reports</i> , 2021 , 3, 100042	4.7	3
5	Ion current rectification in combination with ion current saturation. <i>Analytica Chimica Acta</i> , 2020 , 1117, 35-40	6.6	2
4	Light-controlled spiky micromotors for efficient capture and transport of targets. <i>Sensors and Actuators B: Chemical</i> , 2022 , 358, 131523	8.5	0
3	Self-assembled E ₄ galactosidase on T4 phage capsid through affinity binding with enhanced activity and stability for rapid bacteria detection. <i>Sensors and Actuators B: Chemical</i> , 2022 , 131569	8.5	0
2	Light-controlled microbots gathering as a sterilization platform for highly efficient capturing, concentrating and killing targeted bacteria. <i>Chemical Engineering Journal</i> , 2022 , 435, 135067	14.7	0
1	Extension of duplex specific nuclease sensing application with RNA aptamer.. <i>Talanta</i> , 2022 , 242, 123314	6.2	0