

Katsura Asano

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6528305/publications.pdf>

Version: 2024-02-01

51
papers

2,363
citations

172457

29
h-index

214800

47
g-index

55
all docs

55
docs citations

55
times ranked

1792
citing authors

#	ARTICLE	IF	CITATIONS
1	Translational recoding by chemical modification of non-AUG start codon ribonucleotide bases. <i>Science Advances</i> , 2022, 8, eabm8501.	10.3	3
2	Origin of translational control by eIF2 γ phosphorylation: insights from genome-wide translational profiling studies in fission yeast. <i>Current Genetics</i> , 2021, 67, 359-368.	1.7	10
3	Free energy landscape of RNA binding dynamics in start codon recognition by eukaryotic ribosomal pre-initiation complex. <i>PLoS Computational Biology</i> , 2021, 17, e1009068.	3.2	5
4	Human oncoprotein 5MP suppresses general and repeat-associated non-AUG translation via eIF3 by a common mechanism. <i>Cell Reports</i> , 2021, 36, 109376.	6.4	16
5	Gcn2 eIF2 γ kinase mediates combinatorial translational regulation through nucleotide motifs and uORFs in target mRNAs. <i>Nucleic Acids Research</i> , 2020, 48, 8977-8992.	14.5	13
6	Novel oncogene 5MP1 reprograms c-Myc translation initiation to drive malignant phenotypes in colorectal cancer. <i>EBioMedicine</i> , 2019, 44, 387-402.	6.1	31
7	The Interaction between the Ribosomal Stalk Proteins and Translation Initiation Factor 5B Promotes Translation Initiation. <i>Molecular and Cellular Biology</i> , 2018, 38, .	2.3	27
8	Dynamic Interaction of Eukaryotic Initiation Factor 4G1 (eIF4G1) with eIF4E and eIF1 Underlies Scanning-Dependent and -Independent Translation. <i>Molecular and Cellular Biology</i> , 2018, 38, .	2.3	17
9	Molecular Landscape of the Ribosome Pre-initiation Complex during mRNA Scanning: Structural Role for eIF3c and Its Control by eIF5. <i>Cell Reports</i> , 2017, 18, 2651-2663.	6.4	54
10	Competition between translation initiation factor eIF5 and its mimic protein 5MP determines non-AUG initiation rate genome-wide. <i>Nucleic Acids Research</i> , 2017, 45, 11941-11953.	14.5	63
11	mTORC1 and CK2 coordinate ternary and eIF4F complex assembly. <i>Nature Communications</i> , 2016, 7, 11127.	12.8	75
12	Overexpression of eIF5 or its protein mimic 5MP perturbs eIF2 function and induces ATF4 translation through delayed re-initiation. <i>Nucleic Acids Research</i> , 2016, 44, 8704-8713.	14.5	40
13	Why is start codon selection so precise in eukaryotes?. <i>Translation</i> , 2014, 2, e28387.	2.9	56
14	Essential role of eIF5-mimic protein in animal development is linked to control of ATF4 expression. <i>Nucleic Acids Research</i> , 2014, 42, 10321-10330.	14.5	24
15	The Interaction between Eukaryotic Initiation Factor 1A and eIF5 Retains eIF1 within Scanning Preinitiation Complexes. <i>Biochemistry</i> , 2013, 52, 9510-9518.	2.5	37
16	Interaction between 25S rRNA A Loop and Eukaryotic Translation Initiation Factor 5B Promotes Subunit Joining and Ensures Stringent AUG Selection. <i>Molecular and Cellular Biology</i> , 2013, 33, 3540-3548.	2.3	10
17	Random mutagenesis of yeast 25S rRNA identify bases critical for 60S subunit structural integrity and function. <i>Translation</i> , 2013, 1, e26402.	2.9	3
18	Translation Elongation. , 2013, , 2259-2263.		6

#	ARTICLE	IF	CITATIONS
19	Translational Control. , 2013, , 2278-2282.		6
20	Sequential Eukaryotic Translation Initiation Factor 5 (eIF5) Binding to the Charged Disordered Segments of eIF4G and eIF2 ¹² Stabilizes the 48S Preinitiation Complex and Promotes Its Shift to the Initiation Mode. <i>Molecular and Cellular Biology</i> , 2012, 32, 3978-3989.	2.3	30
21	The C-Terminal Domain of Eukaryotic Initiation Factor 5 Promotes Start Codon Recognition by Its Dynamic Interplay with eIF1 and eIF2 ¹² . <i>Cell Reports</i> , 2012, 1, 689-702.	6.4	66
22	Mechanisms of translational regulation by a human eIF5-mimic protein. <i>Nucleic Acids Research</i> , 2011, 39, 8314-8328.	14.5	44
23	The Eukaryotic Initiation Factor (eIF) 4G HEAT Domain Promotes Translation Re-initiation in Yeast Both Dependent on and Independent of eIF4A mRNA Helicase. <i>Journal of Biological Chemistry</i> , 2010, 285, 21922-21933.	3.4	21
24	Yeast 18 S rRNA Is Directly Involved in the Ribosomal Response to Stringent AUG Selection during Translation Initiation. <i>Journal of Biological Chemistry</i> , 2010, 285, 32200-32212.	3.4	22
25	The Roles of Stress-Activated Sty1 and Gcn2 Kinases and of the Protooncprotein Homologue Int6/eIF3e in Responses to Endogenous Oxidative Stress during Histidine Starvation. <i>Journal of Molecular Biology</i> , 2010, 404, 183-201.	4.2	22
26	Eukaryotic Initiation Factor (eIF) 1 Carries Two Distinct eIF5-binding Faces Important for Multifactor Assembly and AUG Selection. <i>Journal of Biological Chemistry</i> , 2008, 283, 1094-1103.	3.4	54
27	Int6/eIF3e Promotes General Translation and Atf1 Abundance to Modulate Sty1 MAPK-dependent Stress Response in Fission Yeast. <i>Journal of Biological Chemistry</i> , 2008, 283, 22063-22075.	3.4	39
28	Yeast Phenotypic Assays on Translational Control. <i>Methods in Enzymology</i> , 2007, 429, 105-137.	1.0	20
29	Translation factor control of ribosome conformation during start codon selection. <i>Genes and Development</i> , 2007, 21, 1280-1287.	5.9	31
30	Change in Nutritional Status Modulates the Abundance of Critical Pre-initiation Intermediate Complexes During Translation Initiation in Vivo. <i>Journal of Molecular Biology</i> , 2007, 370, 315-330.	4.2	42
31	Localization and Characterization of Protein-Protein Interaction Sites. <i>Methods in Enzymology</i> , 2007, 429, 139-161.	1.0	18
32	An eIF5/eIF2 complex antagonizes guanine nucleotide exchange by eIF2B during translation initiation. <i>EMBO Journal</i> , 2006, 25, 4537-4546.	7.8	83
33	The eukaryotic initiation factor (eIF) 5 HEAT domain mediates multifactor assembly and scanning with distinct interfaces to eIF1, eIF2, eIF3, and eIF4G. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 16164-16169.	7.1	68
34	Eukaryotic Translation Initiation Factor 5 Is Critical for Integrity of the Scanning Preinitiation Complex and Accurate Control of GCN4 Translation. <i>Molecular and Cellular Biology</i> , 2005, 25, 5480-5491.	2.3	45
35	Efficient Incorporation of Eukaryotic Initiation Factor 1 into the Multifactor Complex Is Critical for Formation of Functional Ribosomal Preinitiation Complexes in Vivo. <i>Journal of Biological Chemistry</i> , 2004, 279, 31910-31920.	3.4	41
36	Physical Association of Eukaryotic Initiation Factor (eIF) 5 Carboxyl-terminal Domain with the Lysine-rich eIF2 ¹² Segment Strongly Enhances Its Binding to eIF3. <i>Journal of Biological Chemistry</i> , 2004, 279, 49644-49655.	3.4	32

#	ARTICLE	IF	CITATIONS
37	Study of Translational Control of Eukaryotic Gene Expression Using Yeast. <i>Annals of the New York Academy of Sciences</i> , 2004, 1038, 60-74.	3.8	24
38	The Yeast Eukaryotic Initiation Factor 4G (eIF4G) HEAT Domain Interacts with eIF1 and eIF5 and Is Involved in Stringent AUG Selection. <i>Molecular and Cellular Biology</i> , 2003, 23, 5431-5445.	2.3	82
39	Development and characterization of a reconstituted yeast translation initiation system. <i>Rna</i> , 2002, 8, 382-397.	3.5	134
40	Analysis and reconstitution of translation initiation in vitro. <i>Methods in Enzymology</i> , 2002, 351, 221-247.	1.0	16
41	<i>Saccharomyces cerevisiae</i> Protein Pci8p and Human Protein eIF3e/Int-6 Interact with the eIF3 Core Complex by Binding to Cognate eIF3b Subunits. <i>Journal of Biological Chemistry</i> , 2001, 276, 34948-34957.	3.4	36
42	Fission Yeast Homolog of Murine Int-6 Protein, Encoded by Mouse Mammary Tumor Virus Integration Site, Is Associated with the Conserved Core Subunits of Eukaryotic Translation Initiation Factor 3. <i>Journal of Biological Chemistry</i> , 2001, 276, 10056-10062.	3.4	47
43	Structural Analysis of Late Intermediate Complex Formed between Plasmid ColIb-P9 Inc RNA and Its Target RNA. <i>Journal of Biological Chemistry</i> , 2000, 275, 1269-1274.	3.4	36
44	The Plasmid ColIb-P9 Antisense Inc RNA Controls Expression of the RepZ Replication Protein and Its Positive Regulator repY with Different Mechanisms. <i>Journal of Biological Chemistry</i> , 1999, 274, 17924-17933.	3.4	14
45	An RNA Pseudoknot as the Molecular Switch for Translation of the repZ Gene Encoding the Replication Initiator of IncI \pm Plasmid ColIb-P9. <i>Journal of Biological Chemistry</i> , 1998, 273, 11815-11825.	3.4	37
46	Complex Formation by All Five Homologues of Mammalian Translation Initiation Factor 3 Subunits from Yeast <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 1998, 273, 18573-18585.	3.4	135
47	Structural Basis for Binding of the Plasmid ColIb-P9 Antisense Inc RNA to Its Target RNA with the 5 α -rUUGGCC-3 α Motif in the Loop Sequence. <i>Journal of Biological Chemistry</i> , 1998, 273, 11826-11838.	3.4	48
48	Identification of a Translation Initiation Factor 3 (eIF3) Core Complex, Conserved in Yeast and Mammals, That Interacts with eIF5. <i>Molecular and Cellular Biology</i> , 1998, 18, 4935-4946.	2.3	173
49	Structure of cDNAs Encoding Human Eukaryotic Initiation Factor 3 Subunits. <i>Journal of Biological Chemistry</i> , 1997, 272, 27042-27052.	3.4	148
50	Conservation and Diversity of Eukaryotic Translation Initiation Factor eIF3. <i>Journal of Biological Chemistry</i> , 1997, 272, 1101-1109.	3.4	124
51	The Translation Initiation Factor eIF3-p48 Subunit Is Encoded by int-6, a Site of Frequent Integration by the Mouse Mammary Tumor Virus Genome. <i>Journal of Biological Chemistry</i> , 1997, 272, 23477-23480.	3.4	133