

Jong-Yea Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6529382/publications.pdf>

Version: 2024-02-01

41
papers

1,444
citations

331538

21
h-index

315616

38
g-index

41
all docs

41
docs citations

41
times ranked

1475
citing authors

#	ARTICLE	IF	CITATIONS
1	Minimization of Isoamylase Interference in Size-Exclusion Chromatography of Debranched Starch Molecular Structure. <i>Starch/Staerke</i> , 2022, 74, 2100147.	1.1	2
2	Formation mechanism of nanocomposites between starch and stearic acid via nanoprecipitation. <i>Food Hydrocolloids</i> , 2022, 131, 107780.	5.6	10
3	Structural and physicochemical properties of composites between starch nanoparticles and β -carotene prepared via nanoprecipitation. <i>International Journal of Biological Macromolecules</i> , 2022, 214, 100-110.	3.6	9
4	Fabrication of citric acid-modified starch nanoparticles to improve their thermal stability and hydrophobicity. <i>Carbohydrate Polymers</i> , 2021, 253, 117242.	5.1	29
5	Application of starch nanoparticles as host materials for encapsulation of curcumin: Effect of citric acid modification. <i>International Journal of Biological Macromolecules</i> , 2021, 183, 1-11.	3.6	25
6	Application of starch nanoparticles as a stabilizer for Pickering emulsions: Effect of environmental factors and approach for enhancing its storage stability. <i>Food Hydrocolloids</i> , 2021, 120, 106984.	5.6	31
7	Effect of thermal shock cycling on storage stability and quality of fresh-cut potato. <i>LWT - Food Science and Technology</i> , 2020, 121, 108972.	2.5	10
8	Effects of the chemical and physical reaction conditions on the formation of nanocomposites made of starch and stearic acid. <i>Carbohydrate Polymers</i> , 2020, 236, 116066.	5.1	6
9	Starch nanoparticles produced via acidic dry heat treatment as a stabilizer for a Pickering emulsion: Influence of the physical properties of particles. <i>Carbohydrate Polymers</i> , 2020, 239, 116241.	5.1	40
10	Change in textural properties, starch digestibility, and aroma of nonfried instant noodles by substitution of konjac glucomannan. <i>Cereal Chemistry</i> , 2019, 96, 784-791.	1.1	8
11	Controlled fragmentation of starch into nanoparticles using a dry heating treatment under mildly acidic conditions. <i>International Journal of Biological Macromolecules</i> , 2019, 123, 810-816.	3.6	20
12	Effects of dextrinization and octenylsuccinylation of high amylose starch on complex formation with ω -3 fatty acids (EPA/DHA). <i>Food Hydrocolloids</i> , 2018, 77, 357-362.	5.6	8
13	Effect of dual modification of HMT and crosslinking on physicochemical properties and digestibility of waxy maize starch. <i>Food Hydrocolloids</i> , 2018, 75, 33-40.	5.6	51
14	Volatile composition and sensory characteristics of onion powders prepared by convective drying. <i>Food Chemistry</i> , 2017, 231, 386-392.	4.2	40
15	Starch nanoparticles resulting from combination of dry heating under mildly acidic conditions and homogenization. <i>Carbohydrate Polymers</i> , 2017, 168, 70-78.	5.1	10
16	Radical scavenging-linked anti-adipogenic activity of <i>Alnus firma</i> extracts. <i>International Journal of Molecular Medicine</i> , 2017, 41, 119-128.	1.8	2
17	Relationship between pasting parameters and length of paste drop of various starches. <i>LWT - Food Science and Technology</i> , 2017, 79, 655-658.	2.5	10
18	Effect of heat-moisture treatment under mildly acidic condition on fragmentation of waxy maize starch granules into nanoparticles. <i>Food Hydrocolloids</i> , 2017, 63, 59-66.	5.6	30

#	ARTICLE	IF	CITATIONS
19	Ulmus macrocarpa Hance Extracts Attenuated H ₂ O ₂ and UVB-Induced Skin Photo-Aging by Activating Antioxidant Enzymes and Inhibiting MAPK Pathways. International Journal of Molecular Sciences, 2017, 18, 1200.	1.8	28
20	Production of starch nanoparticles using normal maize starch via heat-moisture treatment under mildly acidic conditions and homogenization. Carbohydrate Polymers, 2016, 151, 274-282.	5.1	21
21	Enhancing dispersion stability of alpha-tocopherol in aqueous media using maize starch and ultrasonication. LWT - Food Science and Technology, 2016, 68, 589-594.	2.5	8
22	Influence of extraction conditions on antioxidant activities and catechin content from bark of Ulmus pumila L. Applied Biological Chemistry, 2016, 59, 329-336.	0.7	16
23	Preparation and characterization of corn starch-β-carotene composites. Carbohydrate Polymers, 2016, 136, 394-401.	5.1	48
24	Preparation and characterization of crystalline complexes between amylose and C18 fatty acids. LWT - Food Science and Technology, 2015, 64, 889-897.	2.5	66
25	Preparation and characterization of aqueous dispersions of dextrin and policosanol composites. Carbohydrate Polymers, 2015, 121, 140-146.	5.1	9
26	Improvement of water solubility and humidity stability of tapioca starch film by incorporating various gums. LWT - Food Science and Technology, 2015, 64, 475-482.	2.5	78
27	Humidity stability of tapioca starch-pullulan composite films. Food Hydrocolloids, 2014, 41, 140-145.	5.6	53
28	Preparation of crystalline starch nanoparticles using cold acid hydrolysis and ultrasonication. Carbohydrate Polymers, 2013, 98, 295-301.	5.1	114
29	Heat-moisture treatment under mildly acidic conditions alters potato starch physicochemical properties and digestibility. Carbohydrate Polymers, 2013, 98, 1245-1255.	5.1	41
30	Corn starch granules with enhanced load-carrying capacity via citric acid treatment. Carbohydrate Polymers, 2013, 91, 39-47.	5.1	20
31	In vitro analyses of resistant starch in retrograded waxy and normal corn starches. International Journal of Biological Macromolecules, 2013, 55, 113-117.	3.6	19
32	Preparation of aqueous dispersion of β-carotene nano-composites through complex formation with starch dextrin. Food Hydrocolloids, 2013, 33, 256-263.	5.6	43
33	Added versus Accumulated Sugars on Color Development and Acrylamide Formation in French-Fried Potato Strips. Journal of Agricultural and Food Chemistry, 2012, 60, 8763-8771.	2.4	8
34	Preparation of aqueous dispersions of coenzyme Q10 nanoparticles with amylo maize starch and its dextrin. LWT - Food Science and Technology, 2012, 47, 493-499.	2.5	19
35	Characterization of nanoparticles prepared by acid hydrolysis of various starches. Starch/Staerke, 2012, 64, 367-373.	1.1	175
36	Complex formation between amylo maize dextrin and n-butanol by phase separation system. Carbohydrate Polymers, 2010, 82, 264-269.	5.1	10

#	ARTICLE	IF	CITATIONS
37	Preparation of nano-sized starch particles by complex formation with n-butanol. Carbohydrate Polymers, 2009, 76, 110-116.	5.1	115
38	Pasting Properties of Potato Starch and Waxy Maize Starch Mixtures. Starch/Staerke, 2009, 61, 352-357.	1.1	46
39	Formation and isolation of nanocrystal complexes between dextrans and n-butanol. Carbohydrate Polymers, 2009, 78, 626-632.	5.1	30
40	Fragmentation of Waxy Rice Starch Granules by Enzymatic Hydrolysis. Cereal Chemistry, 2008, 85, 182-187.	1.1	92
41	Effect of minor addition of xanthan on cross-linking of rice starches by dry heating with phosphate salts. Journal of Applied Polymer Science, 2007, 105, 2280-2286.	1.3	44