

FranÃ§oise A Valentini

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6529948/publications.pdf>

Version: 2024-02-01

40
papers

321
citations

1039406

9
h-index

887659

17
g-index

42
all docs

42
docs citations

42
times ranked

250
citing authors

#	ARTICLE	IF	CITATIONS
1	Detrusor contractility in post-menopausal women: Impact of ageing, complaint and urodynamic diagnosis. <i>Progres En Urologie</i> , 2021, 31, 406-413.	0.3	2
2	Comparison of indices allowing an evaluation of detrusor contractility in women. <i>Progres En Urologie</i> , 2020, 30, 396-401.	0.3	10
3	Can we improve our diagnosis of impaired detrusor contractility in women? An ICIERS 2019 proposal. <i>Neurourology and Urodynamics</i> , 2020, 39, S43-S49.	0.8	3
4	Account for high flow rate-low detrusor pressure voids in female: Contribution of VBN model. <i>Progres En Urologie</i> , 2020, 30, 214-218.	0.3	0
5	Mathematical Modeling and Uroflow-Based Nomograms in Voiding Dysfunction Evaluation: Ready for Prime Time?. <i>Current Bladder Dysfunction Reports</i> , 2019, 14, 41-46.	0.2	0
6	Is bladder voiding efficiency useful to evaluate voiding function in women older than 65 years?. <i>Progres En Urologie</i> , 2019, 29, 567-571.	0.3	1
7	Is the value of urodynamics undermined by poor technique?: ICIERS 2018. <i>Neurourology and Urodynamics</i> , 2019, 38, S35-S39.	0.8	5
8	Are there different patterns of detrusor overactivity which are clinically relevant? ICIERS 2018. <i>Neurourology and Urodynamics</i> , 2019, 38, S40-S45.	0.8	3
9	How can we better manage drug-resistant OAB/DO? ICIERS 2018. <i>Neurourology and Urodynamics</i> , 2019, 38, S46-S55.	0.8	6
10	Do urodynamics provide a better understanding of voiding disorders in women over 80?. <i>Progres En Urologie</i> , 2018, 28, 230-235.	0.3	2
11	Are nomograms based on free uroflows helpful to evaluate urethral obstruction in men?. <i>Neurourology and Urodynamics</i> , 2018, 37, 1019-1023.	0.8	3
12	Comment on "Detrusor pressures in urodynamic studies during voiding in women". <i>International Urogynecology Journal</i> , 2018, 29, 319-319.	0.7	0
13	Comparison of bladder voiding efficiency in women when calculated from a free flow versus an intubated flow. <i>Bladder</i> , 2018, 5, 36.	0.6	3
14	Re: Awada HK, Fletter PC, Zaszczurynski PJ, Cooper MA, Damaser MS. Conversion of urodynamic pressures measured simultaneously by air-charged and water-filled catheter systems. <i>Neurourol Urodyn</i> . 2015; 34: 507-512. <i>Neurourology and Urodynamics</i> , 2017, 36, 208-208.	0.8	0
15	VBN-based nomograms provide critical voiding parameters which can be used for invasive or non-invasive flow interpretation of women at risk of obstruction over time. <i>Neurourology and Urodynamics</i> , 2017, 36, 37-42.	0.8	6
16	Re: Detrusor after-contraction on ambulatory urodynamics in symptomatic women. <i>International Journal of Urology</i> , 2017, 24, 400-400.	0.5	0
17	Can we define and characterize the aging lower urinary tract? ICIERS 2015. <i>Neurourology and Urodynamics</i> , 2017, 36, 854-858.	0.8	17
18	RE: Christopher H. Fry, Andrew Gammie, Marcus John Drake, Paul Abrams, Darryl Graham Kitney, and Bahareh Vahabi. Estimation of bladder contractility from intravesical pressure-volume measurements. <i>NAU DOI 10.1002/nau.23047</i> . <i>Neurourology and Urodynamics</i> , 2017, 36, 1944-1945.	0.8	2

#	ARTICLE	IF	CITATIONS
19	RE: Konrad Futyma, Lukasz Nowakowski, Michal Bogusiewicz, Alicja Ziztek, Andrzej P. Wieczorek and Tomasz Rechberger. Use of Uroflow Parameters in Diagnosing an Overactive Bladder – Back to the Drawing Board. <i>Neurourol Urodyn</i> DOI 10.1002/nau.22898. <i>Neurourology and Urodynamics</i> , 2017, 36, 1661-1661.	0.8	1
20	Usefulness of an algebraic fitting of nomograms allowing evaluation detrusor contractility in women. <i>Progres En Urologie</i> , 2017, 27, 261-266.	0.3	7
21	Detrusor contractility in women: Influence of ageing and clinical conditions. <i>Progres En Urologie</i> , 2016, 26, 425-431.	0.3	16
22	Detrusor after-contraction: a new insight. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2015, 41, 527-534.	0.7	3
23	Contribution of behavioral and cognitive therapy to managing overactive bladder syndrome in women in the absence of contributive urodynamic diagnosis. <i>International Urogynecology Journal</i> , 2015, 26, 169-173.	0.7	8
24	Re: Effect of Aging on Storage and Voiding Function in Women with Stress Predominant Urinary Incontinence. <i>Journal of Urology</i> , 2015, 193, 372-373.	0.2	0
25	Computing maximum flow rates. <i>Canadian Urological Association Journal</i> , 2014, 8, 215.	0.3	0
26	Clinically relevant modeling of urodynamics function: The VBN model. <i>Neurourology and Urodynamics</i> , 2014, 33, 361-366.	0.8	16
27	Comment: Are the measurements of water-filled and air-charged catheters the same in urodynamics?. <i>International Urogynecology Journal</i> , 2014, 25, 147-148.	0.7	1
28	Active opening out of the urethra and the Valentini – Besson – Nelson mathematical model: response to comment by Petros and Bush. <i>International Urogynecology Journal</i> , 2013, 24, 1587-1587.	0.7	0
29	Decreased maximum flow rate during intubated flow is not only due to urethral catheter in situ. <i>International Urogynecology Journal</i> , 2013, 24, 461-467.	0.7	21
30	Functional effect of transient transurethral catheterization on micturition in women: comment. <i>International Urogynecology Journal</i> , 2013, 24, 523-523.	0.7	1
31	Idiopathic and neurogenic detrusor overactivity: do the different patterns have urodynamic characteristics related to gender or neurological condition?. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2013, 39, 663-670.	0.7	6
32	Is a sequence of tests during urethral pressure profilometry correlated with symptoms assessment in women?. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2012, 38, 809-817.	0.7	3
33	Repeatability and variability of baropodometric and spatio-temporal gait parameters – Results in healthy subjects and in stroke patients. <i>Neurophysiologie Clinique</i> , 2011, 41, 181-189.	1.0	22
34	Phasic or terminal detrusor overactivity in women: age, urodynamic findings and sphincter behavior relationships. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2011, 37, 773-780.	0.7	8
35	Urodynamics in women from menopause to oldest age: what motive? what diagnosis?. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2011, 37, 100-107.	0.7	31
36	Urodynamics in a community-dwelling population of females 80 years or older: which motive? Which diagnosis?. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2010, 36, 218-224.	0.7	16

#	ARTICLE	IF	CITATIONS
37	Can Modeled Analysis of Urodynamic Recordings Help to Demonstrate the Nervous Control of the Bladder and Urethra During Micturition?. UroToday International Journal, 2010, 03, .	0.1	7
38	Differences between the data from free flow and intubated flow in women with urinary incontinence. What do they mean?. Neurourology and Urodynamics, 2008, 27, 297-300.	0.8	11
39	Challenging the maximum flow rate: a new index of voiding dysfunction in men with benign prostatic enlargement. BJU International, 2008, 101, 995-999.	1.3	10
40	A mathematical micturition model to restore simple flow recordings in healthy and symptomatic individuals and enhance uroflow interpretation. Neurourology and Urodynamics, 2000, 19, 153-176.	0.8	56