## Sergio Crespo-Garcia

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6530637/publications.pdf

Version: 2024-02-01

23 496 11 21 papers citations h-index g-index

25 25 25 793
all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Neutrophil extracellular traps target senescent vasculature for tissue remodeling in retinopathy. Science, 2020, 369, .	6.0	139
2	Pathological angiogenesis in retinopathy engages cellular senescence and is amenable to therapeutic elimination via BCL-xL inhibition. Cell Metabolism, 2021, 33, 818-832.e7.	7.2	74
3	NOTCH1 signaling induces pathological vascular permeability in diabetic retinopathy. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 4538-4547.	3.3	59
4	InÂvivo analysis of the time and spatial activation pattern of microglia in the retina following laser-induced choroidal neovascularization. Experimental Eye Research, 2015, 139, 13-21.	1.2	27
5	Anoctamin-4 is a bona fide Ca2+-dependent non-selective cation channel. Scientific Reports, 2019, 9, 2257.	1.6	25
6	Lack of netrin-4 modulates pathologic neovascularization in the eye. Scientific Reports, 2016, 6, 18828.	1.6	20
7	Inhibition of Placenta Growth Factor Reduces Subretinal Mononuclear Phagocyte Accumulation in Choroidal Neovascularization., 2017, 58, 4997.		18
8	RELi protocol: Optimization for protein extraction from white, brown and beige adipose tissues. MethodsX, 2019, 6, 918-928.	0.7	16
9	An exploratory investigation of brain collateral circulation plasticity after cerebral ischemia in two experimental C57BL/6 mouse models. Journal of Cerebral Blood Flow and Metabolism, 2020, 40, 276-287.	2.4	15
10	Hypertensive retinopathy in a transgenic angiotensin-based model. Clinical Science, 2016, 130, 1075-1088.	1.8	13
11	Individual and temporal variability of the retina after chronic bilateral common carotid artery occlusion (BCCAO). PLoS ONE, 2018, 13, e0193961.	1.1	13
12	Myeloid cells contribute indirectly to VEGF expression upon hypoxia via activation of MÃ $\frac{1}{4}$ ller cells. Experimental Eye Research, 2018, 166, 56-69.	1.2	11
13	Rab27a GTPase modulates L-type Ca 2+ channel function via interaction with the II–III linker of Ca V 1.3 subunit. Cellular Signalling, 2015, 27, 2231-2240.	1.7	10
14	The TetO rat as a new translational model for type 2 diabetic retinopathy by inducible insulin receptor knockdown. Diabetologia, 2017, 60, 202-211.	2.9	10
15	Myeloidâ€resident neuropilinâ€1 promotes choroidal neovascularization while mitigating inflammation. EMBO Molecular Medicine, 2021, 13, e11754.	3.3	9
16	Effects of empagliflozin and target-organ damage in a novel rodent model of heart failure induced by combined hypertension and diabetes. Scientific Reports, 2020, 10, 14061.	1.6	8
17	miR-106b suppresses pathological retinal angiogenesis. Aging, 2020, 12, 24836-24852.	1.4	8
18	Remote diffuse reflectance spectroscopy sensor for tissue engineering monitoring based on blind signal separation. Biomedical Optics Express, 2014, 5, 3231.	1.5	6

#	Article	IF	CITATIONS
19	Lack of netrin-4 alters vascular remodeling in the retina. Graefe's Archive for Clinical and Experimental Ophthalmology, 2019, 257, 2179-2184.	1.0	6
20	Anti-Inflammatory Role of Netrin-4 in Diabetic Retinopathy. International Journal of Molecular Sciences, 2021, 22, 4481.	1.8	4
21	Spatial distribution of CD115+ and CD11b+ cells and their temporal activation during oxygen-induced retinopathy in mice. Graefe's Archive for Clinical and Experimental Ophthalmology, 2018, 256, 313-323.	1.0	2
22	Myeloid-resident neuropilin-1 influences brown adipose tissue in obesity. Scientific Reports, 2021, 11, 15767.	1.6	1
23	Dataset on the activation of MÃ $\frac{1}{4}$ ller cells through macrophages upon hypoxia in the retina. Data in Brief, 2018, 16, 489-500.	0.5	0