

James M Tepper

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6531795/publications.pdf>

Version: 2024-02-01

90
papers

7,931
citations

50273

46
h-index

56717

83
g-index

91
all docs

91
docs citations

91
times ranked

5552
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Neuropilin 2/Plexin-A3 Receptors Regulate the Functional Connectivity and the Excitability in the Layers 4 and 5 of the Cerebral Cortex. <i>Journal of Neuroscience</i> , 2022, , JN-RM-1965-21. | 3.6 | 0 |
| 2 | Neuropilin 2 Signaling Mediates Corticostriatal Transmission, Spine Maintenance, and Goal-Directed Learning in Mice. <i>Journal of Neuroscience</i> , 2019, 39, 8845-8859. | 3.6 | 24 |
| 3 | Cortical and thalamic inputs exert cell type-specific feedforward inhibition on striatal GABAergic interneurons. <i>Journal of Neuroscience Research</i> , 2019, 97, 1491-1502. | 2.9 | 10 |
| 4 | Pedunculopontine Glutamatergic Neurons Provide a Novel Source of Feedforward Inhibition in the Striatum by Selectively Targeting Interneurons. <i>Journal of Neuroscience</i> , 2019, 39, 4727-4737. | 3.6 | 39 |
| 5 | Opposing Influence of Sensory and Motor Cortical Input on Striatal Circuitry and Choice Behavior. <i>Current Biology</i> , 2019, 29, 1313-1323.e5. | 3.9 | 18 |
| 6 | Loss of striatal tyrosine hydroxylase interneurons impairs instrumental goal-directed behavior. <i>European Journal of Neuroscience</i> , 2019, 50, 2653-2662. | 2.6 | 10 |
| 7 | Excitatory extrinsic afferents to striatal interneurons and interactions with striatal microcircuitry. <i>European Journal of Neuroscience</i> , 2019, 49, 593-603. | 2.6 | 67 |
| 8 | Heterogeneity and Diversity of Striatal GABAergic Interneurons: Update 2018. <i>Frontiers in Neuroanatomy</i> , 2018, 12, 91. | 1.7 | 145 |
| 9 | Identification and Characterization of a Novel Spontaneously Active Bursty GABAergic Interneuron in the Mouse Striatum. <i>Journal of Neuroscience</i> , 2018, 38, 5688-5699. | 3.6 | 24 |
| 10 | Differential processing of thalamic information via distinct striatal interneuron circuits. <i>Nature Communications</i> , 2017, 8, 15860. | 12.8 | 72 |
| 11 | Neostriatal GABAergic Interneurons Mediate Cholinergic Inhibition of Spiny Projection Neurons. <i>Journal of Neuroscience</i> , 2016, 36, 9505-9511. | 3.6 | 65 |
| 12 | Segregated cholinergic transmission modulates dopamine neurons integrated in distinct functional circuits. <i>Nature Neuroscience</i> , 2016, 19, 1025-1033. | 14.8 | 122 |
| 13 | Novel fast adapting interneurons mediate cholinergic-induced fast $GABA_A$ inhibitory postsynaptic currents in striatal spiny neurons. <i>European Journal of Neuroscience</i> , 2015, 42, 1764-1774. | 2.6 | 57 |
| 14 | Dopaminergic and cholinergic modulation of striatal tyrosine hydroxylase interneurons. <i>Neuropharmacology</i> , 2015, 95, 468-476. | 4.1 | 30 |
| 15 | Are Striatal Tyrosine Hydroxylase Interneurons Dopaminergic?. <i>Journal of Neuroscience</i> , 2015, 35, 6584-6599. | 3.6 | 85 |
| 16 | Anatomical and electrophysiological changes in striatal TH interneurons after loss of the nigrostriatal dopaminergic pathway. <i>Brain Structure and Function</i> , 2015, 220, 331-349. | 2.3 | 29 |
| 17 | GABAergic circuits mediate the reinforcement-related signals of striatal cholinergic interneurons. <i>Nature Neuroscience</i> , 2012, 15, 123-130. | 14.8 | 258 |
| 18 | Introduction to Basal Ganglia X "Proceedings of the 10th Triennial Meeting of the International Basal Ganglia Society. <i>Frontiers in Systems Neuroscience</i> , 2012, 6, 29. | 2.5 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Distribution of Tyrosine Hydroxylase-Expressing Interneurons with Respect to Anatomical Organization of the Neostriatum. <i>Frontiers in Systems Neuroscience</i> , 2011, 5, 41. | 2.5 | 24 |
| 20 | Glutamatergic signaling by midbrain dopaminergic neurons: recent insights from optogenetic, molecular and behavioral studies. <i>Current Opinion in Neurobiology</i> , 2011, 21, 393-401. | 4.2 | 22 |
| 21 | A Novel Functionally Distinct Subtype of Striatal Neuropeptide Y Interneuron. <i>Journal of Neuroscience</i> , 2011, 31, 16757-16769. | 3.6 | 124 |
| 22 | Neurophysiology of Substantia Nigra Dopamine Neurons. <i>Handbook of Behavioral Neuroscience</i> , 2010, , 275-296. | 0.7 | 1 |
| 23 | Glutamatergic Signaling by Mesolimbic Dopamine Neurons in the Nucleus Accumbens. <i>Journal of Neuroscience</i> , 2010, 30, 7105-7110. | 3.6 | 280 |
| 24 | GABAergic Interneurons of the Striatum. <i>Handbook of Behavioral Neuroscience</i> , 2010, , 151-166. | 0.7 | 7 |
| 25 | Heterogeneity and Diversity of Striatal GABAergic Interneurons. <i>Frontiers in Neuroanatomy</i> , 2010, 4, 150. | 1.7 | 351 |
| 26 | Electrophysiological and Morphological Characteristics and Synaptic Connectivity of Tyrosine Hydroxylase-Expressing Neurons in Adult Mouse Striatum. <i>Journal of Neuroscience</i> , 2010, 30, 6999-7016. | 3.6 | 120 |
| 27 | Differential Dopaminergic Modulation of Neostriatal Synaptic Connections of Striatopallidal Axon Collaterals. <i>Journal of Neuroscience</i> , 2009, 29, 8977-8990. | 3.6 | 73 |
| 28 | Basal Ganglia Control of Substantia Nigra Dopaminergic Neurons. , 2009, , 71-90. | | 30 |
| 29 | Feedforward and feedback inhibition in neostriatal GABAergic spiny neurons. <i>Brain Research Reviews</i> , 2008, 58, 272-281. | 9.0 | 181 |
| 30 | GABAergic Afferents Activate Both GABAA and GABAB Receptors in Mouse Substantia Nigra Dopaminergic Neurons In Vivo. <i>Journal of Neuroscience</i> , 2008, 28, 10386-10398. | 3.6 | 67 |
| 31 | A Calcium-Activated Nonselective Cation Conductance Underlies the Plateau Potential in Rat Substantia Nigra GABAergic Neurons. <i>Journal of Neuroscience</i> , 2007, 27, 6531-6541. | 3.6 | 53 |
| 32 | Basal ganglia macrocircuits. <i>Progress in Brain Research</i> , 2007, 160, 3-7. | 1.4 | 159 |
| 33 | GABAergic control of substantia nigra dopaminergic neurons. <i>Progress in Brain Research</i> , 2007, 160, 189-208. | 1.4 | 191 |
| 34 | Morphological and physiological properties of parvalbumin- and calretinin-containing $\hat{1}^3$ -aminobutyric acidergic neurons in the substantia nigra. <i>Journal of Comparative Neurology</i> , 2007, 500, 958-972. | 1.6 | 54 |
| 35 | Morphological characterization of electrophysiologically and immunohistochemically identified basal forebrain cholinergic and neuropeptide Y-containing neurons. <i>Brain Structure and Function</i> , 2007, 212, 55-73. | 2.3 | 42 |
| 36 | Endogenous Hydrogen Peroxide Regulates the Excitability of Midbrain Dopamine Neurons via ATP-Sensitive Potassium Channels. <i>Journal of Neuroscience</i> , 2005, 25, 4222-4231. | 3.6 | 143 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Feedforward and Feedback Inhibition in the Neostriatum. , 2005, , 457-466. | | 0 |
| 38 | Comparison of IPSCs Evoked by Spiny and Fast-Spiking Neurons in the Neostriatum. Journal of Neuroscience, 2004, 24, 7916-7922. | 3.6 | 250 |
| 39 | Functional diversity and specificity of neostriatal interneurons. Current Opinion in Neurobiology, 2004, 14, 685-692. | 4.2 | 439 |
| 40 | GABAergic microcircuits in the neostriatum. Trends in Neurosciences, 2004, 27, 662-669. | 8.6 | 384 |
| 41 | Pallidal control of substantia nigra dopaminergic neuron firing pattern and its relation to extracellular neostriatal dopamine levels. Neuroscience, 2004, 129, 481-489. | 2.3 | 40 |
| 42 | Cell Type-Specific Differences in Chloride-Regulatory Mechanisms and GABA _A Receptor-Mediated Inhibition in Rat Substantia Nigra. Journal of Neuroscience, 2003, 23, 8237-8246. | 3.6 | 114 |
| 43 | Dual Cholinergic Control of Fast-Spiking Interneurons in the Neostriatum. Journal of Neuroscience, 2002, 22, 529-535. | 3.6 | 277 |
| 44 | Afferent Control of Nigral Dopaminergic Neurons. Advances in Behavioral Biology, 2002, , 641-651. | 0.2 | 1 |
| 45 | Subthalamic Stimulation-Induced Synaptic Responses in Substantia Nigra Pars Compacta Dopaminergic Neurons In Vitro. Journal of Neurophysiology, 1999, 82, 925-933. | 1.8 | 106 |
| 46 | Inhibitory control of neostriatal projection neurons by GABAergic interneurons. Nature Neuroscience, 1999, 2, 467-472. | 14.8 | 765 |
| 47 | GABAA receptor stimulation blocks NMDA-induced bursting of dopaminergic neurons in vitro by decreasing input resistance. Brain Research, 1999, 832, 145-151. | 2.2 | 62 |
| 48 | GABAA and GABAB antagonists differentially affect the firing pattern of substantia nigra dopaminergic neurons in vivo. , 1999, 32, 165-176. | | 132 |
| 49 | Striatal, pallidal, and pars reticulata evoked inhibition of nigrostriatal dopaminergic neurons is mediated by GABAA receptors in vivo. Neuroscience, 1999, 89, 799-812. | 2.3 | 126 |
| 50 | Gabaergic control of rat substantia nigra dopaminergic neurons: role of globus pallidus and substantia nigra pars reticulata. Neuroscience, 1999, 89, 813-825. | 2.3 | 119 |
| 51 | Morphological and electrophysiological characteristics of noncholinergic basal forebrain neurons. , 1998, 394, 186-204. | | 37 |
| 52 | Postnatal development of excitatory synaptic input to the rat neostriatum: An electron microscopic study. Neuroscience, 1998, 84, 1163-1175. | 2.3 | 63 |
| 53 | Do silent dopaminergic neurons exist in rat substantia nigra in vivo?. Neuroscience, 1998, 85, 1089-1099. | 2.3 | 37 |
| 54 | Postnatal Development of the Rat Neostriatum: Electrophysiological, Light- and Electron-Microscopic Studies. Developmental Neuroscience, 1998, 20, 125-145. | 2.0 | 163 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Functional Roles of Dopamine D ₂ and D ₃ Autoreceptors on Nigrostriatal Neurons Analyzed by Antisense Knockdown <i>In Vivo</i> . Journal of Neuroscience, 1997, 17, 2519-2530. | 3.6 | 123 |
| 56 | Local infusion of brain-derived neurotrophic factor modifies the firing pattern of dorsal raphe serotonergic neurons. Brain Research, 1996, 712, 293-298. | 2.2 | 73 |
| 57 | Electrophysiological Consequences of D2 and/or D3 Receptor Knockout by Antisense Oligonucleotides in Nigrostriatal Dopaminergic Neurons. Advances in Behavioral Biology, 1996, , 141-149. | 0.2 | 0 |
| 58 | GABAA receptor-mediated inhibition of rat substantia nigra dopaminergic neurons by pars reticulata projection neurons. Journal of Neuroscience, 1995, 15, 3092-3103. | 3.6 | 324 |
| 59 | Cerebellar-responsive neurons in the thalamic ventroanterior-ventrolateral complex of rats: In vivo electrophysiology. Neuroscience, 1994, 63, 711-724. | 2.3 | 40 |
| 60 | Postnatal changes in the distribution and morphology of rat substantia nigra dopaminergic neurons. Neuroscience, 1994, 60, 469-477. | 2.3 | 68 |
| 61 | Cerebellar-responsive neurons in the thalamic ventroanterior-ventrolateral complex of rats: Light and electron microscopy. Neuroscience, 1994, 63, 725-745. | 2.3 | 38 |
| 62 | Chapter 3 In vivo studies of the postnatal development of rat neostriatal neurons. Progress in Brain Research, 1993, 99, 35-50. | 1.4 | 60 |
| 63 | Analysis of dynamin isoforms in mammalian brain: dynamin-1 expression is spatially and temporally regulated during postnatal development.. Proceedings of the National Academy of Sciences of the United States of America, 1992, 89, 8376-8380. | 7.1 | 43 |
| 64 | The shell region of the nucleus ovoidalis: A subdivision of the avian auditory thalamus. Journal of Comparative Neurology, 1992, 323, 495-518. | 1.6 | 120 |
| 65 | Axonal and dendritic arborization of an intracellularly labeled chandelier cell in the CA1 region of rat hippocampus. Experimental Brain Research, 1992, 90, 519-25. | 1.5 | 116 |
| 66 | Electrophysiological characteristics of cells within mesencephalon suspension grafts. Neuroscience, 1991, 40, 109-122. | 2.3 | 104 |
| 67 | Amphetamine exerts anomalous effects on dopaminergic neurons in neonatal rats in vivo. European Journal of Pharmacology, 1991, 204, 265-272. | 3.5 | 18 |
| 68 | Stimulus-evoked changes in neostriatal dopamine levels in awake and anesthetized rats as measured by microdialysis. Brain Research, 1991, 559, 283-292. | 2.2 | 38 |
| 69 | Dorsal raphe 1/2 stimulation modifies striatal-evoked antidromic invasion of nigral dopaminergic neurons in vivo. Experimental Brain Research, 1991, 84, 620-30. | 1.5 | 58 |
| 70 | In Vivo Electrophysiology of Central Nervous System Terminal Autoreceptors. Annals of the New York Academy of Sciences, 1990, 604, 470-487. | 3.8 | 7 |
| 71 | Postnatal development of the electrical activity of rat nigrostriatal dopaminergic neurons. Developmental Brain Research, 1990, 54, 21-33. | 1.7 | 75 |
| 72 | Mesocortical dopaminergic neurons. 2. Electrophysiological consequences of terminal autoreceptor activation. Brain Research Bulletin, 1989, 22, 517-523. | 3.0 | 18 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Mesocortical dopaminergic neurons. 1. Electrophysiological properties and evidence for soma-dendritic autoreceptors. Brain Research Bulletin, 1989, 22, 511-516. | 3.0 | 35 |
| 74 | Frontal cortex stimulation evoked neostriatal potentials in rats: Intracellular and extracellular analysis. Brain Research Bulletin, 1986, 17, 751-758. | 3.0 | 16 |
| 75 | Autoreceptor-mediated changes in dopaminergic terminal excitability: Effects of potassium channel blockers. Brain Research, 1986, 367, 230-237. | 2.2 | 12 |
| 76 | Autoreceptor activation in central monoamine neurons: Modulation of neurotransmitter release is not mediated by intermittent axonal conduction. Neuroscience, 1985, 15, 925-931. | 2.3 | 18 |
| 77 | Antidromic activation of dorsal raphe neurons from neostriatum: Physiological characterization and effects of terminal autoreceptor activation. Brain Research, 1985, 332, 15-28. | 2.2 | 56 |
| 78 | Amphetamine's effects on terminal excitability of noradrenergic locus coeruleus neurons are impulse-dependent at low but not high doses. Brain Research, 1985, 341, 155-163. | 2.2 | 19 |
| 79 | The neuropharmacology of the autoinhibition of monoamine release. Trends in Pharmacological Sciences, 1985, 6, 251-256. | 8.7 | 28 |
| 80 | Autoreceptor-mediated changes in dopaminergic terminal excitability: Effects of increases in impulse flow. Brain Research, 1984, 309, 299-307. | 2.2 | 41 |
| 81 | Autoreceptor-mediated changes in dopaminergic terminal excitability: Effects of striatal drug infusions. Brain Research, 1984, 309, 309-316. | 2.2 | 62 |
| 82 | Changes in noradrenergic terminal excitability induced by amphetamine and their relation to impulse traffic. Neuroscience, 1982, 7, 2217-2224. | 2.3 | 23 |
| 83 | Noradrenergic terminal excitability: Effects of opioids. Neuroscience Letters, 1982, 30, 57-62. | 2.1 | 43 |
| 84 | Changes in dopaminergic terminal excitability induced by amphetamine and haloperidol. Brain Research, 1981, 221, 425-431. | 2.2 | 49 |
| 85 | Neurophysiological consequences of presynaptic receptor activation: changes in noradrenergic terminal excitability. Brain Research, 1981, 226, 155-170. | 2.2 | 60 |
| 86 | Acoustic priming and kanamycin-induced cochlear damage. Brain Research, 1980, 187, 81-95. | 2.2 | 19 |
| 87 | Seizure proneness and neurotransmitter uptake. Neurochemical Research, 1979, 4, 755-761. | 3.3 | 6 |
| 88 | Relations between nicotine-induced convulsive behavior and blood and brain levels of nicotine as a function of sex and age in two inbred strains of mice. Pharmacology Biochemistry and Behavior, 1979, 10, 349-353. | 2.9 | 20 |
| 89 | Selective breeding for acoustic priming. Behavior Genetics, 1976, 6, 375-383. | 2.1 | 7 |
| 90 | Opposing Influence of Sensory and Motor Cortex on Striatal Circuitry and Choice Behavior. SSRN Electronic Journal, 0, , . | 0.4 | 0 |