

Peng Sui

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6531825/publications.pdf>

Version: 2024-02-01

24
papers

410
citations

687363

13
h-index

752698

20
g-index

24
all docs

24
docs citations

24
times ranked

530
citing authors

#	ARTICLE	IF	CITATIONS
1	Crop rotation to diversify the soil microbiome in the semi-arid area of Inner Mongolia, China. <i>Archives of Agronomy and Soil Science</i> , 2023, 69, 1161-1176.	2.6	2
2	Nitrogen Footprint of a Recycling System Integrated with Cropland and Livestock in the North China Plain. <i>Plants</i> , 2022, 11, 842.	3.5	5
3	Sustainability evaluation for a circular maize-pig system driven by indigenous microbes: a case study in Northeast China. <i>Ecosystem Health and Sustainability</i> , 2022, 8, .	3.1	2
4	Linking ecosystem services and economic development for optimizing land use change in the poverty areas. <i>Ecosystem Health and Sustainability</i> , 2021, 7, .	3.1	5
5	Effects of Organic Amendments on the Improvement of Soil Nutrients and Crop Yield in Sandy Soils during a 4-Year Field Experiment in Huang-Huai-Hai Plain, Northern China. <i>Agronomy</i> , 2021, 11, 157.	3.0	16
6	Energy-Based Evaluation on the Systemic Sustainability of Rural Ecosystem under China Poverty Alleviation and Rural Revitalization: A Case of the Village in North China. <i>Energies</i> , 2021, 14, 3994.	3.1	6
7	Will Maize-Based Cropping Systems Reduce Water Consumption without Compromise of Food Security in the North China Plain?. <i>Water (Switzerland)</i> , 2020, 12, 2946.	2.7	3
8	Effects of Seven Diversified Crop Rotations on Selected Soil Health Indicators and Wheat Productivity. <i>Agronomy</i> , 2020, 10, 235.	3.0	17
9	Carbon footprints of grain-, forage-, and energy-based cropping systems in the North China plain. <i>International Journal of Life Cycle Assessment</i> , 2019, 24, 371-385.	4.7	20
10	Linking bacterial community to aggregate fractions with organic amendments in a sandy soil. <i>Land Degradation and Development</i> , 2019, 30, 1828-1839.	3.9	18
11	Optimum Sowing Dates for High-Yield Maize when Grown as Sole Crop in the North China Plain. <i>Agronomy</i> , 2019, 9, 198.	3.0	10
12	Water-stable aggregates and carbon accumulation in barren sandy soil depend on organic amendment method: A three-year field study. <i>Journal of Cleaner Production</i> , 2019, 212, 393-400.	9.3	70
13	Greenhouse gas emissions from soil under maize-“soybean intercrop in the North China Plain. <i>Nutrient Cycling in Agroecosystems</i> , 2018, 110, 451-465.	2.2	27
14	Effects of different agricultural organic wastes on soil GHG emissions: During a 4-year field measurement in the North China Plain. <i>Waste Management</i> , 2018, 81, 202-210.	7.4	22
15	The effect of different organic materials amendment on soil bacteria communities in barren sandy loam soil. <i>Environmental Science and Pollution Research</i> , 2017, 24, 24019-24028.	5.3	34
16	Recharge and Groundwater Use in the North China Plain for Six Irrigated Crops for an Eleven Year Period. <i>PLoS ONE</i> , 2015, 10, e0115269.	2.5	58
17	Aggregate stability and associated C and N in a silty loam soil as affected by organic material inputs. <i>Journal of Integrative Agriculture</i> , 2015, 14, 774-787.	3.5	24
18	Yield and quality of maize stover: Variation among cultivars and effects of N fertilization. <i>Journal of Integrative Agriculture</i> , 2015, 14, 1581-1587.	3.5	13

#	ARTICLE	IF	CITATIONS
19	Subsoiling and Ridge Tillage Alleviate the High Temperature Stress in Spring Maize in the North China Plain. <i>Journal of Integrative Agriculture</i> , 2013, 12, 2179-2188.	3.5	24
20	Enhancement of Diosgenin Production in <i>Dioscorea zingiberensis</i> Cell Culture by Oligosaccharide Elicitor from its Endophytic Fungus <i>Fusarium oxysporum</i> Dzf17. <i>Natural Product Communications</i> , 2009, 4, 1934578X0900401.	0.5	13
21	Poplar stem blister canker and its control strategies by plant extracts. <i>World Journal of Microbiology and Biotechnology</i> , 2008, 24, 1579-1584.	3.6	9
22	Dynamics of soil water content under different tillage systems in agro-pastoral eco-zone. <i>Frontiers of Agriculture in China</i> , 2008, 2, 208-215.	0.2	5
23	Nitrogen and Phosphorus Uptake and Yield of Wheat and Maize Intercropped with Poplar. <i>Arid Land Research and Management</i> , 2008, 22, 296-309.	1.6	1
24	Water Use and Nitrate Nitrogen Changes in Intensive Farmlands Following Introduction of Poplar (<i>Populus alamosa</i>) in a Semi-Arid Region. <i>Arid Land Research and Management</i> , 2006, 20, 281-294.	1.6	6