

Wataru Yasui

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6533903/publications.pdf>

Version: 2024-02-01

245
papers

10,378
citations

31902

53
h-index

48187

88
g-index

255
all docs

255
docs citations

255
times ranked

11910
citing authors

#	ARTICLE	IF	CITATIONS
1	Protocadherin B9 Is Associated with Human Esophageal Squamous Cell Carcinoma Progression. <i>Pathobiology</i> , 2023, 90, 13-21.	1.9	5
2	Clinicopathological significance of claspin overexpression and its efficacy as a novel biomarker for the diagnosis of urothelial carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2022, 480, 621-633.	1.4	8
3	Prognostic impact of Schlafen 11 in bladder cancer patients treated with platinum-based chemotherapy. <i>Cancer Science</i> , 2022, 113, 784-795.	1.7	10
4	Transcriptomic Analysis of Annexin A10 and Chemosensitivity in Gastric Adenocarcinoma Cells. <i>Anticancer Research</i> , 2022, 42, 1707-1717.	0.5	3
5	Protocadherin B9 Is Associated with Tumorigenesis and Cancer Progression in Colorectal Cancer. <i>Pathobiology</i> , 2022, 89, 214-221.	1.9	1
6	Histological diversity and molecular characteristics in gastric cancer: relation of cancer stem cell-related molecules and receptor tyrosine kinase molecules to mixed histological type and more histological patterns. <i>Gastric Cancer</i> , 2021, 24, 368-381.	2.7	13
7	Immunohistochemical analysis of SLFN11 expression uncovers potential non-responders to DNA-damaging agents overlooked by tissue RNA-seq. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2021, 478, 569-579.	1.4	25
8	Gastric mucosa-associated lymphoid tissue lymphoma in conjunction with multiple lymphomatous polyposis in the context of <i>Helicobacter pylori</i> and <i>Helicobacter suis</i> superinfection. <i>Clinical Journal of Gastroenterology</i> , 2021, 14, 478-483.	0.4	7
9	BUB1B Overexpression Is an Independent Prognostic Marker and Associated with CD44, p53, and PD-L1 in Renal Cell Carcinoma. <i>Oncology</i> , 2021, 99, 240-250.	0.9	14
10	KHDRBS3 promotes multi-drug resistance and anchorage-independent growth in colorectal cancer. <i>Cancer Science</i> , 2021, 112, 1196-1208.	1.7	17
11	Peritoneal lavage with hydrogen-rich saline can be an effective and practical procedure for acute peritonitis. <i>Surgery Today</i> , 2021, 51, 1860-1871.	0.7	6
12	Schlafen 11 predicts response to platinum-based chemotherapy in gastric cancers. <i>British Journal of Cancer</i> , 2021, 125, 65-77.	2.9	24
13	Annexin A10 Expression Is Associated With Poor Prognosis in Small Bowel Adenocarcinoma. <i>Anticancer Research</i> , 2021, 41, 1349-1355.	0.5	8
14	KIFC1 regulates ZWINT to promote tumor progression and spheroid formation in colorectal cancer. <i>Pathology International</i> , 2021, 71, 441-452.	0.6	13
15	Tumor budding as a predictive marker for 5-fluorouracil response in adjuvant-treated stage III colorectal cancer. <i>International Journal of Clinical Oncology</i> , 2021, 26, 1285-1292.	1.0	2
16	TDO2 overexpression correlates with poor prognosis, cancer stemness, and resistance to cetuximab in bladder cancer. <i>Cancer Reports</i> , 2021, 4, e1417.	0.6	8
17	TUBB3 is associated with PTEN, neuroendocrine differentiation, and castration resistance in prostate cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021, 39, 368.e1-368.e9.	0.8	6
18	Clinicopathologic features of TDO2 overexpression in renal cell carcinoma. <i>BMC Cancer</i> , 2021, 21, 737.	1.1	6

#	ARTICLE	IF	CITATIONS
19	Establishment of oxaliplatin-resistant gastric cancer organoids: importance of myoferlin in the acquisition of oxaliplatin resistance. <i>Gastric Cancer</i> , 2021, 24, 1264-1277.	2.7	20
20	Tumor contact length of prostate cancer determined by a three-dimensional method on multiparametric magnetic resonance imaging predicts extraprostatic extension and biochemical recurrence. <i>International Journal of Urology</i> , 2021, 28, 1012-1018.	0.5	3
21	Tumor heterogeneity evaluated by computed tomography detects muscle-invasive upper tract urothelial carcinoma that is associated with inflammatory tumor microenvironment. <i>Scientific Reports</i> , 2021, 11, 14251.	1.6	3
22	Overexpression of caspin promotes docetaxel resistance and is associated with prostate-specific antigen recurrence in prostate cancer. <i>Cancer Medicine</i> , 2021, 10, 5574-5588.	1.3	11
23	HOXB5 Overexpression Is Associated with Neuroendocrine Differentiation and Poor Prognosis in Prostate Cancer. <i>Biomedicines</i> , 2021, 9, 893.	1.4	2
24	KIFC1 Is Associated with Basal Type, Cisplatin Resistance, PD-L1 Expression and Poor Prognosis in Bladder Cancer. <i>Journal of Clinical Medicine</i> , 2021, 10, 4837.	1.0	11
25	Role of Metastasis-Related Genes in Cisplatin Chemoresistance in Gastric Cancer. <i>International Journal of Molecular Sciences</i> , 2020, 21, 254.	1.8	14
26	High gamma-glutamyl hydrolase and low folylpolyglutamate synthetase expression as prognostic biomarkers in patients with locally advanced gastric cancer who were administrated postoperative adjuvant chemotherapy with S-1. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 75-86.	1.2	8
27	Impact of the ESM-1 Gene Expression on Outcomes in Stage II/III Gastric Cancer Patients Who Received Adjuvant S-1 Chemotherapy. <i>In Vivo</i> , 2020, 34, 461-467.	0.6	12
28	Clinicopathological significance of intelectin-1 in colorectal cancer: Intelectin-1 participates in tumor suppression and favorable progress. <i>Pathology International</i> , 2020, 70, 943-952.	0.6	7
29	Molecular biological analysis of 5-FU-resistant gastric cancer organoids; KHDRBS3 contributes to the attainment of features of cancer stem cell. <i>Oncogene</i> , 2020, 39, 7265-7278.	2.6	30
30	Oncogenic mutation in RAS-RAF axis leads to increased expression of GREB1, resulting in tumor proliferation in colorectal cancer. <i>Cancer Science</i> , 2020, 111, 3540-3549.	1.7	5
31	Primary adenocarcinoma of the rete testis with elevated serum CA19-9 antigen levels. <i>International Cancer Conference Journal</i> , 2020, 9, 240-243.	0.2	3
32	Microtubule-associated protein tau (MAPT) promotes bicalutamide resistance and is associated with survival in prostate cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020, 38, 795.e1-795.e8.	0.8	17
33	SPC18 Expression Is an Independent Prognostic Indicator of Patients with Esophageal Squamous Cell Carcinoma. <i>Pathobiology</i> , 2020, 87, 254-261.	1.9	4
34	Microtubule-associated protein tau (MAPT) is a promising independent prognostic marker and tumor suppressive protein in clear cell renal cell carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020, 38, 605.e9-605.e17.	0.8	16
35	<i>Kdm6a</i> Deficiency Activates Inflammatory Pathways, Promotes M2 Macrophage Polarization, and Causes Bladder Cancer in Cooperation with <i>p53</i> Dysfunction. <i>Clinical Cancer Research</i> , 2020, 26, 2065-2079.	3.2	80
36	Tumor Fibroblast Growth Factor Receptor 4 Level Predicts the Efficacy of Lenvatinib in Patients With Advanced Hepatocellular Carcinoma. <i>Clinical and Translational Gastroenterology</i> , 2020, 11, e00179.	1.3	37

#	ARTICLE	IF	CITATIONS
37	TUBB3 Is Associated with High-Grade Histology, Poor Prognosis, p53 Expression, and Cancer Stem Cell Markers in Clear Cell Renal Cell Carcinoma. <i>Oncology</i> , 2020, 98, 689-698.	0.9	15
38	Impact of radiological morphology of clinical T1 renal cell carcinoma on the prediction of upstaging to pathological T3. <i>Japanese Journal of Clinical Oncology</i> , 2020, 50, 473-478.	0.6	11
39	Claspin overexpression is associated with high-grade histology and poor prognosis in renal cell carcinoma. <i>Cancer Science</i> , 2020, 111, 1020-1027.	1.7	19
40	Renal metastasis from primary hepatocellular carcinoma: a case report. <i>International Cancer Conference Journal</i> , 2020, 9, 141-145.	0.2	2
41	Uc.63+ contributes to gastric cancer progression through regulation of NF- κ B signaling. <i>Gastric Cancer</i> , 2020, 23, 863-873.	2.7	11
42	PTEN Is Involved in Sunitinib and Sorafenib Resistance in Renal Cell Carcinoma. <i>Anticancer Research</i> , 2020, 40, 1943-1951.	0.5	20
43	Loss of Annexin A10 Expression Is Associated with Poor Prognosis in Early Gastric Cancer. <i>Acta Histochemica Et Cytochemica</i> , 2020, 53, 113-119.	0.8	11
44	Annexin A10 is involved in the induction of pancreatic duodenal homeobox-1 in gastric cancer tissue, cells and organoids. <i>Oncology Reports</i> , 2020, 43, 581-590.	1.2	12
45	A Case of Stage I Rectal Cancer with Synchronous Brain and Lung Metastases 17 Years after the Initial Rectal Resection. <i>Japanese Journal of Gastroenterological Surgery</i> , 2020, 53, 732-739.	0.0	0
46	Clinical Significance of Glioma-associated Oncogene 1 Expression in Patients With Locally Advanced Gastric Cancer Administered Adjuvant Chemotherapy With S-1 After Curative Surgery. <i>Anticancer Research</i> , 2020, 40, 5815-5821.	0.5	0
47	Clinical staging of upper urinary tract urothelial carcinoma for T-staging: Review and pictorial essay. <i>International Journal of Urology</i> , 2019, 26, 1024-1032.	0.5	24
48	TUBB3 Reverses Resistance to Docetaxel and Cabazitaxel in Prostate Cancer. <i>International Journal of Molecular Sciences</i> , 2019, 20, 3936.	1.8	42
49	IMP dehydrogenase-2 drives aberrant nucleolar activity and promotes tumorigenesis in glioblastoma. <i>Nature Cell Biology</i> , 2019, 21, 1003-1014.	4.6	107
50	miR-130b Promotes Sunitinib Resistance through Regulation of PTEN in Renal Cell Carcinoma. <i>Oncology</i> , 2019, 97, 164-172.	0.9	23
51	SEC11A Expression Is Associated with Basal-Like Bladder Cancer and Predicts Patient Survival. <i>Pathobiology</i> , 2019, 86, 208-216.	1.9	9
52	Clinical Significance of <i>PRKCI</i> Gene Expression in Cancerous Tissue in Patients With Gastric Cancer. <i>Anticancer Research</i> , 2019, 39, 5715-5720.	0.5	11
53	CD204-Positive Tumor-associated Macrophages Relate to Malignant Transformation of Colorectal Adenoma. <i>Anticancer Research</i> , 2019, 39, 2767-2775.	0.5	10
54	Deficiency of Stomach-Type Claudin-18 in Mice Induces Gastric Tumor Formation Independent of <i>Helicobacter pylori</i> Infection. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2019, 8, 119-142.	2.3	30

#	ARTICLE	IF	CITATIONS
55	Characteristics of 5015 Salivary Gland Neoplasms Registered in the Hiroshima Tumor Tissue Registry over a Period of 39 Years. <i>Journal of Clinical Medicine</i> , 2019, 8, 566.	1.0	45
56	Molecular carcinogenesis of gastric cancer: Lauren classification, mucin phenotype expression, and cancer stem cells. <i>International Journal of Clinical Oncology</i> , 2019, 24, 771-778.	1.0	59
57	Molecular Mechanisms of Lymph Node Metastasis. , 2019, , 69-92.		0
58	KIFC1 Inhibitor CW069 Induces Apoptosis and Reverses Resistance to Docetaxel in Prostate Cancer. <i>Journal of Clinical Medicine</i> , 2019, 8, 225.	1.0	31
59	Clinical Significance of KIAA1199 as a Novel Target for Gastric Cancer Drug Therapy. <i>Anticancer Research</i> , 2019, 39, 6567-6573.	0.5	10
60	Is FGFR2 a Suitable Target to Treat Scirrhus-Type Gastric Cancer?. <i>Annals of Surgical Oncology</i> , 2019, 26, 926-927.	0.7	0
61	Clinicopathological significance of RCAN2 production in gastric carcinoma. <i>Histopathology</i> , 2019, 74, 430-442.	1.6	9
62	Protocadherin B9 promotes resistance to bicalutamide and is associated with the survival of prostate cancer patients. <i>Prostate</i> , 2019, 79, 234-242.	1.2	20
63	Clinicopathological significance of claspin overexpression and its association with spheroid formation in gastric cancer. <i>Human Pathology</i> , 2019, 84, 8-17.	1.1	10
64	Targeting claudin-4 enhances CDDP-chemosensitivity in gastric cancer. <i>Oncotarget</i> , 2019, 10, 2189-2202.	0.8	22
65	A Case of Leiomyosarcoma of the Sigmoid Colon Presenting with Intussusception. <i>Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan Surgical Association)</i> , 2019, 80, 1702-1707.	0.0	1
66	An extremely rare case of Epstein-Barr virus-associated gastric carcinoma with differentiation to neuroendocrine carcinoma. <i>Pathology International</i> , 2018, 68, 41-46.	0.6	1
67	Silencing of Discoidin Domain Receptor-1 (DDR1) Concurrently Inhibits Multiple Steps of Metastasis Cascade in Gastric Cancer. <i>Translational Oncology</i> , 2018, 11, 575-584.	1.7	29
68	Overexpression of the Transmembrane Protein IQGAP3 Is Associated with Poor Survival of Patients with Gastric Cancer. <i>Pathobiology</i> , 2018, 85, 192-200.	1.9	22
69	Uc.416 promotes epithelial-to-mesenchymal transition through miR-153 in renal cell carcinoma. <i>BMC Cancer</i> , 2018, 18, 952.	1.1	17
70	A case of ascending colon cancer accompanied with tumor thrombosis in the superior mesenteric vein treated with right hemicolectomy and greater saphenous vein grafting. <i>International Journal of Surgery Case Reports</i> , 2018, 51, 358-363.	0.2	4
71	Clinical practice guidance for next-generation sequencing in cancer diagnosis and treatment (Edition) Tj ETQq1	1.0, 784314, 1.7, 38	BT / O
72	Tubulocystic renal cell carcinoma: a review of literature focused on radiological findings for differential diagnosis. <i>Abdominal Radiology</i> , 2018, 43, 1540-1545.	1.0	9

#	ARTICLE	IF	CITATIONS
73	Anastomosing haemangioma with fatty changes in the perirenal space: a lesion mimicking liposarcoma. BJR case Reports, 2018, 4, 20170022.	0.1	4
74	TDO2 Overexpression Is Associated with Cancer Stem Cells and Poor Prognosis in Esophageal Squamous Cell Carcinoma. Oncology, 2018, 95, 297-308.	0.9	32
75	Clinicopathological and Prognostic Significance of Epithelial Gremlin1 Expression in Gastric Cancer. Anticancer Research, 2018, 38, 1419-1425.	0.5	8
76	Overexpression of Transmembrane Protein BST2 is Associated with Poor Survival of Patients with Esophageal, Gastric, or Colorectal Cancer. Annals of Surgical Oncology, 2017, 24, 594-602.	0.7	46
77	Clinicopathological significance of <sc>SPC</sc>18 in colorectal cancer: <sc>SPC</sc>18 participates in tumor progression. Cancer Science, 2017, 108, 143-150.	1.7	22
78	Mesenchymal Stem Cells Induce Epithelial to Mesenchymal Transition in Colon Cancer Cells through Direct Cell-to-Cell Contact. Neoplasia, 2017, 19, 429-438.	2.3	58
79	Serous adenocarcinoma of retroperitoneum: a case report. International Cancer Conference Journal, 2017, 6, 154-157.	0.2	6
80	Imaging features of papillary renal cell carcinoma with cystic change-dominant appearance in the era of the 2016 WHO classification. Abdominal Radiology, 2017, 42, 1850-1856.	1.0	8
81	Non-coding RNAs are promising targets for stem cell-based cancer therapy. Non-coding RNA Research, 2017, 2, 83-87.	2.4	21
82	Characteristic expression of fukutin in gastric cancer among atomic bomb survivors. Oncology Letters, 2017, 13, 937-941.	0.8	1
83	Expression and function of Uc.160+, a transcribed ultraconserved region, in gastric cancer. Gastric Cancer, 2017, 20, 960-969.	2.7	35
84	Long-term follow-up study of gastric adenoma; tumor-associated macrophages are associated to carcinoma development in gastric adenoma. Gastric Cancer, 2017, 20, 929-939.	2.7	25
85	Overexpression of KIFC1 and its association with spheroid formation in esophageal squamous cell carcinoma. Pathology Research and Practice, 2017, 213, 1388-1393.	1.0	16
86	Combination therapy using molecularly targeted drugs modulates tumor microenvironment and impairs tumor growth in renal cell carcinoma. Cancer Medicine, 2017, 6, 2308-2320.	1.3	12
87	Overexpression of <i>PCDHB9</i> promotes peritoneal metastasis and correlates with poor prognosis in patients with gastric cancer. Journal of Pathology, 2017, 243, 100-110.	2.1	24
88	Chronic kidney disease as a risk factor for recurrence and progression in patients with primary non-muscle-invasive bladder cancer. International Journal of Urology, 2017, 24, 594-600.	0.5	8
89	Overexpression of the transmembrane protein BST-2 induces Akt and Erk phosphorylation in bladder cancer. Oncology Letters, 2017, 14, 999-1004.	0.8	12
90	Overexpression of KIF11 in Gastric Cancer with Intestinal Mucin Phenotype. Pathobiology, 2017, 84, 16-24.	1.9	40

#	ARTICLE	IF	CITATIONS
91	KIFC1 induces resistance to docetaxel and is associated with survival of patients with prostate cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017, 35, 31.e13-31.e20.	0.8	33
92	BRAFV600E cooperates with CDX2 inactivation to promote serrated colorectal tumorigenesis. <i>ELife</i> , 2017, 6, .	2.8	73
93	Transcribed ultraconserved region U1c.63+ promotes resistance to docetaxel through regulation of androgen receptor signaling in prostate cancer. <i>Oncotarget</i> , 2017, 8, 94259-94270.	0.8	27
94	The Expression of BTS-2 Enhances Cell Growth and Invasiveness in Renal Cell Carcinoma. <i>Anticancer Research</i> , 2017, 37, 2853-2860.	0.5	12
95	Gasdermin C Is Upregulated by Inactivation of Transforming Growth Factor β Receptor Type II in the Presence of Mutated Apc, Promoting Colorectal Cancer Proliferation. <i>PLoS ONE</i> , 2016, 11, e0166422.	1.1	151
96	Induction of KIFC1 expression in gastric cancer spheroids. <i>Oncology Reports</i> , 2016, 36, 349-355.	1.2	33
97	Regulation of multidrug resistance 1 expression by $CDX2$ in ovarian mucinous adenocarcinoma. <i>Cancer Medicine</i> , 2016, 5, 1546-1555.	1.3	9
98	Multikinase inhibitor regorafenib inhibits the growth and metastasis of colon cancer with abundant stroma. <i>Cancer Science</i> , 2016, 107, 601-608.	1.7	43
99	Pure invasive micropapillary carcinoma of the esophagogastric junction with lymph nodes and liver metastasis. <i>Pathology International</i> , 2016, 66, 583-586.	0.6	5
100	Intrahepatic cholangiocarcinoma coinciding with a liver metastasis from a rectal carcinoma: a case report. <i>Surgical Case Reports</i> , 2016, 2, 94.	0.2	4
101	TSPAN8, identified by Escherichia coli ampicillin secretion trap, is associated with cell growth and invasion in gastric cancer. <i>Gastric Cancer</i> , 2016, 19, 370-380.	2.7	27
102	A case of tubulocystic carcinoma of the kidney with aggressive features. <i>Japanese Journal of Radiology</i> , 2016, 34, 307-311.	1.0	4
103	Mouse model of proximal colon-specific tumorigenesis driven by microsatellite instability-induced Cre-mediated inactivation of Apc and activation of Kras. <i>Journal of Gastroenterology</i> , 2016, 51, 447-457.	2.3	8
104	Fukutin, identified by the Escherichia coli ampicillin secretion trap (CAST) method, participates in tumor progression in gastric cancer. <i>Gastric Cancer</i> , 2016, 19, 443-452.	2.7	10
105	Cultivation Program of Interuniversity Collaboration among Informatics, Medicine and Technology, and Translational Research. <i>The Brain & Neural Networks</i> , 2016, 23, 129-134.	0.1	0
106	Clinicopathologic and molecular characteristics of gastric cancer showing gastric and intestinal mucin phenotype. <i>Cancer Science</i> , 2015, 106, 951-958.	1.7	65
107	Significance of miR-148a in Colorectal Neoplasia: Downregulation of miR-148a Contributes to the Carcinogenesis and Cell Invasion of Colorectal Cancer. <i>Pathobiology</i> , 2015, 82, 233-241.	1.9	33
108	High-grade epithelial-myoeplithelial carcinoma of the parotid gland with mucous cell differentiation. <i>Pathology International</i> , 2015, 65, 490-494.	0.6	3

#	ARTICLE	IF	CITATIONS
109	Characteristic miR-24 Expression in Gastric Cancers among Atomic Bomb Survivors. <i>Pathobiology</i> , 2015, 82, 68-75.	1.9	9
110	mTOR and PDGF Pathway Blockade Inhibits Liver Metastasis of Colorectal Cancer by Modulating the Tumor Microenvironment. <i>American Journal of Pathology</i> , 2015, 185, 399-408.	1.9	36
111	Stochastic resonance enhanced tactile feedback in laparoscopic surgery. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2015, 29, 3811-3818.	1.3	6
112	New molecular staging with G-factor supplements TNM classification in gastric cancer: a multicenter collaborative research by the Japan Society for Gastroenterological Carcinogenesis G-Project committee. <i>Gastric Cancer</i> , 2015, 18, 119-128.	2.7	24
113	Canonical Wnt signals combined with suppressed TGF β /BMP pathways promote renewal of the native human colonic epithelium. <i>Gut</i> , 2014, 63, 610-621.	6.1	75
114	NRD1, which encodes nardilysin protein, promotes esophageal cancer cell invasion through induction of MMP2 and MMP3 expression. <i>Cancer Science</i> , 2014, 105, 134-140.	1.7	25
115	Identification of Novel Transmembrane Proteins in Scirrhus-Type Gastric Cancer by the Escherichia coli Ampicillin Secretion Trap (CAST) Method: TM9SF3 Participates in Tumor Invasion and Serves as a Prognostic Factor. <i>Pathobiology</i> , 2014, 81, 138-148.	1.9	22
116	Alpha-fetoprotein-producing clear cell carcinoma of the gallbladder with neuroendocrine differentiation. <i>Medical Molecular Morphology</i> , 2014, 47, 54-56.	0.4	15
117	MicroRNA-143 regulates collagen type III expression in stromal fibroblasts of scirrhus type gastric cancer. <i>Cancer Science</i> , 2014, 105, 228-235.	1.7	68
118	Micro RNA-148a is downregulated in gastric cancer, targets MMP 7, and indicates tumor invasiveness and poor prognosis. <i>Cancer Science</i> , 2014, 105, 236-243.	1.7	83
119	Identification of PRL1 as a novel diagnostic and therapeutic target for castration-resistant prostate cancer by the Escherichia coli ampicillin secretion trap (CAST) method. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014, 32, 769-778.	0.8	14
120	Clinicopathological significance of MMP-7, laminin β 2 and EGFR expression at the invasive front of gastric carcinoma. <i>Gastric Cancer</i> , 2014, 17, 412-422.	2.7	25
121	Overexpression of ZDHHC14 promotes migration and invasion of scirrhus type gastric cancer. <i>Oncology Reports</i> , 2014, 32, 403-410.	1.2	34
122	MicroRNA-145 is a potential prognostic factor of scirrhus type gastric cancer. <i>Oncology Reports</i> , 2014, 32, 1720-1726.	1.2	33
123	Oligophrenin-1 Is Associated with Cell Adhesion and Migration in Prostate Cancer. <i>Pathobiology</i> , 2014, 81, 190-198.	1.9	11
124	A Case of Strangulated Ileus Caused by a Loop of a Twisted Meckel's Diverticulum. <i>Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan Surgical Association)</i> , 2014, 75, 2478-2481.	0.0	0
125	Combining Molecular Targeted Drugs to Inhibit Both Cancer Cells and Activated Stromal Cells in Gastric Cancer. <i>Neoplasia</i> , 2013, 15, 1391-1399.	2.3	30
126	New molecular staging with G-factors (VEGF-C and Reg IV) by supplementing TNM classification in colorectal cancers. <i>Oncology Reports</i> , 2013, 30, 2609-2616.	1.2	7

#	ARTICLE	IF	CITATIONS
127	The Search for Secreted Proteins in Prostate Cancer by the <i>Escherichia coli</i> Ampicillin Secretion Trap: Expression of NBL1 Is Highly Restricted to the Prostate and Is Related to Cancer Progression. <i>Pathobiology</i> , 2013, 80, 60-69.	1.9	10
128	<sc>MicroRNA</sc>â€155 is a predictive marker for survival in patients with clear cell renal cell carcinoma. <i>International Journal of Urology</i> , 2013, 20, 468-477.	0.5	45
129	Expression of olfactomedin 4 and claudinâ€18 in serrated neoplasia of the colorectum: a characteristic pattern is associated with sessile serrated lesion. <i>Histopathology</i> , 2013, 62, 1018-1027.	1.6	17
130	Expression of miR-486 is a potential prognostic factor after nephrectomy in advanced renal cell carcinoma. <i>Molecular and Clinical Oncology</i> , 2013, 1, 235-240.	0.4	22
131	Search for biomarkers of stage II/III gastric cancer and development of individualized therapy.. <i>Journal of Clinical Oncology</i> , 2013, 31, 4068-4068.	0.8	0
132	Upregulation of HOXA10 in gastric cancer with the intestinal mucin phenotype: reduction during tumor progression and favorable prognosis. <i>Carcinogenesis</i> , 2012, 33, 1081-1088.	1.3	33
133	Deficiency of Claudin-18 Causes Paracellular H ⁺ Leakage, Up-regulation of Interleukin-1Î², and Atrophic Gastritis in Mice. <i>Gastroenterology</i> , 2012, 142, 292-304.	0.6	92
134	Olfactomedin-4 is a glycoprotein secreted into mucus in active IBD. <i>Journal of Crohn's and Colitis</i> , 2012, 6, 425-434.	0.6	61
135	Reg IV Is a Direct Target of Intestinal Transcriptional Factor CDX2 in Gastric Cancer. <i>PLoS ONE</i> , 2012, 7, e47545.	1.1	29
136	Primary mammary mucinous cystadenocarcinoma: Cytological and histological findings. <i>Diagnostic Cytopathology</i> , 2012, 40, 624-628.	0.5	16
137	Cytokeratin Expression Profiling in Gastric Carcinoma: Clinicopathologic Significance and Comparison with Tumor-Associated Molecules. <i>Pathobiology</i> , 2012, 79, 154-161.	1.9	20
138	Liverâ€intestine cadherin induction by epidermal growth factor receptor is associated with intestinal differentiation of gastric cancer. <i>Cancer Science</i> , 2012, 103, 1744-1750.	1.7	32
139	Expression of cancer stem cell markers ALDH1, CD44 and CD133 in primary tumor and lymph node metastasis of gastric cancer. <i>Pathology International</i> , 2012, 62, 112-119.	0.6	158
140	Infantile adenomyoma subclinically excreted into the patient's diaper. <i>Pathology International</i> , 2012, 62, 532-537.	0.6	1
141	Cytokeratin 7 is a Predictive Marker for Survival in Patients with Esophageal Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2012, 19, 1902-1910.	0.7	14
142	Molecular pathology of gastric cancer: Research and practice. <i>Pathology Research and Practice</i> , 2011, 207, 608-612.	1.0	110
143	Serum concentration and expression of Reg IV in patients with esophageal cancer: Age-related elevation of serum Reg IV concentration. <i>Oncology Letters</i> , 2011, 2, 235-239.	0.8	4
144	Desmocollin 2 is a new immunohistochemical marker indicative of squamous differentiation in urothelial carcinoma. <i>Histopathology</i> , 2011, 59, 710-721.	1.6	22

#	ARTICLE	IF	CITATIONS
145	Identification of Transmembrane Protein in Prostate Cancer by the <i>Escherichia coli</i> Ampicillin Secretion Trap: Expression of CDON Is Involved in Tumor Cell Growth and Invasion. <i>Pathobiology</i> , 2011, 78, 277-284.	1.9	16
146	Future Perspectives of Gastric Cancer Treatment – From Bench to Bedside. <i>Pathobiology</i> , 2011, 78, 293-294.	1.9	5
147	Immunostaining of gastric cancer with neuroendocrine differentiation: Reg IV-positive neuroendocrine cells are associated with gastrin, serotonin, pancreatic polypeptide and somatostatin. <i>Pathology International</i> , 2010, 60, 291-297.	0.6	15
148	Immunohistochemical analysis of colorectal cancer with gastric phenotype: Claudin-18 is associated with poor prognosis. <i>Pathology International</i> , 2010, 60, 673-680.	0.6	46
149	Search for transmembrane protein in gastric cancer by the <i>Escherichia coli</i> ampicillin secretion trap: expression of DSC2 in gastric cancer with intestinal phenotype. <i>Journal of Pathology</i> , 2010, 221, 275-284.	2.1	42
150	Serial analysis of gene expression of esophageal squamous cell carcinoma: ADAMTS16 is upregulated in esophageal squamous cell carcinoma. <i>Cancer Science</i> , 2010, 101, 1038-1044.	1.7	33
151	CDX2 Regulates Multidrug Resistance 1 Gene Expression in Malignant Intestinal Epithelium. <i>Cancer Research</i> , 2010, 70, 6767-6778.	0.4	36
152	Chemoprevention by nonsteroidal anti-inflammatory drugs eliminates oncogenic intestinal stem cells via SMAC-dependent apoptosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 20027-20032.	3.3	93
153	Upregulation of Connexin 30 in Intestinal Phenotype Gastric Cancer and Its Reduction during Tumor Progression. <i>Pathobiology</i> , 2010, 77, 241-248.	1.9	18
154	Olfactomedin 4 (GW112, hGC-1) is an independent prognostic marker for survival in patients with colorectal cancer. <i>Experimental and Therapeutic Medicine</i> , 2010, 1, 73-78.	0.8	31
155	Relation between microRNA expression and progression and prognosis of gastric cancer: a microRNA expression analysis. <i>Lancet Oncology</i> , The, 2010, 11, 136-146.	5.1	752
156	Transcriptome dissection of gastric cancer: Identification of novel diagnostic and therapeutic targets from pathology specimens. <i>Pathology International</i> , 2009, 59, 121-136.	0.6	47
157	Characteristic gene expression in stromal cells of gastric cancers among atomic bomb survivors. <i>International Journal of Cancer</i> , 2009, 124, 1112-1121.	2.3	12
158	Serum olfactomedin 4 (GW112, hGC-1) in combination with Reg IV is a highly sensitive biomarker for gastric cancer patients. <i>International Journal of Cancer</i> , 2009, 125, 2383-2392.	2.3	92
159	h-prune Is an Independent Prognostic Marker for Survival in Esophageal Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2009, 16, 1390-1396.	0.7	17
160	Laminin β 2 Mediates Wnt5a-Induced Invasion of Gastric Cancer Cells. <i>Gastroenterology</i> , 2009, 137, 242-252.e6.	0.6	97
161	Gene expression profiling with microarray and SAGE identifies PLUNC as a marker for hepatoid adenocarcinoma of the stomach. <i>Modern Pathology</i> , 2008, 21, 464-475.	2.9	49
162	Reg IV is an independent prognostic factor for relapse in patients with clinically localized prostate cancer. <i>Cancer Science</i> , 2008, 99, 1570-1577.	1.7	44

#	ARTICLE	IF	CITATIONS
163	In Silico analysis of Gastric carcinoma Serial Analysis of Gene Expression libraries reveals different profiles associated with ethnicity. <i>Molecular Cancer</i> , 2008, 7, 22.	7.9	20
164	Genetic variation in PSCA is associated with susceptibility to diffuse-type gastric cancer. <i>Nature Genetics</i> , 2008, 40, 730-740.	9.4	359
165	Immunohistochemical Staining of Reg IV and Claudin-18 is Useful in the Diagnosis of Gastrointestinal Signet Ring Cell Carcinoma. <i>American Journal of Surgical Pathology</i> , 2008, 32, 1182-1189.	2.1	62
166	Positive immunohistochemical staining of gammaH2AX is associated with tumor progression in gastric cancers from radiation-exposed patients. <i>Oncology Reports</i> , 2008, 20, 1131-6.	1.2	7
167	Serum Concentration of Reg IV in Patients with Colorectal Cancer: Overexpression and High Serum Levels of Reg IV Are Associated with Liver Metastasis. <i>Oncology</i> , 2007, 72, 371-380.	0.9	74
168	Systematic collection of tissue specimens and molecular pathological analysis of newly diagnosed solid cancers among atomic bomb survivors. <i>International Congress Series</i> , 2007, 1299, 81-86.	0.2	1
169	DNA demethylation of vascular endothelial growth factor-C is associated with gene expression and its possible involvement of lymphangiogenesis in gastric cancer. <i>International Journal of Cancer</i> , 2007, 120, 1689-1695.	2.3	23
170	DNA methylation of the RIZ1 gene is associated with nuclear accumulation of p53 in prostate cancer. <i>Cancer Science</i> , 2007, 98, 32-36.	1.7	26
171	Increased expression of h-prune is associated with tumor progression and poor survival in gastric cancer. <i>Cancer Science</i> , 2007, 98, 1198-1205.	1.7	24
172	Synchronous squamous cell carcinoma of the breast and invasive lobular carcinoma. <i>Apmis</i> , 2007, 115, 1422-1425.	0.9	6
173	Differential expression of claudin-2 in normal human tissues and gastrointestinal carcinomas. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2006, 448, 428-434.	1.4	64
174	Molecular characteristics of differentiated-type gastric carcinoma with distinct mucin phenotype: LI-cadherin is associated with intestinal phenotype. <i>Pathology International</i> , 2006, 56, 200-205.	0.6	12
175	Accumulation of DNA methylation is associated with tumor stage in gastric cancer. <i>Cancer</i> , 2006, 106, 1250-1259.	2.0	125
176	Glycogen Synthase Kinase 3 and h-prune Regulate Cell Migration by Modulating Focal Adhesions. <i>Molecular and Cellular Biology</i> , 2006, 26, 898-911.	1.1	111
177	Expression of Wnt-5a Is Correlated with Aggressiveness of Gastric Cancer by Stimulating Cell Migration and Invasion. <i>Cancer Research</i> , 2006, 66, 10439-10448.	0.4	395
178	DNA methylation profiles of differentiated-type gastric carcinomas with distinct mucin phenotypes. <i>Cancer Science</i> , 2005, 96, 474-479.	1.7	13
179	DNA methylation of genes linked to retinoid signaling in squamous cell carcinoma of the esophagus: DNA methylation of CRBP1 and TIG1 is associated with tumor stage. <i>Cancer Science</i> , 2005, 96, 571-577.	1.7	33
180	Loss of heterozygosity and histone hypoacetylation of the PINX1 gene are associated with reduced expression in gastric carcinoma. <i>Oncogene</i> , 2005, 24, 157-164.	2.6	34

#	ARTICLE	IF	CITATIONS
181	Quantitative analysis of lymphangiogenic markers for predicting metastasis of human gastric carcinoma to lymph nodes. <i>International Journal of Cancer</i> , 2005, 115, 388-392.	2.3	64
182	DNA methylation of genes linked with retinoid signaling in gastric carcinoma. <i>Cancer</i> , 2005, 104, 1609-1619.	2.0	35
183	Clinicopathological significant and prognostic influence of cadherin-17 expression in gastric cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2005, 447, 717-722.	1.4	47
184	A single nucleotide polymorphism in the MMP-9 promoter affects tumor progression and invasive phenotype of gastric cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2005, 131, 19-25.	1.2	109
185	Molecular-pathological prognostic factors of gastric cancer: a review. <i>Gastric Cancer</i> , 2005, 8, 86-94.	2.7	242
186	Histone H3 acetylation is associated with reduced p21WAF1/CIP1 expression by gastric carcinoma. <i>Journal of Pathology</i> , 2005, 205, 65-73.	2.1	66
187	Expression and localization of Reg IV in human neoplastic and non-neoplastic tissues: Reg IV expression is associated with intestinal and neuroendocrine differentiation in gastric adenocarcinoma. <i>Journal of Pathology</i> , 2005, 207, 185-198.	2.1	118
188	Genes Involved in Invasion and Metastasis of Gastric Cancer Identified by Array-Based Hybridization and Serial Analysis of Gene Expression. <i>Oncology</i> , 2005, 69, 17-22.	0.9	47
189	Recent Advances in Molecular Pathobiology of Gastric Carcinoma. , 2005, , 51-71.		11
190	Frequent Loss of <i>RUNX3</i> Expression by Promoter Hypermethylation in Gastric Carcinoma. <i>Pathobiology</i> , 2004, 71, 137-143.	1.9	68
191	Gene Expression Profile of Gastric Carcinoma. <i>Cancer Research</i> , 2004, 64, 2397-2405.	0.4	277
192	Expression of POT1 is Associated with Tumor Stage and Telomere Length in Gastric Carcinoma. <i>Cancer Research</i> , 2004, 64, 523-529.	0.4	102
193	Search for new biomarkers of gastric cancer through serial analysis of gene expression and its clinical implications. <i>Cancer Science</i> , 2004, 95, 385-392.	1.7	143
194	Expression of Cbl linking with the epidermal growth factor receptor system is associated with tumor progression and poor prognosis of human gastric carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2004, 444, 324-331.	1.4	25
195	A single nucleotide polymorphism in the MMP-1 promoter is correlated with histological differentiation of gastric cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2004, 130, 259-265.	1.2	37
196	BRAF/K-ras mutation, microsatellite instability, and promoter hypermethylation of hMLH1/MGMT in human gastric carcinomas. <i>Gastric Cancer</i> , 2004, 7, 246-253.	2.7	40
197	Frequent epigenetic inactivation of RIZ1 by promoter hypermethylation in human gastric carcinoma. <i>International Journal of Cancer</i> , 2004, 110, 212-218.	2.3	55
198	Epigenetic inactivation of SOCS-1 by CpG island hypermethylation in human gastric carcinoma. <i>International Journal of Cancer</i> , 2004, 112, 1003-1009.	2.3	106

#	ARTICLE	IF	CITATIONS
199	A CASE OF ADVANCED GASTRIC CANCER WHO SUFFERED WITH BRAIN METASTASIS BUT NOT OTHER DISTANT METASTASIS. <i>Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan Surgical Association)</i> , 2004, 65, 1818-1822.	0.0	1
200	Single nucleotide polymorphism in the hypoxia-inducible factor-1alpha gene in colorectal carcinoma. <i>Oncology Reports</i> , 2004, 12, 1033-7.	1.2	40
201	Expression of integrin-linked kinase is closely correlated with invasion and metastasis of gastric carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2003, 442, 118-123.	1.4	73
202	Expression of thrombospondin-1 is correlated with microvessel density in gastric carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2003, 442, 563-568.	1.4	26
203	Expression of osteoprotegerin correlates with aggressiveness and poor prognosis of gastric carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2003, 443, 146-151.	1.4	42
204	The promoter methylation status of the DNA repair gene O 6 -methylguanine-DNA methyltransferase in ulcerative colitis. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2003, 443, 518-523.	1.4	28
205	Small cell carcinoma of the extrahepatic bile duct: Case report and immunohistochemical analysis. <i>Pathology International</i> , 2003, 53, 887-891.	0.6	34
206	A single nucleotide polymorphism in the transmembrane domain coding region ofHER-2 is associated with development and malignant phenotype of gastric cancer. <i>International Journal of Cancer</i> , 2003, 107, 593-596.	2.3	27
207	DNA methylation of multiple genes in gastric carcinoma: Association with histological type and CpG island methylator phenotype. <i>Cancer Science</i> , 2003, 94, 901-905.	1.7	97
208	DNA hypermethylation and histone hypoacetylation of the HLTF gene are associated with reduced expression in gastric carcinoma. <i>Cancer Science</i> , 2003, 94, 692-698.	1.7	37
209	Histone Acetylation and Gastrointestinal Carcinogenesis. <i>Annals of the New York Academy of Sciences</i> , 2003, 983, 220-231.	1.8	127
210	Reduced Expression of the TSP1 Gene and Its Association with Promoter Hypermethylation in Gastric Carcinoma. <i>Oncology</i> , 2003, 64, 423-429.	0.9	47
211	Correlation of a single nucleotide polymorphism in the E-cadherin gene promoter with tumorigenesis and progression of gastric carcinoma in Japan. <i>International Journal of Oncology</i> , 2003, 23, 421.	1.4	14
212	A CASE OF METACHRONOUS QUINTUPLE CANCER OF THE COLON, GALLBLADDER, STOMACH, LUNG AND PROSTATE. <i>Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan Surgical Association)</i> , 2003, 64, 2922-2926.	0.0	1
213	Distinct promoter hypermethylation ofp16INK4a,CDH1, andRAR-beta in intestinal, diffuse-adherent, and diffuse-scattered type gastric carcinomas. <i>Journal of Pathology</i> , 2002, 198, 55-59.	2.1	83
214	Genetic and epigenetic changes in stomach cancer. <i>International Review of Cytology</i> , 2001, 204, 49-95.	6.2	94
215	Molecular diagnosis of gastric cancer: present and future. <i>Gastric Cancer</i> , 2001, 4, 113-121.	2.7	96
216	Clinicopathological significance of vascular endothelial growth factor (VEGF)-C in human esophageal squamous cell carcinomas. <i>International Journal of Cancer</i> , 2001, 93, 662-666.	2.3	173

#	ARTICLE	IF	CITATIONS
217	Promoter hypermethylation of MGMT is associated with protein loss in gastric carcinoma. International Journal of Cancer, 2001, 93, 805-809.	2.3	87
218	Inactivation of retinoic acid receptor \hat{r}^2 by promoter CpG hypermethylation in gastric cancer. Differentiation, 2001, 68, 13-21.	1.0	62
219	Increased Expression but Not Genetic Alteration of <i>BRC1</i> , a Component of the SWI/SNF Complex, Is Associated with the Advanced Stage of Human Gastric Carcinomas. Pathobiology, 2001, 69, 315-320.	1.9	74
220	Promoter Methylation Status of the DNA Repair Genes <i>hMLH1</i> and <i>MGMT</i> in Gastric Carcinoma and Metaplastic Mucosa. Pathobiology, 2001, 69, 143-149.	1.9	36
221	A Case of Gastrointestinal Stromal Tumor of the Rectovaginal Septum.. Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan Surgical Association), 2001, 62, 988-991.	0.0	3
222	Effect of trichostatin A on cell growth and expression of cell cycle- and apoptosis-related molecules in human gastric and oral carcinoma cell lines. International Journal of Cancer, 2000, 88, 992-997.	2.3	118
223	Immunohistochemical Detection of Human Telomerase Reverse Transcriptase in Normal Mucosa and Precancerous Lesions of the Stomach. Japanese Journal of Cancer Research, 1999, 90, 589-595.	1.7	44
224	Molecular-pathological diagnosis of gastrointestinal tissues and its contribution to cancer histopathology. Pathology International, 1999, 49, 763-774.	0.6	33
225	Expression of the E2F family in human gastrointestinal carcinomas. , 1999, 81, 535-538.		97
226	Alterations of p73 preferentially occur in gastric adenocarcinomas with foveolar epithelial phenotype. , 1999, 83, 192-196.		39
227	Effect of Antisense Human Telomerase RNA Transfection on the Growth of Human Gastric Cancer Cell Lines. Biochemical and Biophysical Research Communications, 1999, 255, 753-758.	1.0	34
228	Expression of Interleukin-6 and Its Effect on the Cell Growth of Gastric Carcinoma Cell Lines. Japanese Journal of Cancer Research, 1997, 88, 953-958.	1.7	33
229	EXPRESSION OF CYCLIN-DEPENDENT KINASE INHIBITOR p21WAF1/CIP1 IN NON-NEOPLASTIC MUCOSA AND NEOPLASIA OF THE STOMACH: RELATIONSHIP WITH p53 STATUS AND PROLIFERATIVE ACTIVITY. , 1996, 180, 122-128.		79
230	Increased expression of p34cdc2 and its kinase activity in human gastric and colonic carcinomas. International Journal of Cancer, 1993, 53, 36-41.	2.3	102
231	Expression of P-cadherin in gastric carcinomas and its reduction in tumor progression. International Journal of Cancer, 1993, 54, 49-52.	2.3	36
232	Aberrant expression of c-met mRNA in human gastric carcinomas. International Journal of Cancer, 1993, 55, 72-75.	2.3	105
233	Expression of Amphiregulin, a Novel Gene of the Epidermal Growth Factor Family, in Human Gastric Carcinomas. Japanese Journal of Cancer Research, 1993, 84, 879-884.	1.7	46
234	Reduced Expression of nm23 Is Associated with Metastasis of Human Gastric Carcinomas. Japanese Journal of Cancer Research, 1993, 84, 184-190.	1.7	119

#	ARTICLE	IF	CITATIONS
235	Expression of growth factors and their receptors in human esophageal carcinomas: regulation of expression by epidermal growth factor and transforming growth factor ?. Journal of Cancer Research and Clinical Oncology, 1993, 119, 401-407.	1.2	52
236	A RESECTED CASE OF ICTERIC TYPE HEPATOMA. The Journal of the Japanese Practical Surgeon Society, 1993, 54, 735-740.	0.0	0
237	Expression of transforming growth factor alpha in human tissues: Immunohistochemical study and Northern blot analysis. Virchows Archiv A, Pathological Anatomy and Histopathology, 1992, 421, 513-519.	1.4	65
238	Mucinous cystadenoma of the lung: a case report.. The Journal of the Japanese Association for Chest Surgery, 1992, 6, 597-602.	0.0	0
239	Expression of cripto, a Novel Gene of the Epidermal Growth Factor Family, in Human Gastrointestinal Carcinomas. Japanese Journal of Cancer Research, 1991, 82, 969-973.	1.7	64
240	Induction of Growth Factor-receptor and Metalloproteinase Genes by Epidermal Growth Factor and/or Transforming Growth Factor- β in Human Gastric Carcinoma Cell Line MKN-28. Japanese Journal of Cancer Research, 1990, 81, 793-798.	1.7	64
241	pp60c-src protein kinase activity in human gastric carcinomas. International Journal of Cancer, 1990, 45, 847-851.	2.3	36
242	Presence of multiple species of polypeptides immunologically related to transcription factor TFIIIA in adult <i>Xenopus</i> tissues. Nucleic Acids Research, 1989, 17, 5597-5610.	6.5	10
243	DNA ploidy pattern and amplification of ERBB and ERBB2 genes in human gastric carcinomas. Vigiliae Christianae, 1989, 58, 273-277.	0.1	23
244	Interaction between epidermal growth factor and its receptor in progression of human gastric carcinoma. International Journal of Cancer, 1988, 41, 211-217.	2.3	176
245	Melanoma-associated antigen-A1 expression predicts resistance to docetaxel and paclitaxel in advanced and recurrent gastric cancer. Oncology Reports, 0, , .	1.2	8