Devendra H Shah

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/653466/publications.pdf

Version: 2024-02-01

68 papers 2,041 citations

257450 24 h-index 254184 43 g-index

72 all docs 72 docs citations

times ranked

72

2961 citing authors

#	Article	IF	CITATIONS
1	Water sorption characteristics of freeze-dried bacteria in low-moisture foods. International Journal of Food Microbiology, 2022, 362, 109494.	4.7	2
2	SURVEILLANCE FOR AN EMERGENT HOOF DISEASE IN ELK (CERVUS ELAPHUS) IN THE US PACIFIC WEST SUPPLEMENTED BY 16S RRNA GENE AMPLICON SEQUENCING. Journal of Wildlife Diseases, 2022, 58, .	0.8	6
3	Phenelzine and Amoxapine Inhibit Tyramine and d-Glucuronic Acid Catabolism in Clinically Significant Salmonella in A Serotype-Independent Manner. Pathogens, 2021, 10, 469.	2.8	1
4	High-Resolution Comparative Genomics of Salmonella Kentucky Aids Source Tracing and Detection of ST198 and ST152 Lineage-Specific Mutations. Frontiers in Sustainable Food Systems, 2021, 5, .	3.9	7
5	Comparative efficacy of spray-dried plasma and bacitracin methylene disalicylate in reducing cecal colonization by Salmonella Enteritidis in broiler chickens. Poultry Science, 2021, 100, 101134.	3.4	8
6	Quality changes in chicken livers during cooking. Poultry Science, 2021, 100, 101316.	3.4	6
7	Occurrence of potentially zoonotic and cephalosporin resistant enteric bacteria among shelter dogs in the Central and South-Central Appalachia. BMC Veterinary Research, 2021, 17, 313.	1.9	5
8	AT Homopolymer Strings in Salmonella enterica Subspecies I Contribute to Speciation and Serovar Diversity. Microorganisms, 2021, 9, 2075.	3.6	1
9	The occurrence of <i>Salmonella</i> , extendedâ€spectrum βâ€lactamase producing <i>Escherichia coli</i> and carbapenem resistant nonâ€fermenting Gramâ€negative bacteria in a backyard poultry flock environment. Zoonoses and Public Health, 2020, 67, 742-753.	2.2	11
10	Global transcriptional profiling of tyramine and d-glucuronic acid catabolism in Salmonella. International Journal of Medical Microbiology, 2020, 310, 151452.	3 . 6	3
11	Changes in cellular structure of heatâ€treated Salmonella in lowâ€moisture environments. Journal of Applied Microbiology, 2020, 129, 434-442.	3.1	8
12	Identification of common highly expressed genes of Salmonella Enteritidis by in silico prediction of gene expression and in vitro transcriptomic analysis. Poultry Science, 2019, 98, 2948-2963.	3.4	7
13	Biosolids and Tillage Practices Influence Soil Bacterial Communities in Dryland Wheat. Microbial Ecology, 2019, 78, 737-752.	2.8	16
14	Genetically distinct lineages of Salmonella Typhimurium ST313 and ST19 are present in Brazil. International Journal of Medical Microbiology, 2018, 308, 306-316.	3.6	29
15	Draft Genome Sequences of 12 Clinical and Environmental Methicillin-Resistant Staphylococcus pseudintermedius Strains Isolated from a Veterinary Teaching Hospital in Washington State. Genome Announcements, 2018, 6, .	0.8	0
16	Draft Genome Sequences of $11 < i > Salmonella$ enterica $< / i > Serovar$ Typhimurium Strains Isolated from Human Systemic and Nonsystemic Sites in Brazil. Genome Announcements, 2018, 6, .	0.8	2
17	Application of freeze-dried Enterococcus faecium NRRL B-2354 in radio-frequency pasteurization of wheat flour. LWT - Food Science and Technology, 2018, 90, 124-131.	5.2	36
18	Genomic organization and role of SPI-13 in nutritional fitness of Salmonella. International Journal of Medical Microbiology, 2018, 308, 1043-1052.	3.6	9

#	Article	IF	CITATIONS
19	Complete Genome Sequence of a Ciprofloxacin-Resistant Salmonella enterica subsp. enterica Serovar Kentucky Sequence Type 198 Strain, PU131, Isolated from a Human Patient in Washington State. Genome Announcements, 2018, 6, .	0.8	9
20	Dimethyl adenosine transferase (KsgA) contributes to cell-envelope fitness in Salmonella Enteritidis. Microbiological Research, 2018, 216, 108-119.	5.3	4
21	Biochemical Reference Intervals for Backyard Hens. , 2018, 32, 301.		19
22	Biochemical Reference Intervals for Backyard Hens., 2018, 32, 301.		0
23	Differences in antimicrobial activity of chlorine against twelve most prevalent poultry-associated Salmonella serotypes. Food Microbiology, 2017, 64, 202-209.	4.2	17
24	Identification of new CpG oligodeoxynucleotide motifs that induce expression of interleukin- $\hat{\Pi}^2$ and nitric oxide in avian macrophages. Veterinary Immunology and Immunopathology, 2017, 192, 1-7.	1.2	6
25	Population dynamics and antimicrobial resistance of the most prevalent poultry-associated Salmonella serotypes. Poultry Science, 2017, 96, 687-702.	3.4	122
26	Biofilm forming Salmonella strains exhibit enhanced thermal resistance in wheat flour. Food Control, 2017, 73, 689-695.	5.5	38
27	Genetic Basis of Salmonella Enteritidis Pathogenesis in Chickens. , 2017, , 187-208.		5
28	Potential Sources and Transmission of Salmonella and Antimicrobial Resistance in Kampala, Uganda. PLoS ONE, 2016, 11, e0152130.	2.5	49
29	Metabolic parameters linked by phenotype microarray to acid resistance profiles of poultry-associated Salmonella enterica. Research in Microbiology, 2016, 167, 745-756.	2.1	5
30	The Salmonella pathogenicity island 13 contributes to pathogenesis in streptomycin pre-treated mice but not in day-old chickens. Gut Pathogens, 2016, 8, 16.	3.4	29
31	Entericidin Is Required for a Probiotic Treatment (Enterobacter sp. Strain C6-6) To Protect Trout from Cold-Water Disease Challenge. Applied and Environmental Microbiology, 2015, 81, 658-665.	3.1	28
32	Recovery of Salmonella enterica serovar Enteritidis from hens initially infected with serovar Kentucky. Food Chemistry, 2015, 189, 86-92.	8.2	3
33	Transcriptome analysis of Vibrio parahaemolyticus in type III secretion system 1 inducing conditions. Frontiers in Cellular and Infection Microbiology, 2014, 4, 1.	3.9	160
34	Transcriptional Profiling of a Cross-Protective Salmonella enterica serovar Typhimurium UK-1 dam Mutant Identifies a Set of Genes More Transcriptionally Active Compared to Wild-Type, and Stably Transcribed across Biologically Relevant Microenvironments. Pathogens, 2014, 3, 417-436.	2.8	2
35	Contribution of Salmonella Enteritidis virulence factors to intestinal colonization and systemic dissemination in 1-day-old chickens. Poultry Science, 2014, 93, 871-881.	3.4	17
36	RNA Sequencing Reveals Differences between the Global Transcriptomes of Salmonella enterica Serovar Enteritidis Strains with High and Low Pathogenicities. Applied and Environmental Microbiology, 2014, 80, 896-906.	3.1	39

#	Article	IF	CITATIONS
37	Evaluation of passive immunotherapeutic efficacy of hyperimmunized egg yolk powder against intestinal colonization of Campylobacter jejuni in chickens. Poultry Science, 2014, 93, 2779-2787.	3.4	16
38	"Preharvest―Food Safety for Escherichia coli O157 and Other Pathogenic Shiga Toxin-Producing Strains. Microbiology Spectrum, 2014, 2, .	3.0	10
39	Outbreak of Listeria monocytogenes in an urban poultry flock. BMC Veterinary Research, 2013, 9, 204.	1.9	25
40	MLVA typing reveals higher genetic homogeneity among S. Enteritidis strains isolated from food, humans and chickens in Brazil in comparison to the North American Strains. International Journal of Food Microbiology, 2013, 162, 174-181.	4.7	17
41	Production and Evaluation of Chicken Egg-Yolk-Derived Antibodies AgainstCampylobacter jejuniColonization-Associated Proteins. Foodborne Pathogens and Disease, 2013, 10, 624-631.	1.8	19
42	Dimethyl Adenosine Transferase (KsgA) Deficiency in Salmonella enterica Serovar Enteritidis Confers Susceptibility to High Osmolarity and Virulence Attenuation in Chickens. Applied and Environmental Microbiology, 2013, 79, 7857-7866.	3.1	15
43	Virulence and Metabolic Characteristics of Salmonella enterica Serovar Enteritidis Strains with Different <i>sefD</i> Variants in Hens. Applied and Environmental Microbiology, 2012, 78, 6405-6412.	3.1	9
44	<i>Salmonella</i> Enteritidis Strains from Poultry Exhibit Differential Responses to Acid Stress, Oxidative Stress, and Survival in the Egg Albumen. Foodborne Pathogens and Disease, 2012, 9, 258-264.	1.8	59
45	Transposon Mutagenesis of Salmonella enterica Serovar Enteritidis Identifies Genes That Contribute to Invasiveness in Human and Chicken Cells and Survival in Egg Albumen. Infection and Immunity, 2012, 80, 4203-4215.	2.2	56
46	Urine from Treated Cattle Drives Selection for Cephalosporin Resistant Escherichia coli in Soil. PLoS ONE, 2012, 7, e48919.	2.5	33
47	Production of Organic Acids by Probiotic Lactobacilli Can Be Used to Reduce Pathogen Load in Poultry. PLoS ONE, 2012, 7, e43928.	2.5	178
48	Enhanced resistance to coldwater disease following feeding of probiotic bacterial strains to rainbow trout (Oncorhynchus mykiss). Aquaculture, 2011, 321, 185-190.	3.5	50
49	In vitro and in vivo pathogenicity of Salmonella enteritidis clinical strains isolated from North America. Archives of Microbiology, 2011, 193, 811-821.	2.2	23
50	Selection Pressure Required for Long-Term Persistence of <i>bla</i> _{CMY-2} -Positive IncA/C Plasmids. Applied and Environmental Microbiology, 2011, 77, 4486-4493.	3.1	91
51	Cell invasion of poultry-associated Salmonella enterica serovar Enteritidis isolates is associated with pathogenicity, motility and proteins secreted by the type III secretion system. Microbiology (United Kingdom), 2011, 157, 1428-1445.	1.8	77
52	Discovery of a Gene Conferring Multiple-Aminoglycoside Resistance in <i>Escherichia coli</i> Antimicrobial Agents and Chemotherapy, 2010, 54, 2666-2669.	3.2	92
53	Challenges Associated with Heterologous Expression of Flavobacterium psychrophilum Proteins in Escherichia coli. Marine Biotechnology, 2008, 10, 719-730.	2.4	5
54	Type III secretion system 1 genes in <i>Vibrio parahaemolyticus</i> are positively regulated by ExsA and negatively regulated by ExsD. Molecular Microbiology, 2008, 69, 747-764.	2.5	81

#	Article	IF	Citations
55	Campylobacter jejuni invade chicken LMH cells inefficiently and stimulate differential expression of the chicken CXCLi1 and CXCLi2 cytokines. Microbiology (United Kingdom), 2008, 154, 3835-3847.	1.8	54
56	Effect of metC mutation on Salmonella Gallinarum virulence and invasiveness in 1-day-old White Leghorn chickens. Veterinary Microbiology, 2007, 119, 352-357.	1.9	22
57	Cloning and Expression of 51-kDa Antigenic Protein of Neorickettsia risticii NR-JA1. Annals of the New York Academy of Sciences, 2005, 1063, 246-251.	3.8	O
58	Rapid differentiation of Mycobacterium bovis and Mycobacterium tuberculosis based on a 12.7-kb fragment by a single tube multiplex-PCR. Veterinary Microbiology, 2005, 109, 211-216.	1.9	65
59	Detection of Bartonella species from ticks, mites and small mammals in Korea. Journal of Veterinary Science, 2005, 6, 327.	1.3	97
60	Identification of Salmonella gallinarum virulence genes in a chicken infection model using PCR-based signature-tagged mutagenesis. Microbiology (United Kingdom), 2005, 151, 3957-3968.	1.8	93
61	An Allele-Specific PCR Assay for the Rapid and Serotype-Specific Detection of Salmonella Pullorum. Avian Diseases, 2005, 49, 558-561.	1.0	17
62	Control of Fowl Typhoid Using Tissue Culture Medium Waste After Harvest of Korean Wild Ginseng (Panax ginseng). Journal of Applied Poultry Research, 2005, 14, 455-462.	1.2	4
63	Allele-specific PCR method based on rfbS sequence for distinguishing Salmonella gallinarum from Salmonella pullorum: serotype-specific rfbS sequence polymorphism. Journal of Microbiological Methods, 2005, 60, 169-177.	1.6	41
64	Detection of Bartonella species from ticks, mites and small mammals in Korea. Journal of Veterinary Science, 2005, 6, 327-34.	1.3	33
65	Molecular fingerprinting of clinical isolates of Mycobacterium bovis and Mycobacterium tuberculosis from India by restriction fragment length polymorphism (RFLP). Journal of Veterinary Science, 2004, 5, 331-5.	1.3	8
66	A multiplex-PCR for the differentiation of Mycobacterium bovisand Mycobacterium tuberculosis. FEMS Microbiology Letters, 2002, 214, 39-43.	1.8	37
67	A multiplex-PCR for the differentiation of Mycobacterium bovis and Mycobacterium tuberculosis. FEMS Microbiology Letters, 2002, 214, 39-43.	1.8	0
68	"Preharvest―Food Safety for Escherichia coli O157 and Other Pathogenic Shiga Toxin-Producing Strains. , 0, , 419-436.		0