

Fengyu Hu

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6534801/fengyu-hu-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

49
papers

3,469
citations

12
h-index

54
g-index

54
ext. papers

4,586
ext. citations

9.7
avg. IF

5.38
L-index

#	Paper	IF	Citations
49	Kinetics of Severity Biomarkers and Immunological Features of Methylprednisolone Therapy for Severe COVID-19 Patients.. <i>Frontiers in Immunology</i> , 2022 , 13, 758946	8.4	
48	Distribution of nontuberculous mycobacteria in patients with and without HIV/AIDS in Chongqing.. <i>HIV Medicine</i> , 2022 , 23 Suppl 1, 54-63	2.7	
47	Glycopeptide Antibiotic Teicoplanin Inhibits Cell Entry of SARS-CoV-2 by Suppressing the Proteolytic Activity of Cathepsin L.. <i>Frontiers in Microbiology</i> , 2022 , 13, 884034	5.7	1
46	COVID-19 induces new-onset insulin resistance and lipid metabolic dysregulation via regulation of secreted metabolic factors.. <i>Signal Transduction and Targeted Therapy</i> , 2021 , 6, 427	21	6
45	Significantly reduced abilities to cross-neutralize SARS-CoV-2 variants by sera from convalescent COVID-19 patients infected by Delta or early strains. <i>Cellular and Molecular Immunology</i> , 2021 , 18, 2560-2562	15.4	2
44	The Association of TLR2, TLR3, and TLR9 Gene Polymorphisms With Susceptibility to Talaromycosis Among Han Chinese AIDS Patients in Guangdong. <i>Frontiers in Cellular and Infection Microbiology</i> , 2021 , 11, 625461	5.9	1
43	Longitudinal Peripheral Blood Transcriptional Analysis Reveals Molecular Signatures of Disease Progression in COVID-19 Patients. <i>Journal of Immunology</i> , 2021 , 206, 2146-2159	5.3	7
42	Association between detectable SARS-COV-2 RNA in anal swabs and disease severity in patients with coronavirus disease 2019. <i>Journal of Medical Virology</i> , 2021 , 93, 794-802	19.7	23
41	Complicated genotypes circulating among treatment naïve HIV-1 patients in Guangzhou, China. <i>Infection, Genetics and Evolution</i> , 2021 , 87, 104673	4.5	3
40	Near Full-Length Genomic Characterization of a Novel HIV-1 B/C Recombinant Form Identified in Guangdong Province, China. <i>AIDS Research and Human Retroviruses</i> , 2021 , 37, 566-571	1.6	0
39	Genetic Characteristics of HIV-1 CRF12_BF First Identified in Guangdong Province, China. <i>AIDS Research and Human Retroviruses</i> , 2021 , 37, 157-161	1.6	1
38	Prognostic roles of KL-6 in disease severity and lung injury in COVID-19 patients: A longitudinal retrospective analysis. <i>Journal of Medical Virology</i> , 2021 , 93, 2505-2512	19.7	12
37	Impact of HBeAg status on immune recovery in HIV/HBV co-infected patients after highly active antiretroviral therapy. <i>Infection, Genetics and Evolution</i> , 2021 , 91, 104781	4.5	0
36	Difference of Intrahost Dynamics of the Second Human Pegivirus and Hepatitis C Virus in HPgV-2/HCV-Coinfected Patients. <i>Frontiers in Cellular and Infection Microbiology</i> , 2021 , 11, 728415	5.9	1
35	Genetic characteristics of HIV-1 CRF06_cpx and CRF56_cpx strains isolated in Guangzhou, China. <i>Archives of Virology</i> , 2021 , 166, 2853-2857	2.6	
34	Persistent chronic immune activation in HIV/HBV-coinfected patients after antiretroviral therapy. <i>Journal of Viral Hepatitis</i> , 2021 , 28, 1355-1361	3.4	0
33	HIV-1 Drug Resistance and Genetic Transmission Networks Among MSM Failing Antiretroviral Therapy in South China 2014-2019. <i>Infection and Drug Resistance</i> , 2021 , 14, 2977-2989	4.2	1

32	Protective humoral and cellular immune responses to SARS-CoV-2 persist up to 1 year after recovery. <i>Nature Communications</i> , 2021 , 12, 4984	17.4	20
31	Transmitted drug resistance and transmission clusters among HIV-1 treatment-naïve patients in Guangdong, China: a cross-sectional study. <i>Virology Journal</i> , 2021 , 18, 181	6.1	2
30	Transmission, viral kinetics and clinical characteristics of the emergent SARS-CoV-2 Delta VOC in Guangzhou, China. <i>EClinicalMedicine</i> , 2021 , 40, 101129	11.3	62
29	Analysis of B cell receptor repertoires reveals key signatures of systemic B cell response after SARS-CoV-2 infection. <i>Journal of Virology</i> , 2021 , JVI0160021	6.6	2
28	Absence of Integrase Inhibitor-Associated Resistance Among Antiretroviral Therapy-Naïve HIV-1-Infected Adults in Guangdong Province, China, in 2018. <i>Infection and Drug Resistance</i> , 2020 , 13, 4389-4394	4.2	2
27	Comparison and Correlation of Genetic Variability of the HBV Pre-S Region in HIV/HBV Co-Infected Patients: Quasispecies Perspective. <i>Infection and Drug Resistance</i> , 2020 , 13, 4327-4334	4.2	
26	Reduction of anti-HIV antibody responses in subjects receiving antiretroviral therapy during chronic HIV-1 infection. <i>Journal of Clinical Virology</i> , 2020 , 128, 104414	14.5	1
25	Evidence that the second human pegivirus (HPgV-2) is primarily a lymphotropic virus and can replicate independent of HCV replication. <i>Emerging Microbes and Infections</i> , 2020 , 9, 485-495	18.9	5
24	Detectable 2019-nCoV viral RNA in blood is a strong indicator for the further clinical severity. <i>Emerging Microbes and Infections</i> , 2020 , 9, 469-473	18.9	272
23	Cell Culture Models and Animal Models for HBV Study. <i>Advances in Experimental Medicine and Biology</i> , 2020 , 1179, 109-135	3.6	11
22	Efficacy and Safety of Lopinavir/Ritonavir or Arbidol in Adult Patients with Mild/Moderate COVID-19: An Exploratory Randomized Controlled Trial. <i>Med</i> , 2020 , 1, 105-113.e4	31.7	180
21	Factors associated with clinical outcomes in patients with Coronavirus Disease 2019 in Guangzhou, China. <i>Journal of Clinical Virology</i> , 2020 , 133, 104661	14.5	5
20	Molecular and serological characterization of SARS-CoV-2 infection among COVID-19 patients. <i>Virology</i> , 2020 , 551, 26-35	3.6	11
19	Single-cell analysis reveals bronchoalveolar epithelial dysfunction in COVID-19 patients. <i>Protein and Cell</i> , 2020 , 11, 680-687	7.2	41
18	Prognostic Factors for COVID-19 Pneumonia Progression to Severe Symptoms Based on Earlier Clinical Features: A Retrospective Analysis. <i>Frontiers in Medicine</i> , 2020 , 7, 557453	4.9	30
17	Temporal dynamics in viral shedding and transmissibility of COVID-19. <i>Nature Medicine</i> , 2020 , 26, 672-675	50.5	2459
16	Characteristics of drug resistance in HIV-1 CRF55_01B from ART-experienced patients in Guangdong, China. <i>Journal of Antimicrobial Chemotherapy</i> , 2020 , 75, 1925-1931	5.1	2
15	Characterization of Four Nearly Full-Length Genomic Sequences of HIV-1 Subtype G Identified in Guangdong Province, China. <i>AIDS Research and Human Retroviruses</i> , 2019 , 35, 668-672	1.6	2

14	A novel one-step quantitative reverse transcription PCR assay for selective amplification of hepatitis B virus pregenomic RNA from a mixture of HBV DNA and RNA in serum. <i>Archives of Virology</i> , 2019 , 164, 2683-2690	2.6	3
13	Gemykibivirus Genome in Lower Respiratory Tract of Elderly Woman With Unexplained Acute Respiratory Distress Syndrome. <i>Clinical Infectious Diseases</i> , 2019 , 69, 861-864	11.6	6
12	Naturally occurring antiviral drug resistance in HIV patients who are mono-infected or co-infected with HBV or HCV in China. <i>Journal of Medical Virology</i> , 2018 , 90, 1246-1256	19.7	7
11	Evolutionary pathways to NS5A inhibitor resistance in genotype 1 hepatitis C virus. <i>Antiviral Research</i> , 2018 , 158, 45-51	10.8	3
10	Genetic characterization of a novel HIV-1 CRF01_AE/CRF07_BC recombinant form among men who have sex with men in Guangdong, China. <i>Archives of Virology</i> , 2018 , 163, 3093-3097	2.6	3
9	Metagenomic analysis identified co-infection with human rhinovirus C and bocavirus 1 in an adult suffering from severe pneumonia. <i>Journal of Infection</i> , 2018 , 76, 311-313	18.9	9
8	Characterization of small genomic regions of the hepatitis B virus should be performed with more caution. <i>Virology Journal</i> , 2018 , 15, 188	6.1	5
7	Dual therapy with lopinavir/ritonavir plus lamivudine could be a viable alternative for antiretroviral-therapy-naïve adults with HIV-1 infection regardless of HIV viral load or subgenotype in resource-limited settings: A randomised, open-label and non-inferiority study from China. <i>Indian Journal of Medical Microbiology</i> , 2018 , 56, 513-516	1.3	2
6	Outcome of Sentinel Hospital-based and CDC-based ART Service Delivery: A Prospective Open Cohort of People Living with HIV in China. <i>Scientific Reports</i> , 2017 , 7, 42637	4.9	5
5	Human infections with recently-emerging highly pathogenic H7N9 avian influenza virus in China. <i>Journal of Infection</i> , 2017 , 75, 71-75	18.9	115
4	Changing Epidemiology of Hepatitis C Virus Genotype among Patients with Human Immunodeficiency Virus/Hepatitis C Virus Co-Infection in China. <i>PLoS ONE</i> , 2016 , 11, e0161844	3.7	3
3	Expression and characterization of a <i>Talaromyces marneffei</i> active phospholipase B expressed in a <i>Pichia pastoris</i> expression system. <i>Emerging Microbes and Infections</i> , 2016 , 5, e120	18.9	3
2	Serum levels of soluble vascular cell adhesion molecules may correlate with the severity of dengue virus-1 infection in adults. <i>Emerging Microbes and Infections</i> , 2015 , 4, e24	18.9	27
1	Genotypic distribution and hepatic fibrosis among HIV/HCV co-infected individuals in Southern China: a retrospective cross-sectional study. <i>BMC Infectious Diseases</i> , 2015 , 15, 401	4	3