

Travis H Stracker

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6534999/publications.pdf>

Version: 2024-02-01

62
papers

5,000
citations

147566

31
h-index

128067

60
g-index

71
all docs

71
docs citations

71
times ranked

6377
citing authors

#	ARTICLE	IF	CITATIONS
1	Functional analysis of <i>TLK2</i> variants and their proximal interactomes implicates impaired kinase activity and chromatin maintenance defects in their pathogenesis. <i>Journal of Medical Genetics</i> , 2022, 59, 170-179.	1.5	9
2	Pathway-specific effects of <i>ADSL</i> deficiency on neurodevelopment. <i>ELife</i> , 2022, 11, .	2.8	7
3	Disruption of <i>GMNC-MCIDAS</i> multiciliogenesis program is critical in choroid plexus carcinoma development. <i>Cell Death and Differentiation</i> , 2022, 29, 1596-1610.	5.0	7
4	Transcriptional regulation of multiciliated cell differentiation. <i>Seminars in Cell and Developmental Biology</i> , 2021, 110, 51-60.	2.3	62
5	Loss of the abasic site sensor <i>HMCES</i> is synthetic lethal with the activity of the <i>APOBEC3A</i> cytosine deaminase in cancer cells. <i>PLoS Biology</i> , 2021, 19, e3001176.	2.6	25
6	Centrosome defects cause microcephaly by activating the <i>53BP1</i> - <i>USP28</i> - <i>TP53</i> mitotic surveillance pathway. <i>EMBO Journal</i> , 2021, 40, e106118.	3.5	39
7	<i>LOXL2</i> -mediated <i>H3K4</i> oxidation reduces chromatin accessibility in triple-negative breast cancer cells. <i>Oncogene</i> , 2020, 39, 79-121.	2.6	28
8	<i>Tousled-Like Kinases</i> Suppress Innate Immune Signaling Triggered by Alternative Lengthening of Telomeres. <i>Cell Reports</i> , 2020, 32, 107983.	2.9	23
9	Molecular causes of primary microcephaly and related diseases: a report from the UNIA Workshop. <i>Chromosoma</i> , 2020, 129, 115-120.	1.0	5
10	The <i>Tousled-like kinases</i> regulate genome and epigenome stability: implications in development and disease. <i>Cellular and Molecular Life Sciences</i> , 2019, 76, 3827-3841.	2.4	32
11	Defects in efferent duct multiciliogenesis underlie male infertility in <i>GEMC1</i> , <i>MCIDAS</i> or <i>CCNO</i> deficient mice. <i>Development (Cambridge)</i> , 2019, 146, .	1.2	42
12	<i>E2F4/5</i> -mediated transcriptional control of multiciliated cell differentiation: redundancy or fine-tuning?. <i>Developmental Biology</i> , 2019, 446, 20-21.	0.9	4
13	<i>EXD2</i> governs germ stem cell homeostasis and lifespan by promoting mitoribosome integrity and translation. <i>Nature Cell Biology</i> , 2018, 20, 162-174.	4.6	31
14	Targeting <i>p38</i> Increases DNA Damage, Chromosome Instability, and the Anti-tumoral Response to Taxanes in Breast Cancer Cells. <i>Cancer Cell</i> , 2018, 33, 1094-1110.e8.	7.7	70
15	Molecular basis of <i>Tousled-Like Kinase 2</i> activation. <i>Nature Communications</i> , 2018, 9, 2535.	5.8	24
16	<i>EXD2</i> : A new regulator of mitochondrial translation and potential target for cancer therapy. <i>Molecular and Cellular Oncology</i> , 2018, 5, e1445943.	0.3	0
17	<i>Tousled-like kinases</i> stabilize replication forks and show synthetic lethality with checkpoint and <i>PARP</i> inhibitors. <i>Science Advances</i> , 2018, 4, eaat4985.	4.7	40
18	<i>CCNO</i> mutations in <i>NPH</i> ?. <i>Aging</i> , 2018, 10, 158-159.	1.4	2

#	ARTICLE	IF	CITATIONS
19	Positional Enrichment by Proton Analysis (PEPA): A Oneâ€Dimensional ¹ H-NMR Approach for ¹³ C Stable Isotope Tracer Studies in Metabolomics. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 3531-3535.	7.2	15
20	PARP-1/PARP-2 double deficiency in mouse T cells results in faulty immune responses and T lymphomas. <i>Scientific Reports</i> , 2017, 7, 41962.	1.6	51
21	Innentitelbild: Positional Enrichment by Proton Analysis (PEPA): A Oneâ€Dimensional ¹ H-NMR Approach for ¹³ C Stable Isotope Tracer Studies in Metabolomics (<i>Angew. Chem.</i> 13/2017). <i>Angewandte Chemie</i> , 2017, 129, 3446-3446.	1.6	1
22	Differential requirements for Tausled-like kinases 1 and 2 in mammalian development. <i>Cell Death and Differentiation</i> , 2017, 24, 1872-1885.	5.0	20
23	Positional Enrichment by Proton Analysis (PEPA): A One-Dimensional ¹ H-NMR Approach for ¹³ C Stable Isotope Tracer Studies in Metabolomics. <i>Angewandte Chemie</i> , 2017, 129, 3585-3589.	1.6	1
24	Chaperoning the ^{sc} DNA damage response. <i>FEBS Journal</i> , 2017, 284, 2375-2377.	2.2	3
25	Null diffusion-based enrichment for metabolomics data. <i>PLoS ONE</i> , 2017, 12, e0189012.	1.1	29
26	Constitutive Cyclin O deficiency results in penetrant hydrocephalus, impaired growth and infertility. <i>Oncotarget</i> , 2017, 8, 99261-99273.	0.8	33
27	^{sc} GEMC 1 is a critical regulator of multiciliated cell differentiation. <i>EMBO Journal</i> , 2016, 35, 942-960.	3.5	91
28	NBS1 is required for macrophage homeostasis and functional activity in mice. <i>Blood</i> , 2015, 126, 2502-2510.	0.6	37
29	ATM regulation of IL-8 links oxidative stress to cancer cell migration and invasion. <i>ELife</i> , 2015, 4, .	2.8	54
30	EXO1 is critical for embryogenesis and the DNA damage response in mice with a hypomorphic <i>Nbs1</i> allele. <i>Nucleic Acids Research</i> , 2015, 43, 7371-7387.	6.5	16
31	Systematic Identification of Molecular Links between Core and Candidate Genes in Breast Cancer. <i>Journal of Molecular Biology</i> , 2015, 427, 1436-1450.	2.0	24
32	CEP63 deficiency promotes p53-dependent microcephaly and reveals a role for the centrosome in meiotic recombination. <i>Nature Communications</i> , 2015, 6, 7676.	5.8	96
33	USP28 Is Recruited to Sites of DNA Damage by the Tandem BRCT Domains of 53BP1 but Plays a Minor Role in Double-Strand Break Metabolism. <i>Molecular and Cellular Biology</i> , 2014, 34, 2062-2074.	1.1	46
34	Regulation of USP28 Deubiquitinating Activity by SUMO Conjugation. <i>Journal of Biological Chemistry</i> , 2014, 289, 34838-34850.	1.6	29
35	Ä€œÄ€ editing on tRNAs: Biochemical, biological and evolutionary implications. <i>FEBS Letters</i> , 2014, 588, 4279-4286.	1.3	113
36	The MRE11 complex: An important source of stress relief. <i>Experimental Cell Research</i> , 2014, 329, 162-169.	1.2	26

#	ARTICLE	IF	CITATIONS
37	PrimPol Bypasses UV Photoproducts during Eukaryotic Chromosomal DNA Replication. <i>Molecular Cell</i> , 2013, 52, 566-573.	4.5	235
38	A Recessive Founder Mutation in Regulator of Telomere Elongation Helicase 1, RTEL1, Underlies Severe Immunodeficiency and Features of Hoyeraal Hreidarsson Syndrome. <i>PLoS Genetics</i> , 2013, 9, e1003695.	1.5	106
39	Cep63 and Cep152 Cooperate to Ensure Centriole Duplication. <i>PLoS ONE</i> , 2013, 8, e69986.	1.1	83
40	The ATM signaling network in development and disease. <i>Frontiers in Genetics</i> , 2013, 4, 37.	1.1	129
41	Cell cycle- and DNA repair pathway-specific effects of apoptosis on tumor suppression. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 9953-9958.	3.3	55
42	The MRE11 complex: starting from the ends. <i>Nature Reviews Molecular Cell Biology</i> , 2011, 12, 90-103.	16.1	612
43	Differential DNA damage signaling accounts for distinct neural apoptotic responses in ATLD and NBS. <i>Genes and Development</i> , 2009, 23, 171-180.	2.7	92
44	Artemis and Nonhomologous End Joining-Independent Influence of DNA-Dependent Protein Kinase Catalytic Subunit on Chromosome Stability. <i>Molecular and Cellular Biology</i> , 2009, 29, 503-514.	1.1	17
45	Taking the time to make important decisions: The checkpoint effector kinases Chk1 and Chk2 and the DNA damage response. <i>DNA Repair</i> , 2009, 8, 1047-1054.	1.3	202
46	Roles for NBS1 in Alternative Nonhomologous End-Joining of V(D)J Recombination Intermediates. <i>Molecular Cell</i> , 2009, 34, 13-25.	4.5	98
47	Chk2 Suppresses the Oncogenic Potential of DNA Replication-Associated DNA Damage. <i>Molecular Cell</i> , 2008, 31, 21-32.	4.5	58
48	Working together and apart: The twisted relationship of the Mre11 complex and Chk2 in apoptosis and tumor suppression. <i>Cell Cycle</i> , 2008, 7, 3618-3621.	1.3	11
49	The carboxy terminus of NBS1 is required for induction of apoptosis by the MRE11 complex. <i>Nature</i> , 2007, 447, 218-221.	13.7	109
50	Adenovirus Type 5 E4orf3 Protein Targets the Mre11 Complex to Cytoplasmic Aggresomes. <i>Journal of Virology</i> , 2005, 79, 11382-11391.	1.5	102
51	Serotype-Specific Reorganization of the Mre11 Complex by Adenoviral E4orf3 Proteins. <i>Journal of Virology</i> , 2005, 79, 6664-6673.	1.5	86
52	Structural and functional analysis of Mre11-3. <i>Nucleic Acids Research</i> , 2004, 32, 1886-1893.	6.5	46
53	The Rep Protein of Adeno-Associated Virus Type 2 Interacts with Single-Stranded DNA-Binding Proteins That Enhance Viral Replication. <i>Journal of Virology</i> , 2004, 78, 441-453.	1.5	60
54	The Mre11 complex and the metabolism of chromosome breaks: the importance of communicating and holding things together. <i>DNA Repair</i> , 2004, 3, 845-854.	1.3	234

#	ARTICLE	IF	CITATIONS
55	The cellular response to DNA double-strand breaks: defining the sensors and mediators. Trends in Cell Biology, 2003, 13, 458-462.	3.6	305
56	Roles of host cell factors in circularization of retroviral dna. Virology, 2003, 314, 460-467.	1.1	107
57	The Mre11 complex is required for ATM activation and the G2/M checkpoint. EMBO Journal, 2003, 22, 6610-6620.	3.5	435
58	Characterization of the <i>hsp70</i> Gene and its Expression in the Mosquito <i>Aedes aegypti</i> (Diptera: Culicidae). Journal of Medical Entomology, 2002, 39, 331-342.	0.9	30
59	Adenovirus oncoproteins inactivate the Mre11-Rad50-NBS1 DNA repair complex. Nature, 2002, 418, 348-352.	13.7	468
60	A genetic screen identifies a cellular regulator of adeno-associated virus. Proceedings of the National Academy of Sciences of the United States of America, 2001, 98, 14991-14996.	3.3	23
61	Identification of a Steroidogenic Neurohormone in Female Mosquitoes. Journal of Biological Chemistry, 1998, 273, 3967-3971.	1.6	156
62	SAICAr-Dependent and Independent Effects of ADSL Deficiency on Neurodevelopment. SSRN Electronic Journal, 0, , .	0.4	0