

Simone Tassani

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6535950/publications.pdf>

Version: 2024-02-01

38
papers

1,360
citations

858243

12
h-index

620720

26
g-index

44
all docs

44
docs citations

44
times ranked

2489
citing authors

#	ARTICLE	IF	CITATIONS
1	Central sensitization do not play a role in total knee replacement decision in osteoarthritic patients. <i>Osteoarthritis and Cartilage</i> , 2021, 29, S233-S235.	0.6	0
2	Real-Time Sound and Motion Feedback for Violin Bow Technique Learning: A Controlled, Randomized Trial. <i>Frontiers in Psychology</i> , 2021, 12, 648479.	1.1	4
3	Effects of Visual and Auditory Feedback in Violin and Singing Voice Pitch Matching Tasks. <i>Frontiers in Psychology</i> , 2021, 12, 684693.	1.1	7
4	In-Ear Accelerometer-Based Sensor for Gait Classification. <i>IEEE Sensors Journal</i> , 2020, 20, 12895-12902.	2.4	22
5	Round or rectangular tables for collaborative problem solving? A multimodal learning analytics study. <i>British Journal of Educational Technology</i> , 2020, 51, 1597-1614.	3.9	8
6	Fragilidad relativa de fémures osteoporóticos evaluados con DXA y simulación de caídas con elementos finitos guiados por radiografías de urgencias. <i>Revista De Osteoporosis Y Metabolismo Mineral</i> , 2020, 12, 62-70.	0.3	0
7	AB0812â€¦PAIN CATASTROPHIZING SCORE AND GAIT, TOGETHER WITH WOMAC, ARE ALTERED IN KNEE OSTEOARTHROTIC PATIENTS UNDERGOING ARTHROPLASTY SURGERY, COMPARED WITH PATIENTS FOLLOWING CONSERVATIVE TREATMENT. PRELIMINARY RESULTS FROM HOLOA PROJECT. , 2019, , .		0
8	Muscular tension significantly affects stability in standing posture. <i>Gait and Posture</i> , 2019, 68, 220-226.	0.6	8
9	3D patient-specific finite element models of the proximal femur based on DXA towards the classification of fracture and non-fracture cases. <i>Bone</i> , 2019, 121, 89-99.	1.4	21
10	Motion Capture as an Instrument in Multimodal Collaborative Learning Analytics. <i>Lecture Notes in Computer Science</i> , 2019, , 604-608.	1.0	4
11	Progress in Biomedical Sciences and Raw Data: Ethical Dilemmas. , 2019, , 73-83.		0
12	A New Ensemble Classification System For Fracture Zone Prediction Using Imbalanced Micro-CT Bone Morphometrical Data. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2018, 22, 1189-1196.	3.9	20
13	A Machine Learning Approach to Violin Bow Technique Classification. , 2018, , .		6
14	Trabecular Fracture Zone Might Not Be the Higher Strain Region of the Trabecular Framework. <i>Frontiers in Materials</i> , 2018, 5, .	1.2	3
15	VALIDATION OF A BONE MINERAL DENSITY CALIBRATION PROTOCOL FOR MICRO-COMPUTED TOMOGRAPHY. <i>Journal of Mechanics in Medicine and Biology</i> , 2017, 17, 1750015.	0.3	1
16	An Independent Active Contours Segmentation framework for bone micro-CT images. <i>Computers in Biology and Medicine</i> , 2017, 87, 358-370.	3.9	12
17	Letter to the Editor: On osteocytes density in the human body. <i>Bone</i> , 2016, 93, 222.	1.4	0
18	Influence of segmentation on micro-CT images of trabecular bone. <i>Journal of Microscopy</i> , 2014, 256, 75-81.	0.8	31

#	ARTICLE	IF	CITATIONS
19	The micro-structure of bone trabecular fracture: An inter-site study. <i>Bone</i> , 2014, 60, 78-86.	1.4	24
20	On local micro-architecture analysis of trabecular bone in three dimensions. <i>International Orthopaedics</i> , 2013, 37, 1645-1646.	0.9	14
21	An estimation of the number of cells in the human body. <i>Annals of Human Biology</i> , 2013, 40, 463-471.	0.4	757
22	Micro-CT computed Tomography Study of Oval-shaped Canals Prepared with the Self-adjusting File, Reciproc, WaveOne, and ProTaper Universal Systems. <i>Journal of Endodontics</i> , 2013, 39, 1060-1066.	1.4	171
23	A Fourier-based implicit evolution scheme for active surfaces, for object segmentation in volumetric images. <i>Measurement Science and Technology</i> , 2013, 24, 074021.	1.4	5
24	A Decision Support System for the Prediction of the Trabecular Fracture Zone. <i>Lecture Notes in Computer Science</i> , 2012, , 163-174.	1.0	0
25	Hermite Kernels for slice interpolation in medical images. , 2012, 2012, 4369-73.		2
26	A Fourier-based implicit evolution scheme for active surfaces, for object segmentation in volumetric images. , 2012, , .		0
27	3D identification of trabecular bone fracture zone using an automatic image registration scheme: A validation study. <i>Journal of Biomechanics</i> , 2012, 45, 2035-2040.	0.9	22
28	Active segmentation of micro-CT trabecular bone images. , 2011, , .		0
29	Dependence of trabecular structure on bone quantity: A comparison between osteoarthritic and non-pathological bone. <i>Clinical Biomechanics</i> , 2011, 26, 632-639.	0.5	11
30	Volume to density relation in adult human bone tissue. <i>Journal of Biomechanics</i> , 2011, 44, 103-108.	0.9	45
31	Local analysis of trabecular bone fracture. , 2011, 2011, 7454-7.		4
32	Anisotropy and inhomogeneity of the trabecular structure can describe the mechanical strength of osteoarthritic cancellous bone. <i>Journal of Biomechanics</i> , 2010, 43, 1160-1166.	0.9	43
33	Quality control protocol for <i>in vitro</i> micro-CT computed tomography. <i>Journal of Microscopy</i> , 2010, 238, 162-172.	0.8	7
34	Osteoarthritic cancellous bone seems to orientate its structure to compensate for tissue degeneration. <i>IFMBE Proceedings</i> , 2009, , 1389-1391.	0.2	0
35	ACCURACY TEST FOR IN-VITRO MICRO-COMPUTED TOMOGRAPHY. <i>IFMBE Proceedings</i> , 2009, , 410-413.	0.2	0
36	DIFFERENCES IN TRABECULAR ANISOTROPY BETWEEN OSTEOARTHRITIC AND NORMAL BONE. <i>Journal of Biomechanics</i> , 2008, 41, S46.	0.9	1

#	ARTICLE	IF	CITATIONS
37	Personal Digital Assistant in an orthopaedic wireless ward: The HandHealth project. <i>Computer Methods and Programs in Biomedicine</i> , 2007, 86, 21-29.	2.6	4
38	Mechanical testing of cancellous bone from the femoral head: Experimental errors due to off-axis measurements. <i>Journal of Biomechanics</i> , 2007, 40, 2426-2433.	0.9	100