

M Eugenia Delgado

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6536404/publications.pdf>

Version: 2024-02-01

23
papers

1,163
citations

516710

16
h-index

642732

23
g-index

23
all docs

23
docs citations

23
times ranked

2334
citing authors

#	ARTICLE	IF	CITATIONS
1	Limited Mitochondrial Permeabilization Causes DNA Damage and Genomic Instability in the Absence of Cell Death. <i>Molecular Cell</i> , 2015, 57, 860-872.	9.7	341
2	Proteasome inhibition can induce an autophagy-dependent apical activation of caspase-8. <i>Cell Death and Differentiation</i> , 2011, 18, 1584-1597.	11.2	120
3	Changes in the antioxidant properties of protein solutions in the presence of epigallocatechin gallate. <i>Food Chemistry</i> , 2007, 101, 126-130.	8.2	86
4	Effect of pH on the Antimicrobial Activity and Oxidative Stability of Oil-in-Water Emulsions Containing Caffeic Acid. <i>Journal of Food Science</i> , 2007, 72, C258-63.	3.1	85
5	Cell death at the intestinal epithelial front line. <i>FEBS Journal</i> , 2016, 283, 2701-2719.	4.7	77
6	Albumin causes a synergistic increase in the antioxidant activity of green tea catechins in oil-in-water emulsions. <i>Food Chemistry</i> , 2007, 102, 1375-1382.	8.2	69
7	Inhibitor of Apoptosis Protein-1 Regulates Tumor Necrosis Factor- α -Mediated Destruction of Intestinal Epithelial Cells. <i>Gastroenterology</i> , 2017, 152, 867-879.	1.3	54
8	Dietary polyphenols protect against N-nitrosamines and benzo(a)pyrene-induced DNA damage (strand breakage) in rat liver. <i>Nutrition</i> , 2008, 47, 479-490.	3.9	48
9	Modulation of apoptosis sensitivity through the interplay with autophagic and proteasomal degradation pathways. <i>Cell Death and Disease</i> , 2014, 5, e1011-e1011.	6.3	43
10	The many faces of tumor necrosis factor signaling in the intestinal epithelium. <i>Genes and Immunity</i> , 2019, 20, 609-626.	4.1	29
11	Thiazolides promote G1 cell cycle arrest in colorectal cancer cells by targeting the mitochondrial respiratory chain. <i>Oncogene</i> , 2020, 39, 2345-2357.	5.9	27
12	Myricetin, quercetin, (+)-catechin and (-)-epicatechin protect against N-nitrosamines-induced DNA damage in human hepatoma cells. <i>Toxicology in Vitro</i> , 2009, 23, 1292-1297.	2.4	23
13	Antiapoptotic effects of dietary antioxidants towards N-nitrosopiperidine and N-nitrosodibutylamine-induced apoptosis in HL60 and HepG2 cells. <i>Journal of Applied Toxicology</i> , 2009, 29, 403-413.	2.8	20
14	The orphan nuclear receptor LRH-1/NR5a2 critically regulates T cell functions. <i>Science Advances</i> , 2019, 5, eaav9732.	10.3	20
15	Pharmacological LRH-1/Nr5a2 inhibition limits pro-inflammatory cytokine production in macrophages and associated experimental hepatitis. <i>Cell Death and Disease</i> , 2020, 11, 154.	6.3	20
16	Determining the contributions of caspase-2, caspase-8 and effector caspases to intracellular VDACase activities during apoptosis initiation and execution. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2013, 1833, 2279-2292.	4.1	18
17	Organosulfur compounds alone or in combination with vitamin C protect towards N-nitrosopiperidine- and N-nitrosodibutylamine-induced oxidative DNA damage in HepG2 cells. <i>Chemico-Biological Interactions</i> , 2008, 173, 9-18.	4.0	17
18	Liver receptor homolog-1 (NR5a2) regulates CD95/Fas ligand transcription and associated T-cell effector functions. <i>Cell Death and Disease</i> , 2017, 8, e2745-e2745.	6.3	17

#	ARTICLE	IF	CITATIONS
19	Metabolic Reprogramming of Liver Fibrosis. <i>Cells</i> , 2021, 10, 3604.	4.1	16
20	Inhibition by vitamin C of apoptosis induced by <i>N</i> -nitrosamines in HepG2 and HL60 cells. <i>Journal of Applied Toxicology</i> , 2008, 28, 788-796.	2.8	10
21	Dimerization of Smac is crucial for its mitochondrial retention by XIAP subsequent to mitochondrial outer membrane permeabilization. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2011, 1813, 819-826.	4.1	8
22	An Analysis of the Truncated Bid- and ROS-dependent Spatial Propagation of Mitochondrial Permeabilization Waves during Apoptosis. <i>Journal of Biological Chemistry</i> , 2016, 291, 4603-4613.	3.4	8
23	Proteasome inhibition triggers the formation of TRAIL receptor 2 platforms for caspase-8 activation that accumulate in the cytosol. <i>Cell Death and Differentiation</i> , 2022, 29, 147-155.	11.2	7