
## Pedro Roldan Ramos

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6536608/publications.pdf Version: 2024-02-01



PEDRO ROLDAN RAMOS

#	Article	IF	CITATIONS
1	From Anatomic Lab to Operating Theatre. Advances in Medical Education, Research, and Ethics, 2022, , 164-189.	0.1	0
2	Deep brain stimulation as a palliative treatment for myorhythmia: A case of failure. European Journal of Neurology, 2022, 29, 937-941.	3.3	2
3	ENDOSCOPIC ANATOMY OF THE TRANSCALLOSAL HEMISPHEROTOMY: LABORATORY STUDY WITH ADVANCED 3D MODELING. World Neurosurgery, 2022, , .	1.3	0
4	Psychiatric disorders in patients with resistant temporal lobe epilepsy two years after undergoing elective surgery. A longitudinal study. Epilepsy and Behavior, 2021, 118, 107921.	1.7	9
5	Psychotic symptoms in drug resistant epilepsy patients after cortical stimulation. Epilepsy Research, 2021, 173, 106630.	1.6	2
6	Personality changes in patients suffering from drug-resistant epilepsy after surgical treatment: a 1-year follow-up study. Epilepsy Research, 2021, 177, 106784.	1.6	2
7	Whole-exome sequencing, amplification and infiltration patterns in human glioblastoma. American Journal of Cancer Research, 2021, 11, 5543-5558.	1.4	0
8	Beyond the Epileptic Focus: Functional Epileptic Networks in Focal Epilepsy. Cerebral Cortex, 2020, 30, 2338-2357.	2.9	14
9	Somatic copy number alterations are associated with EGFR amplification and shortened survival in patients with primary glioblastoma. Neoplasia, 2020, 22, 10-21.	5.3	28
10	Cost-Effectiveness of Low-Field Intraoperative Magnetic Resonance in Glioma Surgery. Frontiers in Oncology, 2020, 10, 586679.	2.8	8
11	Identification of New Genetic Clusters in Glioblastoma Multiforme: EGFR Status and ADD3 Losses Influence Prognosis. Cells, 2020, 9, 2429.	4.1	3
12	External trigeminal nerve stimulation for drug resistant epilepsy: A randomized controlled trial. Brain Stimulation, 2020, 13, 1245-1253.	1.6	24
13	Unilateral pallidal stimulation for disabling dystonia due to Rasmussen's disease. Journal of Neurology, Neurosurgery and Psychiatry, 2019, 90, 108-110.	1.9	2
14	Single-Center Complication Analysis Associated with Surgical Replacement of Implantable Pulse Generators in Deep Brain Stimulation. Stereotactic and Functional Neurosurgery, 2019, 97, 101-105.	1.5	4
15	Combined Use of 5-Aminolevulinic Acid and Intraoperative Low-Field Magnetic Resonance Imaging in High-Grade Glioma Surgery. World Neurosurgery, 2019, 130, e206-e212.	1.3	8
16	Hypothalamic hamartomas in adulthood: Clinical spectrum and treatment outcome—A unicenter experience. Brain and Behavior, 2019, 9, e01412.	2.2	6
17	Malignant Glioma Developed on a Patient Under Deep Brain Stimulation: Pitfalls in Management. World Neurosurgery, 2019, 129, 85-89.	1.3	3
18	Simultaneous low-frequency deep brain stimulation of the substantia nigra pars reticulata and high-frequency stimulation of the subthalamic nucleus to treat levodopa unresponsive freezing of gait in Parkinson's disease: A pilot study. Parkinsonism and Related Disorders, 2019, 60, 153-157.	2.2	59

Pedro Roldan Ramos

#	Article	IF	CITATIONS
19	Epigenetic changes underlie the aggressiveness of histologically benign meningiomas that recur. Human Pathology, 2019, 84, 105-114.	2.0	8
20	CirugÃa endoscópica endonasal extendida para cordomas y condrosarcomas de clivus: nuestra experiencia en 14 casos. Neurocirugia, 2018, 29, 201-208.	0.4	4
21	Does Low-Field Intraoperative Magnetic Resonance Improve the Results of Endoscopic Pituitary Surgery? Experience of the Implementation of a New Device in a Referral Center. World Neurosurgery, 2017, 102, 102-110.	1.3	16
22	Low field intra-operative magnetic resonance imaging for brain tumour surgery: Preliminary experience. NeurocirugÃa (English Edition), 2017, 28, 103-110.	0.2	1
23	Epilepsy surgery in drug resistant temporal lobe epilepsy associated with neuronal antibodies. Epilepsy Research, 2017, 129, 101-105.	1.6	67
24	Association between epidermal growth factor receptor amplification and ADP-ribosylation factor 1 methylation in human glioblastoma. Cellular Oncology (Dordrecht), 2017, 40, 389-399.	4.4	9
25	"Intrasellar Balloon Technique―in intraoperative MRI guided transsphenoidal endoscopic surgery for sellar region tumors. Usefulness on image interpretation and extent of resection evaluation. Technical note. Acta Neurochirurgica, 2016, 158, 445-449.	1.7	7
26	Genetic changes with prognostic value in histologically benign meningiomas. , 2013, 32, 311-317.		23
27	Primary glioblastomas with and without EGFR amplification: Relationship to genetic alterations and clinicopathological features. Neuropathology, 2010, 30, 392-400.	1.2	37
28	Multimodal navigation in the functional microsurgical resection of intrinsic brain tumors located in eloquent motor areas: role of tractography. Neurosurgical Focus, 2010, 28, E5.	2.3	91
29	The activation of ERK1/2 MAP kinases in glioblastoma pathobiology and its relationship with <i>EGFR</i> amplification. Neuropathology, 2008, 28, 507-515.	1.2	42
30	Solitary fibrous tumor of the orbit: Morphological, cytogenetic and molecular features. Neuropathology, 2006, 26, 557-563.	1.2	38
31	Association of loss of 1p and alterations of chromosome 14 in meningioma progression. Cancer Genetics and Cytogenetics, 2004, 148, 123-128.	1.0	39
32	Histologically benign metastatic meningioma: morphological and cytogenetic study. Journal of Neurosurgery, 2003, 98, 194-198.	1.6	16
33	MonosomÃa 1p y fosfatasa alcalina en meningiomas. Estudio clinicopatológico, histoquÃmico y genético en 10 tumores. Medicina ClÃnica, 2002, 118, 655-658.	0.6	2