

Roberto Rosa

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6537358/publications.pdf>

Version: 2024-02-01

84
papers

2,519
citations

159525

30
h-index

233338

45
g-index

86
all docs

86
docs citations

86
times ranked

2967
citing authors

#	ARTICLE	IF	CITATIONS
1	Epidemiology of West Nile virus in Africa: An underestimated threat. <i>PLoS Neglected Tropical Diseases</i> , 2022, 16, e0010075.	1.3	32
2	Evaluation of <i>Bacillus thuringiensis</i> Subsp. <i>israelensis</i> and <i>Bacillus sphaericus</i> Combination Against <i>Culex pipiens</i> in Highly Vegetated Ditches. <i>Journal of the American Mosquito Control Association</i> , 2022, 38, 40-45.	0.2	2
3	West Nile Virus Lineage 1 in Italy: Newly Introduced or a Re-Occurrence of a Previously Circulating Strain?. <i>Viruses</i> , 2022, 14, 64.	1.5	14
4	Spring temperature shapes West Nile virus transmission in Europe. <i>Acta Tropica</i> , 2021, 215, 105796.	0.9	26
5	Entomological Survey Confirms Changes in Mosquito Composition and Abundance in Senegal and Reveals Discrepancies among Results by Different Host-Seeking Female Traps. <i>Insects</i> , 2021, 12, 692.	1.0	4
6	Modelling arthropod active dispersal using Partial differential equations: the case of the mosquito <i>Aedes albopictus</i> . <i>Ecological Modelling</i> , 2021, 456, 109658.	1.2	2
7	<i>Aedes albopictus</i> bionomics data collection by citizen participation on Procida Island, a promising Mediterranean site for the assessment of innovative and community-based integrated pest management methods. <i>PLoS Neglected Tropical Diseases</i> , 2021, 15, e0009698.	1.3	2
8	A quantitative comparison of West Nile virus incidence from 2013 to 2018 in Emilia-Romagna, Italy. <i>PLoS Neglected Tropical Diseases</i> , 2020, 14, e0007953.	1.3	35
9	Loss of protozoan and metazoan intestinal symbiont biodiversity in wild primates living in unprotected forests. <i>Scientific Reports</i> , 2020, 10, 10917.	1.6	5
10	Influence of Temperature on the Life-Cycle Dynamics of <i>Aedes albopictus</i> Population Established at Temperate Latitudes: A Laboratory Experiment. <i>Insects</i> , 2020, 11, 808.	1.0	17
11	Spatial modes for transmission of chikungunya virus during a large chikungunya outbreak in Italy: a modeling analysis. <i>BMC Medicine</i> , 2020, 18, 226.	2.3	17
12	Geographical Distribution of Ljungan Virus in Small Mammals in Europe. <i>Vector-Borne and Zoonotic Diseases</i> , 2020, 20, 692-702.	0.6	5
13	Parasites and wildlife in a changing world: The vector-host- pathogen interaction as a learning case. <i>International Journal for Parasitology: Parasites and Wildlife</i> , 2019, 9, 394-401.	0.6	40
14	Estimating Spatio-Temporal Dynamics of <i>Aedes Albopictus</i> Dispersal to Guide Control Interventions in Case of Exotic Arboviruses in Temperate Regions. <i>Scientific Reports</i> , 2019, 9, 10281.	1.6	19
15	Changes in host densities and co-feeding pattern efficiently predict tick-borne encephalitis hazard in an endemic focus in northern Italy. <i>International Journal for Parasitology</i> , 2019, 49, 779-787.	1.3	16
16	Applying the N-mixture model approach to estimate mosquito population absolute abundance from monitoring data. <i>Journal of Applied Ecology</i> , 2019, 56, 2225-2235.	1.9	10
17	Effectiveness of Ultra-Low Volume insecticide spraying to prevent dengue in a non-endemic metropolitan area of Brazil. <i>PLoS Computational Biology</i> , 2019, 15, e1006831.	1.5	16
18	Assessing the risk of autochthonous yellow fever transmission in Lazio, central Italy. <i>PLoS Neglected Tropical Diseases</i> , 2019, 13, e0006970.	1.3	3

#	ARTICLE	IF	CITATIONS
19	First report of the influence of temperature on the bionomics and population dynamics of <i>Aedes koreicus</i> , a new invasive alien species in Europe. <i>Parasites and Vectors</i> , 2019, 12, 524.	1.0	20
20	Tick-borne pathogens and their reservoir hosts in northern Italy. <i>Ticks and Tick-borne Diseases</i> , 2018, 9, 164-170.	1.1	34
21	Identifying Favorable Spatio-Temporal Conditions for West Nile Virus Outbreaks by Co-Clustering of Modis LST Indices Time Series. , 2018, , .		5
22	Estimating the risk of Dengue, Chikungunya and Zika outbreaks in a large European city. <i>Scientific Reports</i> , 2018, 8, 16435.	1.6	17
23	West Nile virus transmission and human infection risk in Veneto (Italy): a modelling analysis. <i>Scientific Reports</i> , 2018, 8, 14005.	1.6	30
24	The containment of potential outbreaks triggered by imported Chikungunya cases in Italy: a cost utility epidemiological assessment of vector control measures. <i>Scientific Reports</i> , 2018, 8, 9034.	1.6	10
25	Effect of Climate and Land Use on the Spatio-Temporal Variability of Tick-Borne Bacteria in Europe. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 732.	1.2	29
26	Quantifying the spatial spread of dengue in a non-endemic Brazilian metropolis via transmission chain reconstruction. <i>Nature Communications</i> , 2018, 9, 2837.	5.8	38
27	Emerging Rodent-Borne Viral Zoonoses in Trento, Italy. <i>EcoHealth</i> , 2018, 15, 695-704.	0.9	13
28	Not in my backyard: effectiveness of outdoor residual spraying from hand-held sprayers against the mosquito <i>Aedes albopictus</i> in Rome, Italy. <i>Pest Management Science</i> , 2017, 73, 138-145.	1.7	12
29	The effect of interspecific competition on the temporal dynamics of <i>Aedes albopictus</i> and <i>Culex pipiens</i> . <i>Parasites and Vectors</i> , 2017, 10, 102.	1.0	39
30	DISTRIBUTION AND SEASONAL VARIATION OF LJUNGAN VIRUS IN BANK VOLES (<i>MYODES GLAREOLUS</i>) IN FENNOSCANDIA. <i>Journal of Wildlife Diseases</i> , 2017, 53, 552.	0.3	5
31	Anticipating species distributions: Handling sampling effort bias under a Bayesian framework. <i>Science of the Total Environment</i> , 2017, 584-585, 282-290.	3.9	20
32	Exploring vector-borne infection ecology in multi-host communities: A case study of West Nile virus. <i>Journal of Theoretical Biology</i> , 2017, 415, 58-69.	0.8	17
33	Weak Larval Competition Between Two Invasive Mosquitoes <i>Aedes koreicus</i> and <i>Aedes albopictus</i> (Diptera: Culicidae). <i>Journal of Medical Entomology</i> , 2017, 54, 1266-1272.	0.9	19
34	An integrated pest control strategy against the Asian tiger mosquito in northern Italy: a case study. <i>Pest Management Science</i> , 2017, 73, 87-93.	1.7	21
35	Mapping of <i>Aedes albopictus</i> Abundance at a Local Scale in Italy. <i>Remote Sensing</i> , 2017, 9, 749.	1.8	17
36	Effectiveness and economic assessment of routine larviciding for prevention of chikungunya and dengue in temperate urban settings in Europe. <i>PLoS Neglected Tropical Diseases</i> , 2017, 11, e0005918.	1.3	30

#	ARTICLE	IF	CITATIONS
37	First outbreak of Zika virus in the continental United States: a modelling analysis. <i>Eurosurveillance</i> , 2017, 22, .	3.9	17
38	Transmission dynamics of the ongoing chikungunya outbreak in Central Italy: from coastal areas to the metropolitan city of Rome, summer 2017. <i>Eurosurveillance</i> , 2017, 22, .	3.9	44
39	From eggs to bites: do ovitrap data provide reliable estimates of <i>Aedes albopictus</i> biting females?. <i>PeerJ</i> , 2017, 5, e2998.	0.9	32
40	Potential Risk of Dengue and Chikungunya Outbreaks in Northern Italy Based on a Population Model of <i>Aedes albopictus</i> (Diptera: Culicidae). <i>PLoS Neglected Tropical Diseases</i> , 2016, 10, e0004762.	1.3	34
41	Dynamics, co-infections and characteristics of zoonotic tick-borne pathogens in Hokkaido small mammals, Japan. <i>Ticks and Tick-borne Diseases</i> , 2016, 7, 922-928.	1.1	12
42	Identification of <i>Ixodes ricinus</i> blood meals using an automated protocol with high resolution melting analysis (HRMA) reveals the importance of domestic dogs as larval tick hosts in Italian alpine forests. <i>Parasites and Vectors</i> , 2016, 9, 638.	1.0	14
43	Enhancement of <i>Aedes albopictus</i> collections by ovitrap and sticky adult trap. <i>Parasites and Vectors</i> , 2016, 9, 223.	1.0	23
44	Ecology, environment and evolutionary history influence genetic structure in five mammal species from the Italian Alps. <i>Biological Journal of the Linnean Society</i> , 2016, 117, 428-446.	0.7	10
45	Relative density of host-seeking ticks in different habitat types of south-western Slovakia. <i>Experimental and Applied Acarology</i> , 2016, 69, 205-224.	0.7	23
46	Assessment of the Effectiveness of a Seasonal-Long Insecticide-Based Control Strategy against <i>Aedes albopictus</i> Nuisance in an Urban Area. <i>PLoS Neglected Tropical Diseases</i> , 2016, 10, e0004463.	1.3	9
47	Spatial and Temporal Hot Spots of <i>Aedes albopictus</i> Abundance inside and outside a South European Metropolitan Area. <i>PLoS Neglected Tropical Diseases</i> , 2016, 10, e0004758.	1.3	63
48	The Role of Climatic and Density Dependent Factors in Shaping Mosquito Population Dynamics: The Case of <i>Culex pipiens</i> in Northwestern Italy. <i>PLoS ONE</i> , 2016, 11, e0154018.	1.1	48
49	Assessing the potential risk of Zika virus epidemics in temperate areas with established <i>Aedes albopictus</i> populations. <i>Eurosurveillance</i> , 2016, 21, .	3.9	39
50	Recent increase in prevalence of antibodies to Dobrava-Belgrade virus (DOBV) in yellow-necked mice in northern Italy. <i>Epidemiology and Infection</i> , 2015, 143, 2241-2244.	1.0	5
51	Understanding West Nile virus ecology in Europe: <i>Culex pipiens</i> host feeding preference in a hotspot of virus emergence. <i>Parasites and Vectors</i> , 2015, 8, 213.	1.0	95
52	Identifying the Environmental Conditions Favouring West Nile Virus Outbreaks in Europe. <i>PLoS ONE</i> , 2015, 10, e0121158.	1.1	82
53	New adhesive traps to monitor urban mosquitoes with a case study to assess the efficacy of insecticide control strategies in temperate areas. <i>Parasites and Vectors</i> , 2015, 8, 134.	1.0	22
54	The role of heterogeneity on the invasion probability of mosquito-borne diseases in multi-host models. <i>Journal of Theoretical Biology</i> , 2015, 377, 25-35.	0.8	8

#	ARTICLE	IF	CITATIONS
55	Wide detection of <i>Aedes flavivirus</i> in north-eastern Italy â€“ a European hotspot of emerging mosquito-borne diseases. <i>Journal of General Virology</i> , 2015, 96, 420-430.	1.3	24
56	Pattern of Tick Aggregation on Mice: Larger Than Expected Distribution Tail Enhances the Spread of Tick-Borne Pathogens. <i>PLoS Computational Biology</i> , 2014, 10, e1003931.	1.5	17
57	Early warning of West Nile virus mosquito vector: climate and land use models successfully explain phenology and abundance of <i>Culex pipiens</i> mosquitoes in north-western Italy. <i>Parasites and Vectors</i> , 2014, 7, 269.	1.0	62
58	Exclusion and spatial segregation in the apparent competition between two hosts sharing macroparasites. <i>Theoretical Population Biology</i> , 2013, 86, 12-22.	0.5	4
59	Effect of deer density on tick infestation of rodents and the hazard of tick-borne encephalitis. II: Population and infection models. <i>International Journal for Parasitology</i> , 2012, 42, 373-381.	1.3	51
60	Effects of deer density on tick infestation of rodents and the hazard of tick-borne encephalitis. I: Empirical assessment. <i>International Journal for Parasitology</i> , 2012, 42, 365-372.	1.3	53
61	Blood meal analysis, flavivirus screening, and influence of meteorological variables on the dynamics of potential mosquito vectors of West Nile virus in northern Italy. <i>Journal of Vector Ecology</i> , 2012, 37, 20-28.	0.5	51
62	Effect of <i>Ascaridia compar</i> infection on rock partridge population dynamics: empirical and theoretical investigations. <i>Oikos</i> , 2011, 120, 1557-1567.	1.2	8
63	Saturation deficit and deer density affect questing activity and local abundance of <i>Ixodes ricinus</i> (Acari, Ixodidae) in Italy. <i>Veterinary Parasitology</i> , 2011, 183, 114-124.	0.7	89
64	Effect of sexual segregation on hostâ€“parasite interaction: Model simulation for abomasal parasite dynamics in alpine ibex (<i>Capra ibex</i>). <i>International Journal for Parasitology</i> , 2010, 40, 1285-1293.	1.3	19
65	Effects of Temperature and Rainfall on the Activity and Dynamics of Host-Seeking <i>Aedes albopictus</i> Females in Northern Italy. <i>Vector-Borne and Zoonotic Diseases</i> , 2010, 10, 811-816.	0.6	97
66	Modelling the spatial spread of H7N1 avian influenza virus among poultry farms in Italy. <i>Epidemics</i> , 2010, 2, 29-35.	1.5	30
67	Forest Structure and Roe Deer Abundance Predict Tick-Borne Encephalitis Risk in Italy. <i>PLoS ONE</i> , 2009, 4, e4336.	1.1	133
68	Spatial and Temporal Dynamics of Lymphocytic Choriomeningitis Virus in Wild Rodents, Northern Italy. <i>Emerging Infectious Diseases</i> , 2009, 15, 1019-1025.	2.0	29
69	Spatial and Temporal Dynamics of Lymphocytic Choriomeningitis Virus in Wild Rodents, Northern Italy. <i>Emerging Infectious Diseases</i> , 2009, 15, 1019-1025.	2.0	21
70	Effect of host populations on the intensity of ticks and the prevalence of tick-borne pathogens: how to interpret the results of deer enclosure experiments. <i>Parasitology</i> , 2008, 135, 1531-1544.	0.7	37
71	West Nile Virus Circulation Detected in Northern Italy in Sentinel Chickens. <i>Vector-Borne and Zoonotic Diseases</i> , 2007, 7, 411-417.	0.6	51
72	Effects of tick population dynamics and host densities on the persistence of tick-borne infections. <i>Mathematical Biosciences</i> , 2007, 208, 216-240.	0.9	107

#	ARTICLE	IF	CITATIONS
73	Temporal Variation of <i>Ixodes ricinus</i> Intensity on the Rodent Host <i>Apodemus flavicollis</i> in Relation to Local Climate and Host Dynamics. <i>Vector-Borne and Zoonotic Diseases</i> , 2007, 7, 285-295.	0.6	44
74	Early detection of tick-borne encephalitis virus spatial distribution and activity in the province of Trento, northern Italy. <i>Geospatial Health</i> , 2007, 1, 169.	0.3	34
75	The role of sex in parasite dynamics: Model simulations on transmission of <i>Heligmosomoides polygyrus</i> in populations of yellow-necked mice, <i>Apodemus flavicollis</i> . <i>International Journal for Parasitology</i> , 2007, 37, 341-349.	1.3	34
76	Models for host-macroparasite interactions in micromammals. , 2006, , 319-348.		8
77	Prevalence of <i>Borrelia burgdorferi</i> s.l. and <i>Anaplasma phagocytophilum</i> in the wood tick <i>Ixodes ricinus</i> in the Province of Trento, Italy. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2006, 25, 737-739.	1.3	28
78	Thresholds for disease persistence in models for tick-borne infections including non-viraemic transmission, extended feeding and tick aggregation. <i>Journal of Theoretical Biology</i> , 2003, 224, 359-376.	0.8	92
79	Individual-based vs. deterministic models for macroparasites: host cycles and extinction. <i>Theoretical Population Biology</i> , 2003, 63, 295-307.	0.5	28
80	Aggregation, Stability, and Oscillations in Different Models for Host-Macroparasite Interactions. <i>Theoretical Population Biology</i> , 2002, 61, 319-334.	0.5	46
81	Tick-borne encephalitis virus in northern Italy: molecular analysis, relationships with density and seasonal dynamics of <i>Ixodes ricinus</i> . <i>Medical and Veterinary Entomology</i> , 2001, 15, 304-313.	0.7	56
82	Analysis of a model for macroparasitic infection with variable aggregation and clumped infections. <i>Journal of Mathematical Biology</i> , 1998, 36, 419-447.	0.8	37
83	A 2-DIMENSIONAL MODEL FOR MACROPARASITIC INFECTIONS IN A HOST WITH LOGISTIC GROWTH. <i>Journal of Biological Systems</i> , 1995, 03, 833-849.	0.5	2
84	CAN RECONSTRUCTED LAND SURFACE TEMPERATURE DATA FROM SPACE PREDICT A WEST NILE VIRUS OUTBREAK?. <i>International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives</i> , 0, XLII-4/W2, 19-26.	0.2	4