

Manuela Winkler

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6537710/publications.pdf>

Version: 2024-02-01

53
papers

3,276
citations

186209

28
h-index

182361

51
g-index

53
all docs

53
docs citations

53
times ranked

4821
citing authors

#	ARTICLE	IF	CITATIONS
1	Recent changes in high-mountain plant community functional composition in contrasting climate regimes. <i>Science of the Total Environment</i> , 2022, 829, 154541.	3.9	9
2	Directional turnover towards larger-ranged plants over time and across habitats. <i>Ecology Letters</i> , 2022, 25, 466-482.	3.0	39
3	Changes in plant diversity in a water-limited and isolated high-mountain range (Sierra Nevada, Spain). <i>Alpine Botany</i> , 2021, 131, 27-39.	1.1	25
4	Post-glacial determinants of regional species pools in alpine grasslands. <i>Global Ecology and Biogeography</i> , 2021, 30, 1101-1115.	2.7	22
5	A common soil temperature threshold for the upper limit of alpine grasslands in European mountains. <i>Alpine Botany</i> , 2021, 131, 41-52.	1.1	13
6	Fine-scale beta diversity of Palaeartic grassland vegetation. <i>Journal of Vegetation Science</i> , 2021, 32, e13045.	1.1	18
7	Benchmarking plant diversity of Palaeartic grasslands and other open habitats. <i>Journal of Vegetation Science</i> , 2021, 32, e13050.	1.1	34
8	Using automated vegetation cover estimation from close-range photogrammetric point clouds to compare vegetation location properties in mountain terrain. <i>GIScience and Remote Sensing</i> , 2021, 58, 120-137.	2.4	4
9	Massive introgression weakens boundaries between a regionally endemic allopolyploid and a widespread congener. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2020, 42, 125502.	1.1	6
10	Species-area relationships in continuous vegetation: Evidence from Palaeartic grasslands. <i>Journal of Biogeography</i> , 2020, 47, 72-86.	1.4	42
11	Disentangling observer error and climate change effects in long-term monitoring of alpine plant species composition and cover. <i>Journal of Vegetation Science</i> , 2020, 31, 14-25.	1.1	19
12	Dieback and expansions: species-specific responses during 20 years of amplified warming in the high Alps. <i>Alpine Botany</i> , 2020, 130, 1-11.	1.1	24
13	SoilTemp: A global database of near-surface temperature. <i>Global Change Biology</i> , 2020, 26, 6616-6629.	4.2	122
14	Accelerated increase in plant species richness on mountain summits is linked to warming. <i>Nature</i> , 2018, 556, 231-234.	13.7	580
15	Assessment of climate change effects on mountain ecosystems through a cross-site analysis in the Alps and Apennines. <i>Science of the Total Environment</i> , 2018, 624, 1429-1442.	3.9	169
16	GrassPlot – a database of multi-scale plant diversity in Palaeartic grasslands. <i>Phytocoenologia</i> , 2018, 48, 331-347.	1.2	49
17	Reciprocal transplantations reveal strong niche differentiation among ploidy-differentiated species of the <i>Senecio carniolicus</i> aggregate (Asteraceae) in the easternmost Alps. <i>Alpine Botany</i> , 2018, 128, 107-119.	1.1	4
18	Side by side? Vascular plant, invertebrate, and microorganism distribution patterns along an alpine to nival elevation gradient. <i>Arctic, Antarctic, and Alpine Research</i> , 2018, 50, .	0.4	21

#	ARTICLE	IF	CITATIONS
19	Climate change leads to accelerated transformation of high-elevation vegetation in the central Alps. <i>New Phytologist</i> , 2018, 220, 447-459.	3.5	143
20	A novel method to infer the origin of polyploids from Amplified Fragment Length Polymorphism data reveals that the alpine polyploid complex of <i>Senecio carniolicus</i> (Asteraceae) evolved mainly via autopolyploidy. <i>Molecular Ecology Resources</i> , 2017, 17, 877-892.	2.2	16
21	Secondary contact after divergence in allopatry explains current lack of ecogeographical isolation in two hybridizing alpine plant species. <i>Journal of Biogeography</i> , 2017, 44, 2575-2584.	1.4	23
22	Uncertainty in predicting range dynamics of endemic alpine plants under climate warming. <i>Global Change Biology</i> , 2016, 22, 2608-2619.	4.2	40
23	Correlations of polyploidy and apomixis with elevation and associated environmental gradients in an alpine plant. <i>AoB PLANTS</i> , 2016, 8, .	1.2	102
24	A matter of scale: apparent niche differentiation of diploid and tetraploid plants may depend on extent and grain of analysis. <i>Journal of Biogeography</i> , 2016, 43, 716-726.	1.4	73
25	The rich sides of mountain summits – a pan-European view on aspect preferences of alpine plants. <i>Journal of Biogeography</i> , 2016, 43, 2261-2273.	1.4	107
26	Underestimated diversity in one of the world's best studied mountain ranges: The polyploid complex of <i>Senecio carniolicus</i> (Asteraceae) contains four species in the European Alps. <i>Phytotaxa</i> , 2015, 213, 1.	0.1	24
27	Ecological differentiation, lack of hybrids involving diploids, and asymmetric gene flow between polyploids in narrow contact zones of <i>Senecio carniolicus</i> (syn. <i>Jacobaea carniolica</i>)	0.8	14
28	Ecological differentiation of diploid and polyploid cytotypes of <i>Senecio carniolicus</i> sensu lato (Asteraceae) is stronger in areas of sympatry. <i>Annals of Botany</i> , 2015, 117, mcv176.	1.4	26
29	Polyploidisation and Geographic Differentiation Drive Diversification in a European High Mountain Plant Group (<i>Doronicum clusii</i> Aggregate, Asteraceae). <i>PLoS ONE</i> , 2015, 10, e0118197.	1.1	28
30	Strong nuclear differentiation contrasts with widespread sharing of plastid DNA haplotypes across taxa in European purple saxifrages (<i>Saxifraga</i> section <i>Porphyron</i> subsection <i>Oppositifoliae</i>). <i>Botanical Journal of the Linnean Society</i> , 2013, 173, 622-636.	0.8	16
31	Parental Ploidy Strongly Affects Offspring Fitness in Heteroploid Crosses among Three Cytotypes of Autopolyploid <i>Jacobaea carniolica</i> (Asteraceae). <i>PLoS ONE</i> , 2013, 8, e78959.	1.1	42
32	Genetic diversity in widespread species is not congruent with species richness in alpine plant communities. <i>Ecology Letters</i> , 2012, 15, 1439-1448.	3.0	135
33	Germination of Epiphytic Bromeliads in Forests and Coffee Plantations: Microclimate and Substrate Effects. <i>Biotropica</i> , 2012, 44, 197-204.	0.8	19
34	Survival and Growth of Juvenile Bromeliads in Coffee Plantations and Forests in Central Veracruz, Mexico. <i>Biotropica</i> , 2012, 44, 341-349.	0.8	4
35	Extensive range persistence in peripheral and interior refugia characterizes Pleistocene range dynamics in a widespread Alpine plant species (<i>Senecio carniolicus</i> , Asteraceae). <i>Molecular Ecology</i> , 2012, 21, 1255-1270.	2.0	44
36	Tales of the unexpected: Phylogeography of the arctic-alpine model plant <i>Saxifraga oppositifolia</i> (Saxifragaceae) revisited. <i>Molecular Ecology</i> , 2012, 21, 4618-4630.	2.0	52

#	ARTICLE	IF	CITATIONS
37	Break zones in the distributions of alleles and species in alpine plants. <i>Journal of Biogeography</i> , 2011, 38, 772-782.	1.4	77
38	High gene flow in epiphytic ferns despite habitat loss and fragmentation. <i>Conservation Genetics</i> , 2011, 12, 1411-1420.	0.8	14
39	Seedling establishment of epiphytic orchids in forests and coffee plantations in Central Veracruz, Mexico. <i>Journal of Tropical Ecology</i> , 2010, 26, 93-102.	0.5	21
40	Pleistocene distribution range shifts were accompanied by breeding system divergence within <i>Hornungia alpina</i> (Brassicaceae) in the Alps. <i>Molecular Phylogenetics and Evolution</i> , 2010, 54, 571-582.	1.2	26
41	Intraseasonal climate and habitat-specific variability controls the flowering phenology of high alpine plant species. <i>Functional Ecology</i> , 2010, 24, 245-252.	1.7	95
42	Population dynamics of epiphytic orchids in a metapopulation context. <i>Annals of Botany</i> , 2009, 104, 995-1004.	1.4	45
43	History or ecology? Substrate type as a major driver of patial genetic structure in Alpine plants. <i>Ecology Letters</i> , 2009, 12, 632-640.	3.0	167
44	Effects of species traits on the genetic diversity of high-mountain plants: a multi-species study across the Alps and the Carpathians. <i>Global Ecology and Biogeography</i> , 2009, 18, 78-87.	2.7	62
45	Historical divergence vs. contemporary gene flow: evolutionary history of the calcicole <i>Ranunculus alpestris</i> group (Ranunculaceae) in the European Alps and the Carpathians. <i>Molecular Ecology</i> , 2008, 17, 4263-4275.	2.0	98
46	A new individual-based spatial approach for identifying genetic discontinuities in natural populations. <i>Molecular Ecology</i> , 2007, 16, 2031-2043.	2.0	72
47	Genetic consequences of Pleistocene range shifts: contrast between the Arctic, the Alps and the East African mountains. <i>Molecular Ecology</i> , 2007, 16, 2542-2559.	2.0	183
48	Population dynamics of epiphytic bromeliads: Life strategies and the role of host branches. <i>Basic and Applied Ecology</i> , 2007, 8, 183-196.	1.2	41
49	Power games cause sparks in physics, but biologists have learnt from evolution. <i>Nature</i> , 2006, 439, 18-18.	13.7	0
50	Phenological Responses of Snowbed Species to Snow Removal Dates in the Central Alps: Implications for Climate Warming. <i>Arctic, Antarctic, and Alpine Research</i> , 2006, 38, 99-103.	0.4	84
51	Effect of Canopy Position on Germination and Seedling Survival of Epiphytic Bromeliads in a Mexican Humid Montane Forest. <i>Annals of Botany</i> , 2005, 95, 1039-1047.	1.4	108
52	Herbivory in epiphytic bromeliads, orchids and ferns in a Mexican montane forest. <i>Journal of Tropical Ecology</i> , 2005, 21, 147-154.	0.5	34
53	MAPPING ALPINE VEGETATION LOCATION PROPERTIES BY DENSE MATCHING. <i>International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives</i> , 0, XLI-B5, 881-886.	0.2	1