Suzanne Barker-Collo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6539132/publications.pdf

Version: 2024-02-01

75 papers

6,346 citations

201674 27 h-index 70 g-index

75 all docs

75 docs citations

75 times ranked 10847 citing authors

#	Article	IF	CITATIONS
1	Global and regional burden of stroke during 1990–2010: findings from the Global Burden of Disease Study 2010. Lancet, The, 2014, 383, 245-255.	13.7	3,007
2	Global and regional burden of first-ever ischaemic and haemorrhagic stroke during 1990–2010: findings from the Global Burden of Disease Study 2010. The Lancet Global Health, 2013, 1, e259-e281.	6.3	1,051
3	Persistent problems 1 year after mild traumatic brain injury: a longitudinal population study in New Zealand. British Journal of General Practice, 2016, 66, e16-e23.	1.4	167
4	The Global Burden of Hemorrhagic Stroke: A Summary of Findings From the GBD 2010 Study. Global Heart, 2014, 9, 101.	2.3	163
5	Sex Differences in Stroke Incidence, Prevalence, Mortality and Disability-Adjusted Life Years: Results from the Global Burden of Disease Study 2013. Neuroepidemiology, 2015, 45, 203-214.	2.3	159
6	The Global Burden of Ischemic Stroke: Findings of the GBD 2010 Study. Global Heart, 2014, 9, 107.	2.3	129
7	The Impact of Neuropsychological Deficits on Functional Stroke Outcomes. Neuropsychology Review, 2006, 16, 53-64.	4.9	114
8	Population-based cohort study of the impacts of mild traumatic brain injury in adults four years post-injury. PLoS ONE, 2018, 13, e0191655.	2.5	92
9	Sleep difficulties one year following mild traumatic brain injury in a population-based study. Sleep Medicine, 2015, 16, 926-932.	1.6	90
10	Cost of traumatic brain injury in New Zealand. Neurology, 2014, 83, 1645-1652.	1.1	83
11	Stroke Incidence by Major Pathological Type and Ischemic Subtypes in the Auckland Regional Community Stroke Studies. Stroke, 2018, 49, 3-10.	2.0	76
12	Work Limitations 4 Years After Mild Traumatic Brain Injury: A Cohort Study. Archives of Physical Medicine and Rehabilitation, 2017, 98, 1560-1566.	0.9	74
13	30-Year Trends in Stroke Rates and Outcome in Auckland, New Zealand (1981-2012): A Multi-Ethnic Population-Based Series of Studies. PLoS ONE, 2015, 10, e0134609.	2.5	70
14	Neuropsychological outcome and its correlates in the first year after adult mild traumatic brain injury: A population-based New Zealand study. Brain Injury, 2015, 29, 1604-1616.	1.2	60
15	Development of the Standards of Reporting of Neurological Disorders (STROND) checklist. Neurology, 2015, 85, 821-828.	1.1	57
16	Sex Differences in Long-Term Quality of Life Among Survivors After Stroke in the INSTRUCT. Stroke, 2019, 50, 2299-2306.	2.0	54
17	Incidence of Sports-Related Traumatic Brain Injury of All Severities: A Systematic Review. Neuroepidemiology, 2020, 54, 192-199.	2.3	50
18	Post-concussive symptoms after a mild traumatic brain injury during childhood and adolescence. Brain Injury, 2018, 32, 617-626.	1.2	49

#	Article	IF	CITATIONS
19	Neuropsychological Profiles of 5-Year Ischemic Stroke Survivors by Oxfordshire Stroke Classification and Hemisphere of Lesion. Stroke, 2012, 43, 50-55.	2.0	48
20	Improving Adherence to Secondary Stroke Prevention Strategies Through Motivational Interviewing. Stroke, 2015, 46, 3451-3458.	2.0	46
21	Mobile Technology for Primary Stroke Prevention. Stroke, 2019, 50, 196-198.	2.0	45
22	Treatment for depression following mild traumatic brain injury in adults: A meta-analysis. Brain Injury, 2013, 27, 1124-1133.	1.2	40
23	Sleep difficulties and their impact on recovery following mild traumatic brain injury in children. Brain Injury, 2016, 30, 1243-1248.	1.2	38
24	Determinants, Prevalence, and Trajectory of Long-Term Post-Stroke Cognitive Impairment: Results from a 4-Year Follow-Up of the ARCOS-IV Study. Neuroepidemiology, 2017, 49, 129-134.	2.3	38
25	Factor structure of the Rivermead Post-Concussion Symptoms Questionnaire over the first year following mild traumatic brain injury. Brain Injury, 2018, 32, 453-458.	1.2	34
26	A pilot randomized controlled trial of on-line interventions to improve sleep quality in adults after mild or moderate traumatic brain injury. Clinical Rehabilitation, 2018, 32, 619-629.	2.2	34
27	Natural History of Attention Deficits and Their Influence on Functional Recovery from Acute Stages to 6 Months after Stroke. Neuroepidemiology, 2010, 35, 255-262.	2.3	31
28	Geomagnetic Storms Can Trigger Stroke. Stroke, 2014, 45, 1639-1645.	2.0	31
29	Depression and anxiety across the first 4 years after mild traumatic brain injury: findings from a community-based study. Brain Injury, 2018, 32, 1651-1658.	1.2	31
30	Accuracy of an International Classification of Diseases Code Surveillance System in the Identification of Traumatic Brain Injury. Neuroepidemiology, 2016, 47, 46-52.	2.3	27
31	Community Knowledge and Awareness of Stroke in New Zealand. Journal of Stroke and Cerebrovascular Diseases, 2020, 29, 104589.	1.6	27
32	The association between health-related quality of life and noise or light sensitivity in survivors of a mild traumatic brain injury. Quality of Life Research, 2020, 29, 665-672.	3.1	24
33	Social cognition four years after mild-TBI: An age-matched prospective longitudinal cohort study Neuropsychology, 2019, 33, 560-567.	1.3	20
34	Post stroke fatigue-where is the evidence to guide practice?. New Zealand Medical Journal, 2007, 120, U2780.	0.5	20
35	Distinguishing between enduring and dynamic concussion symptoms: applying Generalisability Theory to the Rivermead Post Concussion Symptoms Questionnaire (RPQ). PeerJ, 2018, 6, e5676.	2.0	18
36	Methodology of a Population-Based Stroke and TIA Incidence and Outcomes Study: The Auckland Regional Community Stroke Study (ARCOS IV) 2011–2012. International Journal of Stroke, 2014, 9, 140-147.	5.9	16

#	Article	IF	CITATIONS
37	Methodology of the Stroke Self-Management Rehabilitation Trial: An International, Multisite Pilot Trial. Journal of Stroke and Cerebrovascular Diseases, 2015, 24, 297-303.	1.6	15
38	Longitudinal patterns of behavior, cognition, and quality of life after mild traumatic brain injury in children: BIONIC study findings. Brain Injury, 2019, 33, 884-893.	1.2	15
39	Trajectories in health recovery in the 12 months following a mild traumatic brain injury in children: findings from the BIONIC Study. Journal of Primary Health Care, 2018, 10, 81.	0.6	14
40	Attention and Communication Following TBI: Making the Connection through a Meta-Narrative Systematic Review. Neuropsychology Review, 2020, 30, 345-361.	4.9	13
41	Coping Strategies in Female Survivors of Childhood Sexual Abuse from Two Canadian and Two New Zealand Cultural Groups. Journal of Trauma and Dissociation, 2012, 13, 435-447.	1.9	12
42	Sex differences in outcomes from mild traumatic brain injury eight years post-injury. PLoS ONE, 2022, 17, e0269101.	2.5	11
43	The Impact of American Content on California Verbal Learning Test Performance: A New Zealand Illustration. Clinical Neuropsychologist, 2002, 16, 290-299.	2.3	10
44	Prevalence and Predictors of Post-traumatic Stress Disorder in Adults One Year Following Traumatic Brain Injury: A Population-based Study. Brain Impairment, 2013, 14, 425-435.	0.7	10
45	Long-term factor structure of the Rivermead Post-Concussion Symptom Questionnaire in mild traumatic brain injury and normative sample. Brain Injury, 2019, 33, 618-622.	1.2	10
46	Psychological flexibility: A psychological mechanism that contributes to persistent symptoms following mild traumatic brain injury?. Medical Hypotheses, 2020, 143, 110141.	1.5	10
47	The role of psychological flexibility in recovery following mild traumatic brain injury Rehabilitation Psychology, 2021, 66, 479-490.	1.3	10
48	The Contribution of Vascular Risk Factors in Prevalence of Fatigue Four Years Following Stroke: Results from a Population-Based Study. Journal of Stroke and Cerebrovascular Diseases, 2018, 27, 2192-2199.	1.6	8
49	Slowed Information Processing Speed at Four Years Poststroke: Evidence and Predictors from a Population-Based Follow-up Study. Journal of Stroke and Cerebrovascular Diseases, 2020, 29, 104513.	1.6	8
50	Case-Fatality and Functional Outcome after Subarachnoid Hemorrhage (SAH) in INternational STRoke oUtComes sTudy (INSTRUCT). Journal of Stroke and Cerebrovascular Diseases, 2022, 31, 106201.	1.6	8
51	New Zealand Teachers' Understanding of Childhood Mild Traumatic Brain Injury: Investigating and Enhancing Teacher Knowledge and Practice. New Zealand Journal of Educational Studies, 2017, 52, 159-176.	1.1	7
52	Into the unknown: the experiences of individuals living with multiple sclerosis. Journal of Neuroscience Nursing, 2006, 38, 435-41, 446.	1.1	7
53	Neuropsychological Outcome and its Predictors Across the First Year after Ischaemic Stroke. Brain Impairment, 2016, 17, 111-122.	0.7	6
54	Brain drawings following traumatic brain injury (TBI) and links to illness perceptions and health outcomes – Findings from a population-based study. Psychology and Health, 2016, 31, 1182-1202.	2.2	6

#	Article	IF	CITATIONS
55	Psychosocial functioning at 4-years after pediatric mild traumatic brain injury. Brain Injury, 2021, 35, 416-425.	1.2	6
56	Incidence of stroke and traumatic brain injury in New Zealand: contrasting the BIONIC and ARCOS-IV studies. New Zealand Medical Journal, 2019, 132, 40-54.	0.5	6
57	Profiles of DES Performance in Inmate and Student Samples. Journal of Trauma and Dissociation, 2005, 6, 113-124.	1.9	5
58	Do Mild Traumatic Brain Injury Severity Sub-classification Systems Help to Identify People Who Go on to Experience Long-Term Symptoms?. Brain Impairment, 2018, 19, 119-132.	0.7	5
59	Sex Differences in Disease Profiles, Management, and Outcomes Among People with Atrial Fibrillation After Ischemic Stroke: Aggregated and Individual Participant Data Meta-Analyses. Women S Health Reports, 2020, 1, 190-202.	0.8	5
60	Depression and Anxiety Across the First Year After Ischemic Stroke: Findings from a Population-Based New Zealand ARCOS-IV Study. Brain Impairment, 2017, 18, 265-276.	0.7	4
61	Determining the feasibility and preliminary efficacy of a stroke instructional and educational DVD in a multinational context: a randomized controlled pilot study. Clinical Rehabilitation, 2018, 32, 1086-1097.	2.2	4
62	Changes over time in family members of adults with mild traumatic brain injury. Brain Impairment, 2020, 21, 154-172.	0.7	4
63	Interventions for fatigue management after traumatic brain injury. The Cochrane Library, 2007, , .	2.8	3
64	Psychological flexibility in mild traumatic brain injury: an evaluation of measures. Brain Injury, 2021, 35, 1103-1111.	1.2	2
65	The influence of psychological flexibility on persistent post concussion symptoms and functional status after mild traumatic brain injury. Disability and Rehabilitation, 2023, 45, 1192-1201.	1.8	2
66	Atypical symptom reporting after mild traumatic brain injury. Brain Impairment, 2023, 24, 114-123.	0.7	2
67	Methodology of the fatigue after stroke educational recovery group randomized controlled trial. International Journal of Stroke, 2021, , 174749302110062.	5.9	1
68	Parent and Teacher-Reported Child Outcomes Seven Years After Mild Traumatic Brain Injury: A Nested Case Control Study. Frontiers in Neurology, 2021, 12, 683661.	2.4	1
69	You only get one brain. Adult reflections on acute and ongoing symptom experiences after traumatic brain injury in adolescence. Brain Injury, 2021, 35, 1308-1315.	1.2	1
70	Memory deficit after traumatic brain injury: how big is the problem in New Zealand and what management strategies are available?. New Zealand Medical Journal, 2008, 121, U2903.	0.5	1
71	Outcomes of attention-related communication deficits following traumatic brain injury: perspectives of international health professionals. Brain Injury, 2022, , 1-9.	1.2	1
72	Poststroke dementia: prevalence, incidence and risk factors. Aging Health, 2006, 2, 799-807.	0.3	0

#	Article	IF	CITATIONS
73	Measuring stroke and transient ischemic attack burden in New Zealand: Protocol for the fifth Auckland Regional Community Stroke Study (ARCOS V). International Journal of Stroke, 2020, 15, 573-583.	5.9	O
74	Three methods for examining trajectories in neuropsychological performance across the first 4 years after mild Traumatic Brain Injury. Brain Impairment, 2021, 22, 20-33.	0.7	0
75	You Only Get One Brain: Adult Reflections on the Long-Term Impacts of Traumatic Brain Injury in Adolescence. Brain Impairment, 0, , $1 \cdot 18$.	0.7	0