

Cumali Ozaslan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6539852/publications.pdf>

Version: 2024-02-01

17
papers

224
citations

1040056

9
h-index

1058476

14
g-index

17
all docs

17
docs citations

17
times ranked

281
citing authors

#	ARTICLE	IF	CITATIONS
1	The Influence of Environmental Factors on Seed Germination of <i>Polygonum perfoliatum</i> L.: Implications for Management. <i>Agronomy</i> , 2021, 11, 1123.	3.0	10
2	Characteristics and methods to release seed dormancy of two ground cherry (<i>Physalis</i>) species. <i>Journal of Applied Research on Medicinal and Aromatic Plants</i> , 2021, 25, 100337.	1.5	4
3	The impact of aqueous and N-hexane extracts of three Fabaceae species on seed germination and seedling growth of some broadleaved weed species. <i>PLoS ONE</i> , 2021, 16, e0258920.	2.5	3
4	Seed germination niche for common ragweed (<i>Ambrosia artemisiifolia</i> L.) populations naturalized in Turkey. <i>South African Journal of Botany</i> , 2019, 123, 361-371.	2.5	20
5	SOIL PHYSICAL PROPERTIES AFFECTED BY SOIL PLANKING AND ROOT GROWTH OF COTTON (<i>GOSSYPIUM</i>) Tj ETQq1 1 0.784314 rgBT /Ov	0.5	1
6	Ascochyta Blight and Weed Density Affected by the Rolling Times and the Packing Force Levels of Land Roller in Chickpea (<i>Cicer arietinum</i> L.) Production. <i>Legume Research</i> , 2019, , .	0.1	0
7	Weed Flora of Citrus Orchards and Factors Affecting its Distribution in Western Mediterranean Region of Turkey. <i>Planta Daninha</i> , 2018, 36, .	0.5	15
8	The Influence of Environmental Factors on Germination of Burcucumber (<i>Sicyos angulatus</i>) Seeds: Implications for Range Expansion and Management. <i>Weed Science</i> , 2018, 66, 494-501.	1.5	27
9	Range expansion potential of two co-occurring invasive vines to marginal habitats in Turkey. <i>Acta Oecologica</i> , 2017, 84, 23-33.	1.1	18
10	Germination Biology of Two Invasive <i>Physalis</i> Species and Implications for Their Management in Arid and Semi-arid Regions. <i>Scientific Reports</i> , 2017, 7, 16960.	3.3	30
11	Higher Tolerance to Abiotic Stresses and Soil Types May Accelerate Common Ragweed (<i>Ambrosia</i>) Tj ETQq1 1 0.784314 rgBT /Ov	1.5	24
12	A new host [<i>Centaurea stapfiana</i> (Hand.-Mazz.) Wagenitz (Asteraceae)] record for the moth <i>Metzneria subflavella</i> Englert (Lepidoptera: Gelechiidae) from Turkey. <i>Oriental Insects</i> , 2017, 51, 1-5.	0.3	1
13	Chemical Profile of <i>Malva Neglecta</i> and <i>Malvella Sherardiana</i> by Lc- MS/MS, GC/MS and Their Anticholinesterase, Antimicrobial and Antioxidant Properties With Aflatoxin-Contents. <i>Marmara Pharmaceutical Journal</i> , 2017, 21, 471-471.	0.5	10
14	Common ragweed: An emerging threat for sunflower production and human health in Turkey. <i>Weed Biology and Management</i> , 2016, 16, 42-55.	1.4	25
15	Invasion Potential of Two Tropical <i>Physalis</i> Species in Arid and Semi-Arid Climates: Effect of Water-Salinity Stress and Soil Types on Growth and Fecundity. <i>PLoS ONE</i> , 2016, 11, e0164369.	2.5	30
16	Additions to rust and chytrid pathogens of Turkey. <i>Mycotaxon</i> , 2015, 130, 11-15.	0.3	6
17	New Records of Microfungi and Chromista from Anatolian Peninsula of Turkey. <i>Planta Daninha</i> , 0, 36, .	0.5	0