## Yolanda Alvarez

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/654057/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Antidepressant prescribing in five European countries: application of common definitions to assess the prevalence, clinical observations, and methodological implications. European Journal of Clinical Pharmacology, 2014, 70, 849-857.	1.9	135
2	Exposure to benzodiazepines (anxiolytics, hypnotics and related drugs) in seven European electronic healthcare databases: a crossâ€national descriptive study from the PROTECTâ€EU Project. Pharmacoepidemiology and Drug Safety, 2016, 25, 56-65.	1.9	96
3	Validation of Statistical Signal Detection Procedures in EudraVigilance Post-Authorization Data. Drug Safety, 2010, 33, 475-487.	3.2	73
4	Bridging Differences in Outcomes of Pharmacoepidemiological Studies: Design and First Results of the PROTECT Project. Current Clinical Pharmacology, 2014, 9, 130-138.	0.6	48
5	Prevalence of antibiotic use: a comparison across various European health care data sources. Pharmacoepidemiology and Drug Safety, 2016, 25, 11-20.	1.9	46
6	Incidence Rates and Trends of Hip/Femur Fractures in Five European Countries: Comparison Using E-Healthcare Records Databases. Calcified Tissue International, 2014, 94, 580-589.	3.1	39
7	Antiepileptic drug use in seven electronic health record databases in Europe: A methodologic comparison. Epilepsia, 2014, 55, 666-673.	5.1	35
8	Choosing Thresholds for Statistical Signal Detection with the Proportional Reporting Ratio. Drug Safety, 2013, 36, 687-692.	3.2	29
9	Antipsychotic drugs in cocaine dependence: A systematic review and meta-analysis. Journal of Substance Abuse Treatment, 2013, 45, 1-10.	2.8	27
10	Anticonvulsant drugs in cocaine dependence: A systematic review and meta-analysis. Journal of Substance Abuse Treatment, 2010, 38, 66-73.	2.8	25
11	Understanding inconsistency in the results from observational pharmacoepidemiological studies: the case of antidepressant use and risk of hip/femur fractures. Pharmacoepidemiology and Drug Safety, 2016, 25, 88-102.	1.9	23
12	Impact of varying outcomes and definitions of suicidality on the associations of antiepileptic drugs and suicidality: comparisons from <scp>UK Clinical Practice Research Datalink (CPRD)</scp> and <scp>Danish</scp> national registries (DNR). Pharmacoepidemiology and Drug Safety, 2016, 25, 142-155.	1.9	12
13	Caseâ€only designs for studying the association of antidepressants and hip or femur fracture. Pharmacoepidemiology and Drug Safety, 2016, 25, 103-113.	1.9	11
14	Time Trends of Period Prevalence Rates of Patients with Inhaled Long-Acting Beta-2-Agonists-Containing Prescriptions: A European Comparative Database Study. PLoS ONE, 2015, 10, e0117628.	2.5	11
15	Study of paracetamol 1g oral solution bioavailability. Methods and Findings in Experimental and Clinical Pharmacology, 2008, 30, 37.	0.8	8