Jørgen Johansen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6540714/publications.pdf

Version: 2024-02-01

257450 233421 2,197 61 24 45 citations g-index h-index papers 63 63 63 1289 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | The JIL-1 Tandem Kinase Mediates Histone H3 Phosphorylation and Is Required for Maintenance of Chromatin Structure in Drosophila. Cell, 2001, 105, 433-443. | 28.9 | 199 |
| 2 | JIL-1. Molecular Cell, 1999, 4, 129-135. | 9.7 | 163 |
| 3 | Regulation of chromatin structure by histone H3S10 phosphorylation. Chromosome Research, 2006, 14, 393-404. | 2.2 | 147 |
| 4 | Jil-1, a Chromosomal Kinase Implicated in Regulation of Chromatin Structure, Associates with the Male Specific Lethal (Msl) Dosage Compensation Complex. Journal of Cell Biology, 2000, 149, 1005-1010. | 5.2 | 142 |
| 5 | Spatiotemporal control of mitosis by the conserved spindle matrix protein Megator. Journal of Cell Biology, 2009, 184, 647-657. | 5.2 | 111 |
| 6 | The JIL-1 histone H3S10 kinase regulates dimethyl H3K9 modifications and heterochromatic spreading in Drosophila. Development (Cambridge), 2006, 133, 229-235. | 2.5 | 103 |
| 7 | Skeletor, a Novel Chromosomal Protein That Redistributes during Mitosis Provides Evidence for the Formation of a Spindle Matrix. Journal of Cell Biology, 2000, 151, 1401-1412. | 5.2 | 94 |
| 8 | Megator, an Essential Coiled-Coil Protein that Localizes to the Putative Spindle Matrix during Mitosis inDrosophila. Molecular Biology of the Cell, 2004, 15, 4854-4865. | 2.1 | 78 |
| 9 | Chromator, a novel and essential chromodomain protein interacts directly with the putative spindle matrix protein skeletor. Journal of Cellular Biochemistry, 2004, 93, 1033-1047. | 2.6 | 72 |
| 10 | The JIL-1 kinase regulates the structure of Drosophila polytene chromosomes. Chromosoma, 2005, 114, 173-182. | 2.2 | 61 |
| 11 | Cell and Molecular Biology of the Spindle Matrix. International Review of Cytology, 2007, 263, 155-206. | 6.2 | 59 |
| 12 | The chromodomain protein, Chromator, interacts with JIL-1 kinase and regulates the structure of Drosophila polytene chromosomes. Journal of Cell Science, 2006, 119, 2332-2341. | 2.0 | 51 |
| 13 | Ectopic histone H3S10 phosphorylation causes chromatin structure remodeling in <i>Drosophila</i> . Development (Cambridge), 2008, 135, 699-705. | 2.5 | 51 |
| 14 | Do nuclear envelope and intranuclear proteins reorganize during mitosis to form an elastic, hydrogel-like spindle matrix?. Chromosome Research, 2011, 19, 345-365. | 2.2 | 49 |
| 15 | Polytene chromosome squash methods for studying transcription and epigenetic chromatin modification in Drosophila using antibodies. Methods, 2009, 48, 387-397. | 3.8 | 45 |
| 16 | Genetic and Phenotypic Analysis of Alleles of the Drosophila Chromosomal JIL-1 Kinase Reveals a Functional Requirement at Multiple Developmental Stages. Genetics, 2003, 165, 1341-1354. | 2.9 | 44 |
| 17 | Titin in insect spermatocyte spindle fibers associates with microtubules, actin, myosin and the matrix proteins skeletor, megator and chromator. Journal of Cell Science, 2007, 120, 2190-2204. | 2.0 | 43 |
| 18 | Loss-of-Function Alleles of the JIL-1 Histone H3S10 Kinase Enhance Position-Effect Variegation at Pericentric Sites in Drosophila Heterochromatin. Genetics, 2007, 176, 1355-1358. | 2.9 | 36 |

| # | Article | IF | Citations |
|----|---|------|-----------|
| 19 | RNA polymerase II-mediated transcription at active loci does not require histone H3S10 phosphorylation in <i>Drosophila</i> I). Development (Cambridge), 2008, 135, 2917-2925. | 2.5 | 34 |
| 20 | EAST interacts with Megator and localizes to the putative spindle matrix during mitosis inDrosophila. Journal of Cellular Biochemistry, 2005, 95, 1284-1291. | 2.6 | 33 |
| 21 | A Developmentally Regulated Splice Variant from the Complexlola Locus Encoding Multiple Different Zinc Finger Domain Proteins Interacts with the Chromosomal Kinase JIL-1. Journal of Biological Chemistry, 2003, 278, 11696-11704. | 3.4 | 30 |
| 22 | Loss-Of-Function Alleles of the JIL-1 Kinase Are Strong Suppressors of Position Effect Variegation of the wm4 Allele in Drosophila. Genetics, 2006, 173, 2403-2406. | 2.9 | 29 |
| 23 | Chromator is required for proper microtubule spindle formation and mitosis in Drosophila. Developmental Biology, 2009, 334, 253-263. | 2.0 | 26 |
| 24 | A nuclear-derived proteinaceous matrix embeds the microtubule spindle apparatus during mitosis. Molecular Biology of the Cell, 2012, 23, 3532-3541. | 2.1 | 26 |
| 25 | JIL-1 kinase, a member of the male-specific lethal (MSL) complex, is necessary for proper dosage compensation of eye pigmentation inDrosophila. Genesis, 2005, 43, 213-215. | 1.6 | 25 |
| 26 | Initial formation and secondary condensation of nerve pathways in the medicinal leech., 1996, 373, 1-10. | | 23 |
| 27 | Reduced Levels of Su(var)3-9 But Not Su(var)2-5 (HP1) Counteract the Effects on Chromatin Structure and Viability in Loss-of-Function Mutants of the JIL-1 Histone H3S10 Kinase. Genetics, 2007, 177, 79-87. | 2.9 | 23 |
| 28 | Remodeling of nuclear architecture during the cell cycle inDrosophila embryos. Journal of Cellular Biochemistry, 1996, 63, 268-279. | 2.6 | 22 |
| 29 | The epigenetic H3S10 phosphorylation mark is required for counteracting heterochromatic spreading and gene silencing in Drosophila melanogaster. Journal of Cell Science, 2011, 124, 4309-4317. | 2.0 | 22 |
| 30 | Development and pathway formation of peripheral neurons during leech embryogenesis. Journal of Comparative Neurology, 1998, 397, 394-402. | 1.6 | 21 |
| 31 | Genome-wide analysis of regulation of gene expression and H3K9me2 distribution by JIL-1 kinase mediated histone H3S10 phosphorylation in Drosophila. Nucleic Acids Research, 2014, 42, 5456-5467. | 14.5 | 21 |
| 32 | Phosphorylation of SU(VAR)3–9 by the Chromosomal Kinase JIL-1. PLoS ONE, 2010, 5, e10042. | 2.5 | 21 |
| 33 | The JIL-1 kinase interacts with lamin DmO and regulates nuclear lamina morphology of Drosophila nurse cells. Journal of Cell Science, 2005, 118, 5079-5087. | 2.0 | 20 |
| 34 | Filarin, a novel invertebrate intermediate filament protein present in axons and perikarya of developing and mature leech neurons. Journal of Neurobiology, 1995, 27, 227-239. | 3.6 | 19 |
| 35 | Gliarin and macrolin, two novel intermediate filament proteins specifically expressed in sets and subsets of glial cells in leech central nervous system. , 1999, 40, 244-253. | | 19 |
| 36 | Studying Nuclear Organization in Embryos Using Antibody Tools. , 2004, 247, 215-234. | | 19 |

| # | Article | IF | Citations |
|----|---|--------------|-----------|
| 37 | JASPer controls interphase histone H3S10 phosphorylation by chromosomal kinase JIL-1 in Drosophila. Nature Communications, 2019, 10, 5343. | 12.8 | 18 |
| 38 | Asator, a tauâ€tubulin kinase homolog in <i>Drosophila</i> localizes to the mitotic spindle. Developmental Dynamics, 2009, 238, 3248-3256. | 1.8 | 17 |
| 39 | <i>JIL-1</i> and <i>Su(var)3-7</i> Interact Genetically and Counteract Each Other's Effect on Position-Effect Variegation in Drosophila. Genetics, 2010, 185, 1183-1192. | 2.9 | 17 |
| 40 | Multiple strategies for directed growth cone extension and navigation of peripheral neurons. Journal of Neurobiology, 1995, 27, 310-325. | 3.6 | 15 |
| 41 | Digitor/dASCIZ Has Multiple Roles in Drosophila Development. PLoS ONE, 2016, 11, e0166829. | 2.5 | 15 |
| 42 | The COOH-terminal Domain of the JIL-1 Histone H3S10 Kinase Interacts with Histone H3 and Is Required for Correct Targeting to Chromatin. Journal of Biological Chemistry, 2008, 283, 32741-32750. | 3.4 | 13 |
| 43 | A Balance Between Euchromatic (JIL-1) and Heterochromatic [SU(VAR)2-5 and SU(VAR)3-9] Factors Regulates Position-Effect Variegation in <i>Drosophila</i> . Genetics, 2011, 188, 745-748. | 2.9 | 13 |
| 44 | D-Hillarin, a novel W180-domain protein, affects cytokinesis through interaction with the septin family member Pnut. Journal of Neurobiology, 2005, 64, 157-169. | 3 . 6 | 12 |
| 45 | The lamin Dm0 allele Ari3 acts as an enhancer of position effect variegation of the w m4 allele in Drosophila. Genetica, 2007, 129, 339-342. | 1.1 | 10 |
| 46 | Movement of chromosomes with severed kinetochore microtubules. Protoplasma, 2015, 252, 775-781. | 2.1 | 10 |
| 47 | H3S10 phosphorylation by the JIL-1 kinase regulates H3K9 dimethylation and gene expression at the white locus in Drosophila. Fly, 2012, 6, 93-97. | 1.7 | 9 |
| 48 | The spindle matrix through the cell cycle in Drosophila. Fly, 2009, 3, 213-20. | 1.7 | 9 |
| 49 | The chromodomain-containing NH2-terminus of Chromator interacts with histone H1 and is required for correct targeting to chromatin. Chromosoma, 2012, 121, 209-220. | 2.2 | 8 |
| 50 | Domain Requirements of the JIL-1 Tandem Kinase for Histone H3 Serine 10 Phosphorylation and Chromatin Remodeling in Vivo. Journal of Biological Chemistry, 2013, 288, 19441-19449. | 3.4 | 8 |
| 51 | Histone H3S10 phosphorylation by the JIL-1 kinase in pericentric heterochromatin and on the fourth chromosome creates a composite H3S10phK9me2 epigenetic mark. Chromosoma, 2014, 123, 273-280. | 2.2 | 8 |
| 52 | Evidence against a Role for the JIL-1 Kinase in H3S28 Phosphorylation and 14-3-3 Recruitment to Active Genes in Drosophila. PLoS ONE, 2013, 8, e62484. | 2.5 | 7 |
| 53 | Molecular cloning and characterization of LKv1, a novel voltage-gated potassium channel in leech. Journal of Neurobiology, 1999, 38, 287-299. | 3 . 6 | 5 |
| 54 | Spatiotemporal coordination of Greatwall-Endos-PP2A promotes mitotic progression. Journal of Cell Biology, 2021, 220, . | 5. 2 | 5 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 55 | Evidence for a role of spindle matrix formation in cell cycle progression by antibody perturbation. PLoS ONE, 2018, 13, e0208022. | 2.5 | 4 |
| 56 | The Spindle Matrix Protein, Chromator, Is a Novel Tubulin Binding Protein That Can Interact with Both Microtubules and Free Tubulin. PLoS ONE, 2014, 9, e103855. | 2.5 | 3 |
| 57 | Differential expression of the EF-hand calcium-binding protein calsensin in the central nervous system of hirudinid leeches. Cell and Tissue Research, 1996, 286, 357-364. | 2.9 | 2 |
| 58 | Antibody identification, chromosome map assignment, and sequence analysis of a Rab escort protein homolog in Drosophila1The sequence data presented here have been submitted to the EMBL/GenBank databases under accession number AF105063.1. Biochimica Et Biophysica Acta - Molecular Cell Research, 1999, 1449, 194-198. | 4.1 | 2 |
| 59 | Mapping the Ca2+-dependent binding of an invertebrate homolog of protein phosphatase 4 regulatory subunit 2 to the small EF-hand protein, calsensin. Biochimica Et Biophysica Acta - Molecular Cell Research, 2006, 1763, 322-329. | 4.1 | 2 |
| 60 | The effect of JIL-10n position-effect variegation is proportional to the total amount of heterochromatin in the genome. Fly, 2013, 7, 129-133. | 1.7 | 2 |
| 61 | H2Av facilitates H3S10 phosphorylation but is not required for heat shock-induced chromatin decondensation or transcriptional elongation. Development (Cambridge), 2017, 144, 3232-3240. | 2.5 | 1 |